

OS Module

OS Module - NodeJS

1. `os.platform()`: Returns the OS platform (e.g., 'win32' for Windows, 'linux' for Linux, 'darwin' for macOS).

Usage: Useful for writing cross-platform applications.

2. `os.arch()`: Returns the CPU architecture (e.g., 'x64', 'arm').

Usage: Helps optimize code for specific architectures.

3. `os.freemem()`: Returns the amount of free system memory in bytes.

Usage: Useful for monitoring system performance.

4. `os.totalmem()`: Returns the total system memory in bytes.

Usage: Provides insights into the machine's capacity.

5. `os.uptime()`: Returns the system uptime in seconds.

Usage: Commonly used in logging or monitoring tools. Useful for storing temporary data.

OS Module - NodeJS

6. `os.homedir()`: Returns the home directory of the current user.

Usage: Useful for locating user-specific files.

7. `os.hostname()`: Returns the hostname of the system.

Usage: Useful for logging or identifying machines in networks.

8. `os.networkInterfaces()`: Returns an object with details about the network interfaces.

Usage: Helps in network diagnostics or configuration.

9. `os.cpus()`: Returns details about each logical CPU/core.

Usage: Helps optimize code for multi-core processing.

10. `os.tmpdir()`: Returns the default directory for temporary files.

THAPA TECHNICAL – NODEJS YOUTUBE SERIES