```
1
    class Node:
        """A Huffman Tree Node"""
 2
 3
 4
        def __init__(self, freq_, symbol_, left_=None, right_=None):
 5
             # frequency of symbol
            self.freq = freq_
 6
 7
             # symbol name (character)
 8
 9
            self.symbol = symbol_
10
            # node left of current node
11
            self.left = left
12
13
            # node right of current node
14
15
            self.right = right_
16
17
            # tree direction (0/1)
            self.huff = ""
18
19
20
21
    def print_nodes(node, val=""):
    """Utility function to print huffman codes for all symbols in the newly created Huffman tree""" \ensuremath{\text{The New Normal Points}}
22
23
        # huffman code for current node
        new_val = val + str(node.huff)
24
25
26
        # if node is not an edge node then traverse inside it
27
        if node.left:
             print_nodes(node.left, new_val)
28
        if node.right:
29
            print_nodes(node.right, new_val)
30
31
        # if node is edge node then display its huffman code
32
        if not node.left and not node.right:
33
            print(f"{node.symbol} → {new_val}")
34
35
36
37
    # characters for huffman tree
    chars = ["a", "b", "c", "d", "e", "f"]
38
39
40
    # frequency of characters
    freq = [5, 9, 12, 13, 16, 45]
41
42
43
    # list containing huffman tree nodes of characters and frequencies
    nodes = [Node(freq[x], chars[x]) for x in range(len(chars))]
44
45
46
    while len(nodes) > 1:
        # sort all the nodes in ascending order based on their frequency
47
        nodes = sorted(nodes, key=lambda x: x.freq)
48
49
        # pick 2 smallest nodes
50
        left = nodes[0]
51
        right = nodes[1]
52
53
54
        # assign directional value to these nodes
        left.huff = 0
55
        right.huff = 1
56
```

```
57
        # combine the 2 smallest nodes to create new node as their parent
58
        newNode = Node(left.freq + right.freq, left.symbol + right.symbol, left, right)
59
60
        # remove the 2 nodes and add their parent as new node among others
61
        nodes.remove(left)
62
63
        nodes.remove(right)
        nodes.append(newNode)
64
65
66
    print("Characters :", f'[{", ".join(chars)}]')
67
    print("Frequency :", freq, "\n\nHuffman Encoding:")
68
    print_nodes(nodes[0])
69
70
   0.00
71
72 OUTPUT:
73
74 Characters : [a, b, c, d, e, f]
75 Frequency : [5, 9, 12, 13, 16, 45]
76
77 Huffman Encoding:
78 f \rightarrow 0
79 | c \rightarrow 100
80 \mid d \rightarrow 101
81 a \rightarrow 1100
82 b \to 1101
83 e → 111
   11 11 11
84
85
```