

=

SQL*Plus: Release 11.2.0.2.0 Production on Tue Sep 23 08:47:04 2025

Copyright (c) 1982, 2010, Oracle. All rights reserved.

SQL> connect

Enter user-name: system

Enter password:

ERROR:

ORA-01017: invalid username/password; logon denied

SQL> connect

Enter user-name: system

Enter password:

ERROR:

ORA-28002: the password will expire within 7 days

Connected.

SQL> create table o_roll_call(roll_no int primary key,name varchar (50));

create table o_roll_call(roll_no int primary key,name varchar (50))

*

ERROR at line 1:

ORA-00955: name is already used by an existing object

SQL> create table O_roll_call(roll_no int primary key,name varchar (50));

create table O_roll_call(roll_no int primary key,name varchar (50))

*

ERROR at line 1:

ORA-00955: name is already used by an existing object

SQL> create table O_roll_call53(roll_no int primary key,name varchar (50));

Table created.

SQL> create table n_roll_call53(roll_no int primary key,name varchar (50));

Table created.

SQL> insert into O_roll_call53 vallues(101,"krushnali");

insert into O_roll_call53 vallues(101,"krushnali")

*

ERROR at line 1:

ORA-00928: missing SELECT keyword

SQL> insert into O_roll_call53(roll_no,name) values(101,'krushnali');

1 row created.

SQL> insert into O_roll_call53(roll_no,name) values(102,'riya');

1 row created.

SQL> insert into O_roll_call53(roll_no,name) values(103,'diksha');

1 row created.

```
SQL> insert into O_roll_call53(roll_no,name) values(104,'mansi');
```

1 row created.

```
SQL> insert into n_roll_call53 values(201,'diya');
```

1 row created.

```
SQL> insert into n_roll_call53 values(202,'sakshi');
```

1 row created.

```
SQL> insert into n_roll_call53 values(203,'meena');
```

1 row created.

```
SQL> insert into n_roll_call53 values(204,'priya');
```

1 row created.

```
SQL> select * from O_roll_no53;
```

```
select * from O_roll_no53
```

```
      *
```

ERROR at line 1:

ORA-00942: table or view does not exist

```
SQL> select * from O_roll_call53;
```

```
ROLL_NO NAME
```

```
101 krushnali
```

```
102 riya
```

```
103 diksha
```

```
104 mansi
```

```
SQL> select * from n_roll_call53;
```

```
ROLL_NO NAME
```

```
201 diya
```

```
202 sakshi
```

```
203 meena
```

```
204 priya
```

```
SQL> set serveroutput on;
```

```
SQL> declare
```

```
2 v_roll_no N_roll_call.roll_no%Type;
```

```
3 v_name N_roll_call.name%Type;
```

```
4 cursor c_new_roll_call is
```

```
5 select roll_no,name from N_roll_call;
```

```
6 begin
```

```
7 for rec in c_new_roll_call
```

```
8 loop
```

```
9 v_roll_no :=rec_roll_no;
```

```

10 v_name:=rec.name;

11 merge into O_roll_call53 O using(select v_roll_no as roll_no,v_name as name from dual)N
on(O.roll_no=N.roll_no)

12 when not matched then

13 insert(roll_no,name)values(N.roll_no,N.name);

14 commit;

15 dbms_output.put_line('merged record ='||v_roll_no);

16 end loop;

17 end;

18 /

v_roll_no :=rec_roll_no;

      *

```

ERROR at line 9:

ORA-06550: line 9, column 13:

PLS-00201: identifier 'REC_ROLL_NO' must be declared

ORA-06550: line 9, column 1:

PL/SQL: Statement ignored

SQL> declare

```

2  v_roll_no N_roll_call.roll_no%Type;

3  v_name N_roll_call.name%Type;

4  cursor c_new_roll_call is

5  select roll_no,name from N_roll_call;

6  begin

7  for rec in c_new_roll_call

8  loop

9  v_roll_no := rec.roll_no;

10 v_name := rec.name;

```

```

11 merge into O_roll_call53 O using(select v_roll_no as roll_no,v_name as name from dual)N
on(O.roll_no=N.roll_no)

12 when not matched then

13 INSERT(roll_no,name)values(N.roll_no,N.name);

14 commit;

15 DBMS_OUTPUT.PUT_LINE('MERGED RECORD = '||v_roll_no);

16 END LOOP;

17 END;

18 /

MERGED RECORD = 5
MERGED RECORD = 6
MERGED RECORD = 7
MERGED RECORD = 8

```

PL/SQL procedure successfully completed.