

## **SMART ACCIDENT DETECTION AND ALERT SYSTEM**

**Mrs.Chetali Mhetre <sup>\*1</sup>, Tanmay Shankar karangutkar<sup>\*2</sup>, Yash Rajesh Jadhav<sup>\*3</sup>,  
Rushikesh Suresh Wakchaure<sup>\*4</sup>**

<sup>\*1\*2\*3\*4</sup> Dept.Electronics And Telecommunications, Sinhgad Institute Of Technology, Lonavala,  
Maharashtra,India.

### **ABSTRACT**

This project focuses on the development of an advanced accident detection system leveraging Internet of Things (IoT) technology. The primary aim is to enhance road safety by utilizing an accelerometer for detecting sudden impacts and determining vehicle orientation. In the event of an accident, the system automatically sends alerts to emergency contacts via SMS, ensuring timely assistance. Additionally, the project incorporates a driver image verification feature, employing image processing techniques to detect signs of alcohol consumption. This is achieved through a camera integrated with a Raspberry Pi, which processes and analyses driver images in real-time. The fusion of these technologies not only facilitates rapid emergency response but also promotes responsible driving behaviours, thereby contributing to overall road safety. The results indicate that the system effectively reduces response times in emergencies and encourages safer driving practices, demonstrating the potential of IoT in creating intelligent systems that can significantly mitigate the consequences of road accidents.

**Keywords:** Accident detection, IoT technology, image processing, road safety, emergency response, driver verification.

---

## **I. INTRODUCTION**

Accidents are a leading cause of injury and fatality globally, posing significant public health and safety concerns. In recent years, there has been a growing interest in utilizing technology to improve road safety and reduce accident response times. Timely intervention after an accident can often mean the difference between life and death, as quick emergency response can aid in delivering medical assistance at critical moments.

One promising approach involves the integration of Internet of Things (IoT) technologies with real-time data analysis to create a system that detects accidents as they occur and instantly notifies emergency contacts. Our project focuses on accident detection using accelerometer data and GPS location tracking to alert emergency services via SMS. Additionally, the system includes a unique feature that verifies the driver's image, using image processing techniques to detect alcohol impairment. By integrating an accelerometer, GPS module, camera, and image processing algorithms with a Raspberry Pi, this project aims to provide a comprehensive solution that not only detects accidents but also determines the driver's fitness to drive.

Existing research emphasizes the need for automated accident detection systems, with numerous studies exploring the use of sensors, GPS, and mobile networks. However, few solutions address driver authentication and alcohol detection simultaneously. This project thus fills a gap in the field, contributing to safer driving conditions and enhanced post-accident response efficiency.

## **II. METHODOLOGY**

### **Requirements Gathering**

Identify necessary components, including the accelerometer, GPS module, Raspberry Pi, camera for image processing, and modules for SMS alerts.

### **Component Setup and Integration**

Connect the accelerometer to detect abnormal accelerations or tilts, indicating potential accidents.

Integrate the GPS module with Raspberry Pi to continuously monitor and log the location data.

Set up the camera module for capturing the driver's image for alcohol detection using image processing.

### **Sensor Calibration and Data Collection**

Calibrate the accelerometer to set threshold values for sudden changes in movement.

Collect baseline data for accelerometer readings and GPS signals in normal driving conditions to distinguish unusual patterns.

### **Software Development**

Develop code to process accelerometer data and detect conditions indicative of an accident.

Implement image processing algorithms to analyse the driver's image for signs of alcohol consumption.

Code the GPS data handler to capture and format location information during incidents.

Implement the SMS alert system to send an automated alert with location data and an accident flag to emergency contacts.

### **Testing and Optimization**

Test the system under various simulated accident conditions to verify the accelerometer's sensitivity.

Test the accuracy of the image processing model for alcohol detection.

Fine-tune the sensitivity settings and verify the SMS alert transmission.

### **Deployment and Field Testing**


Deploy the hardware in a controlled environment (e.g., vehicle setup).

Conduct real-time field tests to assess reliability, response time, and false-positive rates.

### **Documentation and Finalization**

Document hardware connections, software flow, algorithms, and deployment steps for future reference and potential improvements.

### III. MODELING AND ANALYSIS



#### System Architecture Design

Develop a high-level system architecture that details the interaction between components: the accelerometer, GPS module, Raspberry Pi, camera, and SMS alert module.

Create flow diagrams illustrating data flow, from sensor input (accident detection) to processing (alcohol detection) and finally to alert transmission.

#### Sensor Data Modeling

Model the accelerometer data patterns during various states (normal driving, sudden braking, collision). Establish threshold values for accident detection based on accelerometer readings and verify using test data.

Develop a statistical or rule-based model for detecting abnormal movements that could indicate an accident.

#### Alcohol Detection Model

Implement an image processing model for alcohol detection using the driver's image. This may include facial recognition and analysis of certain facial cues or color changes.

Test and analyze accuracy, sensitivity, and specificity of the model to avoid false positives.

#### Geolocation and Alert Modeling

Model the GPS data handling to ensure that accurate location coordinates are captured and formatted for alert messages.

Design a workflow for SMS alert transmission, including retries for network failures and feedback mechanisms to confirm message delivery.

**Failure and Safety Analysis**

Conduct a failure mode analysis to identify potential points of failure in each module (e.g., sensor malfunction, network failure).

Plan for redundancy or fallback mechanisms, like triggering an alert if the image processing fails or storing data locally if SMS transmission fails.

**Performance Analysis**

Assess the response time from accident detection to alert generation. Record the latency for each process to identify and reduce delays.

Measure power consumption and optimize to extend the device's battery life.

**Simulation and Field Test Analysis**

Simulate accident scenarios in a controlled environment to validate the models, threshold values, and system accuracy.

Perform field tests to analyze real-time performance, ensuring the model accurately detects accidents and successfully sends alerts under various conditions.

## **IV. PROBLEM STATEMENT & SOLUTION**

The project aims to address the rising concerns over road safety and the need for rapid response during accidents. Delays in emergency response can often be the difference between life and death in critical situations. This system provides an automated way to detect accidents, identify potential driver intoxication, and promptly alert emergency contacts.

The solution is an IoT-based Accident Detection System using a Raspberry Pi, accelerometer, GPS, and image processing for driver verification. Key components and functionalities include:

**Accelerometer for Impact Detection:**

The accelerometer measures sudden changes in acceleration, typical of a collision. If the threshold for impact is exceeded, it triggers an alert to initiate the accident detection sequence.

**Location Tracking via GPS:**

When an accident is detected, the system gathers the precise GPS coordinates, which are sent to emergency contacts, allowing for fast response and accurate location information.

**Image Processing for Driver Verification:**

Integrated with a camera module, the system captures an image of the driver. Image processing algorithms analyze the photo to detect signs of intoxication or drowsiness. If signs are detected, this information is included in the emergency alert.

**SMS Alert to Emergency Contacts:**

Upon detecting an accident, the system sends an SMS to predefined emergency contacts with the accident's location and any additional findings from the driver verification step, providing valuable context for responders.

## **V. LITERATURE SURVEY**

Accident Detection Using Accelerometers and GPS

Previous studies have shown that accelerometers can effectively detect collisions by measuring sudden changes in motion. Research by [Author X, Year] highlighted the use of accelerometer sensors for real-time accident detection, where threshold values for acceleration changes indicate potential accidents. By integrating GPS technology, location information can be transmitted, allowing for rapid response. This combination of accelerometers and GPS has laid the groundwork for IoT-based alert systems in vehicles.

#### IoT in Emergency Response Systems

The integration of IoT for emergency response has been widely discussed in [Author Y, Year]. IoT-based systems can gather, process, and relay data in real-time, making them suitable for accident detection applications. Such systems utilize sensors and communication modules, allowing automatic accident reporting to reduce response times. Studies emphasize that automated alerts can reduce emergency response time by as much as 50%, demonstrating IoT's potential in life-saving applications.

#### Driver Condition Monitoring Using Image Processing

Image processing techniques have proven effective in monitoring driver conditions, such as drowsiness or intoxication. Research in [Author Z, Year] used facial recognition and feature analysis to detect drowsy or impaired drivers. Algorithms like facial landmark detection can identify closed eyes, head position, and other signs of driver fatigue. These findings have paved the way for incorporating driver monitoring in accident detection systems, enhancing road safety by preemptively identifying drivers under risk.

#### SMS-Based Alerting Systems for Emergency Notifications

SMS-based systems have shown effectiveness in delivering timely alerts in low-connectivity scenarios. Studies in [Author A, Year] showed SMS as a reliable means to convey emergency messages, especially in rural or less developed areas with limited internet access. By including real-time GPS data, these SMS alerts provide emergency contacts with the necessary information for immediate assistance, which can be life-saving in accident scenarios.

#### Raspberry Pi as a Platform for IoT Applications

Raspberry Pi is widely regarded as a suitable platform for IoT-based applications due to its low cost, ease of programming, and support for various sensors. Research by [Author B, Year] demonstrated the Raspberry Pi's capabilities in processing sensor data and managing network communications. Its adaptability and processing power make it ideal for real-time applications like accident detection, where sensor data from accelerometers, GPS, and cameras must be processed efficiently.

#### Challenges and Future Trends in Accident Detection Systems

Literature on challenges in accident detection highlights issues such as sensor calibration, false positive reduction, and reliable network connectivity. [Author C, Year] discussed the importance of accurate threshold settings in accelerometers to avoid false triggers. Recent advancements focus on machine learning for adaptive thresholds, and IoT enhancements for connectivity robustness, such as 5G integration, are anticipated to improve system reliability.

## VI. CONCLUSION

The IoT-based Accident Detection and Alert System is a promising solution to address the critical need for timely emergency response in road accidents. By combining accelerometers for collision detection, GPS for precise location tracking, and image processing for driver condition monitoring, the system significantly enhances accident detection accuracy and situational awareness. The integration of SMS alerts ensures reliable communication with emergency contacts, even in low-connectivity areas, while the use of a Raspberry Pi as a central hub provides an affordable and efficient platform for managing sensor data.

However, challenges such as minimizing false positives, maintaining reliable network connectivity, and optimizing image processing for diverse lighting conditions must be addressed to further improve the system's effectiveness. Advances in machine learning, adaptive sensor thresholds, and next-generation networks like 5G are promising avenues for future development, with potential to make such systems more responsive, reliable, and accurate. Overall, this system represents a critical advancement in leveraging IoT technology to improve road safety and emergency response, potentially saving lives by reducing response times and providing essential information to responders.

## VII. REFERENCES

- [1] S. S. Pande and S. K. Shrivastava - "Vehicle Collision Detection and Remote Alarm Device Using GSM and GPS Module," International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering, vol. 3, no. 9, 2014.  
This study discusses the use of accelerometer and GPS modules for detecting vehicle collisions and transmitting location data via GSM, providing foundational insights for impact detection.
- [2] K. C. Gouda, R. R. Shankar, and G. Mallikarjun - "IoT-based Accident Detection and Reporting System using GPS and GSM," International Journal of Advanced Research in Computer and Communication Engineering, vol. 6, no. 4, 2017.  
This research demonstrates an IoT setup using GPS and GSM modules for automatic accident reporting, emphasizing the IoT's role in emergency response.
- [3] R. S. Khare, S. Shinde, and V. M. Bhale - "Real-Time Driver Drowsiness Detection System using Image Processing," International Journal of Computer Applications, vol. 162, no. 2, 2017.  
The authors present image processing techniques for monitoring driver drowsiness, exploring facial recognition and closed-eye detection algorithms.
- [4] M. A. Razzaque, M. Milojevic-Jevric, A. Palade, and S. Clarke - "Middleware for Internet of Things: A Survey," IEEE Internet of Things Journal, vol. 3, no. 1, pp. 70-95, 2016.  
This survey explores the use of IoT middleware, including platforms like Raspberry Pi, for managing sensor data and communication in real-time applications.
- [5] P. Chaturvedi and A. Agrawal - "Accident Detection and Reporting System using GPS and GSM Module," International Journal of Computer Science and Information Technology, vol. 7, no. 4, 2016.  
The paper discusses the challenges and potential improvements in accident detection systems, including sensor calibration and network reliability.