

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: SCHEMAS

- Filter objects
- carshowroom
- emp
- pavan
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys

Query 1

```
1 /*Find the details of the customers
2 whose details is not in the customer table.*/
3 • select * from customer where cust_id
4 not in (select cust_id from customer);
```

Limit to 1000 rows

Result Grid

CUST_ID	NAME	OCCUPATION	AGE
---------	------	------------	-----

Administration Schemas

Information

No object selected

customer 36

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	19:33:44	select * from customer where cust_id not in (select cust_id from customer) LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHMAS

Filter objects

- carshowroom
- emp
- pavan
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys

Query 1

```
1 /*2.The customer details who have not placed an order*/
2 • select * from customer
3 where cust_id not in(select cust_id from orders);
```

Limit to 1000 rows

Result Grid

	CUST_ID	NAME	OCCUPATION	AGE
▶	105	SUZI	CARPENTER	26
	107			

Administration Schemas

Information

No object selected

customer 41

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	19:37:48	select * from customer where cust_id not in(select cust_id from orders) LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: SCHEMAS

- Filter objects
- carshowroom
- emp
- pavan
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys

Query 1

```
1 /*3.Find the name of the customers who has purchased laptop.*/
2 • select name from customer
3 where cust_id =
4 (select cust_id from orders where prod_name='laptop');
```

Result Grid

name
PETER

Administration Schemas

Information

No object selected

customer 43

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	19:40:26	select name from customer where cust_id = (select cust_id from orders where prod_name='laptop') LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: SCHEMAS

- Filter objects
- carshowroom
- emp
- pavan
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys

Query 1

```
1 /*4.Find the details of customers who purchased iphone.*/
2 • select * from customer
3 where cust_id =
4 (select cust_id from orders where prod_name='iphone');
```

Result Grid

	CUST_ID	NAME	OCCUPATION	AGE
▶	106	BOB	ACTOR	25

Administration Schemas

Information

No object selected

customer 44 x

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	19:41:29	select * from customer where cust_id = (select cust_id from orders where prod_name='iphone') LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator:

SCHMAS

Filter objects

- carshowroom
- emp
- pavan
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys

Query 1

```
1 /*5.Find the details of the customers whose details
2 is not in the orders table.*/
3 • select * from customer
4 where cust_id not in(select cust_id from orders );
```

Limit to 1000 rows

Result Grid

	CUST_ID	NAME	OCCUPATION	AGE
▶	105	SUZI	CARPENTER	26
	107			

Administration Schemas

Information

No object selected

customer 46 x

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	19:44:41	select * from customer where cust_id not in(select cust_id from orders) LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- carshowroom
- emp
- pavan
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys

Query 1

Limit to 1000 rows

```
1 /*6.How many customers from customers table has made an order.*/
2 • select count(*) as no_of_cusotmers from customer
3 where cust_id in(select cust_id from orders );
```

Result Grid

no_of_cusotmers
5

Administration Schemas

Information

No object selected

Result 48

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	19:46:30	select count(*) as no_of_cusotmers from customer where cust_id in(select cust_id from orders) LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec