



# RunCam Eagle 3


**USER MANUAL** 


## **Joystick Control**



### **Dimensions & Installation**










RunCam TX200


#### **Camera Menu**











VIDEO SETTING	
IMAGE RATIO HORIZONTAL INVERTED VERTICAL INVERTED	44:3 ► OPEN ► OPEN ►
RETURN	

**IMAGE ENHANCE** 

CONTRAST	<b>∢</b> AUTO <b>▶</b>
SHARPNESS	<b>∢</b> AUTO <b>▶</b>
COLOR GAIN	<b>∢</b> AUTO <b>▶</b>
3DNR	<b>∢</b> AUTO <b>▶</b>
RETURN	
<ul><li>CONTRAST (AUTO/MANUAL</li><li>SHARPNESS (AUTO/MANUA</li><li>COLOR GAIN (AUTO/MANUA</li></ul>	L)

## Model

Dimensions

**Parameters** 

Model	RunCam Eagle 3	RunCam Eagle 3	
Image Sensor	1/2.8" Starlight CMOS Sensor		
Horizontal Resolution	1000TVL		
Lens	2.1mm (M12) FOV155° (4:3)		
Screen Format	4:3 / 16:9 switchable		
Mirror/Flip	Available		
Signal System	NTSC / PAL Switchable		
S/N Ratio	>50dB (AGC OFF)		
Electronic Shutter Speed	Auto		
Auto Gain Control (AGC)	Auto		
Min. Illumination	0.001Lux@1.2F		
WDR	Global WDR		
Day/Night	Color/BW		
Menu Control	Cable Control		
Power	DC 5-36V		
Current	220mA@5V	120mA@12V	
Housing Material	ABS	ABS	
Net Weight	9g		

19mm\*19mm\*20mm