Supplementary Material for "Beyond Leaderboards: Deployment-Context-Aware Evaluation of Small and Large Language Models"

N. S. Stephane, G. Manzo, and P. Delgado

This document reports the uncertainty of the system-level measurements and the sensitivity analyses referred to in the article. All values are computed from the per-run result files of the benchmarking framework, available at `https://github.com/pameladelgado/TB-2026-SLM-benchmarking`, with the script `compute_supplementary.py`; before computing intervals, the script reproduces every mean reported in the article from these files (maximum relative deviation 0.2%). All measurements describe one sequential request stream. Output length is counted as whitespace-separated words of the generated text, as implemented by the framework.

For some configurations, measurements were collected in more than one session (for example, after a re-run). As in the article, means pool the sessions of a configuration with equal weight; intervals for timing metrics are obtained with a two-stage cluster bootstrap (runs, then requests within runs; 2000 replicates) stratified by session.

Table S1: Mean time to first token (TTFT), end-to-end latency, and per-request throughput with 95% intervals (two-stage cluster bootstrap over runs and requests, stratified by measurement session, sessions weighted equally). Throughput is generated words per second of the decoding interval. S/R: number of measurement sessions and measured runs pooled.

Context	Configuration	Workload	S/R	TTFT (ms)	Latency (ms)	Throughput (words/s)	Words
Edge	Gemma 3 1B (Q8)	MMLU	1/10	1378 [1310, 1459]	1566 [1494, 1637]	5.41 [5.35, 5.47]	1.0
Edge	Gemma 3 1B (Q8)	GSM8K	2/19	757 [747, 768]	23524 [23322, 23711]	6.11 [6.08, 6.15]	139.4
Edge	Gemma 3 1B (Q8)	HellaSwag	1/10	1865 [1818, 1908]	2056 [2012, 2097]	5.28 [5.23, 5.33]	1.0
Edge	Gemma 3 1B (Q8)	Dolly	2/10	1178 [1023, 1336]	17449 [16454, 18414]	6.51 [6.38, 6.62]	108.1
Edge	Llama 3.2 1B (Q4)	MMLU	1/10	1693 [1589, 1799]	1776 [1677, 1884]	12.70 [12.54, 12.86]	1.0
Edge	Llama 3.2 1B (Q4)	GSM8K	2/19	850 [838, 862]	16013 [15828, 16188]	9.49 [9.46, 9.53]	144.1
Edge	Llama 3.2 1B (Q4)	HellaSwag	1/10	2347 [2295, 2400]	2432 [2379, 2487]	12.36 [12.21, 12.50]	1.0
Edge	Llama 3.2 1B (Q4)	Dolly	2/10	1440 [1244, 1669]	12098 [11234, 12980]	9.29 [9.13, 9.44]	100.4
Edge	Phi-4 Mini 3.8B (Q4)	MMLU	1/10	5798 [5454, 6168]	6552 [6201, 6911]	3.55 [3.49, 3.61]	2.6
Edge	Phi-4 Mini 3.8B (Q4)	GSM8K	2/10	2873 [2778, 2975]	42040 [40554, 43612]	3.11 [3.07, 3.14]	120.3
Edge	Phi-4 Mini 3.8B (Q4)	HellaSwag	1/10	8085 [7906, 8278]	8862 [8679, 9047]	3.63 [3.56, 3.70]	3.0
Edge	Phi-4 Mini 3.8B (Q4)	Dolly	2/10	4940 [4234, 5722]	38537 [36215, 40878]	3.28 [3.23, 3.33]	113.2
Edge	SmolLM3 3B (Q4)	MMLU	1/10	5051 [4765, 5364]	5666 [5363, 5980]	4.64 [4.52, 4.74]	2.8
Edge	SmolLM3 3B (Q4)	GSM8K	2/10	2598 [2524, 2679]	39711 [38821, 40551]	4.03 [3.99, 4.08]	149.1
Edge	SmolLM3 3B (Q4)	HellaSwag	1/10	6814 [6657, 6964]	7445 [7284, 7599]	4.88 [4.80, 4.96]	3.1
Edge	SmolLM3 3B (Q4)	Dolly	2/10	4283 [3672, 4929]	36428 [34706, 38175]	4.06 [4.00, 4.12]	133.5
Local CPU	Gemma 3 1B (Q8)	MMLU	2/11	1048 [963, 1146]	1128 [1043, 1222]	13.25 [12.87, 13.65]	1.0
Local CPU	Gemma 3 1B (Q8)	GSM8K	2/11	693 [662, 727]	10607 [10322, 10886]	14.41 [14.13, 14.71]	139.5
Local CPU	Gemma 3 1B (Q8)	HellaSwag	2/11	1471 [1397, 1546]	1552 [1479, 1631]	12.81 [12.51, 13.11]	1.0
Local CPU	Gemma 3 1B (Q8)	Dolly	2/11	1127 [971, 1282]	8965 [8380, 9513]	13.73 [13.22, 14.31]	108.0
Local CPU	Llama 3.2 1B (Q8)	MMLU	1/10	1764 [1659, 1874]	1821 [1718, 1937]	18.14 [17.98, 18.29]	1.0
Local CPU	Llama 3.2 1B (Q8)	GSM8K	1/10	934 [909, 960]	3221 [3016, 3438]	12.47 [12.23, 12.71]	28.0
Local CPU	Llama 3.2 1B (Q8)	HellaSwag	1/10	2408 [2346, 2474]	2464 [2400, 2529]	18.02 [17.86, 18.16]	1.0
Local CPU	Llama 3.2 1B (Q8)	Dolly	1/10	1694 [1461, 1981]	8858 [8303, 9441]	13.05 [12.80, 13.33]	94.4
Local CPU	Ministral 3 3B (Q4)	MMLU	2/20	5581 [5351, 5822]	5702 [5464, 5957]	8.35 [8.29, 8.42]	1.0
Local CPU	Ministral 3 3B (Q4)	GSM8K	2/11	2472 [2386, 2566]	23060 [22418, 23729]	5.76 [5.62, 5.90]	116.6
Local CPU	Ministral 3 3B (Q4)	HellaSwag	2/20	7558 [7430, 7687]	7681 [7553, 7813]	8.21 [8.15, 8.27]	1.0
Local CPU	Ministral 3 3B (Q4)	Dolly	2/11	3606 [3150, 4148]	22395 [21514, 23322]	6.43 [6.28, 6.58]	118.1
Local CPU	Phi-4 Mini 3.8B (Q4)	MMLU	3/30	4079 [3933, 4237]	4396 [4243, 4552]	8.68 [8.55, 8.79]	2.5
Local CPU	Phi-4 Mini 3.8B (Q4)	GSM8K	2/20	2412 [2366, 2456]	18629 [18231, 19046]	7.44 [7.31, 7.56]	117.2
Local CPU	Phi-4 Mini 3.8B (Q4)	HellaSwag	2/20	6029 [5921, 6141]	6391 [6275, 6500]	8.28 [8.15, 8.40]	3.0
Local CPU	Phi-4 Mini 3.8B (Q4)	Dolly	2/11	3613 [3168, 4098]	18496 [17486, 19513]	7.78 [7.60, 7.96]	114.9
GPU server	Apertus 70B (bf16)	MMLU	1/10	216 [213, 219]	343 [340, 347]	8.01 [7.98, 8.05]	1.0
GPU server	Apertus 70B (bf16)	GSM8K	1/10	198 [198, 199]	10969 [10801, 11139]	12.03 [11.96, 12.11]	129.4
GPU server	Apertus 70B (bf16)	HellaSwag	1/10	224 [222, 226]	349 [347, 351]	8.02 [7.97, 8.08]	1.0
GPU server	Apertus 70B (bf16)	Dolly	1/10	213 [209, 219]	10525 [10158, 10888]	12.90 [12.70, 13.10]	136.9
GPU server	Granite 4 H-Tiny (bf16)	MMLU	2/20	178 [177, 179]	296 [295, 297]	9.06 [8.97, 9.15]	1.1
GPU server	Granite 4 H-Tiny (bf16)	GSM8K	2/20	185 [183, 186]	7333 [7162, 7510]	14.92 [14.65, 15.19]	106.3
GPU server	Granite 4 H-Tiny (bf16)	HellaSwag	2/20	176 [176, 177]	297 [295, 299]	9.04 [8.95, 9.14]	1.1
GPU server	Granite 4 H-Tiny (bf16)	Dolly	1/10	182 [180, 183]	7324 [6978, 7670]	15.67 [15.39, 15.99]	117.0
GPU server	Kimi Linear 48B-A3B (bf16)	MMLU	1/10	183 [181, 184]	315 [312, 318]	14.58 [14.10, 15.11]	2.0
GPU server	Kimi Linear 48B-A3B (bf16)	GSM8K	1/10	185 [182, 188]	5875 [5617, 6130]	15.41 [14.89, 16.01]	89.4
GPU server	Kimi Linear 48B-A3B (bf16)	HellaSwag	1/10	183 [182, 184]	308 [306, 311]	13.46 [12.96, 13.98]	1.8
GPU server	Kimi Linear 48B-A3B (bf16)	Dolly	1/10	182 [180, 184]	5377 [5073, 5682]	17.22 [16.60, 17.87]	91.8
GPU server	Llama 3.2 1B (bf16)	MMLU	1/10	129 [128, 131]	239 [237, 242]	9.08 [8.99, 9.16]	1.0
GPU server	Llama 3.2 1B (bf16)	GSM8K	1/10	129 [127, 130]	1098 [1070, 1124]	116.65 [114.30, 119.42]	112.6
GPU server	Llama 3.2 1B (bf16)	HellaSwag	1/10	129 [128, 131]	241 [239, 243]	9.01 [8.92, 9.10]	1.0
GPU server	Llama 3.2 1B (bf16)	Dolly	1/10	129 [128, 130]	1120 [1072, 1166]	116.89 [114.59, 119.07]	120.8
GPU server	Llama 3.3 70B (FP8)	MMLU	2/20	181 [179, 182]	296 [294, 297]	8.70 [8.65, 8.75]	1.0
GPU server	Llama 3.3 70B (FP8)	GSM8K	2/20	168 [167, 169]	7058 [6989, 7126]	20.95 [20.88, 21.01]	143.1
GPU server	Llama 3.3 70B (FP8)	HellaSwag	2/20	190 [189, 192]	306 [305, 307]	8.66 [8.61, 8.70]	1.0
GPU server	Llama 3.3 70B (FP8)	Dolly	1/10	182 [179, 186]	6288 [5992, 6570]	18.47 [18.22, 18.73]	115.7

Context	Configuration	Workload	S/R	TTFT (ms)	Latency (ms)	Throughput (words/s)	Words
GPU server	Ministral 3 14B	MMLU	1/10	158 [157, 159]	274 [272, 276]	8.62 [8.55, 8.69]	1.0
GPU server	Ministral 3 14B	GSM8K	1/10	158 [156, 159]	11527 [11358, 11696]	10.72 [10.55, 10.89]	122.1
GPU server	Ministral 3 14B	HellaSwag	1/10	158 [157, 159]	275 [273, 276]	8.57 [8.51, 8.63]	1.0
GPU server	Ministral 3 14B	Dolly	1/10	165 [162, 167]	9962 [9416, 10557]	11.83 [11.31, 12.30]	115.7
GPU server	Ministral 3 3B (AWQ)	MMLU	1/10	130 [129, 132]	242 [239, 244]	9.02 [8.93, 9.10]	1.0
GPU server	Ministral 3 3B (AWQ)	GSM8K	1/10	129 [128, 130]	2917 [2821, 3005]	44.79 [43.41, 46.42]	125.1
GPU server	Ministral 3 3B (AWQ)	HellaSwag	1/10	132 [131, 133]	243 [241, 245]	9.01 [8.92, 9.10]	1.0
GPU server	Ministral 3 3B (AWQ)	Dolly	1/10	132 [131, 134]	2530 [2444, 2613]	49.82 [48.45, 51.19]	120.5
GPU server	Ministral 3 8B (AWQ)	MMLU	1/10	134 [133, 135]	244 [243, 246]	9.04 [8.99, 9.09]	1.0
GPU server	Ministral 3 8B (AWQ)	GSM8K	1/10	131 [130, 132]	3537 [3478, 3624]	37.16 [36.32, 37.82]	126.6
GPU server	Ministral 3 8B (AWQ)	HellaSwag	1/10	137 [136, 138]	249 [248, 251]	8.90 [8.84, 8.96]	1.0
GPU server	Ministral 3 8B (AWQ)	Dolly	1/10	135 [134, 136]	3202 [3126, 3276]	38.92 [37.60, 40.23]	120.3
GPU server	Phi-4 14B (bf16)	MMLU	1/10	147 [146, 149]	261 [259, 264]	11.41 [10.97, 11.87]	1.3
GPU server	Phi-4 14B (bf16)	GSM8K	1/10	141 [140, 142]	2861 [2821, 2906]	49.96 [49.31, 50.43]	135.1
GPU server	Phi-4 14B (bf16)	HellaSwag	1/10	150 [149, 151]	263 [262, 266]	9.85 [9.55, 10.19]	1.1
GPU server	Phi-4 14B (bf16)	Dolly	1/10	144 [143, 146]	2478 [2384, 2573]	55.73 [55.03, 56.40]	132.7
GPU server	Phi-4 Mini 3.8B (GPTQ-4)	MMLU	1/10	139 [139, 140]	253 [252, 254]	20.55 [19.93, 21.17]	2.3
GPU server	Phi-4 Mini 3.8B (GPTQ-4)	GSM8K	1/10	138 [138, 140]	2996 [2897, 3103]	41.16 [39.95, 42.22]	116.4
GPU server	Phi-4 Mini 3.8B (GPTQ-4)	HellaSwag	1/10	139 [138, 140]	253 [251, 255]	30.61 [30.05, 31.17]	3.5
GPU server	Phi-4 Mini 3.8B (GPTQ-4)	Dolly	1/10	140 [139, 141]	2498 [2380, 2626]	42.50 [41.41, 43.52]	103.9
GPU server	Phi-4 Mini 3.8B (bf16)	MMLU	1/10	138 [137, 139]	251 [250, 253]	23.89 [23.26, 24.49]	2.7
GPU server	Phi-4 Mini 3.8B (bf16)	GSM8K	1/10	136 [135, 137]	2918 [2837, 2997]	42.99 [42.12, 43.85]	117.7
GPU server	Phi-4 Mini 3.8B (bf16)	HellaSwag	1/10	137 [136, 138]	249 [247, 251]	31.67 [31.11, 32.21]	3.6
GPU server	Phi-4 Mini 3.8B (bf16)	Dolly	1/10	140 [139, 142]	2545 [2432, 2652]	44.18 [42.94, 45.46]	110.4
GPU server	Qwen 2.5 1.5B (bf16)	MMLU	1/10	132 [130, 133]	242 [240, 245]	9.23 [9.10, 9.38]	1.0
GPU server	Qwen 2.5 1.5B (bf16)	GSM8K	1/10	130 [129, 130]	2455 [2407, 2497]	62.02 [60.93, 63.30]	144.0
GPU server	Qwen 2.5 1.5B (bf16)	HellaSwag	1/10	134 [133, 135]	246 [244, 248]	8.94 [8.87, 9.02]	1.0
GPU server	Qwen 2.5 1.5B (bf16)	Dolly	1/10	132 [131, 133]	1604 [1507, 1702]	69.21 [66.60, 71.75]	107.7
GPU server	Qwen 2.5 7B (AWQ)	MMLU	1/10	135 [134, 136]	247 [244, 249]	9.00 [8.90, 9.09]	1.0
GPU server	Qwen 2.5 7B (AWQ)	GSM8K	1/10	132 [130, 133]	2465 [2411, 2530]	59.22 [57.79, 60.51]	137.3
GPU server	Qwen 2.5 7B (AWQ)	HellaSwag	1/10	137 [136, 137]	248 [247, 250]	8.97 [8.90, 9.04]	1.0
GPU server	Qwen 2.5 7B (AWQ)	Dolly	1/10	135 [134, 136]	1974 [1874, 2074]	67.84 [66.34, 69.39]	128.0
GPU server	Qwen 3 30B-A3B (bf16)	MMLU	1/10	152 [150, 153]	265 [263, 268]	8.83 [8.74, 8.90]	1.0
GPU server	Qwen 3 30B-A3B (bf16)	GSM8K	1/10	152 [151, 154]	6935 [6749, 7128]	16.60 [16.22, 16.99]	112.8
GPU server	Qwen 3 30B-A3B (bf16)	HellaSwag	1/10	151 [150, 152]	264 [263, 266]	8.85 [8.80, 8.90]	1.0
GPU server	Qwen 3 30B-A3B (bf16)	Dolly	1/10	155 [154, 156]	6103 [5840, 6354]	19.72 [19.20, 20.22]	120.1
GPU server	Qwen 3 4B (AWQ)	MMLU	1/10	135 [134, 136]	247 [246, 249]	10.18 [9.89, 10.46]	1.1
GPU server	Qwen 3 4B (AWQ)	GSM8K	1/10	134 [134, 135]	3153 [3070, 3242]	43.38 [42.21, 44.50]	131.1
GPU server	Qwen 3 4B (AWQ)	HellaSwag	1/10	137 [136, 139]	250 [248, 252]	8.87 [8.79, 8.95]	1.0
GPU server	Qwen 3 4B (AWQ)	Dolly	1/10	135 [135, 136]	2807 [2698, 2910]	48.46 [47.22, 49.74]	132.4

Table S2: Run-level request rate and sustained throughput (mean over runs with 95% t-intervals; sessions weighted equally). Both include all inter-request overheads and, on the Raspberry Pi 5, the cooling pause (1 s for MMLU and HellaSwag, 2 s for GSM8K and Dolly). One sequential request stream.

Context	Configuration	Workload	Requests/s	Sustained words/s
Edge	Gemma 3 1B (Q8)	MMLU	0.391 [0.389, 0.392]	0.39 [0.39, 0.39]
Edge	Gemma 3 1B (Q8)	GSM8K	0.039 [0.039, 0.039]	5.47 [5.45, 5.48]
Edge	Gemma 3 1B (Q8)	HellaSwag	0.328 [0.326, 0.330]	0.33 [0.33, 0.33]
Edge	Llama 3.2 1B (Q4)	MMLU	0.361 [0.361, 0.362]	0.36 [0.36, 0.36]
Edge	Llama 3.2 1B (Q4)	GSM8K	0.056 [0.055, 0.056]	8.01 [8.00, 8.03]
Edge	Llama 3.2 1B (Q4)	HellaSwag	0.292 [0.292, 0.292]	0.29 [0.29, 0.29]
Edge	Phi-4 Mini 3.8B (Q4)	MMLU	0.133 [0.132, 0.133]	0.34 [0.34, 0.34]
Edge	Phi-4 Mini 3.8B (Q4)	GSM8K	0.023 [0.023, 0.023]	2.73 [2.72, 2.75]
Edge	Phi-4 Mini 3.8B (Q4)	HellaSwag	0.102 [0.101, 0.102]	0.30 [0.30, 0.30]
Edge	SmolLM3 3B (Q4)	MMLU	0.150 [0.149, 0.151]	0.42 [0.41, 0.42]
Edge	SmolLM3 3B (Q4)	GSM8K	0.024 [0.024, 0.024]	3.58 [3.56, 3.60]
Edge	SmolLM3 3B (Q4)	HellaSwag	0.118 [0.118, 0.119]	0.36 [0.36, 0.37]
Local CPU	Gemma 3 1B (Q8)	MMLU	0.863 [0.844, 0.881]	0.86 [0.84, 0.88]
Local CPU	Gemma 3 1B (Q8)	GSM8K	0.095 [0.094, 0.095]	13.22 [13.17, 13.26]
Local CPU	Gemma 3 1B (Q8)	HellaSwag	0.633 [0.625, 0.640]	0.63 [0.63, 0.64]
Local CPU	Llama 3.2 1B (Q8)	MMLU	0.538 [0.528, 0.548]	0.54 [0.53, 0.55]
Local CPU	Llama 3.2 1B (Q8)	GSM8K	0.307 [0.305, 0.309]	8.58 [8.52, 8.64]
Local CPU	Llama 3.2 1B (Q8)	HellaSwag	0.400 [0.397, 0.402]	0.40 [0.40, 0.40]
Local CPU	Ministral 3 3B (Q4)	MMLU	0.177 [0.176, 0.177]	0.18 [0.18, 0.18]
Local CPU	Ministral 3 3B (Q4)	GSM8K	0.043 [0.043, 0.044]	5.06 [5.04, 5.09]
Local CPU	Ministral 3 3B (Q4)	HellaSwag	0.131 [0.131, 0.132]	0.13 [0.13, 0.13]
Local CPU	Phi-4 Mini 3.8B (Q4)	MMLU	0.229 [0.227, 0.232]	0.58 [0.57, 0.58]
Local CPU	Phi-4 Mini 3.8B (Q4)	GSM8K	0.054 [0.053, 0.055]	6.32 [6.21, 6.43]
Local CPU	Phi-4 Mini 3.8B (Q4)	HellaSwag	0.157 [0.157, 0.158]	0.47 [0.47, 0.47]
GPU server	Apertus 70B (bf16)	MMLU	2.203 [2.197, 2.210]	2.27 [2.26, 2.28]
GPU server	Apertus 70B (bf16)	GSM8K	0.090 [0.090, 0.090]	11.67 [11.65, 11.70]
GPU server	Apertus 70B (bf16)	HellaSwag	2.179 [2.173, 2.185]	2.18 [2.17, 2.19]
GPU server	Apertus 70B (bf16)	Dolly	0.094 [0.092, 0.097]	12.86 [12.72, 12.99]
GPU server	Granite 4 H-Tiny (bf16)	MMLU	2.463 [2.455, 2.471]	2.68 [2.68, 2.69]
GPU server	Granite 4 H-Tiny (bf16)	GSM8K	0.135 [0.132, 0.137]	14.29 [14.02, 14.56]
GPU server	Granite 4 H-Tiny (bf16)	HellaSwag	2.456 [2.443, 2.469]	2.73 [2.71, 2.74]
GPU server	Granite 4 H-Tiny (bf16)	Dolly	0.135 [0.130, 0.140]	15.73 [15.42, 16.05]
GPU server	Kimi Linear 48B-A3B (bf16)	MMLU	2.350 [2.329, 2.371]	4.82 [4.77, 4.86]
GPU server	Kimi Linear 48B-A3B (bf16)	GSM8K	0.167 [0.161, 0.174]	14.97 [14.37, 15.57]
GPU server	Kimi Linear 48B-A3B (bf16)	HellaSwag	2.388 [2.374, 2.402]	4.32 [4.30, 4.35]
GPU server	Kimi Linear 48B-A3B (bf16)	Dolly	0.183 [0.174, 0.192]	16.73 [16.05, 17.40]
GPU server	Llama 3.2 1B (bf16)	MMLU	2.862 [2.827, 2.898]	2.86 [2.83, 2.90]
GPU server	Llama 3.2 1B (bf16)	GSM8K	0.828 [0.812, 0.845]	93.24 [91.41, 95.06]
GPU server	Llama 3.2 1B (bf16)	HellaSwag	2.844 [2.814, 2.875]	2.84 [2.81, 2.88]
GPU server	Llama 3.2 1B (bf16)	Dolly	0.814 [0.789, 0.839]	98.17 [96.02, 100.32]
GPU server	Llama 3.3 70B (FP8)	MMLU	2.469 [2.457, 2.482]	2.47 [2.46, 2.48]
GPU server	Llama 3.3 70B (FP8)	GSM8K	0.141 [0.141, 0.141]	20.14 [20.13, 20.14]

Context	Configuration	Workload	Requests/s	Sustained words/s
GPU server	Llama 3.3 70B (FP8)	HellaSwag	2.406 [2.393, 2.420]	2.41 [2.39, 2.42]
GPU server	Llama 3.3 70B (FP8)	Dolly	0.157 [0.151, 0.162]	18.06 [17.81, 18.31]
GPU server	Ministral 3 14B	MMLU	2.597 [2.572, 2.623]	2.60 [2.57, 2.62]
GPU server	Ministral 3 14B	GSM8K	0.086 [0.085, 0.087]	10.49 [10.34, 10.64]
GPU server	Ministral 3 14B	HellaSwag	2.589 [2.572, 2.607]	2.59 [2.57, 2.61]
GPU server	Ministral 3 14B	Dolly	0.100 [0.094, 0.106]	11.54 [10.96, 12.13]
GPU server	Ministral 3 3B (AWQ)	MMLU	2.839 [2.805, 2.873]	2.84 [2.80, 2.87]
GPU server	Ministral 3 3B (AWQ)	GSM8K	0.331 [0.319, 0.343]	41.40 [39.88, 42.91]
GPU server	Ministral 3 3B (AWQ)	HellaSwag	2.825 [2.795, 2.855]	2.82 [2.79, 2.85]
GPU server	Ministral 3 3B (AWQ)	Dolly	0.379 [0.368, 0.390]	45.63 [44.21, 47.05]
GPU server	Ministral 3 8B (AWQ)	MMLU	2.827 [2.807, 2.846]	2.83 [2.81, 2.85]
GPU server	Ministral 3 8B (AWQ)	GSM8K	0.274 [0.269, 0.280]	34.73 [33.99, 35.47]
GPU server	Ministral 3 8B (AWQ)	HellaSwag	2.776 [2.752, 2.799]	2.78 [2.75, 2.80]
GPU server	Ministral 3 8B (AWQ)	Dolly	0.302 [0.299, 0.305]	36.33 [35.00, 37.65]
GPU server	Phi-4 14B (bf16)	MMLU	2.690 [2.661, 2.719]	3.50 [3.46, 3.53]
GPU server	Phi-4 14B (bf16)	GSM8K	0.337 [0.333, 0.340]	45.46 [44.97, 45.95]
GPU server	Phi-4 14B (bf16)	HellaSwag	2.671 [2.649, 2.693]	2.99 [2.97, 3.02]
GPU server	Phi-4 14B (bf16)	Dolly	0.387 [0.375, 0.399]	51.25 [50.79, 51.71]
GPU server	Phi-4 Mini 3.8B (GPTQ-4)	MMLU	2.748 [2.735, 2.762]	6.40 [6.37, 6.44]
GPU server	Phi-4 Mini 3.8B (GPTQ-4)	GSM8K	0.322 [0.312, 0.332]	37.50 [36.37, 38.64]
GPU server	Phi-4 Mini 3.8B (GPTQ-4)	HellaSwag	2.747 [2.719, 2.776]	9.53 [9.43, 9.63]
GPU server	Phi-4 Mini 3.8B (GPTQ-4)	Dolly	0.384 [0.371, 0.397]	39.82 [38.92, 40.71]
GPU server	Phi-4 Mini 3.8B (bf16)	MMLU	2.770 [2.747, 2.793]	7.48 [7.42, 7.54]
GPU server	Phi-4 Mini 3.8B (bf16)	GSM8K	0.330 [0.323, 0.338]	38.89 [38.04, 39.74]
GPU server	Phi-4 Mini 3.8B (bf16)	HellaSwag	2.789 [2.761, 2.817]	9.93 [9.83, 10.03]
GPU server	Phi-4 Mini 3.8B (bf16)	Dolly	0.377 [0.365, 0.389]	41.58 [40.29, 42.86]
GPU server	Qwen 2.5 1.5B (bf16)	MMLU	2.838 [2.801, 2.874]	2.89 [2.86, 2.93]
GPU server	Qwen 2.5 1.5B (bf16)	GSM8K	0.390 [0.383, 0.397]	56.18 [55.12, 57.24]
GPU server	Qwen 2.5 1.5B (bf16)	HellaSwag	2.795 [2.767, 2.824]	2.80 [2.77, 2.82]
GPU server	Qwen 2.5 1.5B (bf16)	Dolly	0.586 [0.553, 0.619]	62.88 [60.37, 65.39]
GPU server	Qwen 2.5 7B (AWQ)	MMLU	2.803 [2.771, 2.836]	2.80 [2.77, 2.84]
GPU server	Qwen 2.5 7B (AWQ)	GSM8K	0.389 [0.379, 0.398]	53.37 [52.05, 54.70]
GPU server	Qwen 2.5 7B (AWQ)	HellaSwag	2.792 [2.771, 2.814]	2.79 [2.77, 2.81]
GPU server	Qwen 2.5 7B (AWQ)	Dolly	0.481 [0.458, 0.505]	61.44 [59.93, 62.95]
GPU server	Qwen 3 30B-A3B (bf16)	MMLU	2.660 [2.632, 2.689]	2.66 [2.63, 2.69]
GPU server	Qwen 3 30B-A3B (bf16)	GSM8K	0.142 [0.138, 0.146]	16.03 [15.60, 16.45]
GPU server	Qwen 3 30B-A3B (bf16)	HellaSwag	2.670 [2.654, 2.685]	2.67 [2.65, 2.69]
GPU server	Qwen 3 30B-A3B (bf16)	Dolly	0.161 [0.156, 0.167]	19.32 [18.84, 19.80]
GPU server	Qwen 3 4B (AWQ)	MMLU	2.797 [2.777, 2.817]	3.19 [3.17, 3.21]
GPU server	Qwen 3 4B (AWQ)	GSM8K	0.307 [0.298, 0.315]	40.21 [39.07, 41.34]
GPU server	Qwen 3 4B (AWQ)	HellaSwag	2.766 [2.739, 2.793]	2.77 [2.74, 2.79]
GPU server	Qwen 3 4B (AWQ)	Dolly	0.343 [0.332, 0.355]	45.42 [44.09, 46.75]

Table S3: Mean GPU energy per request on the GPU server with 95% bootstrap intervals over requests. Energy is the trapezoidal integral of the board power of the first GPU reported by `nvidia-smi` over the request; all models were served with tensor parallelism across both GPUs, so values cover one of the two GPUs.

Configuration	Workload	Requests	Energy (J)
Apertus 70B (bf16)	MMLU	100	103 [97, 108]
Apertus 70B (bf16)	GSM8K	100	5527 [5499, 5550]
Apertus 70B (bf16)	HellaSwag	100	92 [90, 93]
Apertus 70B (bf16)	Dolly	100	5603 [5591, 5617]
Granite 4 H-Tiny (bf16)	MMLU	200	33 [33, 34]
Granite 4 H-Tiny (bf16)	GSM8K	200	1252 [1228, 1274]
Granite 4 H-Tiny (bf16)	HellaSwag	200	34 [34, 35]
Granite 4 H-Tiny (bf16)	Dolly	100	1333 [1325, 1341]
Kimi Linear 48B-A3B (bf16)	MMLU	100	40 [40, 41]
Kimi Linear 48B-A3B (bf16)	GSM8K	100	1202 [1181, 1221]
Kimi Linear 48B-A3B (bf16)	HellaSwag	100	41 [41, 41]
Kimi Linear 48B-A3B (bf16)	Dolly	100	1184 [1168, 1197]
Llama 3.2 1B (bf16)	MMLU	100	23 [23, 24]
Llama 3.2 1B (bf16)	GSM8K	100	208 [203, 213]
Llama 3.2 1B (bf16)	HellaSwag	100	24 [23, 24]
Llama 3.2 1B (bf16)	Dolly	100	226 [225, 227]
Llama 3.3 70B (FP8)	MMLU	200	59 [58, 61]
Llama 3.3 70B (FP8)	GSM8K	200	2875 [2832, 2920]
Llama 3.3 70B (FP8)	HellaSwag	200	58 [57, 58]
Llama 3.3 70B (FP8)	Dolly	100	3183 [3153, 3199]
Ministral 3 14B	MMLU	100	35 [35, 36]
Ministral 3 14B	GSM8K	100	1981 [1974, 1989]
Ministral 3 14B	HellaSwag	100	35 [35, 36]
Ministral 3 14B	Dolly	100	2151 [2130, 2171]
Ministral 3 3B (AWQ)	MMLU	100	24 [24, 25]
Ministral 3 3B (AWQ)	GSM8K	100	395 [394, 396]
Ministral 3 3B (AWQ)	HellaSwag	100	25 [24, 25]
Ministral 3 3B (AWQ)	Dolly	100	390 [389, 392]

Configuration	Workload	Requests	Energy (J)
Ministral 3 8B (AWQ)	MMLU	100	27 [26, 27]
Ministral 3 8B (AWQ)	GSM8K	100	540 [537, 544]
Ministral 3 8B (AWQ)	HellaSwag	100	27 [27, 27]
Ministral 3 8B (AWQ)	Dolly	100	546 [544, 547]
Phi-4 14B (bf16)	MMLU	100	37 [37, 38]
Phi-4 14B (bf16)	GSM8K	100	1214 [1206, 1222]
Phi-4 14B (bf16)	HellaSwag	100	37 [36, 37]
Phi-4 14B (bf16)	Dolly	100	1209 [1199, 1216]
Phi-4 Mini 3.8B (GPTQ-4)	MMLU	100	26 [26, 26]
Phi-4 Mini 3.8B (GPTQ-4)	GSM8K	100	523 [515, 531]
Phi-4 Mini 3.8B (GPTQ-4)	HellaSwag	100	27 [27, 27]
Phi-4 Mini 3.8B (GPTQ-4)	Dolly	100	532 [522, 540]
Phi-4 Mini 3.8B (bf16)	MMLU	100	29 [28, 29]
Phi-4 Mini 3.8B (bf16)	GSM8K	100	635 [626, 643]
Phi-4 Mini 3.8B (bf16)	HellaSwag	100	28 [28, 28]
Phi-4 Mini 3.8B (bf16)	Dolly	100	659 [649, 668]
Qwen 2.5 1.5B (bf16)	MMLU	100	24 [24, 24]
Qwen 2.5 1.5B (bf16)	GSM8K	100	357 [356, 358]
Qwen 2.5 1.5B (bf16)	HellaSwag	100	24 [24, 24]
Qwen 2.5 1.5B (bf16)	Dolly	100	359 [353, 364]
Qwen 2.5 7B (AWQ)	MMLU	100	26 [26, 27]
Qwen 2.5 7B (AWQ)	GSM8K	100	407 [404, 410]
Qwen 2.5 7B (AWQ)	HellaSwag	100	26 [26, 27]
Qwen 2.5 7B (AWQ)	Dolly	100	405 [403, 407]
Qwen 3 30B-A3B (bf16)	MMLU	100	31 [30, 31]
Qwen 3 30B-A3B (bf16)	GSM8K	100	1033 [1026, 1039]
Qwen 3 30B-A3B (bf16)	HellaSwag	100	31 [31, 31]
Qwen 3 30B-A3B (bf16)	Dolly	100	1041 [1028, 1052]
Qwen 3 4B (AWQ)	MMLU	100	25 [25, 26]
Qwen 3 4B (AWQ)	GSM8K	100	451 [448, 453]
Qwen 3 4B (AWQ)	HellaSwag	100	26 [25, 26]
Qwen 3 4B (AWQ)	Dolly	100	447 [445, 449]

Table S4: Run-to-run spread of accuracy. Accuracy is the session-weighted mean; the spread is computed over all measured runs. Because the same 100 items are used in every run with greedy decoding, the spread reflects execution non-determinism, not item sampling; item-level uncertainty is given by the Wilson intervals in the article.

Context	Configuration	Workload	Accuracy	Min	Max	SD
Edge	Gemma 3 1B (Q8)	MMLU	0.315	0.30	0.34	0.013
Edge	Gemma 3 1B (Q8)	GSM8K	0.477	0.45	0.51	0.022
Edge	Gemma 3 1B (Q8)	HellaSwag	0.291	0.28	0.31	0.012
Edge	Llama 3.2 1B (Q4)	MMLU	0.395	0.38	0.41	0.011
Edge	Llama 3.2 1B (Q4)	GSM8K	0.520	0.49	0.55	0.017
Edge	Llama 3.2 1B (Q4)	HellaSwag	0.251	0.23	0.26	0.010
Edge	Phi-4 Mini 3.8B (Q4)	MMLU	0.564	0.54	0.58	0.012
Edge	Phi-4 Mini 3.8B (Q4)	GSM8K	0.639	0.60	0.66	0.018
Edge	Phi-4 Mini 3.8B (Q4)	HellaSwag	0.489	0.48	0.50	0.009
Edge	SmolLM3 3B (Q4)	MMLU	0.520	0.51	0.53	0.005
Edge	SmolLM3 3B (Q4)	GSM8K	0.577	0.56	0.62	0.018
Edge	SmolLM3 3B (Q4)	HellaSwag	0.290	0.28	0.30	0.008
Local CPU	Gemma 3 1B (Q8)	MMLU	0.310	0.31	0.31	0.000
Local CPU	Gemma 3 1B (Q8)	GSM8K	0.471	0.44	0.50	0.019
Local CPU	Gemma 3 1B (Q8)	HellaSwag	0.290	0.29	0.29	0.000
Local CPU	Llama 3.2 1B (Q8)	MMLU	0.380	0.38	0.38	0.000
Local CPU	Llama 3.2 1B (Q8)	GSM8K	0.140	0.14	0.14	0.000
Local CPU	Llama 3.2 1B (Q8)	HellaSwag	0.290	0.29	0.29	0.000
Local CPU	Ministral 3 3B (Q4)	MMLU	0.630	0.62	0.64	0.010
Local CPU	Ministral 3 3B (Q4)	GSM8K	0.549	0.51	0.58	0.019
Local CPU	Ministral 3 3B (Q4)	HellaSwag	0.405	0.39	0.42	0.015
Local CPU	Phi-4 Mini 3.8B (Q4)	MMLU	0.540	0.54	0.54	0.000
Local CPU	Phi-4 Mini 3.8B (Q4)	GSM8K	0.640	0.64	0.64	0.000
Local CPU	Phi-4 Mini 3.8B (Q4)	HellaSwag	0.510	0.50	0.52	0.005
GPU server	Apertus 70B (bf16)	MMLU	0.610	0.61	0.61	0.000
GPU server	Apertus 70B (bf16)	GSM8K	0.601	0.55	0.61	0.020
GPU server	Apertus 70B (bf16)	HellaSwag	0.410	0.41	0.41	0.000
GPU server	Granite 4 H-Tiny (bf16)	MMLU	0.580	0.58	0.58	0.000
GPU server	Granite 4 H-Tiny (bf16)	GSM8K	0.690	0.69	0.69	0.000
GPU server	Granite 4 H-Tiny (bf16)	HellaSwag	0.640	0.64	0.64	0.000
GPU server	Kimi Linear 48B-A3B (bf16)	MMLU	0.450	0.45	0.45	0.000
GPU server	Kimi Linear 48B-A3B (bf16)	GSM8K	0.710	0.71	0.71	0.000
GPU server	Kimi Linear 48B-A3B (bf16)	HellaSwag	0.240	0.24	0.24	0.000
GPU server	Llama 3.2 1B (bf16)	MMLU	0.430	0.43	0.43	0.000
GPU server	Llama 3.2 1B (bf16)	GSM8K	0.435	0.43	0.44	0.005
GPU server	Llama 3.2 1B (bf16)	HellaSwag	0.230	0.23	0.23	0.000
GPU server	Llama 3.3 70B (FP8)	MMLU	0.802	0.80	0.81	0.004

Context	Configuration	Workload	Accuracy	Min	Max	SD
GPU server	Llama 3.3 70B (FP8)	GSM8K	0.745	0.74	0.75	0.005
GPU server	Llama 3.3 70B (FP8)	HellaSwag	0.835	0.83	0.84	0.005
GPU server	Ministral 3 14B	MMLU	0.700	0.70	0.70	0.000
GPU server	Ministral 3 14B	GSM8K	0.590	0.59	0.59	0.000
GPU server	Ministral 3 14B	HellaSwag	0.570	0.57	0.57	0.000
GPU server	Ministral 3 3B (AWQ)	MMLU	0.640	0.64	0.64	0.000
GPU server	Ministral 3 3B (AWQ)	GSM8K	0.510	0.51	0.51	0.000
GPU server	Ministral 3 3B (AWQ)	HellaSwag	0.460	0.46	0.46	0.000
GPU server	Ministral 3 8B (AWQ)	MMLU	0.660	0.66	0.66	0.000
GPU server	Ministral 3 8B (AWQ)	GSM8K	0.510	0.51	0.51	0.000
GPU server	Ministral 3 8B (AWQ)	HellaSwag	0.640	0.64	0.64	0.000
GPU server	Phi-4 14B (bf16)	MMLU	0.820	0.82	0.82	0.000
GPU server	Phi-4 14B (bf16)	GSM8K	0.550	0.55	0.55	0.000
GPU server	Phi-4 14B (bf16)	HellaSwag	0.850	0.85	0.85	0.000
GPU server	Phi-4 Mini 3.8B (GPTQ-4)	MMLU	0.600	0.60	0.60	0.000
GPU server	Phi-4 Mini 3.8B (GPTQ-4)	GSM8K	0.610	0.61	0.61	0.000
GPU server	Phi-4 Mini 3.8B (GPTQ-4)	HellaSwag	0.550	0.55	0.55	0.000
GPU server	Phi-4 Mini 3.8B (bf16)	MMLU	0.630	0.63	0.63	0.000
GPU server	Phi-4 Mini 3.8B (bf16)	GSM8K	0.670	0.67	0.67	0.000
GPU server	Phi-4 Mini 3.8B (bf16)	HellaSwag	0.530	0.53	0.53	0.000
GPU server	Qwen 2.5 1.5B (bf16)	MMLU	0.520	0.52	0.52	0.000
GPU server	Qwen 2.5 1.5B (bf16)	GSM8K	0.390	0.39	0.39	0.000
GPU server	Qwen 2.5 1.5B (bf16)	HellaSwag	0.250	0.25	0.25	0.000
GPU server	Qwen 2.5 7B (AWQ)	MMLU	0.670	0.67	0.67	0.000
GPU server	Qwen 2.5 7B (AWQ)	GSM8K	0.550	0.55	0.55	0.000
GPU server	Qwen 2.5 7B (AWQ)	HellaSwag	0.590	0.59	0.59	0.000
GPU server	Qwen 3 30B-A3B (bf16)	MMLU	0.816	0.81	0.82	0.005
GPU server	Qwen 3 30B-A3B (bf16)	GSM8K	0.590	0.59	0.59	0.000
GPU server	Qwen 3 30B-A3B (bf16)	HellaSwag	0.790	0.79	0.79	0.000
GPU server	Qwen 3 4B (AWQ)	MMLU	0.710	0.71	0.71	0.000
GPU server	Qwen 3 4B (AWQ)	GSM8K	0.540	0.54	0.54	0.000
GPU server	Qwen 3 4B (AWQ)	HellaSwag	0.690	0.69	0.69	0.000

Table S5: Paired sensitivity analysis: exact McNemar tests of the configuration with the highest observed accuracy against every other configuration in the same context and benchmark, on the identical 100 items (item correct if correct in at least half of its runs), Holm-adjusted within each cell. L/O: items answered correctly only by the leader / only by the other configuration.

Context	Bench.	Leader	Compared configuration	L/O	p	p_{Holm}	Resolved
Edge	MMLU	Phi-4 Mini 3.8B (Q4)	Gemma 3 1B (Q8)	34/8	<0.001	<0.001	yes
Edge	MMLU	Phi-4 Mini 3.8B (Q4)	Llama 3.2 1B (Q4)	28/11	0.009	0.019	yes
Edge	MMLU	Phi-4 Mini 3.8B (Q4)	SmolLM3 3B (Q4)	15/10	0.424	0.424	no
Edge	GSM8K	Phi-4 Mini 3.8B (Q4)	Gemma 3 1B (Q8)	26/8	0.003	0.009	yes
Edge	GSM8K	Phi-4 Mini 3.8B (Q4)	Llama 3.2 1B (Q4)	22/9	0.029	0.059	no
Edge	GSM8K	Phi-4 Mini 3.8B (Q4)	SmolLM3 3B (Q4)	11/5	0.210	0.210	no
Edge	HellaSwag	Phi-4 Mini 3.8B (Q4)	Llama 3.2 1B (Q4)	34/10	<0.001	0.001	yes
Edge	HellaSwag	Phi-4 Mini 3.8B (Q4)	SmolLM3 3B (Q4)	32/12	0.004	0.007	yes
Edge	HellaSwag	Phi-4 Mini 3.8B (Q4)	Gemma 3 1B (Q8)	38/20	0.025	0.025	yes
Local CPU	MMLU	Ministral 3 3B (Q4)	Gemma 3 1B (Q8)	41/4	<0.001	<0.001	yes
Local CPU	MMLU	Ministral 3 3B (Q4)	Llama 3.2 1B (Q8)	38/8	<0.001	<0.001	yes
Local CPU	MMLU	Ministral 3 3B (Q4)	Phi-4 Mini 3.8B (Q4)	20/6	0.009	0.009	yes
Local CPU	GSM8K	Phi-4 Mini 3.8B (Q4)	Llama 3.2 1B (Q8)	51/1	<0.001	<0.001	yes
Local CPU	GSM8K	Phi-4 Mini 3.8B (Q4)	Gemma 3 1B (Q8)	27/10	0.008	0.015	yes
Local CPU	GSM8K	Phi-4 Mini 3.8B (Q4)	Ministral 3 3B (Q4)	18/6	0.023	0.023	yes
Local CPU	HellaSwag	Phi-4 Mini 3.8B (Q4)	Llama 3.2 1B (Q8)	31/9	<0.001	0.002	yes
Local CPU	HellaSwag	Phi-4 Mini 3.8B (Q4)	Gemma 3 1B (Q8)	40/18	0.005	0.011	yes
Local CPU	HellaSwag	Phi-4 Mini 3.8B (Q4)	Ministral 3 3B (Q4)	26/20	0.461	0.461	no
GPU server	MMLU	Phi-4 14B (bf16)	Llama 3.2 1B (bf16)	42/3	<0.001	<0.001	yes
GPU server	MMLU	Phi-4 14B (bf16)	Kimi Linear 48B-A3B (bf16)	40/3	<0.001	<0.001	yes
GPU server	MMLU	Phi-4 14B (bf16)	Qwen 2.5 1.5B (bf16)	36/6	<0.001	<0.001	yes
GPU server	MMLU	Phi-4 14B (bf16)	Granite 4 H-Tiny (bf16)	27/3	<0.001	<0.001	yes
GPU server	MMLU	Phi-4 14B (bf16)	Apertus 70B (bf16)	26/5	<0.001	0.002	yes
GPU server	MMLU	Phi-4 14B (bf16)	Phi-4 Mini 3.8B (GPTQ-4)	28/6	<0.001	0.002	yes
GPU server	MMLU	Phi-4 14B (bf16)	Phi-4 Mini 3.8B (bf16)	23/4	<0.001	0.002	yes
GPU server	MMLU	Phi-4 14B (bf16)	Qwen 2.5 7B (AWQ)	18/3	0.001	0.010	yes
GPU server	MMLU	Phi-4 14B (bf16)	Ministral 3 3B (AWQ)	25/7	0.002	0.013	yes
GPU server	MMLU	Phi-4 14B (bf16)	Ministral 3 8B (AWQ)	21/5	0.002	0.013	yes
GPU server	MMLU	Phi-4 14B (bf16)	Ministral 3 14B	20/8	0.036	0.143	no
GPU server	MMLU	Phi-4 14B (bf16)	Qwen 3 4B (AWQ)	18/7	0.043	0.143	no
GPU server	MMLU	Phi-4 14B (bf16)	Llama 3.3 70B (FP8)	11/10	1.000	1.000	no
GPU server	MMLU	Phi-4 14B (bf16)	Qwen 3 30B-A3B (bf16)	8/8	1.000	1.000	no
GPU server	GSM8K	Llama 3.3 70B (FP8)	Qwen 2.5 1.5B (bf16)	41/4	<0.001	<0.001	yes
GPU server	GSM8K	Llama 3.3 70B (FP8)	Llama 3.2 1B (bf16)	36/4	<0.001	<0.001	yes
GPU server	GSM8K	Llama 3.3 70B (FP8)	Phi-4 14B (bf16)	21/0	<0.001	<0.001	yes
GPU server	GSM8K	Llama 3.3 70B (FP8)	Ministral 3 8B (AWQ)	27/2	<0.001	<0.001	yes
GPU server	GSM8K	Llama 3.3 70B (FP8)	Ministral 3 3B (AWQ)	29/4	<0.001	<0.001	yes
GPU server	GSM8K	Llama 3.3 70B (FP8)	Qwen 3 4B (AWQ)	25/3	<0.001	<0.001	yes
GPU server	GSM8K	Llama 3.3 70B (FP8)	Qwen 2.5 7B (AWQ)	26/5	<0.001	0.002	yes
GPU server	GSM8K	Llama 3.3 70B (FP8)	Qwen 3 30B-A3B (bf16)	19/2	<0.001	0.002	yes
GPU server	GSM8K	Llama 3.3 70B (FP8)	Phi-4 Mini 3.8B (GPTQ-4)	17/2	<0.001	0.004	yes
GPU server	GSM8K	Llama 3.3 70B (FP8)	Apertus 70B (bf16)	18/3	0.001	0.007	yes
GPU server	GSM8K	Llama 3.3 70B (FP8)	Ministral 3 14B	23/6	0.002	0.009	yes
GPU server	GSM8K	Llama 3.3 70B (FP8)	Phi-4 Mini 3.8B (bf16)	13/4	0.049	0.147	no
GPU server	GSM8K	Llama 3.3 70B (FP8)	Granite 4 H-Tiny (bf16)	14/7	0.189	0.378	no

Context	Bench.	Leader	Compared configuration	L/O	p	p_{Holm}	Resolved
GPU server	GSM8K	Llama 3.3 70B (FP8)	Kimi Linear 48B-A3B (bf16)	12/7	0.359	0.378	no
GPU server	HellaSwag	Phi-4 14B (bf16)	Qwen 2.5 1.5B (bf16)	62/2	<0.001	<0.001	yes
GPU server	HellaSwag	Phi-4 14B (bf16)	Llama 3.2 1B (bf16)	67/5	<0.001	<0.001	yes
GPU server	HellaSwag	Phi-4 14B (bf16)	Kimi Linear 48B-A3B (bf16)	66/5	<0.001	<0.001	yes
GPU server	HellaSwag	Phi-4 14B (bf16)	Apertus 70B (bf16)	50/6	<0.001	<0.001	yes
GPU server	HellaSwag	Phi-4 14B (bf16)	Ministral 3 3B (AWQ)	44/5	<0.001	<0.001	yes
GPU server	HellaSwag	Phi-4 14B (bf16)	Phi-4 Mini 3.8B (bf16)	37/5	<0.001	<0.001	yes
GPU server	HellaSwag	Phi-4 14B (bf16)	Phi-4 Mini 3.8B (GPTQ-4)	34/4	<0.001	<0.001	yes
GPU server	HellaSwag	Phi-4 14B (bf16)	Qwen 2.5 7B (AWQ)	30/4	<0.001	<0.001	yes
GPU server	HellaSwag	Phi-4 14B (bf16)	Ministral 3 14B	34/6	<0.001	<0.001	yes
GPU server	HellaSwag	Phi-4 14B (bf16)	Granite 4 H-Tiny (bf16)	27/6	<0.001	0.002	yes
GPU server	HellaSwag	Phi-4 14B (bf16)	Ministral 3 8B (AWQ)	27/6	<0.001	0.002	yes
GPU server	HellaSwag	Phi-4 14B (bf16)	Qwen 3 4B (AWQ)	22/6	0.004	0.011	yes
GPU server	HellaSwag	Phi-4 14B (bf16)	Qwen 3 30B-A3B (bf16)	12/6	0.238	0.476	no
GPU server	HellaSwag	Phi-4 14B (bf16)	Llama 3.3 70B (FP8)	8/7	1.000	1.000	no