

Test Case

Quality Control Training Programs

CyberLogitec Vietnam Co., Ltd.

SCETPA Building, 19A Cong Hoa Street, Ward 12,
Tan Binh District, Ho Chi Minh City, Vietnam
Tel +84 28 3813 2967
www.cyberlogitec.com.vn

Remind



Remind - Test Requirement

Test Requirement

- **A statement of what should be tested in the AUT** (Application Under Test)
- **Functional Requirement:** the requirement for the functions that the application should do.
- **Non-functional Requirement:** the requirement for the properties that the functions should have or should look like.
- There are 3 types of non-function TR:
 - Look & feel
 - Boundary
 - Negative

Remind - Test Requirement

Test Requirement

- A Test Requirement can be written from a User Story or from other sources of the software.
- Testers use Test Requirement to implement Test Cases.

EXAMPLE



Test Requirement

- Users can log in BluePrint successfully with valid account

Test Case

Description: Verify that the users can login BluePrint successfully with valid account.

Steps:

1. Navigate to the login site
2. Input valid data into the Username textbox
3. Input valid data into the Password textbox
4. Click on "Log in" button

Expected: Login successfully, the home page is displayed.

Remind - Test Requirement

Test Requirement syntax

Function + **operation condition**

EXAMPLE

Users can login BluePrint successfully with valid account.

Users can Check in successfully with the "Punch In/Out" button.

Remind - Test Requirement

Request the QnA to Customer

- Reference
- Module / Screen ID
- **Title**
- **Question**
- **Answer**
- Priority
- Created date
- Created by
- Assign to
- Status

BGPG OPUS Terminal [Software] / BGPG-2037

11 of 329

[PQC][Swap function] - QnA: Question about the logic of the swap function

Edit

Q Add comment

Assign

More

Cancel

Feedback

In Progress

Share

Export

Details

Type:

Int_Issue Management

Priority:

High

Affects Version/s:

None

Component/s:

None

Labels:

None

Status:

REVIEW (View Workflow)

Resolution:

Unresolved

Fix Version/s:

None

Security Level:

CLT Internal Users Share

Field Tab

Module

Deploy Request:

Not Deployed

Internal Watchers:

Tran Van Dung, 김귀연 (GY(Gwi-Yeon) KIM)

Description

Dear Mr. 오부일 (BI(Boo-II) OH)

I saw the "Swap" function was added to Vessel Service, Vessel Voyage Details, and QC Working List screens as mentioned document but there is an exiting the Swap Condition (for QC's Loading Job) screen to configure the swap conditions for QC Loading job. I don't understand the relationship between this screen (the Swap Condition (for QC's Loading Job)) and the screens with added swap function and how they work together. (Pic 1, Pic 2)

I tried to check with my scenario but the result is not expected (Pic 3 -> Pic 6).

Could you help me explain more about it and guide me to a test scenario for this relationship?

Many thanks.

People

Assignee:

오부일 (BI(Boo-II) OH)

Assign to me

Reporter:

Le Thi Thu Hien

Original Requester:

Le Thi Thu Hien

PIC(PQC):

Le Thi Thu Hien

Dates

Created:

2022-05-23 19:15

Updated:

2022-06-17 09:28

Agile

View on Board

Slack

In order to see discussions, first confirm access to your Slack account(s) in the following workspace(s): MTOS, CyberLogitec EMS, IBIS Plus, Next Logistics, QIT_Cyberlogitec, TOS Maintenance

Remind - Test Requirement

* Question

- Yes/No question

- Should we ...?
- I have a question below regarding function A,... Could you please confirm?
- From my point of view, Do you agree?
- I think that..., could you please share me your thought?

- Multiple choice

I have below case with 2 expected behavior:

Expected result 1:

Expected result 2:


Could you please share me your expected result?

If you have better option, please let me know





Remind - Test Requirement

EXAMPLE


Request the QnA to Customer

 SWIFT TOS MA [Software] / STM-422


[PQC] [Yard Layout View] - QnA: How to set Boundary Plan Priority

 Edit  Add comment  Assign  More

Details

Type:  Int_Bug

Status: **CLOSE** [\(View Workflow\)](#)

Priority:  Blocker

Resolution: Done

Affects Version/s: None

Fix Version/s: None

Component/s: [False Defect](#)

Labels: None

L1 Category: 6. PQC

Deploy Request: Not Deployed

Internal Watchers: Missing record with ID: 2018166, Tran Van Dung, Nguyen Thien An,

Description

Test Environment:
Browser: Chrome version 94.0.4606.71 (Official Build) (64-bit)
Test Environment: Tomee + Weblogic


Steps:
1. Open menu: Plan & OPR > Yard > Yard Boundary Plan



QnA:
According to the Test Case Document, I need to test users can be set Boundary Plan Priority.
But I cannot find the field/control to set it.

Would you mind checking and guiding me to know that?


Many thanks,


Attachments


 Drop files to attach, or [browse](#).




People

Assignee:  Nguyen Thien An

Reporter:  Nguyen Thien An

Original Requester:  Nguyen Thien An

PIC(PQC):  Nguyen Thien An

Dates

Created: 2021-10-13 03:15

Updated: 2022-01-22 10:37

Resolved: 2021-11-30 16:56

Closed Date: 2021-11-30 16:56

Agile

[View on Board](#)


Slack

In order to see discussions, first confirm access to following workspace(s): [MTOS](#), [CyberLogitec EMS](#), [QIT_Cyberlogitec](#), [TOS Maintenance](#)

Remind - Test Requirement

EXAMPLE


Request the QnA to Customer


 SWIFT TOS MA [Software] / STM-501

[PQC] [ST] [Find Next POW] - QnA: The null page is shown and the system is hang when click on Barcode icon

[Edit](#) [Add comment](#) [Assign](#) [More](#)

Details

Type:  Int_Bug

Priority:  Blocker

Affects Version/s: None

Component/s: [False Defect](#)

Labels: None

L1 Category: 6. PQC

Deploy Request: Not Deployed


Internal Watchers: Missing record with ID: 2018166, Tran Van Dung, Nguyen Thien An, Missing record with ID: 2017109, 김귀연 (Gwi-Yeon) KIM


Status: [CLOSE](#) (View Workflow)


Resolution: Done


Fix Version/s: None

People

Assignee:  Nguyen Thien An

Reporter:  Nguyen Thien An

Original Requester:  Nguyen Thien An

PIC(PQC):  Nguyen Thien An

Dates

Created: 2021-10-14 12:01

Updated: 2022-01-22 10:37

Resolved: 2021-11-30 15:58

Closed Date: 2021-11-30 15:58

Agile

[View on Board](#)

Slack

In order to see discussions, first confirm access to workspace(s): MTOS, CyberLogitec EMS, IBIS Plus Maintenance

Description

Test Environment:
Browser: Chrome version 94.0.4606.71 (Official Build) (64-bit)
Test Environment: SWIFT

Steps:
1. Open menu: SWIFT > Find Next POW
2. Check on Select Form Cargo List
3. Tap on the Next icon to move to the Search Inventory screen
4. Tap on the Barcode icon, which is next to the Linked Main Unit ID field

Actual result: The null page is shown and the system is loading for a long time

QnA:
What is the screen or the function, which will be displayed when users tap on the Barcode icon?
As we see, the system is loading for a long time.

Please help me to check this QnA.
Many thanks,



Notice: We are testing the SWIFT on PC (not device).

Attachments

...

Activity

All **Comments** Work Log History Activity



 남유경 (Yu-Kyung NAM) [X] (Inactive) added a comment - 2021-10-14 16:36 -  INTERNAL

Hi Nguyen Thien An

The barcode button can work when the system runs on the physical device that has a barcode reader.

It's normal that shows null page on mobile or PC.

Reply

 Nguyen Thien An added a comment - 2021-11-30 15:57 -  INTERNAL

Dear Ms. 남유경 (Yu-Kyung NAM) [X],

Thanks for your checking,

Lesson 04

4.1 What is Test Case?

4.2 Test Case Criteria

4.3 Test Case Essentials

4.4 How to write Test Case?

4.5 Other definitions

- **Test Case** is a test that (ideally) executes a single well defined test objective.
- Test Case is a specific set of test data and associated procedures developed for a particular objective, such as to exercise a particular program path or to verify compliance with a specific requirement.
- Test Case is a set of **preconditions**, **inputs**, **actions** (where applicable), **expected results** and **postconditions**, developed based on test conditions.

(ISTQB)

Why do we write Test Case

- Accountability
- Reproducibility
- Tracking
- Automation
- To find bugs
- To verify that tests are being executed correctly
- Use as a Training Tool for new testers
- For compliance
- To measure test coverage

Why do we write Test Case

EXAMPLE



Why do we write Test Case

EXAMPLE

The image displays a screenshot of a Vessel Voyage Details application interface, overlaid with a Test Case document.

Vessel Voyage Details Application:

- Voyage Number:** MATH: ARTHUR MAERSK, 2017, 006
- Estimated Schedule:**
 - Arrival (ETA): 2017-09-26 14:07
 - Berth (ETB): 2017-09-26 15:07
 - Departure (ETD): 2017-10-01 15:07
 - Time of Stay: 120.00 hh.mm
 - Cut-Off (CCT): 2017-09-22 12:07
 - Work Commence: 2017-09-26 15:07
 - Work Complete: 2017-09-26 15:15
- Vessel Information:**
 - Call Sign: OXH2, Operator: MSK
 - Gross Ton: 93496, Length (M): 338
 - Bridge (M): 30, Capacity (TEU):
- Voyage Cancel:** Cancel, Reason, Remarks
- Vessel Operation Stoppage:** Total Stop Time (Min)
- Delay Information:** Berthing Window, Reason, Arrival Delay
- Actual Schedule:** Arrival (ATA), Berth (ATB), Departure (ATD), Time of Stay, Discharging, Work Commence, Work Complete, Loading, Lashing, Crane Position, Gangway secured, Last Line from Pier
- Document Close:** Discharging, Loading

Test Case Document:

The test case document is titled "Vessel Voyage Details" and is a table with columns: Case ID, Case Name, Action Configuration, Program, Case Type, Priority, Description, Precondition, Create By, Create Date, Update By, Update Date, Status, Test, Detail Steps, Expected Result.

The test case is titled "Vessel Voyage Details" and is a table with columns: Case ID, Case Name, Action Configuration, Program, Case Type, Priority, Description, Precondition, Create By, Create Date, Update By, Update Date, Status, Test, Detail Steps, Expected Result.

The test case is titled "Vessel Voyage Details" and is a table with columns: Case ID, Case Name, Action Configuration, Program, Case Type, Priority, Description, Precondition, Create By, Create Date, Update By, Update Date, Status, Test, Detail Steps, Expected Result.

Lesson 04

4.1 What is Test Case?

4.2 Test Case Criteria

4.3 Test Case Essentials

4.4 How to write Test Case?

4.5 Other definitions

Test Case Criteria

An excellent test case satisfies the following criteria:

- Neither too simple nor too complex
- Not redundant with other tests (*think of equivalence classes*)
- Best of its breed (*think of boundary conditions*)
- Reasonable probability of catching an error
- Makes program failures obvious

Lesson 04

4.1 What is Test Case?

4.2 Test Case Criteria

4.3 Test Case Essentials

4.4 How to write Test Case?

4.5 Other definitions

EXAMPLE Logistics Team

QC Test Case

Tệp

Chỉnh sửa

Xem

Chèn

Định dạng

Dữ liệu

Công cụ

Tiện ích mở rộng

Trợ giúp

Chỉnh sửa lần cuối vài giây trước

100%

\$

%

0.00

123

Arial

10

B

I

A

<

Test Case Essentials

EXAMPLE Shipping Team - Allegro

Requirement Specification - Test Case																ALLEGRO		ALLEGRO	
No	Steps	Check Point	Name of Menu or PGM	Related Ticket No	CLV Test Data		CLV Test Result		AA Test Data		AA Test Result		BC						
					Input	Output	Test Result	Comments	Input	Output	Test Result	Comments	Input						
1	1. Go to 'Shopping Carts' screen 2. Select 'Contract Type' 3. Input 'Proposal No' 4. Select 'Quotation' radio 5. Click 'Search' button 6. Click search icon at 'Quotation No.' column 7. Click 'OK' to confirm 8. Observe PRI charge	Verify the PRI charge	Shopping Carts		2. Contract Type: S/C 3. Proposal No: RIC184925	Annotate the PRI charge	Pass	Case 1											
2	1. Go to 'Shopping Carts' screen 2. Select 'Contract Type' 3. Input 'Proposal No' 4. Select 'Quotation' radio 5. Click 'Search' button 6. Click search icon at 'Quotation No.' column 7. Click 'OK' to confirm 8. Observe PRI charge HEA and OWT	HEA and OWT charges are displayed in the weight information Other column	Shopping Carts		2. Contract Type: S/C 3. Proposal No: RIC184925	HEA and OWT charges are displayed in the weight information Other column	Pass	Case 2											
3	1. Go to 'Shopping Carts' screen 2. Select 'Contract Type' 3. Input 'Proposal No' 4. Select 'Quotation' radio 5. Click 'Search' button 6. Click search icon at 'Quotation No.' column 7. Click 'OK' to confirm 8. Observe PSA and HAZ grids	Verify display PSA and HAZ grid in case there is DG in Cargo Type	Shopping Carts		2. Contract Type: S/C 3. Proposal No: RIC184925	- Show PSA grid if there is DG in cargo type - Show HAZ grid if there is DG in Cargo Type	Pass	Case 3											
4	Pre-cond: HEA/OWT amount is just same for more than 2 cargo type/size 1. Go to 'Shopping Carts' screen 2. Select 'Contract Type' 3. Input 'Proposal No'	Verify format data at 'Other Details' column	Shopping Carts		2. Contract Type: S/C	Put "&" in the same field	Pass	Case 4											

Test Case Essentials

Item	Description
TC ID	The ID of the Test Case
TC Description	The Description / Objective of the Test Case
Pre-condition	Any Prerequisites or preconditions that must be fulfilled prior to executing the test.
Steps	Step by step procedure to execute the test.
Input data	The test data, or links to the test data, that are to be used while conducting the test.
Expected Result	The expected result of the test
Actual Result	The actual result of the test, to be filled after executing the test.
Status	Passed, Failed, Blocked, Skipped, N/A
Bug ID	If Status = Failed
Sprint	Test case of any sprint
Test Environment	The environment (hardware / software/ network) in which the test was executed
...	...

Lesson 04

4.1 What is Test Case?

4.2 Test Case Criteria

4.3 Test Case Essentials

4.4 How to write Test Case?

4.5 Other definitions

Test Case Description

- The most important part of a Test Case is the 1-line title describing the objective of the test.
- That 1-line title can be called:
 - Test Title
 - Test Name
 - Test Case
 - Test Objective
 - Test Goal / Purpose
- It is most important because
 - It gives the reader a description and idea of the test
 - A good test name makes review easier
 - Easier to pass to another person
 - Easier to pass to automation team
 - Describes intention of the test
 - In many cases, may be the only part of a test case documented

Test Case Objective - Syntax

- The Objective suggested syntax:

Action + Function + operation condition

In which:

- Function may be function, feature, validation point
- Condition may be data
- Action:
 - Verify
 - Test
 - Validate
 - Prove
 - Execute
 - Print
 - Calculate
 - Run
 - ... any action verb

Test Case Objective - Syntax

Action + Function + operation condition

EXAMPLE

Verify that users can check in successfully by clicking on "Punch In/Out" button.

Check the warning message is displayed when users login without inputting Password or UserName.

Write Test Case

EXAMPLE

Test Requirement

- Users can log in BluePrint successfully with valid account

Test Case

Description: Verify that the users can login BluePrint successfully with valid account.

Environment: Google Chrome Version 103.0.5060.134 (64 bit)

Pre-condition: The valid account existed in the system.

Steps:

1. Navigate to the login site
2. Input valid data into the Username textbox
3. Input valid data into the Password textbox
4. Click on "Log in" button

Expected: Login successfully, the home page is displayed.

Actual: Login successfully, the home page is displayed.

Status: Passed

Arrange the Test Cases

- Priority
- Test Case Type (Layout / Function)
- Happy case / Unhappy case

Lesson 04

4.1 What is Test Case?

4.2 Test Case Criteria


4.3 Test Case Essentials

4.4 How to write Test Case

4.6 Other definitions

Test Suite

Test suite is a container that has a set of tests which helps testers in executing and reporting the test execution status.




Test Scenario is defined as any functionality that can be tested.

It is also called Test Condition or Test Possibility.

As a tester, you should put yourself in the end user's shoes and figure out the real-world scenarios and use cases of the AUT.

Check List is defined as any Test Requirement List that can be tested.



Practise

Application Under Test: **BluePrint**

Let's practice create Test Case for **BluePrint**, based on the Test Requirement

Leave Request: Register / Approve / Reject / Cancel process




Exercise04_Team<00>.xlsx/xls



Exercise05_Team<00>.xlsx/xls

Deadline: 17g30 – 17g40 on Friday, August 05th, 2022



Team 1

My Tran
Vy Cao
Pham Vo
Cuong Hoang
Van Huynh

Team 2

Thao Duong
Danh Lu
Vi Vo
Dung Tran





Thank You

CyberLogitec

V I E T N A M

SCETPA Building, 19A Cong Hoa Street, Ward 12,
Tan Binh District, Ho Chi Minh City, Vietnam

Tel +84 28 3813 2967

www.cyberlogitec.com.vn