"Get" API (RT-10) [RT-12] RT-10 Test Execution Created: 01/Aug/18 Updated: 03/Aug/18 Resolved: 02/Aug/18		
Status:	Passed	
Project:	Resorts Tapped	
Component/s:	None	
Affects Version/s:	None	
Fix Version/s:	None	

Type:	Test Execution	Priority:	Medium
Reporter:	Gabriel Bedolla	Assignee:	Gabriel Bedolla
Resolution:	Done	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original Estimate:	Not Specified		

Test Preconditions:	1. Open the Postman application
Test Script:	 Select "get" and enter the endpoint. JSON endpoints follow the format:
Test Postconditions:	 Postman will display the body as HTML Select JSON from the drop-down menu for a better view User should see contact groups separated by resorts When using the strip endpoint no empty fields should be displayed
Test Execution Notes:	<u>RT-10</u> Ready test execution was successful, both get requests displayed successfully.

Expected Result:	 Get requests should display correctly on Postman Adding "&strip=1" should display API without empty fields
Actual Result:	Test passed requested showed up on Postman with proper fields

Generated at Fri Aug 03 20:35:46 UTC 2018 by Tansey Sussex using Jira 1001.0.0-SNAPSHOT#100090-sha1:1357b6376e14eb71c26e193cf6ed39dc564164ad.