PES1UG24CS637 Lab7:


Screenshots :


```
(lab7) sumas@Soleil:~/SE-PES1UG24CS637$ cd ~/SE-PES1UG24CS637/Lab7


python vending_machine.py
==== Running parse_coins ====
Enter coin values as CSV (e.g. 5,10,25): 5,10,25
Coins: [5, 10, 25]

==== Running slot_position ====
Enter a slot code (e.g. B7): B7
Row and Column: (1, 6)

==== Running change_due ====
Enter paid/price (e.g. 200/150): 200/150
Change Due: 10 five-coins
(lab7) sumas@Soleil:~/SE-PES1UG24CS637/Lab7$
```




sumas@Soleil: ~/SE-PES
test_slot_position_no_crash
Exception Group Traceback (most recent call last):
File "/home/sumas/SE-PES1UG24CS637/Lab7/test_vending_machine.py", line 48, in test_slot_position_no_crash
def test_slot_position_no_crash(s):
ExceptionGroup: Hypothesis found 2 distinct failures. (2 sub-exceptions)
Traceback (most recent call last):
File "/home/sumas/SE-PES1UG24CS637/Lab7/test_vending_machine.py", line 56, in test_slot_position_no_crash
slot_position(s)
File "/home/sumas/SE-PES1UG24CS637/Lab7/vending_machine.py", line 5, in slot_position
row = ord(code[0].upper()) - ord('A')
IndexError: string index out of range
Falling test case: test_slot_position_no_crash(
s='',
)
Traceback (most recent call last):
File "/home/sumas/SE-PES1UG24CS637/Lab7/test_vending_machine.py", line 56, in test_slot_position_no_crash
slot_position(s)
File "/home/sumas/SE-PES1UG24CS637/Lab7/vending_machine.py", line 5, in slot_position
row = ord(code[0].upper()) - ord('A')
TypeError: 'NoneType' object is not subscriptable
Falling test case: test_slot_position_no_crash(
s=None,
)
Explanation:
These lines were always and only run by failing test cases:
/home/sumas/SE-PES1UG24CS637/Lab7/test_vending_machine.py:21
test_change_due_no_crash
@given(st.one_of(st.text(), st.none()))
def test_change_due_no_crash(s):
test_vending_machine.py:60:
test_vending_machine.py:66: in test_change_due_no_crash
24°C
Search


sumas@Soleil: ~/SE-PES
TypeError: 'NoneType' object is not subscriptable
Falling test case: test_slot_position_no_crash(
s=None,
)
Explanation:
These lines were always and only run by failing test cases:
/home/sumas/SE-PES1UG24CS637/Lab7/test_vending_machine.py:21
test_change_due_no_crash
@given(st.one_of(st.text(), st.none()))
def test_change_due_no_crash(s):
test_vending_machine.py:60:
test_vending_machine.py:66: in test_change_due_no_crash
change_due(s)
payment = None
def change_due(payment):
paid, price = payment.split('/')
AttributeError: 'NoneType' object has no attribute 'split'
Falling test case: test_change_due_no_crash(
s=None,
)
vending_machine.py:10: AttributeError
short test summary info
FAILED test_vending_machine.py::test_parse_coins_no_crash - AttributeError: 'NoneType' object has no attribute 'split'
FAILED test_vending_machine.py::test_slot_position_no_crash - ExceptionGroup: Hypothesis found 2 distinct failures. (2 sub-exceptions)
FAILED test_vending_machine.py::test_change_due_no_crash - AttributeError: 'NoneType' object has no attribute 'split'
3 failed in 1.06s
(lab7) sumas@Soleil:~/SE-PES1UG24CS637/Lab7$
24°C
Search

```
(lab7) sumas@Soleil:~/SE-PES1UG24CS637/Lab7$ python -m pytest test_vending_m
achine.py -v
============================= test session starts ==============================
platform linux -- Python 3.12.3, pytest-9.2.0, pluggy-1.7.0 -- /home/sumas/.
venvs/lab7/bin/python
cachedir: .pytest_cache
hypothesis profile 'default'
rootdir: /home/sumas/SE-PES1UG24CS637/Lab7
plugins: hypothesis-6.170.15
collected 3 items

test_vending_machine.py::test_parse_coins_no_crash PASSED                [ 33%]
test_vending_machine.py::test_slot_position_no_crash PASSED              [ 66%]
test_vending_machine.py::test_change_due_no_crash PASSED                 [100%]

============================== 3 passed in 0.32s ===============================
(lab7) sumas@Soleil:~/SE-PES1UG24CS637/Lab7$
```

```
PY  main()_ == "__main__":esult)ut)price (e.g. 200/150): "),25): ")over it")
(lab7) sumas@Soleil:~/SE-PES1UG24CS637/Lab7$ python -m pytest test_vending_m
achine.py -v
============================= test session starts ==============================
platform linux -- Python 3.12.3, pytest-9.2.0, pluggy-1.7.0 -- /home/sumas/.
venvs/lab7/bin/python
cachedir: .pytest_cache
hypothesis profile 'default'
rootdir: /home/sumas/SE-PES1UG24CS637/Lab7
plugins: hypothesis-6.170.15
collected 3 items

test_vending_machine.py::test_parse_coins_no_crash PASSED                [ 33%]
test_vending_machine.py::test_slot_position_no_crash PASSED              [ 66%]
test_vending_machine.py::test_change_due_no_crash PASSED                 [100%]

============================== 3 passed in 0.32s ===============================
(lab7) sumas@Soleil:~/SE-PES1UG24CS637/Lab7$ python vending_machine.py
==== Running parse_coins ====
Enter coin values as CSV (e.g. 5,10,25): 5,10,25
Coins: [5, 10, 25]

==== Running slot_position ====
Enter a slot code (e.g. B7): B7
Row and Column: (1, 6)

==== Running change_due ====
Enter paid/price (e.g. 200/150): 200/150
Change Due: 10 five-coins
(lab7) sumas@Soleil:~/SE-PES1UG24CS637/Lab7$
```