

Medications

alendronate Oral
calcium carbonate Oral
vitamin d3 Oral

Medical History

Osteoporosis
Essential hypertension

Musculoskeletal History

Osteoarthritis, right hip

Musculoskeletal Family History

Mother with hip fracture

Musculoskeletal Surgery

None

Surgical History

Total abdominal hysterectomy

Social History

Smoking status - Never smoker

Chief Complaints:

1. Right hip pain and stiffness, worsening over 1 year.

HPI: This is a 73 year old female who:

Patient reports gradually worsening right groin and lateral hip pain over the past year, now limiting her ability to walk more than two blocks and causing difficulty rising from a seated position. Pain is worse with weight bearing and improves with rest. No fall or injury. Has been using a cane intermittently.

Vitals:

Date	Taken By	B.P.	Pulse	Resp.	O2 Sat.	Temp.	Ht.	Wt.	BMI BSA
04/22/25	K. Ruiz, MA	142/84	80	18	96	98.0	63.0 in	168.4 lbs	29.8 1.82

Exam:

Comprehensive, Lower Extremity Neurovascular

Appearance: well nourished

Orientation: Alert and oriented to person, place, time.

Mood: mood and affect well-adjusted, pleasant and cooperative,

Right LE Pulses: normal dorsalis pedis pulse and good capillary refill

Left LE Pulses: normal dorsalis pedis pulse and good capillary refill

RLE Peripheral Sensation: intact to light touch throughout peripheral nerve distributions

LLE Peripheral Sensation: intact to light touch throughout peripheral nerve distributions

Hip

Right Hip Active ROM:

Flexion: 95 degrees.
Extension: 20 degrees.
Abduction: 45 degrees.
Adduction: 30 degrees.
Internal Rotation: 15 degrees.
External Rotation: 45 degrees.

Left Hip Active ROM:

Flexion: 120 degrees.
Extension: 20 degrees.
Abduction: 45 degrees.
Adduction: 30 degrees.
Internal Rotation: 35 degrees.
External Rotation: 45 degrees.

Right Hip Passive ROM:

Flexion: 120 degrees.
Extension: 20 degrees.
Abduction: 45 degrees.
Adduction: 30 degrees.
Internal Rotation: 35 degrees.
External Rotation: 45 degrees.

Left Hip Passive ROM:

Flexion: 120 degrees.
Extension: 20 degrees.
Abduction: 45 degrees.
Adduction: 30 degrees.
Internal Rotation: 35 degrees.
External Rotation: 45 degrees.

Skin:

Right Hip: skin intact, no rashes or lesions.

Skin:

Left Hip: skin intact, no rashes or lesions.

Inspection:

Right Hip: groin tenderness, antalgic gait, no warmth

Inspection:

Left Hip: Normal alignment, no deformity, no tenderness, no warmth, no masses, no muscle atrophy, no crepitus

Strength:

Right Hip Flexion: Strength: 5/5, normal muscle tone.
Right Hip Abduction: Strength: 5/5, normal muscle tone.

Strength:

Left Hip Flexion: Strength: 5/5, normal muscle tone.
Left Hip Abduction: Strength: 5/5, normal muscle tone.

Stability:

Right Hip: Stable

Special:

Right Hip: FABER: positive, FADIR: positive

Tests

X-Ray Interpretation Pelvis And Right Hip

Diagnosis: Hip Pain, Right - M16.11

X-Ray Data:

Date: 04/22/2025

The following film(s) were done in our facility: pelvis AP view and right hip lateral view

Two views of the pelvis and right hip. Severe joint space narrowing of the right hip with subchondral sclerosis, osteophyte formation, and superior migration of the femoral head. Left hip shows mild degenerative change.

Impression: Severe right hip osteoarthritis.

Impression/Plan:**1. Hip Pain, Right**

Severe right hip osteoarthritis (M16.11)

Plan: Prescription.

acetaminophen 650 mg tablet PO

Sig: Take 1 po tid

Quantity: 90 Tablet Refills: 2

Follow up in 5 weeks**Note:**

Radiographs confirm advanced right hip osteoarthritis. Discussed conservative management including activity modification and weight bearing as tolerated, and started scheduled acetaminophen. Reviewed eventual total hip arthroplasty as a future option if conservative measures fail. Continue alendronate for osteoporosis.

Staff:

Yusuf Halloran, DO (Primary Provider) (Bill Under)

Electronically Signed By: Yusuf Halloran, DO, 04/22/2025 11:00 AM CDT

Medications

alendronate Oral
calcium carbonate Oral
vitamin d3 Oral

Medical History

Osteoporosis
Essential hypertension

Musculoskeletal History

Osteoarthritis, right hip

Musculoskeletal Family History

Mother with hip fracture

Musculoskeletal Surgery

None

Surgical History

Total abdominal hysterectomy

Social History

Smoking status - Never smoker

Chief Complaints:

1. Follow-up right hip osteoarthritis, persistent pain despite acetaminophen.

HPI: This is a 73 year old female who:

Patient returns reporting continued right hip pain despite scheduled acetaminophen, now rating pain 6/10 and affecting sleep. She has not tolerated increasing activity as hoped. No new falls or trauma.

Vitals:

Date	Taken By	B.P.	Pulse	Resp.	O2 Sat.	Temp.	Ht.	Wt.	BMI BSA
05/27/25							63.0 in	170.0 lbs	30.1 1.83

* Patient Reported

Exam:

Comprehensive, Lower Extremity Neurovascular

Appearance: well nourished

Orientation: Alert and oriented to person, place, time.

Mood: mood and affect well-adjusted, pleasant and cooperative,

Right LE Pulses: normal dorsalis pedis pulse and good capillary refill

Left LE Pulses: normal dorsalis pedis pulse and good capillary refill

RLE Peripheral Sensation: intact to light touch throughout peripheral nerve distributions

LLE Peripheral Sensation: intact to light touch throughout peripheral nerve distributions

Hip

Right Hip Active ROM:

Flexion: 95 degrees.

Extension: 20 degrees.

Abduction: 45 degrees.

Adduction: 30 degrees.

Internal Rotation: 15 degrees.

External Rotation: 45 degrees.

Left Hip Active ROM:

Flexion: 120 degrees.

Extension: 20 degrees.

Abduction: 45 degrees.

Adduction: 30 degrees.

Internal Rotation: 35 degrees.

External Rotation: 45 degrees.

Right Hip Passive ROM:

Flexion: 120 degrees.

Extension: 20 degrees.

Abduction: 45 degrees.

Adduction: 30 degrees.

Internal Rotation: 35 degrees.

External Rotation: 45 degrees.

Left Hip Passive ROM:

Flexion: 120 degrees.

Extension: 20 degrees.

Abduction: 45 degrees.

Adduction: 30 degrees.

Internal Rotation: 35 degrees.

External Rotation: 45 degrees.

Skin:

Right Hip: skin intact, no rashes or lesions.

Skin:

Left Hip: skin intact, no rashes or lesions.

Inspection:

Right Hip: groin tenderness, antalgic gait, no warmth

Inspection:

Left Hip: Normal alignment, no deformity, no tenderness, no warmth, no masses, no muscle atrophy, no crepitus

Strength:

Right Hip Flexion: Strength: 5/5, normal muscle tone.

Right Hip Abduction: Strength: 5/5, normal muscle tone.

Strength:

Left Hip Flexion: Strength: 5/5, normal muscle tone.

Left Hip Abduction: Strength: 5/5, normal muscle tone.

Stability:

Right Hip: Stable

Special:

Right Hip: FABER: positive, FADIR: positive

Impression/Plan:**1. Hip Pain, Right**

Severe right hip osteoarthritis (M16.11)

Plan: Prescription.

celecoxib 200 mg capsule PO

Sig: Take 1 po qd

Quantity: 30 Capsule Refills: 1

Plan: Counseling - Total Hip Arthroplasty.

Follow up in 3 months**Note:**

Given inadequate relief with acetaminophen, transitioning to scheduled celecoxib with renal function monitoring given her age. Reinforced hip precautions and continued weight-bearing exercise as tolerated. Will refer for orthopedic surgical consultation if no improvement by next visit.

Staff:

Marla Whitcomb, NP (Bill Under)

Electronically Signed By: Marla Whitcomb, NP, 05/27/2025 10:30 AM CDT