

Medications

lisinopril Oral
atorvastatin Oral

Medical History

Essential hypertension
Hyperlipidemia

Musculoskeletal History

Osteoarthritis, bilateral knees

Musculoskeletal Family History

Mother with total knee replacement

Musculoskeletal Surgery

None

Surgical History

Cholecystectomy

Social History

Smoking status - Never smoker

Chief Complaints:

1. Right knee pain, worse with stairs, 8 months.

HPI: This is a 57 year old female who:

Patient reports insidious onset right knee pain over eight months, medial-sided, worse descending stairs and after prolonged sitting. Denies locking or giving way. No injury. Has tried over-the-counter acetaminophen with partial relief.

Vitals:

Date	Taken By	B.P.	Pulse	Resp.	O2 Sat.	Temp.	Ht.	Wt.	BMI BSA
06/11/25	K. Ruiz, MA	132/84	76	16	98	98.2	64.0 in	181.4 lbs	31.1 1.9

Exam:

Comprehensive, Lower Extremity Neurovascular

Appearance: well nourished

Orientation: Alert and oriented to person, place, time.

Mood: mood and affect well-adjusted, pleasant and cooperative,

Right LE Pulses: normal dorsalis pedis pulse and good capillary refill

Left LE Pulses: normal dorsalis pedis pulse and good capillary refill

RLE Peripheral Sensation: intact to light touch throughout peripheral nerve distributions

LLE Peripheral Sensation: intact to light touch throughout peripheral nerve distributions

Knee

Right Knee Active ROM:

Flexion: 125 degrees.
Extension: 0 degrees.
Internal Rotation: 10 degrees.
External Rotation: 10 degrees.

Right Knee Passive ROM:

Flexion: 135 degrees.
Extension: 0 degrees.
Internal Rotation: 10 degrees.
External Rotation: 10 degrees.

Skin:

Right Knee: skin intact, no rashes or lesions.

Inspection:

Right Knee: small effusion, medial joint line tenderness, no warmth

Strength:

Right Knee Flexion: Strength: 5/5, normal muscle tone.
Right Knee Extension: Strength: 5/5, normal muscle tone.

Stability:

Right Knee: Stable to varus and valgus stress

Special:

Left Knee Active ROM:

Flexion: 135 degrees.
Extension: 0 degrees.
Internal Rotation: 10 degrees.
External Rotation: 10 degrees.

Left Knee Passive ROM:

Flexion: 135 degrees.
Extension: 0 degrees.
Internal Rotation: 10 degrees.
External Rotation: 10 degrees.

Skin:

Left Knee: skin intact, no rashes or lesions.

Inspection:

Left Knee: Normal alignment, no deformity, no tenderness, no warmth, no masses, no muscle atrophy, no crepitus

Strength:

Left Knee Flexion: Strength: 5/5, normal muscle tone.
Left Knee Extension: Strength: 5/5, normal muscle tone.

Right Knee: McMurray: positive medially, Lachman: negative, anterior drawer: negative

Tests

X-Ray Interpretation Knee

Diagnosis: Knee Pain, Right - M17.11

X-Ray Data:

Date: 06/11/2025

The following film(s) were done in our facility: right knee AP view, lateral view, and sunrise view

Three views of the right knee. Medial compartment joint space narrowing with subchondral sclerosis and small marginal osteophytes. No acute fracture.

Impression: Moderate medial compartment osteoarthritis, right knee.

Impression/Plan:

1. Knee Pain, Right

Primary osteoarthritis of right knee (M17.11)

Plan: Prescription.

meloxicam 15 mg tablet PO

Sig: Take 1 po qd x 4 weeks with food

Quantity: 30 Tablet Refills: 1

Plan: Counseling - Osteoarthritis.

Follow up in 4 weeks

Note:

Discussed osteoarthritis, activity modification, quadriceps strengthening. Start meloxicam. Home exercise program provided.

Staff:

Dorian Vance, MD (Primary Provider) (Bill Under)

Electronically Signed By: Dorian Vance, MD, 06/11/2025 05:42 PM CDT

Medications

lisinopril Oral
atorvastatin Oral
meloxicam Oral

Medical History

Essential hypertension
Hyperlipidemia

Musculoskeletal History

Osteoarthritis, bilateral knees

Musculoskeletal Family History

Mother with total knee replacement

Musculoskeletal Surgery

None

Surgical History

Cholecystectomy

Social History

Smoking status - Never smoker

Chief Complaints:

1. Follow up right knee osteoarthritis.

HPI: This is a 57 year old female who:

Four weeks on meloxicam with roughly forty percent improvement. Stairs remain difficult. Tolerating medication without GI upset. Performing home exercises three times weekly.

Vitals:

Date	Taken By	B.P.	Pulse	Resp.	O2 Sat.	Temp.	Ht.	Wt.	BMI BSA
07/09/25	K. Ruiz, MA	128/80	72	16	99	98.0	64.0 in	179.8 lbs	30.9 1.9

Exam:

Comprehensive, Lower Extremity Neurovascular

Appearance: well nourished

Orientation: Alert and oriented to person, place, time.

Mood: mood and affect well-adjusted, pleasant and cooperative,

Right LE Pulses: normal dorsalis pedis pulse and good capillary refill

Left LE Pulses: normal dorsalis pedis pulse and good capillary refill

RLE Peripheral Sensation: intact to light touch throughout peripheral nerve distributions

LLE Peripheral Sensation: intact to light touch throughout peripheral nerve distributions

Knee

Right Knee Active ROM:

Flexion: 125 degrees.
Extension: 0 degrees.
Internal Rotation: 10 degrees.
External Rotation: 10 degrees.

Left Knee Active ROM:

Flexion: 135 degrees.
Extension: 0 degrees.
Internal Rotation: 10 degrees.
External Rotation: 10 degrees.

Right Knee Passive ROM:

Flexion: 135 degrees.
Extension: 0 degrees.
Internal Rotation: 10 degrees.
External Rotation: 10 degrees.

Left Knee Passive ROM:

Flexion: 135 degrees.
Extension: 0 degrees.
Internal Rotation: 10 degrees.
External Rotation: 10 degrees.

Skin:

Right Knee: skin intact, no rashes or lesions.

Skin:

Left Knee: skin intact, no rashes or lesions.

Inspection:

Right Knee: small effusion, medial joint line tenderness, no warmth

Inspection:

Left Knee: Normal alignment, no deformity, no tenderness, no warmth, no masses, no muscle atrophy, no crepitus

Strength:

Right Knee Flexion: Strength: 5/5, normal muscle tone.
Right Knee Extension: Strength: 5/5, normal muscle tone.

Strength:

Left Knee Flexion: Strength: 5/5, normal muscle tone.
Left Knee Extension: Strength: 5/5, normal muscle tone.

Stability:

Right Knee: Stable to varus and valgus stress

Special:

Right Knee: McMurray: positive medially, Lachman: negative, anterior drawer: negative

Impression/Plan:

1. **Knee Pain, Right**
Primary osteoarthritis of right knee (M17.11)

Plan: Prescription.
meloxicam 15 mg tablet PO
Sig: Take 1 po qd with food
Quantity: 30 Tablet Refills: 3

Follow up in 6 weeks

Note:

Continue meloxicam, increase refills. Add formal physical therapy twice weekly for six weeks.

Staff:

Dorian Vance, MD (Primary Provider) (Bill Under)
Electronically Signed By: Dorian Vance, MD, 07/09/2025 04:05 PM CDT

Medications

lisinopril Oral
atorvastatin Oral
meloxicam Oral

Medical History

Essential hypertension
Hyperlipidemia

Musculoskeletal History

Osteoarthritis, bilateral knees

Musculoskeletal Family History

Mother with total knee replacement

Musculoskeletal Surgery

None

Surgical History

Cholecystectomy

Social History

Smoking status - Never smoker

Chief Complaints:

1. Follow up right knee, post physical therapy.

HPI: This is a 57 year old female who:

Completed six weeks of physical therapy with continued improvement. Pain now intermittent and activity related. Wishes to reduce daily medication use.

Vitals:

Date	Taken By	B.P.	Pulse	Resp.	O2 Sat.	Temp.	Ht.	Wt.	BMI BSA
08/20/25	K. Ruiz, MA	126/78	70	16	99	97.9	64.0 in	177.2 lbs	30.4 1.9

Exam:

Comprehensive, Lower Extremity Neurovascular

Appearance: well nourished

Orientation: Alert and oriented to person, place, time.

Mood: mood and affect well-adjusted, pleasant and cooperative,

Right LE Pulses: normal dorsalis pedis pulse and good capillary refill

Left LE Pulses: normal dorsalis pedis pulse and good capillary refill

RLE Peripheral Sensation: intact to light touch throughout peripheral nerve distributions

LLE Peripheral Sensation: intact to light touch throughout peripheral nerve distributions

Knee

Right Knee Active ROM:

Flexion: 125 degrees.
Extension: 0 degrees.
Internal Rotation: 10 degrees.
External Rotation: 10 degrees.

Left Knee Active ROM:

Flexion: 135 degrees.
Extension: 0 degrees.
Internal Rotation: 10 degrees.
External Rotation: 10 degrees.

Right Knee Passive ROM:

Flexion: 135 degrees.
Extension: 0 degrees.
Internal Rotation: 10 degrees.
External Rotation: 10 degrees.

Left Knee Passive ROM:

Flexion: 135 degrees.
Extension: 0 degrees.
Internal Rotation: 10 degrees.
External Rotation: 10 degrees.

Skin:

Right Knee: skin intact, no rashes or lesions.

Skin:

Left Knee: skin intact, no rashes or lesions.

Inspection:

Right Knee: small effusion, medial joint line tenderness, no warmth

Inspection:

Left Knee: Normal alignment, no deformity, no tenderness, no warmth, no masses, no muscle atrophy, no crepitus

Strength:

Right Knee Flexion: Strength: 5/5, normal muscle tone.
Right Knee Extension: Strength: 5/5, normal muscle tone.

Strength:

Left Knee Flexion: Strength: 5/5, normal muscle tone.
Left Knee Extension: Strength: 5/5, normal muscle tone.

Stability:

Right Knee: Stable to varus and valgus stress

Special:

Right Knee: McMurray: positive medially, Lachman: negative, anterior drawer: negative

Impression/Plan:

1. Knee Pain, Right

Primary osteoarthritis of right knee (M17.11)

Plan: Prescription.

acetaminophen 650 mg tablet PO

Sig: Take 1 po q8h PRN pain

Quantity: 90 Tablet Refills: 2

Plan: Physical Therapy.

Follow up in 3 months

Note:

Transition to as-needed acetaminophen. Continue independent home program. Return as needed or sooner if symptoms escalate.

Staff:

Dorian Vance, MD (Primary Provider) (Bill Under)

Electronically Signed By: Dorian Vance, MD, 08/20/2025 03:20 PM CDT