

Medications

levothyroxine Oral
ibuprofen Oral

Medical History

Hypothyroidism

Musculoskeletal History

None

Musculoskeletal Family History

None

Musculoskeletal Surgery

None

Surgical History

None

Social History

Smoking status - Never smoker

Chief Complaints:

1. Right wrist pain at the base of the thumb, 3 weeks.

HPI: This is a 36 year old female who:

Patient reports three weeks of right radial-sided wrist pain that began after increased computer use and lifting her toddler. Pain worsens with thumb use, gripping, and ulnar deviation of the wrist. No history of trauma. Denies numbness or tingling in the hand.

Vitals:

Date	Taken By	B.P.	Pulse	Resp.	O2 Sat.	Temp.	Ht.	Wt.	BMI BSA
07/02/25	R. Diaz, MA	118/76	72	16	99	98.2	64.0 in	142.0 lbs	24.4 1.75

Exam:

Comprehensive, Upper Extremity Neurovascular

Appearance: well nourished

Orientation: Alert and oriented to person, place, time.

Mood: mood and affect well-adjusted, pleasant and cooperative,

Right UE Pulses: normal radial pulse and good capillary refill

Left UE Pulses: normal radial pulse and good capillary refill

RUE Peripheral Sensation: intact to light touch throughout peripheral nerve distributions

LUE Peripheral Sensation: intact to light touch throughout peripheral nerve distributions

Wrist

Right Wrist Active ROM:

Flexion: 55 degrees.
Extension: 50 degrees.
Radial Deviation: 20 degrees.
Ulnar Deviation: 30 degrees.

Left Wrist Active ROM:

Flexion: 70 degrees.
Extension: 70 degrees.
Radial Deviation: 20 degrees.
Ulnar Deviation: 30 degrees.

Right Wrist Passive ROM:

Flexion: 70 degrees.
Extension: 70 degrees.
Radial Deviation: 20 degrees.
Ulnar Deviation: 30 degrees.

Left Wrist Passive ROM:

Flexion: 70 degrees.
Extension: 70 degrees.
Radial Deviation: 20 degrees.
Ulnar Deviation: 30 degrees.

Skin:

Right Wrist: skin intact, no rashes or lesions.

Skin:

Left Wrist: skin intact, no rashes or lesions.

Inspection:

Right Wrist: tenderness over the first dorsal compartment, mild swelling

Inspection:

Left Wrist: Normal alignment, no deformity, no tenderness, no warmth, no masses, no muscle atrophy, no crepitus

Strength:

Right Wrist Extension: Strength: 5/5, normal muscle tone.
Right Wrist Flexion: Strength: 5/5, normal muscle tone.

Strength:

Left Wrist Extension: Strength: 5/5, normal muscle tone.
Left Wrist Flexion: Strength: 5/5, normal muscle tone.

Stability:

Right Wrist: Stable

Special:

Right Wrist: Finkelstein: positive

Tests

X-Ray Interpretation Wrist

Diagnosis: Wrist Pain, Right - M65.4

X-Ray Data:

Date: 07/02/2025

The following film(s) were done in our facility: right wrist PA view, lateral view, and oblique view

Three views of the right wrist. No fracture or dislocation. Normal bone density and joint alignment. Soft tissue swelling overlying the radial styloid.

Impression: No acute osseous abnormality, right wrist; findings compatible with clinical diagnosis of de Quervain tenosynovitis.

Impression/Plan:

1. Wrist Pain, Right

Right radial styloid tenosynovitis (de Quervain) (M65.4)

Associated diagnosis: Pain in right wrist (M25.531)

Plan: Prescription.

naproxen 500 mg tablet PO

Sig: Take 1 po bid x 2 weeks with food

Quantity: 28 Tablet Refills: 1

Follow up in 4 weeks

Note:

Findings consistent with de Quervain tenosynovitis. Obtained wrist x-rays to rule out osseous pathology given point tenderness. Thumb spica splint recommended in addition to scheduled NSAIDs and activity modification. Will consider a corticosteroid injection if not improved at follow-up.

Staff:

Marla Whitcomb, NP (Primary Provider) (Bill Under)

Electronically Signed By: Marla Whitcomb, NP, 07/02/2025 02:00 PM CDT