Week 1

August 1, 2020

---

*You are currently looking at **version 1.1** of this notebook. To download notebooks and datafiles, as well as get help on Jupyter notebooks in the Coursera platform, visit the Jupyter Notebook FAQ course resource.*

---

1 The Python Programming Language: Functions

`add_numbers` is a function that takes two numbers and adds them together.

```
In [1]: def add_numbers(x, y):
            return x + y

        add_numbers(1, 2)
```

```
Out[1]: 3
```

`add_numbers` updated to take an optional 3rd parameter. Using `print` allows printing of multiple expressions within a single cell.

```
In [2]: def add_numbers(x,y,z=None):
            if (z==None):
                return x+y
            else:
                return x+y+z

        print(add_numbers(1, 2))
        print(add_numbers(1, 2, 3))
```

```
3
6
```

`add_numbers` updated to take an optional flag parameter.

```
In [ ]: def add_numbers(x, y, z=None, flag=False):
            if (flag):
                print('Flag is true!')
            if (z==None):
                return x + y
            else:
                return x + y + z

        print(add_numbers(1, 2, flag=True))
```

Assign function `add_numbers` to variable `a`.

```
In [ ]: def add_numbers(x,y):
            return x+y

        a = add_numbers
        a(1,2)
```

The Python Programming Language: Types and Sequences

Use `type` to return the object's type.

```
In [3]: type('This is a string')
```

```
Out[3]: str
```

```
In [4]: type(None)
```

```
Out[4]: NoneType
```

```
In [6]: type(1)
```

```
Out[6]: int
```

```
In [5]: type(1.0)
```

```
Out[5]: float
```

```
In [ ]: type(add_numbers)
```

Tuples are an immutable data structure (cannot be altered).

```
In [7]: x = (1, 'a', 2, 'b')
        type(x)
```

```
Out[7]: tuple
```

Lists are a mutable data structure.

```
In [9]: x = [1, 'a', 2, 'b']
        type(x)
```

```
Out[9]: list
```

Use `append` to append an object to a list.

```
In [10]: x.append(3.3)
         print(x)
```

```
[1, 'a', 2, 'b', 3.3]
```

This is an example of how to loop through each item in the list.

```
In [11]: for item in x:
             print(item)
```

```
1
a
2
b
3.3
```

Or using the indexing operator:

```
In [12]: i=0
         while( i != len(x) ):
             print(x[i])
             i = i + 1
```

```
1
a
2
b
3.3
```

Use + to concatenate lists.

```
In [13]: [1,2] + [3,4]
```

```
Out[13]: [1, 2, 3, 4]
```

Use * to repeat lists.

```
In [ ]: [1]*3
```

Use the `in` operator to check if something is inside a list.

```
In [14]: 1 in [1, 2, 3]
```

```
Out[14]: True
```

Now let's look at strings. Use bracket notation to slice a string.

```
In [15]: x = 'This is a string'
         print(x[0]) #first character
         print(x[0:1]) #first character, but we have explicitly set the end character
         print(x[0:2]) #first two characters
```

```
T
T
Th
```

This will return the last element of the string.

```
In [16]: x[-1]
```

```
Out[16]: 'g'
```

This will return the slice starting from the 4th element from the end and stopping before the 2nd element from the end.

```
In [17]: x[-4:-2]
```

```
Out[17]: 'ri'
```

This is a slice from the beginning of the string and stopping before the 3rd element.

```
In [18]: x[:3]
```

```
Out[18]: 'Thi'
```

And this is a slice starting from the 4th element of the string and going all the way to the end.

```
In [19]: x[3:]
```

```
Out[19]: 's is a string'
```

```
In [20]: firstname = 'Christopher'
         lastname = 'Brooks'

         print(firstname + ' ' + lastname)
         print(firstname*3)
         print('Chris' in firstname)
```

```
Christopher Brooks
ChristopherChristopherChristopher
True
```

`split` returns a list of all the words in a string, or a list split on a specific character.

```
In [21]: firstname = 'Christopher Arthur Hansen Brooks'.split(' ')[0] # [0] selects the first el
         lastname = 'Christopher Arthur Hansen Brooks'.split(' ')[-1] # [-1] selects the last el
         print(firstname)
         print(lastname)

Christopher
Brooks
```

Make sure you convert objects to strings before concatenating.

```
In [22]: 'Chris' + 2


         ---------------------------------------------------------------------------

         TypeError                                 Traceback (most recent call last)

         <ipython-input-22-1623ac76de6e> in <module>()
     ----> 1 'Chris' + 2


         TypeError: must be str, not int


In [23]: 'Chris' + str(2)

Out[23]: 'Chris2'
```

Dictionaries associate keys with values.

```
In [24]: x = {'Christopher Brooks': 'brooksch@umich.edu', 'Bill Gates': 'billg@microsoft.com'}
         x['Christopher Brooks'] # Retrieve a value by using the indexing operator

Out[24]: 'brooksch@umich.edu'

In [25]: x['Kevyn Collins-Thompson'] = None
         x['Kevyn Collins-Thompson']
```

Iterate over all of the keys:

```
In [26]: for name in x:
             print(x[name])

brooksch@umich.edu
billg@microsoft.com
None
```

Iterate over all of the values:

```
In [27]: for email in x.values():
             print(email)

brooksch@umich.edu
billg@microsoft.com
None
```

Iterate over all of the items in the list:

```
In [28]: for name, email in x.items():
             print(name)
             print(email)

Christopher Brooks
brooksch@umich.edu
Bill Gates
billg@microsoft.com
Kevyn Collins-Thompson
None
```

You can unpack a sequence into different variables:

```
In [29]: x = ('Christopher', 'Brooks', 'brooksch@umich.edu')
         fname, lname, email = x

In [ ]: fname

In [ ]: lname
```

Make sure the number of values you are unpacking matches the number of variables being assigned.

```
In [30]: x = ('Christopher', 'Brooks', 'brooksch@umich.edu', 'Ann Arbor')
         fname, lname, email = x


         ---------------------------------------------------------------------------

         ValueError                                Traceback (most recent call last)

         <ipython-input-30-9ce70064f53e> in <module>()
           1 x = ('Christopher', 'Brooks', 'brooksch@umich.edu', 'Ann Arbor')
     ----> 2 fname, lname, email = x


         ValueError: too many values to unpack (expected 3)
```

The Python Programming Language: More on Strings

```
In [31]: print('Chris' + 2)
```

```
---------------------------------------------------------------------------
TypeError                                 Traceback (most recent call last)

<ipython-input-31-82ccfdd3d5d3> in <module>()
----> 1 print('Chris' + 2)


TypeError: must be str, not int
```

```
In [32]: print('Chris' + str(2))
```

```
Chris2
```

Python has a built in method for convenient string formatting.

```
In [34]: sales_record = {
         'price': 3.24,
         'num_items': 4,
         'person': 'Chris'}

         sales_statement = '{} bought {} item(s) at a price of {} each for a total of {}'

         print(sales_statement.format(sales_record['person'],
                                      sales_record['num_items'],
                                      sales_record['price'],
                                      sales_record['num_items']*sales_record['price']))
```

```
Chris bought 4 item(s) at a price of 3.24 each for a total of 12.96
```

Reading and Writing CSV files

Let's import our datafile mpg.csv, which contains fuel economy data for 234 cars.

- mpg : miles per gallon
- class : car classification
- cty : city mpg
- cyl : # of cylinders
- displ : engine displacement in liters
- drv : f = front-wheel drive, r = rear wheel drive, 4 = 4wd
- fl : fuel (e = ethanol E85, d = diesel, r = regular, p = premium, c = CNG)
- hwy : highway mpg

- manufacturer : automobile manufacturer
- model : model of car
- trans : type of transmission
- year : model year

```
In [42]: import csv

         %precision 2

         with open('mpg.csv') as csvfile:
             mpg = list(csv.DictReader(csvfile))

         mpg[:3] # The first three dictionaries in our list.
```

```
Out[42]: [OrderedDict([('', '1'),
                       ('manufacturer', 'audi'),
                       ('model', 'a4'),
                       ('displ', '1.8'),
                       ('year', '1999'),
                       ('cyl', '4'),
                       ('trans', 'auto(l5)'),
                       ('drv', 'f'),
                       ('cty', '18'),
                       ('hwy', '29'),
                       ('fl', 'p'),
                       ('class', 'compact')]),
          OrderedDict([('', '2'),
                       ('manufacturer', 'audi'),
                       ('model', 'a4'),
                       ('displ', '1.8'),
                       ('year', '1999'),
                       ('cyl', '4'),
                       ('trans', 'manual(m5)'),
                       ('drv', 'f'),
                       ('cty', '21'),
                       ('hwy', '29'),
                       ('fl', 'p'),
                       ('class', 'compact')]),
          OrderedDict([('', '3'),
                       ('manufacturer', 'audi'),
                       ('model', 'a4'),
                       ('displ', '2'),
                       ('year', '2008'),
                       ('cyl', '4'),
                       ('trans', 'manual(m6)'),
                       ('drv', 'f'),
                       ('cty', '20'),
                       ('hwy', '31'),
```

```
                    ('fl', 'p'),
                    ('class', 'compact')])]
```

`csv.Dictreader` has read in each row of our csv file as a dictionary. `len` shows that our list is comprised of 234 dictionaries.

```
In [43]: len(mpg)
```

```
Out[43]: 234
```

`keys` gives us the column names of our csv.

```
In [44]: mpg[0].keys()
```

```
Out[44]: odict_keys(['', 'manufacturer', 'model', 'displ', 'year', 'cyl', 'trans', 'drv', 'cty',
```

This is how to find the average cty fuel economy across all cars. All values in the dictionaries are strings, so we need to convert to float.

```
In [45]: sum(float(d['cty']) for d in mpg) / len(mpg)
```

```
Out[45]: 16.86
```

Similarly this is how to find the average hwy fuel economy across all cars.

```
In [39]: sum(float(d['hwy']) for d in mpg) / len(mpg)
```

```
Out[39]: 23.44
```

Use `set` to return the unique values for the number of cylinders the cars in our dataset have.

```
In [46]: cylinders = set(d['cyl'] for d in mpg)
         cylinders
```

```
Out[46]: {'4', '5', '6', '8'}
```

Here's a more complex example where we are grouping the cars by number of cylinder, and finding the average cty mpg for each group.

```
In [48]: CtyMpgByCyl = []

         for c in cylinders: # iterate over all the cylinder levels
             summpg = 0
             cyltypecount = 0
             for d in mpg: # iterate over all dictionaries
                 if d['cyl'] == c: # if the cylinder level type matches,
                     summpg += float(d['cty']) # add the cty mpg
                     cyltypecount += 1 # increment the count
             CtyMpgByCyl.append((c, summpg / cyltypecount)) # append the tuple ('cylinder', 'avg

         CtyMpgByCyl.sort(key=lambda x: x[0])
         CtyMpgByCyl
```

```
Out[48]: [('4', 21.01), ('5', 20.50), ('6', 16.22), ('8', 12.57)]
```

Use `set` to return the unique values for the class types in our dataset.

```
In [49]: vehicleclass = set(d['class'] for d in mpg) # what are the class types
         vehicleclass
```

```
Out[49]: {'2seater', 'compact', 'midsize', 'minivan', 'pickup', 'subcompact', 'suv'}
```

And here's an example of how to find the average hwy mpg for each class of vehicle in our dataset.

```
In [47]: HwyMpgByClass = []

         for t in vehicleclass: # iterate over all the vehicle classes
             summpg = 0
             vclasscount = 0
             for d in mpg: # iterate over all dictionaries
                 if d['class'] == t: # if the cylinder amount type matches,
                     summpg += float(d['hwy']) # add the hwy mpg
                     vclasscount += 1 # increment the count
             HwyMpgByClass.append((t, summpg / vclasscount)) # append the tuple ('class', 'avg m

         HwyMpgByClass.sort(key=lambda x: x[1])
         HwyMpgByClass


        ---------------------------------------------------------------------------

        NameError                                 Traceback (most recent call last)

        <ipython-input-47-189fb3d201ff> in <module>()
          1 HwyMpgByClass = []
          2
    ----> 3 for t in vehicleclass: # iterate over all the vehicle classes
          4     summpg = 0
          5     vclasscount = 0


        NameError: name 'vehicleclass' is not defined
```

The Python Programming Language: Dates and Times

```
In [50]: import datetime as dt
         import time as tm
```

`time` returns the current time in seconds since the Epoch. (January 1st, 1970)

```
In [51]: tm.time()
```

```
Out[51]: 1596259470.51
```

Convert the timestamp to datetime.

```
In [52]: dtnow = dt.datetime.fromtimestamp(tm.time())
         dtnow

Out[52]: datetime.datetime(2020, 8, 1, 5, 24, 36, 570696)
```

Handy datetime attributes:

```
In [ ]: dtnow.year, dtnow.month, dtnow.day, dtnow.hour, dtnow.minute, dtnow.second # get year, m
```

`timedelta` is a duration expressing the difference between two dates.

```
In [53]: delta = dt.timedelta(days = 100) # create a timedelta of 100 days
         delta

Out[53]: datetime.timedelta(100)
```

`date.today` returns the current local date.

```
In [54]: today = dt.date.today()

In [55]: today - delta # the date 100 days ago

Out[55]: datetime.date(2020, 4, 23)

In [56]: today > today-delta # compare dates

Out[56]: True
```

The Python Programming Language: Objects and map()
An example of a class in python:

```
In [57]: class Person:
             department = 'School of Information' #a class variable

             def set_name(self, new_name): #a method
                 self.name = new_name
             def set_location(self, new_location):
                 self.location = new_location

In [58]: person = Person()
         person.set_name('Christopher Brooks')
         person.set_location('Ann Arbor, MI, USA')
         print('{} live in {} and works in the department {}'.format(person.name, person.locatio

Christopher Brooks live in Ann Arbor, MI, USA and works in the department School of Information
```

Here's an example of mapping the `min` function between two lists.

```
In [59]: store1 = [10.00, 11.00, 12.34, 2.34]
         store2 = [9.00, 11.10, 12.34, 2.01]
         cheapest = map(min, store1, store2)
         cheapest

Out[59]: <map at 0x7f471024ba20>
```

Now let's iterate through the map object to see the values.

```
In [60]: for item in cheapest:
             print(item)

9.0
11.0
12.34
2.01
```

The Python Programming Language: Lambda and List Comprehensions

Here's an example of lambda that takes in three parameters and adds the first two.

```
In [61]: my_function = lambda a, b, c : a + b

In [62]: my_function(1, 2, 3)

Out[62]: 3
```

Let's iterate from 0 to 999 and return the even numbers.

```
In [63]: my_list = []
         for number in range(0, 1000):
             if number % 2 == 0:
                 my_list.append(number)
         my_list

Out[63]: [0,
          2,
          4,
          6,
          8,
          10,
          12,
          14,
          16,
          18,
          20,
          22,
          24,
```

```
26,
28,
30,
32,
34,
36,
38,
40,
42,
44,
46,
48,
50,
52,
54,
56,
58,
60,
62,
64,
66,
68,
70,
72,
74,
76,
78,
80,
82,
84,
86,
88,
90,
92,
94,
96,
98,
100,
102,
104,
106,
108,
110,
112,
114,
116,
118,
120,
```

```
122,
124,
126,
128,
130,
132,
134,
136,
138,
140,
142,
144,
146,
148,
150,
152,
154,
156,
158,
160,
162,
164,
166,
168,
170,
172,
174,
176,
178,
180,
182,
184,
186,
188,
190,
192,
194,
196,
198,
200,
202,
204,
206,
208,
210,
212,
214,
216,
```

```
218,
220,
222,
224,
226,
228,
230,
232,
234,
236,
238,
240,
242,
244,
246,
248,
250,
252,
254,
256,
258,
260,
262,
264,
266,
268,
270,
272,
274,
276,
278,
280,
282,
284,
286,
288,
290,
292,
294,
296,
298,
300,
302,
304,
306,
308,
310,
312,
```

```
314,
316,
318,
320,
322,
324,
326,
328,
330,
332,
334,
336,
338,
340,
342,
344,
346,
348,
350,
352,
354,
356,
358,
360,
362,
364,
366,
368,
370,
372,
374,
376,
378,
380,
382,
384,
386,
388,
390,
392,
394,
396,
398,
400,
402,
404,
406,
408,
```

```
410,
412,
414,
416,
418,
420,
422,
424,
426,
428,
430,
432,
434,
436,
438,
440,
442,
444,
446,
448,
450,
452,
454,
456,
458,
460,
462,
464,
466,
468,
470,
472,
474,
476,
478,
480,
482,
484,
486,
488,
490,
492,
494,
496,
498,
500,
502,
504,
```

```
506,
508,
510,
512,
514,
516,
518,
520,
522,
524,
526,
528,
530,
532,
534,
536,
538,
540,
542,
544,
546,
548,
550,
552,
554,
556,
558,
560,
562,
564,
566,
568,
570,
572,
574,
576,
578,
580,
582,
584,
586,
588,
590,
592,
594,
596,
598,
600,
```

```
602,
604,
606,
608,
610,
612,
614,
616,
618,
620,
622,
624,
626,
628,
630,
632,
634,
636,
638,
640,
642,
644,
646,
648,
650,
652,
654,
656,
658,
660,
662,
664,
666,
668,
670,
672,
674,
676,
678,
680,
682,
684,
686,
688,
690,
692,
694,
696,
```

```
698,
700,
702,
704,
706,
708,
710,
712,
714,
716,
718,
720,
722,
724,
726,
728,
730,
732,
734,
736,
738,
740,
742,
744,
746,
748,
750,
752,
754,
756,
758,
760,
762,
764,
766,
768,
770,
772,
774,
776,
778,
780,
782,
784,
786,
788,
790,
792,
```

```
794,
796,
798,
800,
802,
804,
806,
808,
810,
812,
814,
816,
818,
820,
822,
824,
826,
828,
830,
832,
834,
836,
838,
840,
842,
844,
846,
848,
850,
852,
854,
856,
858,
860,
862,
864,
866,
868,
870,
872,
874,
876,
878,
880,
882,
884,
886,
888,
```

890,
892,
894,
896,
898,
900,
902,
904,
906,
908,
910,
912,
914,
916,
918,
920,
922,
924,
926,
928,
930,
932,
934,
936,
938,
940,
942,
944,
946,
948,
950,
952,
954,
956,
958,
960,
962,
964,
966,
968,
970,
972,
974,
976,
978,
980,
982,
984,

```
          986,
          988,
          990,
          992,
          994,
          996,
          998]
```

Now the same thing but with list comprehension.

```
In [64]: my_list = [number for number in range(0,1000) if number % 2 == 0]
         my_list

Out[64]: [0,
          2,
          4,
          6,
          8,
          10,
          12,
          14,
          16,
          18,
          20,
          22,
          24,
          26,
          28,
          30,
          32,
          34,
          36,
          38,
          40,
          42,
          44,
          46,
          48,
          50,
          52,
          54,
          56,
          58,
          60,
          62,
          64,
          66,
          68,
```

```
70,
72,
74,
76,
78,
80,
82,
84,
86,
88,
90,
92,
94,
96,
98,
100,
102,
104,
106,
108,
110,
112,
114,
116,
118,
120,
122,
124,
126,
128,
130,
132,
134,
136,
138,
140,
142,
144,
146,
148,
150,
152,
154,
156,
158,
160,
162,
164,
```

```
166,
168,
170,
172,
174,
176,
178,
180,
182,
184,
186,
188,
190,
192,
194,
196,
198,
200,
202,
204,
206,
208,
210,
212,
214,
216,
218,
220,
222,
224,
226,
228,
230,
232,
234,
236,
238,
240,
242,
244,
246,
248,
250,
252,
254,
256,
258,
260,
```

```
262,
264,
266,
268,
270,
272,
274,
276,
278,
280,
282,
284,
286,
288,
290,
292,
294,
296,
298,
300,
302,
304,
306,
308,
310,
312,
314,
316,
318,
320,
322,
324,
326,
328,
330,
332,
334,
336,
338,
340,
342,
344,
346,
348,
350,
352,
354,
356,
```

```
358,
360,
362,
364,
366,
368,
370,
372,
374,
376,
378,
380,
382,
384,
386,
388,
390,
392,
394,
396,
398,
400,
402,
404,
406,
408,
410,
412,
414,
416,
418,
420,
422,
424,
426,
428,
430,
432,
434,
436,
438,
440,
442,
444,
446,
448,
450,
452,
```

```
454,
456,
458,
460,
462,
464,
466,
468,
470,
472,
474,
476,
478,
480,
482,
484,
486,
488,
490,
492,
494,
496,
498,
500,
502,
504,
506,
508,
510,
512,
514,
516,
518,
520,
522,
524,
526,
528,
530,
532,
534,
536,
538,
540,
542,
544,
546,
548,
```

```
550,
552,
554,
556,
558,
560,
562,
564,
566,
568,
570,
572,
574,
576,
578,
580,
582,
584,
586,
588,
590,
592,
594,
596,
598,
600,
602,
604,
606,
608,
610,
612,
614,
616,
618,
620,
622,
624,
626,
628,
630,
632,
634,
636,
638,
640,
642,
644,
```

```
646,
648,
650,
652,
654,
656,
658,
660,
662,
664,
666,
668,
670,
672,
674,
676,
678,
680,
682,
684,
686,
688,
690,
692,
694,
696,
698,
700,
702,
704,
706,
708,
710,
712,
714,
716,
718,
720,
722,
724,
726,
728,
730,
732,
734,
736,
738,
740,
```

742,
744,
746,
748,
750,
752,
754,
756,
758,
760,
762,
764,
766,
768,
770,
772,
774,
776,
778,
780,
782,
784,
786,
788,
790,
792,
794,
796,
798,
800,
802,
804,
806,
808,
810,
812,
814,
816,
818,
820,
822,
824,
826,
828,
830,
832,
834,
836,

838,
840,
842,
844,
846,
848,
850,
852,
854,
856,
858,
860,
862,
864,
866,
868,
870,
872,
874,
876,
878,
880,
882,
884,
886,
888,
890,
892,
894,
896,
898,
900,
902,
904,
906,
908,
910,
912,
914,
916,
918,
920,
922,
924,
926,
928,
930,
932,

```
 934,
 936,
 938,
 940,
 942,
 944,
 946,
 948,
 950,
 952,
 954,
 956,
 958,
 960,
 962,
 964,
 966,
 968,
 970,
 972,
 974,
 976,
 978,
 980,
 982,
 984,
 986,
 988,
 990,
 992,
 994,
 996,
 998]
```

The Python Programming Language: Numerical Python (NumPy)

```
In [ ]: import numpy as np
```

Creating Arrays

Create a list and convert it to a numpy array

```
In [ ]: mylist = [1, 2, 3]
        x = np.array(mylist)
        x
```

Or just pass in a list directly

```
In [ ]: y = np.array([4, 5, 6])
        y
```

Pass in a list of lists to create a multidimensional array.

```
In [ ]: m = np.array([[7, 8, 9], [10, 11, 12]])
        m
```

Use the shape method to find the dimensions of the array. (rows, columns)

```
In [ ]: m.shape
```

`arange` returns evenly spaced values within a given interval.

```
In [ ]: n = np.arange(0, 30, 2) # start at 0 count up by 2, stop before 30
        n
```

`reshape` returns an array with the same data with a new shape.

```
In [ ]: n = n.reshape(3, 5) # reshape array to be 3x5
        n
```

`linspace` returns evenly spaced numbers over a specified interval.

```
In [ ]: o = np.linspace(0, 4, 9) # return 9 evenly spaced values from 0 to 4
        o
```

`resize` changes the shape and size of array in-place.

```
In [ ]: o.resize(3, 3)
        o
```

`ones` returns a new array of given shape and type, filled with ones.

```
In [ ]: np.ones((3, 2))
```

`zeros` returns a new array of given shape and type, filled with zeros.

```
In [ ]: np.zeros((2, 3))
```

`eye` returns a 2-D array with ones on the diagonal and zeros elsewhere.

```
In [ ]: np.eye(3)
```

`diag` extracts a diagonal or constructs a diagonal array.

```
In [ ]: np.diag(y)
```

Create an array using repeating list (or see `np.tile`)

```
In [ ]: np.array([1, 2, 3] * 3)
```

Repeat elements of an array using `repeat`.

```
In [ ]: np.repeat([1, 2, 3], 3)
```