Question- 1️⃣ Calculated Column – TotalPrice

Modeling → New Column

```
TotalPrice =
'Amazon Store Sales Dataset'[Quantity] *
'Amazon Store Sales Dataset'[UnitPrice]
```

Question- 2️⃣ Calculated Column – DiscountedPrice

```
DiscountedPrice =
'Amazon Store Sales Dataset'[TotalPrice] *
(1 - 'Amazon Store Sales Dataset'[Discount])
```

(If Discount is stored as percentage like 10 instead of 0.10, then divide by 100)

Alternative if needed:

```
DiscountedPrice =
'Amazon Store Sales Dataset'[TotalPrice] *
(1 - 'Amazon Store Sales Dataset'[Discount] / 100)
```

Question- 3️⃣ Measure – Average Order Value (AOV)

Modeling → New Measure

```
AOV =
DIVIDE(
   SUM('Amazon Store Sales Dataset'[SalesAmount]),
   DISTINCTCOUNT('Amazon Store Sales Dataset'[OrderID])
)
```

Question- 4️⃣ Measure – Year-To-Date (YTD) Sales

```
YTD Sales =
TOTALYTD(
   SUM('Amazon Store Sales Dataset'[SalesAmount]),
   'Amazon Store Sales Dataset'[OrderDate]
)
```

Question- 5️⃣ Measure – Product Rank (Highest Sales = Rank 1)

```
Product Rank =
RANKX(
   ALL('Amazon Store Sales Dataset'[ProductID]),
   CALCULATE(SUM('Amazon Store Sales Dataset'[SalesAmount])),
   ,
   DESC,
   DENSE
)
```

Question- 6️⃣ Calculated Column – High Value / Low Value

```
Order Category =
IF(
   'Amazon Store Sales Dataset'[SalesAmount] > 2000,
   "High Value",
   "Low Value"
)
```

Question- 7️⃣ Measure – Total Sales (Online Channel Only)

```
Online Sales =
CALCULATE(
   SUM('Amazon Store Sales Dataset'[SalesAmount]),
   'Amazon Store Sales Dataset'[SalesChannel] = "Online"
)
```

Question- 8️⃣ Measure – Date Difference (Latest Order vs Today)

```
Date Difference =
DATEDIFF(
   MAX('Amazon Store Sales Dataset'[OrderDate]),
   TODAY(),
   DAY
)
```

📊 BONUS KPI Suggestions (Optional for Dashboard)

✔ Total Sales

```
Total Sales = SUM('Amazon Store Sales Dataset'[SalesAmount])
```

✓ **Total Orders**

Total Orders = DISTINCTCOUNT('Amazon Store Sales Dataset'[OrderID])

✓ **Total Profit (If Needed)**

If profit logic is:
Profit = SalesAmount – DiscountedPrice

Profit =
SUM('Amazon Store Sales Dataset'[SalesAmount]) -
SUM('Amazon Store Sales Dataset'[DiscountedPrice])

If you want, I can also help you design:

- 📊 Complete Power BI Dashboard layout
- 📈 KPI cards structure
- 📉 Slicers to use
- ⭐ Interview-ready explanation for each DAX formula

answer me in a way that we use in power bi

Perfect 👍 I'll write this **exactly how we create it inside Power BI (step-by-step format)**.

Assume table name in Power BI:
Amazon Store Sales Dataset

🔵 **STEP 1: Create Calculated Column – TotalPrice**

👉 Go to **Modeling Tab → New Column**

TotalPrice =
[Quantity] * [UnitPrice]

Press **Enter**.

🔵 **STEP 2: Create Calculated Column – DiscountedPrice**

👉 **Modeling → New Column**

```
DiscountedPrice =
[TotalPrice] * (1 - [Discount])
```

⚠ If Discount column is stored as 10, 20, 30 (not 0.10), then use:

```
DiscountedPrice =
[TotalPrice] * (1 - [Discount] / 100)
```

🔵 **STEP 3: Create Measure – Average Order Value (AOV)**

👉 **Modeling → New Measure**

```
AOV =
DIVIDE(
  SUM([SalesAmount]),
  DISTINCTCOUNT([OrderID])
)
```

🔵 **STEP 4: Create Measure – YTD Sales**

👉 **Modeling → New Measure**

```
YTD Sales =
TOTALYTD(
  SUM([SalesAmount]),
  [OrderDate]
)
```

⚠ Make sure **OrderDate data type = Date**

🔵 **STEP 5: Create Measure – Product Rank**

👉 **Modeling → New Measure**

```
Product Rank =
RANKX(
  ALL('Amazon Store Sales Dataset'[ProductID]),
  CALCULATE(SUM([SalesAmount])),
  ,
  DESC,
  DENSE
)
```

🔵 STEP 6: Create Calculated Column – High / Low Value

👉 Modeling → New Column

```
Order Category =
IF(
  [SalesAmount] > 2000,
  "High Value",
  "Low Value"
)
```

🔵 STEP 7: Create Measure – Online Channel Sales Only

👉 Modeling → New Measure

```
Online Sales =
CALCULATE(
  SUM([SalesAmount]),
  'Amazon Store Sales Dataset'[SalesChannel] = "Online"
)
```

🔵 STEP 8: Create Measure – Date Difference

👉 Modeling → New Measure

```
Date Difference =
DATEDIFF(
  MAX([OrderDate]),
  TODAY(),
  DAY
)
```

✅ Final Tip (Important in Power BI)

Before creating YTD:

1. Go to **Model View**
2. Make sure **OrderDate** is set as **Date**
3. Mark a proper Date Table if required (for advanced time intelligence)