

```
CREATE DATABASE PROJECT;

CREATE TABLE Customers (
    CustomerID INT PRIMARY KEY,
    CustomerName VARCHAR(50),
    City VARCHAR(50)
);

CREATE TABLE Orders (
    OrderID INT PRIMARY KEY,
    CustomerID INT,
    OrderDate DATE,
    Amount INT
);

CREATE TABLE Payments (
    PaymentID VARCHAR(10) PRIMARY KEY,
    CustomerID INT,
    PaymentDate DATE,
    Amount INT
);

CREATE TABLE Employees (
    EmployeeID INT PRIMARY KEY,
    EmployeeName VARCHAR(50),
    ManagerID INT
);

USE PROJECT;

INSERT INTO Customers VALUES
```

```
(1, 'John Smith', 'New York'),  
(2, 'Mary Johnson', 'Chicago'),  
(3, 'Peter Adams', 'Los Angeles'),  
(4, 'Nancy Miller', 'Houston'),  
(5, 'Robert White', 'Miami');
```

```
INSERT INTO Orders VALUES
```

```
(101, 1, '2024-10-01', 250),  
(102, 2, '2024-10-05', 300),  
(103, 1, '2024-10-07', 150),  
(104, 3, '2024-10-10', 450),  
(105, 6, '2024-10-12', 400);
```

```
INSERT INTO Payments VALUES
```

```
('P001', 1, '2024-10-02', 250),  
( 'P002', 2, '2024-10-06', 300),  
( 'P003', 3, '2024-10-11', 450),  
( 'P004', 4, '2024-10-15', 200);
```

```
INSERT INTO Employees VALUES
```

```
(1, 'Alex Green', NULL),  
(2, 'Brian Lee', 1),  
(3, 'Carol Ray', 1),  
(4, 'David Kim', 2),  
(5, 'Eva Smith', 2);
```

```
##QUESTION-1
```

```
SELECT DISTINCT c.*
```

```
FROM Customers c
INNER JOIN Orders o
ON c.CustomerID = o.CustomerID;
```

##QUESTION-2

```
SELECT c.CustomerName, o.OrderID, o.Amount
FROM Customers c
LEFT JOIN Orders o
ON c.CustomerID = o.CustomerID;
```

##QUESTION-3

```
SELECT c.CustomerName, o.OrderID, o.Amount
FROM Customers c
RIGHT JOIN Orders o
ON c.CustomerID = o.CustomerID;
```

##QUESTIOON-4

```
SELECT c.CustomerName, o.OrderID, o.Amount
FROM Customers c
RIGHT JOIN Orders o
ON c.CustomerID = o.CustomerID;
```

##QUESTION-5

```
SELECT c.*
FROM Customers c
LEFT JOIN Orders o
ON c.CustomerID = o.CustomerID
```

WHERE o.OrderID IS NULL;

##QUESTION-6

```
SELECT DISTINCT c.CustomerName
FROM Customers c
INNER JOIN Payments p ON c.CustomerID = p.CustomerID
LEFT JOIN Orders o ON c.CustomerID = o.CustomerID
WHERE o.OrderID IS NULL;
```

##QUESTION-7

```
SELECT c.CustomerName, o.OrderID
FROM Customers c
CROSS JOIN Orders o;
```

##QUESTION-8

```
SELECT
    c.CustomerName,
    o.Amount AS OrderAmount,
    p.Amount AS PaymentAmount
FROM Customers c
LEFT JOIN Orders o ON c.CustomerID = o.CustomerID
LEFT JOIN Payments p ON c.CustomerID = p.CustomerID;
```

##QUESTION-9

```
SELECT DISTINCT c.CustomerName
FROM Customers c
INNER JOIN Orders o ON c.CustomerID = o.CustomerID
INNER JOIN Payments p ON c.CustomerID = p.CustomerID;
```