ASSIGNMENT\_I

The next thing to do can be trying to implement handwaiting synthesis in Graves paper, which may incorporate bits of character embedding used in char\_ann. He found that a combination of character prediction, along with stroke prediction to be key to generating synthetic handwaiting selvences that look natural, as the network needs to learn how certain strokes for a certain character flow into another character selvence.

Another interesting work is to incorporate Generative Adverserial Net approaches to recurrent network, train a network to discriminate between fake handwriting and real one, and another network to generate fake handwriting to fool the discriminator network. This can be guite tough to do for RNNs though, although we must try anyways some are

thinking is that generative moment matching networks can perhaps be a better approach for generative RNNS as opposed to GANS.

The next thing to do can be taying to implement handwaiting synthesis in Graves paper, which may incorporate bits of character embedding used in char\_ann. He found that a combination of character prediction, along with stroke prediction to be key to generating synthetic handwaiting servences that look natural, as the network needs to learn how certain strokes for a certain character flow into another character servence.

Another interesting work is to incorporate Generative Adverserial net approaches to recorrent network. Train a network to discriminate between fake handwriting and real one, and another

network to generate fake handwriting to fool the discriminator network. This can be give tough to do for RNNs though, although we must try anyways some are thinking is that generative moment matching networks can perhaps be a better approach for generative RNNs as opposed to GANS.