SERVER INSTALLATION

Ticket Number	CCTNS 2504023
Date & Time of Call Received	04-04-2025
Name Of Police station	Thirubuvanai
Caller Name	Sivaprakash
Issue	New Server Installation
Name of the Help Desk Resource	Vignesh/Pushparaj
Status	Completed
Resolution , Date and Time	04-04-2025

❖ Check Windows Firewall Status:

- Go to the Control Panel and check if the Windows Firewall is turned on.
- If it is enabled, turn off the Windows Firewall for both Private and Public networks.

❖ Check the IP Address:

- Open the Command Prompt (`cmd`) and type `ipconfig`.
- Note the IPv4 address from the network settings.

❖ Copy the CCTNS CAS 4.5 Application:

- Copy the **CCTNS CAS 4.5** application folder to the **Desktop** or **Drive D:**
- Then copy it from there and paste it into the **C:\Program Files** directory.

❖ Open the CCTNS CAS 4.5 Folder:

- Go to `C:\Program Files\CCTNS CAS 4.5\`.
- Inside the folder, you will find two subfolders: **Java** and **SQL**.

❖ Install Java JDK:

- Open the **Java** folder.
- Double-click on the file named `jdk-6u23-windows-i586.exe`.
- Follow the installation wizard step by step and complete the installation process

- **After the JDK (java) application is installed, we have to install MYSQL application**

- **Open the MySQL Setup:**

  - Navigate to the **SQL** folder inside the **CCTNS CAS 4.5** directory.
  - Double-click on the file named:
    `mysql-5.5.20-win32.msi` or similar.

- **Accept License Agreement:**

  - When the installer opens, read and accept the **License Agreement** by selecting **"I accept the terms in the license agreement."**
  - Click the **Next** button to proceed.

- **Choose Setup Type:**

  - On the **Setup Type** screen, you will see three options: **Typical**, **Custom**, and **Complete**.
  - Select **Typical** (recommended for standard installations).
  - Click the **Next** button.

- **Begin Installation:**

  - Click the **Install** button to start the installation process of **MySQL Server 5.5**.
  - Wait for the installation and Finish.
  - The Configuration Wizard will allow you to configure the MySQL Server 5.5 instance. To continue, click Next.

- **Start the Configuration Wizard**

  - Launch the **MySQL Server Instance Configuration Wizard**.
  - Click **Next** on the welcome screen.

- **Select Configuration Type**

  - Choose **Detailed Configuration**.
  - Click **Next**.

❖ Select Server Type

- On the next screen, you will see three options:
  - **Developer Machine**
  - **Server Machine**
  - **Dedicated MySQL Server Machine**
- Select **Server Machine**.
- Click **Next**.

❖ Select Database Usage

- Choose **Multifunctional Database**.
- Click **Next**.

❖ Choose Installation Path

- The installer will show the default installation path.
- Leave it as it is and click **Next**.

❖ Set Concurrent Connections

- Choose **Online Transaction Processing (OLTP)**.
- Set the **Concurrent Connections** to `1000`.
- Click **Next**.

❖ Configure Networking

- Make sure **Enable TCP/IP Networking** is checked.
- Set the **Port Number** to `3306`.
- Check the box for **Add firewall exception for this port**.
- Also check **Enable Strict Mode**.
- Click **Next**.

❖ Set Default Character Set

- Select **Manual Selected Default Character Set / Collation**.
- From the dropdown, choose **utf8**.
- Click **Next**.

❖ Configure Windows Service

- Check **Install As Windows Service**.
- Ensure the **Service Name** is set to **MySQL**.
- Check **Launch the MySQL Server Automatically**.
- Also check **Include Bin Directory in Windows PATH**.
- Click **Next**.

❖ Set Root Password and Security

- Check **Modify Security Settings**.
- Enter a **New Root Password**.
- Optionally, you can check **Enable root access from remote machines** (if needed).
- Click **Next**.

❖ Apply Configuration

- On the final screen, the following tasks will be performed:
  - **Prepare Configuration**
  - **Write Configuration File**
  - **Start Server**
  - **Apply Security Settings**

- Click **Execute** and wait until all items are checked successfully.
- Once everything is completed, click **Finish**.

❖ Open the CAS 4.5 Folder

- Navigate to the **CAS 4.5** folder.

❖ Open the JWS Launch Files

- Inside the folder, you will find two subfolders:
  - `CCTNS-MySQLBackups`
  - `JWS_Launch_Files`
- Open the folder named **JWS_Launch_Files**.

❖ Choose Server Option

- Inside **JWS_Launch_Files**, you will see two folders:
  - `Client`

    - `Server`
- Open the **Server** folder.

❖ **Choose Backup Type**

- Inside the **Server** folder, you will see:
    - `Complete`
    - `Incremental`
- Open the **Complete** folder.

❖ **Launch JWS File**

- Inside the **Complete** folder, double-click the file named:
  `offlineCompleteServerJWS.jnlp`

❖ **Download and Run the Application**

- A prompt will appear to **download and run the application**.
- Check the box that says:
  ✅**Always trust content from this publisher**
- Then click **Run**.

❖ **Enter Root Password**

- When prompted, enter the **MySQL root password** you set during installation.

❖ **Execute SQL Script**

- Click the **Execute Script** button.
- Wait for the message:
  ✅**"Script executed successfully."**
- Click **OK** to exit.

❖ ✅**The server-side setup for CAS 4.5 is now complete.**

❖ **Open the Incremental Folder**

- Go to the **CAS 4.5 > JWS_Launch_Files > Server** folder.
- Open the subfolder named **Incremental**.

❖ Launch the Incremental JWS File

- Inside the **Incremental** folder, locate the file named:
  `offlineIncrementalServerJWS.jnlp`
- Double-click this file.

❖ Trust the Application

- A security prompt will appear.
- Check the box:
  ✅**Always trust content from this publisher**
- Click the **Run** button.

❖ Download and Launch

- The application will begin **downloading**.
- Wait for it to **finish loading** and installing.
- Once done, the window will close automatically or show completion.

❖ Launch the Offline Application

- In the same folder, locate the file named:
  `offline_application.jnlp`
- Double-click this file to open the application.

❖ ✅**The Incremental Server JWS Application is now successfully launched**