SHO Issue

Ticket Number	CCTNS 2500040
Date & Time of Call Received	25-02-2025
Name Of Police station	Women's Villianur
Caller Name	Kayal
Issue	SHO Issue
Name of the Help Desk Resource	Prabhulingam
Status	Completed
Resolution , Date and Time	25-02-2025

Issue: SHO ID Not Working

Problem Description:
Each police station has a unique **SHO (Station House Officer) Station ID**. In this case, the **SHO user ID** was mistakenly changed to another person's user ID. Because of this, the original SHO ID for that station stopped working.

□ Steps to Resolve the SHO ID Issue

Example:

Step 1: Check the existing user information

Run the following query to view the details of the user whose login ID has been changed:

```
SELECT *
FROM t_user_info
WHERE login_id = 'pol3627';
```

Step 2: Check the user roles

Execute the below query to find all roles assigned to this user:

```
SELECT *
FROM t_user_role
WHERE USER_SRNO = 10970;
```

Step 3: Deactivate the old user roles

Since the login ID has changed, you need to deactivate the old records by setting their **RECORD_STATUS** to `'D'` (Disabled):

```
UPDATE t_user_role
SET RECORD_STATUS = 'D'
WHERE USER_ROLE_SRNO IN (
```

```
    '8109700005','8109700006','8109700007','8109700008',
    '8109700009','8109700010','8109700011','8109700012',
    '8109700013','8109700014'
);
```

This disables all the listed user roles that were linked to the incorrect login ID.

Step 4: Check the correct SHO user details

Now, find the correct SHO user account details using:

```
SELECT *
FROM t_user_info
WHERE LOGIN_ID = 'dnsho';
```

Step 5: Verify the SHO user roles

Run the following query to check the roles for the correct SHO user:

```
SELECT *
FROM t_user_role
WHERE USER_SRNO = 13554;
```

Step 6: Activate the correct SHO role

Update the record status to `'C'` (Active/Current) for the correct SHO role:

```
UPDATE t_user_role
SET RECORD_STATUS = 'C'
WHERE USER_ROLE_SRNO = 8135540001;
```

□ Step 7: Confirm the update

After executing the above queries, verify that:

- The **incorrect SHO ID roles** are deactivated (`RECORD_STATUS = 'D'`), and
- The **correct SHO ID** is activated (`RECORD_STATUS = 'C'`).

Once confirmed, the SHO ID will be properly reassigned and functional for that police station.

Result:

The station's SHO user ID has been successfully reassigned, and all roles are now correctly mapped to the SHO ID.