Topology:



Ping Pc1 to pc2:



R9 show ip route:



R5 show ip route:



R9 syslog:



After snmp get and set operation on R9:





After snmp get and set on R5:


Activities
PacketTracer
Dec 8 21 : 46
Cisco Packet Tracer - /home/hiraditya/Desktop/HomeWork/SJSU/Networking-CS158B/CS158_Final_Tanusree-Debnath.pkt
File Edit Options View Tools Extensions Window Help
Logical
Physical
Server0
Physical Config Services Desktop Programming Attributes
MIB Browser
Address: 192.168.11.2
OID: .1.3.6.1.2.1.1.5.0
Advanced...
Operations: Set
GO
SNMP MIBs
MIB Tree
router_std MIBs
.iso
.org
.dod
.internet
.mgmt
.mib-2
.system
.sysDe...
.sysObj...
.sysUp...
.sysCo...
.sysNa...
.sysLo...
.interfaces
.ip
.ospf
.rip2
.private
router_advip MIBs
switch_L2 MIBs
switch_multiLayer MIBs
Result Table
Name/OID
Value
Type
.1.3.6.1.2.1.1.5.0 (.iso.org.dod.inter...
CS158BR5
OctetString
Name : .sysName
OID : .1.3.6.1.2.1.1.5.0
Syntax :
Access :
Description :
Top
192.168.2.1
192.168.3.2
R6
192.168.3.1
192.168.4.1
R7
192.168.4.2
PC1
Time: 01:46:17
Realtime
Simulation
Activities
PacketTracer
Dec 8 21 : 46
R5
Physical Config CLI Attributes
IOS Command Line Interface
R5(config)#
R5(config)#show ip int brief
^
% Invalid input detected at '^' marker.
CS158BR5(config)#
Ctrl+F6 to exit CLI focus
Copy
Paste
Top
Logical
Physical
Time: 01:46:35
Realtime
Simulation
Toggle PDU List Window
USB