```
import json

class BankSystem:
    def __init__(self, db="bank.json"):
        self.db = db
        self.load()

    def load(self):
        try:
            with open(self.db, "r") as f:
                self.accs = json.load(f)
        except:
            self.accs = {}

    def save(self):
        with open(self.db, "w") as f:
            json.dump(self.accs, f, indent=2)

    def create(self, acc, name, bal=0):
```

```
        self.accs[acc] = {"name": name, "bal": bal, "hist": [f"Opened with ${bal}"]}
        self.save()

    def deposit(self, acc, amt):
        if acc in self.accs and amt > 0:
            self.accs[acc]["bal"] += amt
            self.accs[acc]["hist"].append(f"Deposit: +${amt}")
            self.save()

    def withdraw(self, acc, amt):
        if acc in self.accs and 0 < amt <= self.accs[acc]["bal"]:
            self.accs[acc]["bal"] -= amt
            self.accs[acc]["hist"].append(f"Withdrawal: -${amt}")
            self.save()

    def transfer(self, sender, receiver, amt):
        if sender in self.accs and receiver in self.accs and self.accs[sender]["bal"] >= amt > 0:
            self.accs[sender]["bal"] -= amt
            self.accs[receiver]["bal"] += amt
```

```
            self.accs[sender]["hist"].append(f"Sent: -${amt} to
{receiver}")
            self.accs[receiver]["hist"].append(f"Recv: +${amt} from
{sender}")
            self.save()

    def statement(self, acc):
        if acc in self.accs:
            a = self.accs[acc]
            print(f"\n--- Statement: {a['name']} ({acc}) ---")
            print(f"Balance: ${a['bal']}\nHistory: " + ",
".join(a["hist"]))

# Execution Driver
bank = BankSystem()
bank.create("ACC101", "Tanushri Zod", 1000)
bank.create("ACC102", "Alex Smith", 500)

bank.deposit("ACC101", 300)
bank.withdraw("ACC101", 100)
bank.transfer("ACC101", "ACC102", 400)
```

```
bank.statement("ACC101")
bank.statement("ACC102")
```