## H2. Discharge Summary to Patient-Understandable Care Plan

**Real-world pain:** A patient goes home with a two-page discharge summary full of abbreviations, dosages, and follow-up instructions they cannot read. Non-adherence and avoidable readmission follow. In India, add the layer that the patient may not read English.

**The problem:** Convert a clinical discharge summary into a faithful, plain-language care plan the patient and their family can actually follow — without adding, dropping, or altering any medical instruction.

**What we provide:**

- 2,000 synthetic discharge summaries across common conditions (diabetes, post-op recovery, cardiac, respiratory, maternity), with clinical abbreviations and dosage tables
- A medical abbreviation glossary and a drug reference table (generic name, common brand, dose form)
- 50 gold-standard human-written plain-language versions as reference examples
- An evaluation harness that checks whether every medication, dose, frequency, and follow-up date from the source appears in the output

**Assumptions students may make:**

- The source summary is clinically correct and complete — nothing may be inferred beyond it
- Target reading level: roughly Class 8
- Assume no access to the patient's full EHR beyond the summary
- Patient may have low literacy, so structure and simplicity matter more than prose quality

**Desired output:**

1. A structured care plan: medicines (what, how much, when, how long), warning signs that mean "return to hospital immediately", diet and activity guidance, and follow-up appointments
2. **Faithfulness is scored above fluency.** `evaluate.py` runs an extraction check: any dropped medication, altered dose, or invented instruction is a hard penalty
3. Output in **English plus one Indian language of the team's choice**, with the same faithfulness check applied to the translation
4. A readability score on the output, reported
5. A one-page "fridge sheet" version — the actual artefact a family would use

**Stretch:** generate a spoken audio version for a patient who cannot read, and a 7-day medicine timetable.