

```
mysql> CREATE DATABASE Airline_Reservation_System;  
Query OK, 1 row affected (0.08 sec)
```

```
mysql> USE Airline_Reservation_System;  
Database changed  
mysql>
```

```
mysql> CREATE TABLE Passengers (  
->     Passenger_ID INT PRIMARY KEY AUTO_INCREMENT,  
->     First_Name VARCHAR(50) NOT NULL,  
->     Last_Name VARCHAR(50) NOT NULL,  
->     Gender VARCHAR(10) NOT NULL CHECK (Gender IN ('Male', 'Female', 'Other')),  
->     Phone VARCHAR(15) NOT NULL UNIQUE,  
->     Email VARCHAR(100) NOT NULL UNIQUE  
-> );  
Query OK, 0 rows affected (0.11 sec)
```

```
mysql> CREATE TABLE Airlines (  
->     Airline_ID INT PRIMARY KEY AUTO_INCREMENT,  
->     Airline_Name VARCHAR(100) NOT NULL UNIQUE,  
->     Country VARCHAR(50) NOT NULL,  
->     Contact VARCHAR(15) NOT NULL  
-> );  
Query OK, 0 rows affected (0.10 sec)
```

```
mysql> CREATE TABLE Airports (  
->     Airport_ID INT PRIMARY KEY AUTO_INCREMENT,  
->     Airport_Name VARCHAR(100) NOT NULL,  
->     City VARCHAR(50) NOT NULL,  
->     Country VARCHAR(50) NOT NULL,  
->     Airport_Code CHAR(3) NOT NULL UNIQUE  
-> );  
Query OK, 0 rows affected (0.09 sec)
```

```
mysql> CREATE TABLE Aircrafts (  
->     Aircraft_ID INT PRIMARY KEY AUTO_INCREMENT,  
->     Airline_ID INT NOT NULL,  
->     Aircraft_Model VARCHAR(50) NOT NULL,  
->     Capacity INT NOT NULL CHECK (Capacity > 0),  
->     Manufacturing_Year YEAR NOT NULL,  
->  
->     FOREIGN KEY (Airline_ID)  
->         REFERENCES Airlines(Airline_ID)  
-> );  
Query OK, 0 rows affected (0.10 sec)
```

```
mysql> CREATE TABLE Flights (  
->     Flight_ID INT PRIMARY KEY AUTO_INCREMENT,  
->     Airline_ID INT NOT NULL,  
->     Source_Airport INT NOT NULL,  
->     Destination_Airport INT NOT NULL,  
->     Departure_Time DATETIME NOT NULL,  
->     Arrival_Time DATETIME NOT NULL,  
->     Flight_Date DATE NOT NULL,  
->     Status VARCHAR(20) NOT NULL DEFAULT 'Scheduled'  
->     CHECK (Status IN ('Scheduled', 'Delayed', 'Cancelled', 'Completed')),  
->  
->     FOREIGN KEY (Airline_ID)  
->         REFERENCES Airlines(Airline_ID),  
->  
->     FOREIGN KEY (Source_Airport)  
->         REFERENCES Airports(Airport_ID),  
->  
->     FOREIGN KEY (Destination_Airport)  
->         REFERENCES Airports(Airport_ID),  
->  
->     CHECK (Source_Airport <> Destination_Airport),  
->     CHECK (Arrival_Time > Departure_Time)  
-> );  
Query OK, 0 rows affected (0.11 sec)
```

```
mysql> CREATE TABLE Bookings (  
->     Booking_ID INT PRIMARY KEY AUTO_INCREMENT,  
->     Passenger_ID INT NOT NULL,  
->     Flight_ID INT NOT NULL,  
->     Booking_Date DATETIME NOT NULL DEFAULT CURRENT_TIMESTAMP,  
->     Seat_Number VARCHAR(5) NOT NULL,  
->     Class VARCHAR(20) NOT NULL  
->         CHECK (Class IN ('Economy', 'Business', 'First')),  
->     Booking_Status VARCHAR(20) NOT NULL DEFAULT 'Confirmed'  
->         CHECK (Booking_Status IN ('Confirmed', 'Cancelled', 'Pending')),  
->  
->     FOREIGN KEY (Passenger_ID)  
->         REFERENCES Passengers(Passenger_ID),  
->  
->     FOREIGN KEY (Flight_ID)  
->         REFERENCES Flights(Flight_ID),  
->  
->     UNIQUE (Flight_ID, Seat_Number)  
-> );  
Query OK, 0 rows affected (0.05 sec)
```

```
mysql> CREATE TABLE Payments (  
->     Payment_ID INT PRIMARY KEY AUTO_INCREMENT,  
->     Booking_ID INT NOT NULL,  
->     Payment_Date DATETIME NOT NULL DEFAULT CURRENT_TIMESTAMP,  
->     Amount DECIMAL(10,2) NOT NULL CHECK (Amount > 0),  
->     Payment_Status VARCHAR(20) NOT NULL DEFAULT 'Paid'  
->         CHECK (Payment_Status IN ('Paid', 'Pending', 'Failed', 'Refunded')),  
->  
->     FOREIGN KEY (Booking_ID)  
->         REFERENCES Bookings(Booking_ID)  
-> );  
Query OK, 0 rows affected (0.11 sec)
```

```
mysql> CREATE TABLE Crew (  
->     Crew_ID INT PRIMARY KEY AUTO_INCREMENT,  
->     Flight_ID INT NOT NULL,  
->     Crew_Name VARCHAR(100) NOT NULL,  
->     Role VARCHAR(30) NOT NULL  
->         CHECK (Role IN ('Pilot', 'Co-Pilot', 'Cabin Crew')),  
->     Phone VARCHAR(15) NOT NULL,  
->     Email VARCHAR(100) UNIQUE,  
->  
->     FOREIGN KEY (Flight_ID)  
->         REFERENCES Flights(Flight_ID)  
-> );  
Query OK, 0 rows affected (0.10 sec)
```

```
mysql> SHOW TABLES;
```

```
+-----+
| Tables_in_airline_reservation_system |
+-----+
| aircrafts
| airlines
| airports
| bookings
| crew
| flights
| passengers
| payments
+-----+
8 rows in set (0.00 sec)
```

```
mysql> INSERT INTO Airlines (Airline_Name, Country, Contact) VALUES
-> ('Air India', 'India', '1800123456'),
-> ('IndiGo', 'India', '1800183838'),
-> ('Emirates', 'UAE', '80077777'),
-> ('Qatar Airways', 'Qatar', '800850119'),
-> ('Singapore Airlines', 'Singapore', '1800747611'),
-> ('British Airways', 'United Kingdom', '1800409267');
```

```
Query OK, 6 rows affected (0.09 sec)
```

```
Records: 6 Duplicates: 0 Warnings: 0
```

```
mysql> INSERT INTO Passengers (First_Name, Last_Name, Gender, Phone, Email) VALUES
-> ('Rahul', 'Sharma', 'Male', '9876543210', 'rahul.sharma@gmail.com'),
-> ('Priya', 'Patel', 'Female', '9876543211', 'priya.patel@gmail.com'),
-> ('Amit', 'Khan', 'Male', '9876543212', 'amit.khan@gmail.com'),
-> ('Sneha', 'Joshi', 'Female', '9876543213', 'sneha.joshi@gmail.com'),
-> ('Arjun', 'Mehta', 'Male', '9876543214', 'arjun.mehta@gmail.com'),
-> ('Neha', 'Desai', 'Female', '9876543215', 'neha.desai@gmail.com'),
-> ('Vikram', 'Singh', 'Male', '9876543216', 'vikram.singh@gmail.com'),
-> ('Ananya', 'Shah', 'Female', '9876543217', 'ananya.shah@gmail.com'),
-> ('Rohan', 'Gupta', 'Male', '9876543218', 'rohan.gupta@gmail.com'),
-> ('Kavya', 'Nair', 'Female', '9876543219', 'kavya.nair@gmail.com');
```

```
Query OK, 10 rows affected (0.01 sec)
```

```
Records: 10 Duplicates: 0 Warnings: 0
```

```
mysql> INSERT INTO Airports (Airport_Name, City, Country, Airport_Code) VALUES
-> ('Chhatrapati Shivaji Maharaj International Airport', 'Mumbai', 'India', 'BOM'),
-> ('Indira Gandhi International Airport', 'Delhi', 'India', 'DEL'),
-> ('Kempegowda International Airport', 'Bangalore', 'India', 'BLR'),
-> ('Rajiv Gandhi International Airport', 'Hyderabad', 'India', 'HYD'),
-> ('Chennai International Airport', 'Chennai', 'India', 'MAA'),
-> ('Dubai International Airport', 'Dubai', 'UAE', 'DXB'),
-> ('Hamad International Airport', 'Doha', 'Qatar', 'DOH'),
-> ('Singapore Changi Airport', 'Singapore', 'Singapore', 'SIN'),
-> ('Heathrow Airport', 'London', 'United Kingdom', 'LHR'),
-> ('Frankfurt Airport', 'Frankfurt', 'Germany', 'FRA');
Query OK, 10 rows affected (0.08 sec)
Records: 10 Duplicates: 0 Warnings: 0
```

```
mysql> INSERT INTO Aircrafts (Airline_ID, Aircraft_Model, Capacity, Manufacturing_Year) VALUES
-> (1, 'Airbus A320', 180, 2018),
-> (1, 'Boeing 787', 256, 2020),
-> (2, 'Airbus A321', 220, 2019),
-> (2, 'Airbus A320neo', 186, 2021),
-> (3, 'Boeing 777', 396, 2017),
-> (3, 'Airbus A380', 525, 2019),
-> (4, 'Boeing 787', 254, 2020),
-> (5, 'Airbus A350', 325, 2021),
-> (6, 'Boeing 777', 336, 2018);
Query OK, 9 rows affected (0.07 sec)
Records: 9 Duplicates: 0 Warnings: 0
```

```
mysql> INSERT INTO Flights
-> (Airline_ID, Source_Airport, Destination_Airport, Departure_Time, Arrival_Time, Flight_Date, Status)
-> VALUES
-> (1, 1, 2, '2026-09-01 08:00:00', '2026-09-01 10:15:00', '2026-09-01', 'Scheduled'),
-> (2, 1, 3, '2026-09-02 09:30:00', '2026-09-02 11:15:00', '2026-09-02', 'Scheduled'),
-> (1, 2, 4, '2026-09-03 14:00:00', '2026-09-03 16:15:00', '2026-09-03', 'Scheduled'),
-> (2, 3, 5, '2026-09-04 18:00:00', '2026-09-04 19:30:00', '2026-09-04', 'Scheduled'),
-> (3, 6, 2, '2026-09-05 22:00:00', '2026-09-06 02:30:00', '2026-09-05', 'Scheduled'),
-> (4, 6, 7, '2026-09-06 10:00:00', '2026-09-06 11:15:00', '2026-09-06', 'Scheduled'),
-> (5, 8, 6, '2026-09-07 16:00:00', '2026-09-07 19:30:00', '2026-09-07', 'Scheduled'),
-> (6, 9, 6, '2026-09-08 12:00:00', '2026-09-08 21:00:00', '2026-09-08', 'Scheduled'),
-> (1, 2, 1, '2026-09-09 07:30:00', '2026-09-09 09:45:00', '2026-09-09', 'Scheduled'),
-> (2, 4, 1, '2026-09-10 20:00:00', '2026-09-10 21:45:00', '2026-09-10', 'Scheduled');
Query OK, 10 rows affected (0.07 sec)
Records: 10 Duplicates: 0 Warnings: 0
```

```
mysql> INSERT INTO Bookings
-> (Passenger_ID, Flight_ID, Booking_Date, Seat_Number, Class, Booking_Status)
-> VALUES
-> (1, 1, '2026-08-10 10:30:00', '12A', 'Economy', 'Confirmed'),
-> (2, 1, '2026-08-11 11:00:00', '12B', 'Economy', 'Confirmed'),
-> (3, 2, '2026-08-11 14:30:00', '15C', 'Business', 'Confirmed'),
-> (4, 3, '2026-08-12 09:15:00', '08A', 'Economy', 'Confirmed'),
-> (5, 4, '2026-08-12 16:20:00', '10B', 'Economy', 'Confirmed'),
-> (6, 5, '2026-08-13 12:00:00', '22C', 'Business', 'Confirmed'),
-> (7, 6, '2026-08-13 15:45:00', '18A', 'Economy', 'Cancelled'),
-> (8, 7, '2026-08-14 10:10:00', '05B', 'First', 'Confirmed'),
-> (9, 8, '2026-08-14 13:30:00', '20D', 'Business', 'Confirmed'),
-> (10, 9, '2026-08-15 09:00:00', '14A', 'Economy', 'Pending'),
-> (1, 10, '2026-08-15 11:30:00', '16C', 'Economy', 'Confirmed'),
-> (2, 3, '2026-08-15 14:00:00', '09B', 'Business', 'Confirmed');
Query OK, 12 rows affected (0.07 sec)
Records: 12 Duplicates: 0 Warnings: 0
```

```

mysql> INSERT INTO Payments
-> (Booking_ID, Payment_Date, Amount, Payment_Status)
-> VALUES
-> (1, '2026-08-10 10:35:00', 5500.00, 'Paid'),
-> (2, '2026-08-11 11:05:00', 5500.00, 'Paid'),
-> (3, '2026-08-11 14:35:00', 12000.00, 'Paid'),
-> (4, '2026-08-12 09:20:00', 6000.00, 'Paid'),
-> (5, '2026-08-12 16:25:00', 4500.00, 'Paid'),
-> (6, '2026-08-13 12:05:00', 15000.00, 'Paid'),
-> (7, '2026-08-13 15:50:00', 5000.00, 'Refunded'),
-> (8, '2026-08-14 10:15:00', 25000.00, 'Paid'),
-> (9, '2026-08-14 13:35:00', 18000.00, 'Paid'),
-> (10, '2026-08-15 09:05:00', 5000.00, 'Pending'),
-> (11, '2026-08-15 11:35:00', 5200.00, 'Paid'),
-> (12, '2026-08-15 14:05:00', 11000.00, 'Paid');
Query OK, 12 rows affected (0.07 sec)
Records: 12  Duplicates: 0  Warnings: 0

```

```

mysql> INSERT INTO Crew
-> (Flight_ID, Crew_Name, Role, Phone, Email)
-> VALUES
-> (1, 'Rajiv Kapoor', 'Pilot', '9000000001', 'rajiv.kapoor@airline.com'),
-> (1, 'Meera Rao', 'Co-Pilot', '9000000002', 'meera.rao@airline.com'),
-> (1, 'Pooja Verma', 'Cabin Crew', '9000000003', 'pooja.verma@airline.com'),
-> (2, 'Sanjay Malhotra', 'Pilot', '9000000004', 'sanjay.malhotra@airline.com'),
-> (2, 'Nisha Kapoor', 'Cabin Crew', '9000000005', 'nisha.kapoor@airline.com'),
-> (3, 'Aakash Sharma', 'Pilot', '9000000006', 'aakash.sharma@airline.com'),
-> (3, 'Ritu Singh', 'Co-Pilot', '9000000007', 'ritu.singh@airline.com'),
-> (4, 'Vivek Patil', 'Pilot', '9000000008', 'vivek.patil@airline.com'),
-> (4, 'Simran Kaur', 'Cabin Crew', '9000000009', 'simran.kaur@airline.com'),
-> (5, 'Daniel Thomas', 'Pilot', '9000000010', 'daniel.thomas@airline.com'),
-> (6, 'Ahmed Hassan', 'Pilot', '9000000011', 'ahmed.hassan@airline.com'),
-> (7, 'Michael Tan', 'Pilot', '9000000012', 'michael.tan@airline.com'),
-> (8, 'James Wilson', 'Pilot', '9000000013', 'james.wilson@airline.com');
Query OK, 13 rows affected (0.07 sec)
Records: 13  Duplicates: 0  Warnings: 0

```

```
mysql> SELECT * FROM Airlines;
```

Airline_ID	Airline_Name	Country	Contact
1	Air India	India	1800123456
2	IndiGo	India	1800183838
3	Emirates	UAE	80077777
4	Qatar Airways	Qatar	800850119
5	Singapore Airlines	Singapore	1800747611
6	British Airways	United Kingdom	1800409267

```
6 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM Passengers;
```

Passenger_ID	First_Name	Last_Name	Gender	Phone	Email
1	Rahul	Sharma	Male	9876543210	rahul.sharma@gmail.com
2	Priya	Patel	Female	9876543211	priya.patel@gmail.com
3	Amit	Khan	Male	9876543212	amit.khan@gmail.com
4	Sneha	Joshi	Female	9876543213	sneha.joshi@gmail.com
5	Arjun	Mehta	Male	9876543214	arjun.mehta@gmail.com
6	Neha	Desai	Female	9876543215	neha.desai@gmail.com
7	Vikram	Singh	Male	9876543216	vikram.singh@gmail.com
8	Ananya	Shah	Female	9876543217	ananya.shah@gmail.com
9	Rohan	Gupta	Male	9876543218	rohan.gupta@gmail.com
10	Kavya	Nair	Female	9876543219	kavya.nair@gmail.com

```
10 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM Airports;
```

Airport_ID	Airport_Name	City	Country	Airport_Code
1	Chhatrapati Shivaji Maharaj International Airport	Mumbai	India	BOM
2	Indira Gandhi International Airport	Delhi	India	DEL
3	Kempegowda International Airport	Bangalore	India	BLR
4	Rajiv Gandhi International Airport	Hyderabad	India	HYD
5	Chennai International Airport	Chennai	India	MAA
6	Dubai International Airport	Dubai	UAE	DXB
7	Hamad International Airport	Doha	Qatar	DOH
8	Singapore Changi Airport	Singapore	Singapore	SIN
9	Heathrow Airport	London	United Kingdom	LHR
10	Frankfurt Airport	Frankfurt	Germany	FRA

```
10 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM Aircrafts;
```

Aircraft_ID	Airline_ID	Aircraft_Model	Capacity	Manufacturing_Year
1	1	Airbus A320	180	2018
2	1	Boeing 787	256	2020
3	2	Airbus A321	220	2019
4	2	Airbus A320neo	186	2021
5	3	Boeing 777	396	2017
6	3	Airbus A380	525	2019
7	4	Boeing 787	254	2020
8	5	Airbus A350	325	2021
9	6	Boeing 777	336	2018

```
9 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM Flights;
```

Flight_ID	Airline_ID	Source_Airport	Destination_Airport	Departure_Time	Arrival_Time	Flight_Date	Status
1	1	1	2	2026-09-01 08:00:00	2026-09-01 10:15:00	2026-09-01	Scheduled
2	2	1	3	2026-09-02 09:30:00	2026-09-02 11:15:00	2026-09-02	Scheduled
3	1	2	4	2026-09-03 14:00:00	2026-09-03 16:15:00	2026-09-03	Scheduled
4	2	3	5	2026-09-04 18:00:00	2026-09-04 19:30:00	2026-09-04	Scheduled
5	3	6	2	2026-09-05 22:00:00	2026-09-06 02:30:00	2026-09-05	Scheduled
6	4	6	7	2026-09-06 10:00:00	2026-09-06 11:15:00	2026-09-06	Scheduled
7	5	8	6	2026-09-07 16:00:00	2026-09-07 19:30:00	2026-09-07	Scheduled
8	6	9	6	2026-09-08 12:00:00	2026-09-08 21:00:00	2026-09-08	Scheduled
9	1	2	1	2026-09-09 07:30:00	2026-09-09 09:45:00	2026-09-09	Scheduled
10	2	4	1	2026-09-10 20:00:00	2026-09-10 21:45:00	2026-09-10	Scheduled

```
10 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM Bookings;
```

Booking_ID	Passenger_ID	Flight_ID	Booking_Date	Seat_Number	Class	Booking_Status
1	1	1	2026-08-10 10:30:00	12A	Economy	Confirmed
2	2	1	2026-08-11 11:00:00	12B	Economy	Confirmed
3	3	2	2026-08-11 14:30:00	15C	Business	Confirmed
4	4	3	2026-08-12 09:15:00	08A	Economy	Confirmed
5	5	4	2026-08-12 16:20:00	10B	Economy	Confirmed
6	6	5	2026-08-13 12:00:00	22C	Business	Confirmed
7	7	6	2026-08-13 15:45:00	18A	Economy	Cancelled
8	8	7	2026-08-14 10:10:00	05B	First	Confirmed
9	9	8	2026-08-14 13:30:00	20D	Business	Confirmed
10	10	9	2026-08-15 09:00:00	14A	Economy	Pending
11	1	10	2026-08-15 11:30:00	16C	Economy	Confirmed
12	2	3	2026-08-15 14:00:00	09B	Business	Confirmed

```
12 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM Payments;
```

Payment_ID	Booking_ID	Payment_Date	Amount	Payment_Status
1	1	2026-08-10 10:35:00	5500.00	Paid
2	2	2026-08-11 11:05:00	5500.00	Paid
3	3	2026-08-11 14:35:00	12000.00	Paid
4	4	2026-08-12 09:20:00	6000.00	Paid
5	5	2026-08-12 16:25:00	4500.00	Paid
6	6	2026-08-13 12:05:00	15000.00	Paid
7	7	2026-08-13 15:50:00	5000.00	Refunded
8	8	2026-08-14 10:15:00	25000.00	Paid
9	9	2026-08-14 13:35:00	18000.00	Paid
10	10	2026-08-15 09:05:00	5000.00	Pending
11	11	2026-08-15 11:35:00	5200.00	Paid
12	12	2026-08-15 14:05:00	11000.00	Paid

```
12 rows in set (0.00 sec)
```



```
mysql> SELECT * FROM Crew;
```

Crew_ID	Flight_ID	Crew_Name	Role	Phone	Email
1	1	Rajiv Kapoor	Pilot	9000000001	rajiv.kapoor@airline.com
2	1	Meera Rao	Co-Pilot	9000000002	meera.rao@airline.com
3	1	Pooja Verma	Cabin Crew	9000000003	pooja.verma@airline.com
4	2	Sanjay Malhotra	Pilot	9000000004	sanjay.malhotra@airline.com
5	2	Nisha Kapoor	Cabin Crew	9000000005	nisha.kapoor@airline.com
6	3	Aakash Sharma	Pilot	9000000006	aakash.sharma@airline.com
7	3	Ritu Singh	Co-Pilot	9000000007	ritu.singh@airline.com
8	4	Vivek Patil	Pilot	9000000008	vivek.patil@airline.com
9	4	Simran Kaur	Cabin Crew	9000000009	simran.kaur@airline.com
10	5	Daniel Thomas	Pilot	9000000010	daniel.thomas@airline.com
11	6	Ahmed Hassan	Pilot	9000000011	ahmed.hassan@airline.com
12	7	Michael Tan	Pilot	9000000012	michael.tan@airline.com
13	8	James Wilson	Pilot	9000000013	james.wilson@airline.com

13 rows in set (0.00 sec)

```
mysql> SELECT * FROM Passengers WHERE Gender = 'Female';
```

Passenger_ID	First_Name	Last_Name	Gender	Phone	Email
2	Priya	Patel	Female	9876543211	priya.patel@gmail.com
4	Sneha	Joshi	Female	9876543213	sneha.joshi@gmail.com
6	Neha	Desai	Female	9876543215	neha.desai@gmail.com
8	Ananya	Shah	Female	9876543217	ananya.shah@gmail.com
10	Kavya	Nair	Female	9876543219	kavya.nair@gmail.com

5 rows in set (0.04 sec)

```
mysql> SELECT * FROM Flights WHERE Status = 'Scheduled';
```

Flight_ID	Airline_ID	Source_Airport	Destination_Airport	Departure_Time	Arrival_Time	Flight_Date	Status
1	1	1	2	2026-09-01 08:00:00	2026-09-01 10:15:00	2026-09-01	Scheduled
2	2	1	3	2026-09-02 09:30:00	2026-09-02 11:15:00	2026-09-02	Scheduled
3	1	2	4	2026-09-03 14:00:00	2026-09-03 16:15:00	2026-09-03	Scheduled
4	2	3	5	2026-09-04 18:00:00	2026-09-04 19:30:00	2026-09-04	Scheduled
5	3	6	2	2026-09-05 22:00:00	2026-09-06 02:30:00	2026-09-05	Scheduled
6	4	6	7	2026-09-06 10:00:00	2026-09-06 11:15:00	2026-09-06	Scheduled
7	5	8	6	2026-09-07 16:00:00	2026-09-07 19:30:00	2026-09-07	Scheduled
8	6	9	6	2026-09-08 12:00:00	2026-09-08 21:00:00	2026-09-08	Scheduled
9	1	2	1	2026-09-09 07:30:00	2026-09-09 09:45:00	2026-09-09	Scheduled
10	2	4	1	2026-09-10 20:00:00	2026-09-10 21:45:00	2026-09-10	Scheduled

10 rows in set (0.01 sec)

```
mysql> SELECT * FROM Bookings WHERE Booking_Status = 'Confirmed';
```

Booking_ID	Passenger_ID	Flight_ID	Booking_Date	Seat_Number	Class	Booking_Status
1	1	1	2026-08-10 10:30:00	12A	Economy	Confirmed
2	2	1	2026-08-11 11:00:00	12B	Economy	Confirmed
3	3	2	2026-08-11 14:30:00	15C	Business	Confirmed
4	4	3	2026-08-12 09:15:00	08A	Economy	Confirmed
5	5	4	2026-08-12 16:20:00	10B	Economy	Confirmed
6	6	5	2026-08-13 12:00:00	22C	Business	Confirmed
8	8	7	2026-08-14 10:10:00	05B	First	Confirmed
9	9	8	2026-08-14 13:30:00	20D	Business	Confirmed
11	1	10	2026-08-15 11:30:00	16C	Economy	Confirmed
12	2	3	2026-08-15 14:00:00	09B	Business	Confirmed

10 rows in set (0.01 sec)

```
mysql> SELECT * FROM Passengers WHERE First_Name LIKE 'A%';
```

Passenger_ID	First_Name	Last_Name	Gender	Phone	Email
3	Amit	Khan	Male	9876543212	amit.khan@gmail.com
5	Arjun	Mehta	Male	9876543214	arjun.mehta@gmail.com
8	Ananya	Shah	Female	9876543217	ananya.shah@gmail.com

3 rows in set (0.01 sec)

```
mysql> SELECT F.Flight_ID, A.Airport_Name, A.City AS Departure_City, F.Destination_Airport, F.Departure_Time, F.Arrival_Time, F.Status FROM Flights F JOIN Airports A ON F.Source_Airport = A.Airport_ID WHERE A.City = 'Mumbai';
```

Flight_ID	Airport_Name	Departure_City	Destination_Airport	Departure_Time	Arrival_Time	Status
1	Chhatrapati Shivaji Maharaj International Airport	Mumbai	2	2026-09-01 08:00:00	2026-09-01 10:15:00	Scheduled
2	Chhatrapati Shivaji Maharaj International Airport	Mumbai	3	2026-09-02 09:30:00	2026-09-02 11:15:00	Scheduled

2 rows in set (0.00 sec)

```
mysql> SELECT * FROM Passengers ORDER BY First_Name;
```

Passenger_ID	First_Name	Last_Name	Gender	Phone	Email
3	Amit	Khan	Male	9876543212	amit.khan@gmail.com
8	Ananya	Shah	Female	9876543217	ananya.shah@gmail.com
5	Arjun	Mehta	Male	9876543214	arjun.mehta@gmail.com
10	Kavya	Nair	Female	9876543219	kavya.nair@gmail.com
6	Neha	Desai	Female	9876543215	neha.desai@gmail.com
2	Priya	Patel	Female	9876543211	priya.patel@gmail.com
1	Rahul	Sharma	Male	9876543210	rahul.sharma@gmail.com
9	Rohan	Gupta	Male	9876543218	rohan.gupta@gmail.com
4	Sneha	Joshi	Female	9876543213	sneha.joshi@gmail.com
7	Vikram	Singh	Male	9876543216	vikram.singh@gmail.com

10 rows in set (0.00 sec)

```
mysql> SELECT * FROM Flights ORDER BY Departure_Time;
```

Flight_ID	Airline_ID	Source_Airport	Destination_Airport	Departure_Time	Arrival_Time	Flight_Date	Status
1	1	1	2	2026-09-01 08:00:00	2026-09-01 10:15:00	2026-09-01	Scheduled
2	2	1	3	2026-09-02 09:30:00	2026-09-02 11:15:00	2026-09-02	Scheduled
3	1	2	4	2026-09-03 14:00:00	2026-09-03 16:15:00	2026-09-03	Scheduled
4	2	3	5	2026-09-04 18:00:00	2026-09-04 19:30:00	2026-09-04	Scheduled
5	3	6	2	2026-09-05 22:00:00	2026-09-06 02:30:00	2026-09-05	Scheduled
6	4	6	7	2026-09-06 10:00:00	2026-09-06 11:15:00	2026-09-06	Scheduled
7	5	8	6	2026-09-07 16:00:00	2026-09-07 19:30:00	2026-09-07	Scheduled
8	6	9	6	2026-09-08 12:00:00	2026-09-08 21:00:00	2026-09-08	Scheduled
9	1	2	1	2026-09-09 07:30:00	2026-09-09 09:45:00	2026-09-09	Scheduled
10	2	4	1	2026-09-10 20:00:00	2026-09-10 21:45:00	2026-09-10	Scheduled

10 rows in set (0.00 sec)

```
mysql> SELECT F.Flight_ID, A.Aircraft_Model, A.Capacity FROM Flights F JOIN Aircrafts A ON A.Airline_ID = F.Airline_ID WHERE A.Capacity > 250;
```

Flight_ID	Aircraft_Model	Capacity
1	Boeing 787	256
3	Boeing 787	256
9	Boeing 787	256
5	Boeing 777	396
5	Airbus A380	525
6	Boeing 787	254
7	Airbus A350	325
8	Boeing 777	336

8 rows in set (0.01 sec)

```
mysql> SELECT * FROM Payments WHERE Amount > 10000;
```

Payment_ID	Booking_ID	Payment_Date	Amount	Payment_Status
3	3	2026-08-11 14:35:00	12000.00	Paid
6	6	2026-08-13 12:05:00	15000.00	Paid
8	8	2026-08-14 10:15:00	25000.00	Paid
9	9	2026-08-14 13:35:00	18000.00	Paid
12	12	2026-08-15 14:05:00	11000.00	Paid

5 rows in set (0.03 sec)

```
mysql> SELECT * FROM Flights WHERE Flight_Date BETWEEN '2026-09-01' AND '2026-09-05';
```

Flight_ID	Airline_ID	Source_Airport	Destination_Airport	Departure_Time	Arrival_Time	Flight_Date	Status
1	1	1	2	2026-09-01 08:00:00	2026-09-01 10:15:00	2026-09-01	Scheduled
2	2	1	3	2026-09-02 09:30:00	2026-09-02 11:15:00	2026-09-02	Scheduled
3	1	2	4	2026-09-03 14:00:00	2026-09-03 16:15:00	2026-09-03	Scheduled
4	2	3	5	2026-09-04 18:00:00	2026-09-04 19:30:00	2026-09-04	Scheduled
5	3	6	2	2026-09-05 22:00:00	2026-09-06 02:30:00	2026-09-05	Scheduled

5 rows in set (0.00 sec)

```
mysql> SELECT COUNT(*) AS TOTAL_BOOKINGS FROM Bookings;
```

TOTAL_BOOKINGS
12

1 row in set (0.03 sec)

```
mysql> SELECT SUM(Amount) AS Total_Payment FROM Payments;
```

Total_Payment
117700.00

1 row in set (0.00 sec)

```
mysql> SELECT AVG(Amount) AS Average_Payment FROM Payments;
```

Average_Payment
9808.333333

1 row in set (0.00 sec)

```
mysql> SELECT MAX(Amount) AS Maximum_Payment FROM Payments;
```

```
+-----+
| Maximum_Payment |
+-----+
|          25000.00 |
+-----+
```

```
1 row in set (0.00 sec)
```

```
mysql> SELECT MIN(Amount) AS Minimum_Payment FROM Payments;
```

```
+-----+
| Minimum_Payment |
+-----+
|          4500.00 |
+-----+
```

```
1 row in set (0.03 sec)
```

```
mysql> SELECT Booking_Status, COUNT(*) AS Total_Bookings FROM Bookings GROUP BY Booking_Status;
```

```
+-----+-----+
| Booking_Status | Total_Bookings |
+-----+-----+
| Confirmed      |          10    |
| Cancelled      |           1    |
| Pending        |           1    |
+-----+-----+
```

```
3 rows in set (0.03 sec)
```

```
mysql> SELECT GENDER, COUNT(*) AS Total_Number FROM Passengers GROUP BY GENDER;
```

```
+-----+-----+
| GENDER | Total_Number |
+-----+-----+
| Male   |           5  |
| Female |           5  |
+-----+-----+
```

```
2 rows in set (0.00 sec)
```

```
mysql> SELECT Airline_ID , COUNT(*) AS Total_Flights FROM Flights GROUP BY Airline_ID;
```

```
+-----+-----+
| Airline_ID | Total_Flights |
+-----+-----+
|          1 |           3   |
|          2 |           3   |
|          3 |           1   |
|          4 |           1   |
|          5 |           1   |
|          6 |           1   |
+-----+-----+
```

```
6 rows in set (0.00 sec)
```

```
mysql> SELECT Class, COUNT(*) AS TOTAL_BOOKINGS FROM Bookings GROUP BY Class;
```

```
+-----+-----+
| Class   | TOTAL_BOOKINGS |
+-----+-----+
| Economy |           7    |
| Business |           4    |
| First   |           1    |
+-----+-----+
```

```
3 rows in set (0.00 sec)
```

```
mysql> SELECT F.Airline_ID, SUM(P.Amount) AS Total_Revenue FROM Flights F JOIN Bookings B ON F.Flight_ID = B.Flight_ID JOIN Payments P ON B.Booking_ID = P.Booking_ID WHERE P.Payment_Status = 'Paid' GROUP BY F.Airline_ID;
```

Airline_ID	Total_Revenue
1	28000.00
2	21700.00
3	15000.00
5	25000.00
6	18000.00

5 rows in set (0.00 sec)

```
mysql> SELECT Flight_ID , COUNT(*) As Total_Crew FROM Crew GROUP BY Flight_ID;
```

Flight_ID	Total_Crew
1	3
2	2
3	2
4	2
5	1
6	1
7	1
8	1

8 rows in set (0.00 sec)

```
mysql> SELECT CONCAT(P.First_Name, ' ', P.Last_Name) AS Passanger_Name , B.Flight_ID, B.Seat_Number FROM Passengers P JOIN Bookings B ON P.Passenger_ID = B.Passenger_ID;
```

Passanger_Name	Flight_ID	Seat_Number
Rahul Sharma	1	12A
Rahul Sharma	10	16C
Priya Patel	1	12B
Priya Patel	3	09B
Amit Khan	2	15C
Sneha Joshi	3	08A
Arjun Mehta	4	10B
Neha Desai	5	22C
Vikram Singh	6	18A
Ananya Shah	7	05B
Rohan Gupta	8	20D
Kavya Nair	9	14A

12 rows in set (0.01 sec)

```
mysql> SELECT CONCAT(P.First_Name, ' ', P.Last_Name) AS Passanger_Name , A.Airline_Name FROM Passengers P JOIN Bookings B ON P.Passenger_ID = B.Passenger_ID JOIN Flights F ON B.Flight_ID = F.Flight_ID JOIN Airlines A ON F.Airline_ID = A.Airline_ID;
```

Passanger_Name	Airline_Name
Rahul Sharma	Air India
Priya Patel	Air India
Sneha Joshi	Air India
Priya Patel	Air India
Kavya Nair	Air India
Rohan Gupta	British Airways
Neha Desai	Emirates
Amit Khan	IndiGo
Arjun Mehta	IndiGo
Rahul Sharma	IndiGo
Vikram Singh	Qatar Airways
Ananya Shah	Singapore Airlines

12 rows in set (0.00 sec)

```
mysql> SELECT CONCAT(P.First_Name, ' ', P.Last_Name) AS Passanger_Name , B.Flight_ID, B.Booking_Status FROM Passengers P JOIN Bookings B ON P.Passenger_ID = B.Passenger_ID;
```

Passanger_Name	Flight_ID	Booking_Status
Rahul Sharma	1	Confirmed
Rahul Sharma	10	Confirmed
Priya Patel	1	Confirmed
Priya Patel	3	Confirmed
Amit Khan	2	Confirmed
Sneha Joshi	3	Confirmed
Arjun Mehta	4	Confirmed
Neha Desai	5	Confirmed
Vikram Singh	6	Cancelled
Ananya Shah	7	Confirmed
Rohan Gupta	8	Confirmed
Kavya Nair	9	Pending

12 rows in set (0.00 sec)

```
mysql> SELECT F.Flight_ID, A.Airline_Name, Source.City AS Source_City, Destination.City AS Destination_City FROM Flights F JOIN Airlines A ON F.Airline_ID = A.Airline_ID JOIN Airports Source ON F.Source_Airport = Source.Airport_ID JOIN Airports Destination ON F.Destination_Airport = Destination.Airport_ID;
```

Flight_ID	Airline_Name	Source_City	Destination_City
1	Air India	Mumbai	Delhi
3	Air India	Delhi	Hyderabad
9	Air India	Delhi	Mumbai
8	British Airways	London	Dubai
5	Emirates	Dubai	Delhi
2	IndiGo	Mumbai	Bangalore
4	IndiGo	Bangalore	Chennai
10	IndiGo	Hyderabad	Mumbai
6	Qatar Airways	Dubai	Doha
7	Singapore Airlines	Singapore	Dubai

10 rows in set (0.00 sec)

```
mysql> SELECT B.Booking_ID, CONCAT(P.First_Name, ' ', P.Last_Name) AS Passenger_Name, F.Flight_ID, A.Airline_Name, B.Seat_Number, B.Class, B.Booking_Date, B.Booking_Status, Pay.Amount, Pay.Payment_Status FROM Bookings B JOIN Passengers P ON B.Passenger_ID = P.Passenger_ID JOIN Flights F ON B.Flight_ID = F.Flight_ID JOIN Airlines A ON F.Airline_ID = A.Airline_ID JOIN Payments Pay ON B.Booking_ID = Pay.Booking_ID;
```

Booking_ID	Passenger_Name	Flight_ID	Airline_Name	Seat_Number	Class	Booking_Date	Booking_Status	Amount	Payment_Status
1	Rahul Sharma	1	Air India	12A	Economy	2026-08-10 10:30:00	Confirmed	5500.00	Paid
2	Priya Patel	1	Air India	12B	Economy	2026-08-11 11:00:00	Confirmed	5500.00	Paid
4	Sneha Joshi	3	Air India	08A	Economy	2026-08-12 09:15:00	Confirmed	6000.00	Paid
12	Priya Patel	3	Air India	09B	Business	2026-08-15 14:00:00	Confirmed	11000.00	Paid
10	Kavya Nair	9	Air India	14A	Economy	2026-08-15 09:00:00	Pending	5000.00	Pending
9	Rohan Gupta	8	British Airways	20D	Business	2026-08-14 13:30:00	Confirmed	18000.00	Paid
6	Neha Desai	5	Emirates	22C	Business	2026-08-13 12:00:00	Confirmed	15000.00	Paid
3	Amit Khan	2	IndiGo	15C	Business	2026-08-11 14:30:00	Confirmed	12000.00	Paid
5	Arjun Mehta	4	IndiGo	10B	Economy	2026-08-12 16:20:00	Confirmed	4500.00	Paid
11	Rahul Sharma	10	IndiGo	16C	Economy	2026-08-15 11:30:00	Confirmed	5200.00	Paid
7	Vikram Singh	6	Qatar Airways	18A	Economy	2026-08-13 15:45:00	Cancelled	5000.00	Refunded
8	Ananya Shah	7	Singapore Airlines	05B	First	2026-08-14 10:10:00	Confirmed	25000.00	Paid

12 rows in set (0.00 sec)

```
mysql> SELECT A.Airline_Name, COUNT(B.Booking_ID) AS Total_Bookings FROM Airlines A JOIN Flights F ON A.Airline_ID = F.Airline_ID JOIN Bookings B ON F.Flight_ID = B.Flight_ID GROUP BY A.Airline_ID, A.Airline_Name ORDER BY Total_Bookings DESC LIMIT 1;
```

Airline_Name	Total_Bookings
Air India	5

1 row in set (0.01 sec)

```
mysql> SELECT CONCAT(P.First_Name, ' ', P.Last_Name) AS Passenger_Name, Pay.Amount FROM Passengers P JOIN Bookings B ON P.Passenger_ID = B.Passenger_ID JOIN Payments Pay ON B.Booking_ID = Pay.Booking_ID WHERE Pay.Amount = (SELECT MAX(Amount) FROM Payments);
```

Passenger_Name	Amount
Ananya Shah	25000.00

1 row in set (0.00 sec)

```
mysql> SELECT P.Passenger_ID, CONCAT(P.First_Name, ' ', P.Last_Name) AS Passenger_Name, COUNT(B.Booking_ID) AS Total_Bookings FROM Passengers P JOIN Bookings B ON P.Passenger_ID = B.Passenger_ID GROUP BY P.Passenger_ID, P.First_Name, P.Last_Name HAVING COUNT(B.Booking_ID) > 1;
```

Passenger_ID	Passenger_Name	Total_Bookings
1	Rahul Sharma	2
2	Priya Patel	2

2 rows in set (0.00 sec)