

Daily Mood Tracker Application



By: Tanvi Biswal

CONTENTS

01. My approach and Design

02. System Design(Architecture)

03. Key files and folders

04. Process to run,test and verify

05. Test data and seed data

Approach & Design

- Built a **Java command-line application**
- Allows users to track daily moods
- Stores data in a **CSV file**
- Uses Object-Oriented Programming (OOP)

Key Design Idea:

- Separate responsibilities:
 - **main** → user interaction (menu)
 - **MoodEntry** → data model
 - **MoodTracker** → in-memory storage
 - **FileManager** → file save/load



System Design

Flow of Application:

User Input → Main Menu → MoodTracker →
FileManager → CSV File

Components:

- **main.java** → menu system + input handling
- **moodEntry.java** → stores (date, mood, notes)
- **moodTracker.java** → ArrayList storage
- **fileManager.java** → reads/writes **moods.csv**



Files & Folders



DailyMoodTracker/

|

| —main.java

| —moodEntry.java

| —moodTracker.java

| —fileManager.java

|

| — data/

| └─ moods.csv

|

| —.gitignore

└─ README.md

Run, Test & Verify



Compile:

```
javac *.java
```

Run:

```
java main
```

Requirements:

- Java JDK installed (Java 17+ recommended)
- VS Code or terminal

Run, Test & Verify



Test Cases:

- ✓ Add Mood Entry
- ✓ View All Entries
- ✓ Input Validation:
 - Empty mood rejected
 - Invalid date format handled

Expected Results:

- Entries saved in `moods.csv`
- Data persists after restart


Test Data/Seed Data

2026-06-11, Excited, Watched FIFA World Cup

2026-06-12, Sad, Too many assignments

2026-06-13, Happy, Ate ice cream

2026-06-14, Tired, Long study day



**THANK
YOU!**