# Cucumber Report

| Start : Sept 02, 2:25:46.159 pm | End : Sept 02, 2:26:12.555 pm | Duration : 26.396 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 2<br>SKIPPED - 0 | PASSED - 2<br>FAILED - 2<br>SKIPPED - 5 |
| 1 | 2 | 9 |
| Pass % — 0 % | Pass % — 0 % | Pass % — 22 % |

| Feature | | Scenario | | | | Step | | | |
|---|---|---|---|---|---|---|---|---|---|
| **Name** | **Duration** | **T** | **P** | **F** | **S** | **T** | **P** | **F** | **S** |
| *Login Feature* | *26.396 s* | *2* | *0* | *2* | *0* | *9* | *2* | *2* | *5* |

| # | Feature Name | Scenario Name |
|---|---|---|
| 1 | *Login Feature* | *User should navigate to login page successfully* |
| 2 | | *User should log in successfully with valid credentials* |

| TAG | Scenario | | | | Feature | | | |
|---|---|---|---|---|---|---|---|---|
| *Name* | *T* | *P* | *F* | *S* | *T* | *P* | *F* | *S* |
| *@smoke* | 2 | 0 | 2 | 0 | 1 | 0 | 1 | 0 |
| *@sanity* | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Login Feature | 2 | 0 | 2 | 0 | 26.396 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Login Feature | User should navigate to login page successfully | 3 | 1 | 1 | 1 | 22.977 s |
| 2 | | User should log in successfully with valid credentials | 6 | 1 | 1 | 4 | 3.392 s |

## **Login Feature**

| FAILED | DURATION - 26.396 s | | Scenarios | | Steps | |
|---|---|---|---|---|---|---|
| | | | Total - 2 | | Total - 9 | |
| / 2:25:46.159 pm // 2:26:12.555 pm / | | | Pass - 0 | | Pass - 2 | |
| | | | Fail - 2 | 2 | Fail - 2 | 9 |
| | | | Skip - 0 | | Skip - 5 | |

### **User should navigate to login page successfully**

| FAILED | DURATION - 22.977 s | | Steps | |
|---|---|---|---|---|
| | | | Total - 3 | |
| / 2:25:46.163 pm // 2:26:09.140 pm / | | | Pass - 1 | |
| Login Feature | | | Fail - 1 | 3 |
| @smoke | | | Skip - 1 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given I am on homepage | PASSED | 0.001 s |
| 2 | When I click on login link | FAILED | 20.046 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Log in"}   (Session info: chrome=128.0.6613.86) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/ errors#no-such-element-exception Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3987fa3cbf4801cdb4c33475d98279c6, findElement {using=link text, value=Log in}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.86, chrome: {chromedriverVersion: 128.0.6613.86 (3045ed680fda..., userDataDir: C:\Users\tanvi\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61509}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61509/devtoo..., se:cdpVersion: 128.0.6613.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3987fa3cbf4801cdb4c33475d98279c6  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)<br>at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)<br>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)<br>at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source)<br>at com.nopcommerce.demo.utility.Utility.clickOnElement(Utility.java:50)<br>at com.nopcommerce.demo.pages.HomePage.clickOnLoginLink(HomePage.java:31)<br>at com.nopcommerce.demo.steps.LoginSteps.iClickOnLoginLink(LoginSteps.java:20)<br>at ?.I click on login link(file:///C:/Users/tanvi/IdeaProjects/sample-cucumber-project/src/test/resources/features/login.feature:10)<br>* Not displayable characters are replaced by '?'. | | |
| 3 | Then I should navigate to login page successfully | SKIPPED | 0.000 s |
| | AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)<br><br>User should navigate to login page successfully<br><br> | PASSED | 0.363 s |

## User should log in successfully with valid credentials

| FAILED | DURATION - 3.392 s | | Steps | |
|---|---|---|---|---|
| / 2:26:09.163 pm // 2:26:12.555 pm / | |  | Total - 6<br>Pass - 1<br>Fail - 1<br>Skip - 4 |  |
| Login Feature | | | | |
| @smoke @sanity | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given I am on homepage | PASSED | 0.001 s |
| 2 | When I click on login link | FAILED | 1.631 s |
| | org.openqa.selenium.WebDriverException: target frame detached   (failed to check if window was closed: disconnected: Unable to receive message from renderer)   (Session info: chrome=128.0.6613.86) Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [086a4e2a39848e5adf07bc475d496bb2, findElement {using=link text, value=Log in}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.86, chrome: {chromedriverVersion: 128.0.6613.86 (3045ed680fda..., userDataDir: C:\Users\tanvi\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61533}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61533/devtoo..., se:cdpVersion: 128.0.6613.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 086a4e2a39848e5adf07bc475d496bb2<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)<br>    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)<br>    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)<br>    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)<br>    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)<br>    at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source)<br>    at com.nopcommerce.demo.utility.Utility.clickOnElement(Utility.java:50)<br>    at com.nopcommerce.demo.pages.HomePage.clickOnLoginLink(HomePage.java:31)<br>    at com.nopcommerce.demo.steps.LoginSteps.iClickOnLoginLink(LoginSteps.java:20)<br>    at ?.I click on login link(file:///C:/Users/tanvi/IdeaProjects/sample-cucumber-project/src/test/resources/features/login.feature:16)<br>* Not displayable characters are replaced by '?'. | | |
| 3 | And I enter email "prime123@gmail.com" | SKIPPED | 0.001 s |
| 4 | And I enter password "prime123" | SKIPPED | 0.000 s |
| 5 | And I click on login button | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 6 | Then I should login successfully | SKIPPED | 0.000 s |
| | AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) | FAILED | 0.014 s |
| | org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools   (failed to check if window was closed: disconnected: not connected to DevTools)   (Session info: chrome=128.0.6613.86) Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [086a4e2a39848e5adf07bc475d496bb2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.86, chrome: {chromedriverVersion: 128.0.6613.86 (3045ed680fda..., userDataDir: C:\Users\tanvi\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61533}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61533/devtoo..., se:cdpVersion: 128.0.6613.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 086a4e2a39848e5adf07bc475d496bb2<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)<br>    at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321)<br>    at com.nopcommerce.demo.utility.Utility.getScreenShot(Utility.java:351)<br>    at com.nopcommerce.demo.steps.Hooks.tearDown(Hooks.java:22) | | |