

Activities

Google Chrome

Jan 11 12:33

Inbox (24)

Inbox (1,2)

Manage

Modern S

TomcatM

Devops T

Not send

HGnLB.p


Inbox (1,2)

App pass

+

x

← → ↺ ⓘ Not secure | 192.168.42.59:8080/manage 🔍 ☆ A ⋮


 **Jenkins**


search


?


Amar Rajendra Palwankar | log out


Jenkins ▶ [ENABLE AUTO REFRESH](#)


 New Item


 People


 Build History


 Project Relationship


 Check File Fingerprint

 **Manage Jenkins**

 My Views

 Lockable Resources

 Credentials

 New View

Build Queue

No builds in the queue.

Build Executor Status

1 Idle


2 Idle


Manage Jenkins


It appears that your reverse proxy set up is broken.


More Info


Dismiss

 **Configure System**
Configure global settings and paths.

 **Configure Global Security**
Secure Jenkins; define who is allowed to access/use the system.

 **Configure Credentials**
Configure the credential providers and types

 **Global Tool Configuration**
Configure tools, their locations and automatic installers.

 **Reload Configuration from Disk**
Discard all the loaded data in memory and reload everything from file system. Useful when you modified config files directly on disk.

Activities

Google Chrome

Jan 11 12:33

Inbox (24)

Inbox (1,2)

Configur

Modern S

TomcatM

Devops T

Not send

HGnLB.p


Inbox (1,2)

App pass

+

x

Not secure | 192.168.42.59:8080/configure





Jenkins


?


Amar Rajendra Palwankar | log out


Jenkinsconfiguration


New Item


People


Build History


Project Relationship


Check File Fingerprint

Manage Jenkins

My Views

Lockable Resources

Credentials

New View

Build Queue

No builds in the queue.

Build Executor Status

1 Idle

2 Idle

Home directory

/root/.jenkins

System Message

[Plain text] [Preview](#)

Maven Project Configuration

Global MAVEN_OPTS

Local Maven Repository

Default (~/.m2/repository)

of executors

2

Labels

Usage

Use this node as much as possible

Save

Apply

ActivitiesGoogle Chrome

Jan 11 12:33

Inbox (24) ×Inbox (1,2) ×Configur ×Modern S ×TomcatM ×Devops T ×Not send ×HGnLB.p ×Inbox (1,2) ×App pass ×+ ×

←→↻Not secure | 192.168.42.59:8080/configure

🔍☆A⋮

Jenkinsconfiguration

Build Executor Status

1 Idle

2 Idle

Usage

Use this node as much as possible

Quiet period

5

SCM checkout retry count

0

☐ Restrict project naming

Jenkins Location

Jenkins URL

http://127.0.0.1:8080/

System Admin e-mail address

address not configured yet <nobody@nowhere>

Serve resource files from another domain

Resource root URL

Without a resource root URL, resources will be served from the main domain with Content-Security-Policy set.

Global properties

☐ Disable deferred wipeout on this node

☐ Environment variables

☐ Tool Locations

Unleash Maven Plugin

Use ! on Timestamp

Save

Apply

ActivitiesGoogle Chrome

Jan 11 12:33

Inbox (24)Inbox (1,2)ConfigurModernTomcatMDevops TNot sendHGnLB.pInbox (1,2)App pass

←→↻ ⓘ Not secure | 192.168.42.59:8080/configure

🔍☆A⋮

Jenkinsconfiguration

Unleash Maven Plugin

Use Log Timestamps

☒

?

Preselect 'Allow Local Release Artifacts'

☒

?

Preselect 'Commit Before Tagging'

☐

?

Tag Name Pattern

?

SCM Message Prefix

?

Pipeline Speed/Durability Settings

Pipeline Default Speed/Durability Level

None: use pipeline default (MAX_SURVIVABILITY)

?

Usage Statistics

☒ Help make Jenkins better by sending anonymous usage statistics and crash reports to the Jenkins project.

?

Folder

Health Metrics

Child item with worst health

☒ Recursive

?

Delete

Add

Save

Apply

ActivitiesGoogle Chrome

Jan 11 12:33

Inbox (24)Inbox (1,2)ConfigurModernTomcatMDevops TNot sendHGnLB.pInbox (1,2)App pass

Not secure | 192.168.42.59:8080/configure

+

Jenkinsconfiguration

Advanced...

GitHub Enterprise Servers

Add

Pipeline Model Definition

Docker Label

Docker registry URL

Registry credentials

- none -

Add

Global Pipeline Libraries

Sharable libraries available to any Pipeline jobs running on this system. These libraries will be trusted, meaning they run without "sandbox" restrictions and may use @Grab.

Add

Build-timeout Plugin > BuildStep Action

Enable BuildStep Action

Git plugin

Global Config user.name Value

Save

Apply

Activities

Google Chrome

Jan 11 12:33

Inbox (24)

Inbox (1,2)

Configur

Modern S

TomcatM

Devops T

Not send

HGnLB.p

Inbox (1,2)

App pass

+

x

← → ↺ ⓘ Not secure | 192.168.42.59:8080/configure 🔍 ☆ A ⋮

Jenkins ▶ configuration

☐ Enable BuildStep Action ?

Git plugin

Global Config user.name Value

?

Global Config user.email Value

?

☐ Create new accounts based on author/committer's email ?

Show the entire commit summary in changes ☐

Subversion

Subversion Workspace Version

1.4 ▼

?

Exclusion revprop name

?

Shell

Shell executable

?

Extended E-mail Notification

SMTP server

smtp.gmail.com

?

Default user E-mail suffix

@gmail.com

?

Save

Apply

Advanced

Activities

Google Chrome

Jan 11 12:34

Inbox (24)

Inbox (1,2)

Configur

Modern S

TomcatM

Devops T

Not send

HGnLB.p

Inbox (1,2)

App pass

+

x

←

→

↻

Not secure

192.168.42.59:8080/configure

🔍

☆

A

⋮

Jenkins

configuration

Extended E-mail Notification

SMTP server

smtp.gmail.com

?

Default user E-mail suffix

@gmail.com

?

Advanced...

Default Content Type

Plain Text (text/plain)

?

☐ Use List-ID E-mail Header

?

☐ Add 'Precedence: bulk' E-mail Header

?

Default Recipients

amar.palwankar@famt.ac.in

?

Reply To List

?

Emergency reroute

?

Allowed Domains

?

Excluded Recipients

?

Default Subject

\$PROJECT_NAME - Build # \$BUILD_NUMBER - \$BUILD_STATUS!

?

Maximum Attachment Size

?

Save

Apply

ActivitiesGoogle Chrome

Jan 11 12:34

Inbox (24)Inbox (1,2)ConfigurModernTomcatMDevops TNot sendHGnLB.pInbox (1,2)App pass

Not secure | 192.168.42.59:8080/configure

?

Jenkinsconfiguration

SMTP Server

smtp.gmail.com?

Default user E-mail suffix

@gmail.com?

☒ Use SMTP Authentication?

User Name

amarpalwankar1296@gmail.com

Password

.....

Advanced Email Properties

☒ Use SSL?

SMTP port

465?

Charset

UTF-8

Additional accounts

Add

Default Content Type

Plain Text (text/plain)?

☐ Use List-ID E-mail Header?

Save

Apply

ActivitiesGoogle Chrome

Jan 11 12:34

Inbox (24)Inbox (1,2)ConfigurModernTomcatMDevops TNot sendHGnLB.pInbox (1,2)App pass

←→↻Not secure | 192.168.42.59:8080/configure

⌕☆A⋮

Jenkinsconfiguration

☐ Use List-ID E-mail Header

☐ Add 'Precedence: bulk' E-mail Header

Default Recipients

amar.palwankar@famt.ac.in

Reply To List

Emergency reroute

Allowed Domains

Excluded Recipients

Default Subject

\$PROJECT_NAME - Build # \$BUILD_NUMBER - \$BUILD_STATUS!

Maximum Attachment Size

Default Content

\$PROJECT_NAME - Build # \$BUILD_NUMBER - \$BUILD_STATUS:

Check console output at \$BUILD_URL to view the results.

Default Pre-send Script

Save

Apply

Activities

Google Chrome

Jan 11 12:34

Inbox (24)

Inbox (1,2)

Configur

Modern S

TomcatM

Devops T

Not send

HGnLB.p

Inbox (1,2)

App pass

+

x

←

→

↻

Not secure

192.168.42.59:8080/configure

🔍

☆

A

⋮

Jenkins

configuration

Default Post-send Script

Additional groovy classpath

Add

☐ Enable Debug Mode

☐ Require Administrator for Template Testing

☐ Enable watching for jobs

☒ Allow sending to unregistered users

Content Token Reference

E-mail Notification

SMTP server

smtp.gmail.com

Default user e-mail suffix

@gmail.com

Default Triggers...

Save

Apply

Activities

Google Chrome

Jan 11 12:34

Inbox (24)

Inbox (1,2)

Configur

Modern S

TomcatM

Devops T

Not send

HGnLB.p

Inbox (1,2)

App pass

+

x

←

→

↻

Not secure

192.168.42.59:8080/configure

🔍

☆

A

⋮

Jenkins

configuration

Default Triggers...

Content Token Reference

?

E-mail Notification

SMTP server

smtp.gmail.com

Default user e-mail suffix

@gmail.com

?

☒ Use SMTP Authentication

?

User Name

amarpalwankar1296@gmail.com

Password

.....

Use SSL

☒

?

SMTP Port

465

?

Reply-To Address

amar.palwankar@famt.ac.in

Charset

UTF-8

☐ Test configuration by sending test e-mail

Save

Apply

ActivitiesGoogle Chrome

Jan 11 12:34

mavenPr xInbox (1,2 xConfigur xModern S xTomcatM xDevops T xNot send xHGnLB.p xInbox (1,2 xApp pass x

https://mail.google.com/mail/u/0/?tab=wm&ogbl#inbox/FMfcgxbwGCKglBKJHTDJDxpWXrncbxSGh

Search mail

FAMTRatnagiriA

Compose

Inbox249

Starred

Snoozed

Sent

Amar+

No recent chats

Start a new one

mavenProj - Build # 49 - Still Failing!Inbox x

address not configured yet

12:27 PM (7 minutes ago)

to me

mavenProj - Build # 49 - Still Failing:

Check console output at <http://127.0.0.1:8080/job/mavenProj/49/> to view the results.

build.log

Reply

Forward