

Assignment | JS, TS & Node.js

▼ Server

The site must be served using an `Express.js` HTTP server.

API Endpoints:

- **GET** `/get-property`

This endpoint accepts the following query parameters:

- `most-popular`
- `highest-price`
- `lowest-price`
- `limit`

Functionality:

- If `most-popular=true`, return the `most_popular.json`.
- If `highest-price=true`, return the `highest_price.json`.
- If `lowest-price=true`, return the `lowest_price.json`.
- If `limit` is provided, return only the specified number of items from the selected dataset.

Example Request:

```
/get-property?most-popular=true&limit=4
```

Get the `most_popular.json` with 4 items.

- **GET** `/images`

Create an `images` directory containing 10 property images. The endpoint must return these images from the server.

Example Request:

`/images`

Returns an array of 10 property images.

Example Response:

```
[  
  "/images/image1.jpg",  
  "/images/image2.jpg"  
  ...  
]
```

▼ Gallery

Eagle Creek Golf Club, Stay and Play

★★★★★ 9.0 (3 REVIEWS) | 🕒 TEE TIMES DAILY 7 AM – 6 PM



Eagle Creek Golf Club combines scenic views with a championship-level course that offers a memorable golfing experience. Nestled amidst lush landscapes and serene water

• Requirements


- The `View All Images` button must open a modal that displays the property images fetched from the `/images` endpoint in a scrollable gallery view. [\[Reference\]](#)
- On tablet and mobile devices, the gallery should support touch gestures for sliding between images, along with next and previous arrow buttons.

[\[Reference 1\]](#) [\[Reference 2\]](#) (Use mobile view)

• Acceptance Criteria

- In the desktop version, the background should remain fixed and not scroll while images are viewed in the modal.
- Clicking outside the modal should close the modal.
- In the tab and mobile slider, the next and previous buttons, as well as touch swipe functionality, should work smoothly.
- An image counter must be displayed in the tablet and mobile view.
- A maximum of 5 dot slider indicators should be displayed, and they must slide dynamically as the user swipes through the images.

▼ Description



• Requirements

- Marked **Read more** button should expand the section to display a longer description.
- Add a **Collapse** button which will collapse the section back to its original state.

• Acceptance Criteria

- Expanding and collapsing the section should not break other DOM elements.

▼ Picker

USD \$600 AVG PER NIGHT

CHECK-IN
19 SEP 2025 ▼

CHECK-OUT
21 SEP 2025 ▼

GUESTS
3 GUESTS, 1 INFANT, 1 PET ▼

 Dates selected are available

PRICE PER NIGHT

USD \$600

TOTAL PRICE

USD \$600

CHECK AVAILABILITY

You will be redirected to **Booking.com**

 Hot Deal - it has been viewed 30 times today

Not the right fit? Check out our other Top Rated
Bach Rentals in [Orlando](#)

- **Requirements**


- Implement a date range picker using the [Hotel Datepicker](#) library.

- The selected date range should automatically populate the `check-in` and `check-out` fields.
- Set the initial price to `$2026`.
- Clicking on the guest field should open a modal like:

- The `Total Price` should be automatically calculated and updated based on the selected date range.
- **Acceptance Criteria**
 - Past dates must not be selectable.

- The check-out date must be at least one day after the selected check-in date.
- The total price should be calculated based on the selected dates.
- A single date cannot be selected.
- There should be 1 minimum guest.

▼ Nearby Properties



- Add a dropdown selector in the Nearby Properties section with the following options:
 - Most Popular
 - Highest Price
 - Lowest Price
- The dropdown should default to **Most Popular**.
- When the page loads:
 - Make an API call to `/get-property`.
 - Fetch and display the **Most Popular** properties in the Nearby Properties section.
 - While calling the API, pass the `limit` query parameter based on the platform.

Limits:

- Desktop: 6

■ Mobile: 4


- When a different option is selected from the dropdown, make the corresponding API call and update the Nearby Properties section with the new result.
- For the property images, use the following image service URL:

<https://beta.imgservice.rentbyowner.com/640x300/>

Example:

<https://beta.imgservice.rentbyowner.com/640x300/villa-te-soro-bed-and-bre-nz-auckland-bc-4379041-0.jpg>

▼ Favorites




- Requirements

- Clicking the "Favorite/Heart" icon should toggle it to a red (active) state.
- Property ID for each tile should be stored in local storage.

- **Acceptance Criteria**

- Favourite properties should persist after a page reload.
- The favorites list should remain consistent across all platforms.
- Adding to and removing from favourites should function correctly.

▼ Map



- Add map markers for the properties displayed in the Nearby Properties section.
- Hovering over a property tile should highlight the corresponding marker on the map.
- Clicking on a map marker should highlight the corresponding property tile.

[Reference]

Overall Validation

- The **Google Maps API Key** must not be committed to the repository. Ensure it is excluded using **.gitignore**.
- The application should run without console errors or warnings.

- The UI should remain stable across all interactions, with no broken layouts or unexpected behavior.
 - Edge cases should be handled properly.
 - The codebase should be clean, readable, and free of unused or dead code.
-

Submission Guideline

- The repository must include a well-written `README.md` file with clear and concise instructions for running the project.
- The repository is publicly accessible.
- Any commits made to the repository after the submission deadline, regardless of reason, will result in immediate disqualification and a final score of 0.