

UNIVERSITY OF BARISHAL

Department of Computer Science & Engineering

PROJECT PROPOSAL

Course Name: Information Retrieval & Search Engine Optimization Lab
Course Code: CSE - 4108
Semester: 4th Year 1st Semester

SUBMITTED BY

Tanvir Ahamed Foysal

Student ID: 22-CSE-050

Batch: CSE - 9th Batch

Department of Computer Science &
Engineering

SUBMITTED TO

Dr. Tania Islam

Assistant Professor

Department of Computer Science &
Engineering

Date of Submission: September 30, 2026

SEO Python Hub

Project Proposal

Information Retrieval & Search Engine Optimization (CSE-4108)

A structured proposal for a discoverable Python learning platform

Contents

1	Introduction	1
2	Problem Statement	1
3	Objectives	1
4	Stakeholders (Users) and GUI Users	2
4.1	Stakeholders	2
4.2	GUI users	2
5	System Panel	2
5.1	Two-experience model	2
5.2	Logical architecture	3
5.3	URL ownership	3
5.4	Core request flow	3
5.5	Production deployment	4
5.5.1	Deployment workflow	4
6	Main Features	4
7	Technology Stack	5
7.1	Implementation workflow	5
8	GUI Design	5
9	SEO Strategy	6
9.1	On-page and technical SEO	6
9.2	Content and information architecture	6
9.3	Performance, accessibility, and measurement	7
9.4	Public route set	7
10	Limitations	7
11	Future Enhancements	7
12	Conclusion	8

1 Introduction

SEO Python Hub: A Search-Engine-Optimized Python Learning Platform is a structured learning and community website designed to make high-quality Python education easy to discover through search engines. The platform combines server-rendered public content with a richer authenticated application for learning progress and community participation.

The project name is intentionally related to search engine optimization: public topics, tutorials, guides, categories, and roadmap pages will be designed as useful, indexable resources rather than as content that is available only after a client-side application loads.

2 Problem Statement

Python learning resources are distributed across many websites and often provide an incomplete path from beginner concepts to practical projects. Learners may find isolated tutorials, but they can struggle to judge quality, follow a logical sequence, save useful material, and continue learning after returning to the site.

The platform also has a technical discovery problem. If educational content is hidden behind a client-side application, search engines and first-time visitors may not receive useful content immediately. A solution is therefore needed that offers crawlable public pages, clear information architecture, fast navigation, and richer tools for signed-in users without creating two separate backends or duplicating business rules.

3 Objectives

The project will pursue the following objectives:

1. provide a beginner-to-advanced Python learning roadmap;
2. publish clear topics, tutorials, guides, examples, categories, and tags;
3. make public educational content searchable, shareable, and indexable;
4. support registration, authentication, progress tracking, and bookmarks;
5. provide public discussions with authenticated participation;
6. expose a documented, versioned API for interactive application features;
7. implement semantic HTML, clean URLs, metadata, canonical links, a sitemap, and crawler rules;
8. provide a responsive and accessible user interface;
9. evaluate the system through functional, SEO, performance, usability, and content-quality testing; and
10. keep the application maintainable through shared services, repositories, schemas, and a staged implementation plan.

4 Stakeholders (Users) and GUI Users

4.1 Stakeholders

Stakeholder	Needs and responsibilities
Visitor	Discover, browse, search, and read public Python learning content without an account.
Learner	Register, continue along the roadmap, record progress, save bookmarks, and participate in discussions.
Content administrator	Create and update topics, tutorials, guides, categories, tags, publication state, and SEO metadata.
Moderator	Review discussions, manage reports, and protect the quality and safety of community content.
Search engine	Receive accessible, server-rendered pages with stable URLs, metadata, internal links, sitemap information, and accurate structured data.
Development and operations team	Maintain the shared backend, database, deployment workflow, monitoring, testing, and security controls.

4.2 GUI users

The graphical user interface will support two groups of human users:

- **Public GUI users:** visitors and learners who use the home page, search, roadmap, topic pages, tutorials, guides, and discussions.
- **Authenticated GUI users:** learners and administrators who use the dashboard, profile, progress, bookmarks, richer discussions, and protected administrative workflows.

The public GUI must remain useful with JavaScript disabled. HTMX may enhance small interactions, but it must not be the only way to read or navigate the core content.

5 System Panel

5.1 Two-experience model

The system is one product with two deliberate presentation layers:

- **Public website:** Jinja2 renders crawlable HTML for the home page, roadmap, categories, tags, tutorials, guides, topics, discussions, and search results. HTMX can add small progressive interactions.
- **Application panel:** Flutter Web provides authenticated dashboards, progress views, bookmarks, statistics, notifications, and richer workflows below the `/app/` path.

FastAPI remains the single HTTP boundary. Both presentation layers call shared application services and repositories, and neither frontend accesses PostgreSQL directly.

5.2 Logical architecture




Figure 1: Logical architecture: one FastAPI boundary connects public HTML, HTMX, the REST API, Flutter Web, shared services, repositories, and PostgreSQL.

5.3 URL ownership

The URL prefixes form an explicit routing contract:

Prefix or example	Owner	Purpose
/, /roadmap	Jinja2	Public landing and roadmap pages.
/topics/{slug}	Jinja2	Crawlable topic and tutorial content.
/categories/{slug}	Jinja2	Category landing pages.
/discussions/{id}	Jinja2	Public discussion pages.
/search	Jinja2	Search form and server-rendered results.
/web-components/...	HTMX/Jinja2	Small HTML fragments returned to public pages.
/app/...	Flutter Web	Authenticated client-side application routes.
/api/v1/...	FastAPI	JSON data and mutation contract.
/ws/...	FastAPI	Optional real-time features introduced later.

5.4 Core request flow

For a public topic such as `/topics/python-functions`, FastAPI dispatches to the public router, the router calls `TopicService`, and the service reads through `TopicRepository`. Jinja2 then receives the result and returns complete HTML. A Flutter request such as `GET /api/v1/progress` follows the same service and repository path, but FastAPI serializes the result as JSON.

The Flutter fallback is scoped below `/app`. It serves real generated assets and returns the Flutter entry document for client-side routes such as `/app/dashboard`; it must never catch public pages, API routes, HTMX endpoints, or missing assets outside that prefix.

5.5 Production deployment

The current deployment model builds Flutter Web with `/app/` as its base path, copies the generated artifact into `backend/app/flutter/web`, and serves it from the same FastAPI deployment. The production topology is shown in Figure ??.

5.5.1 Deployment workflow

The release path from source control to the running application is summarized in Figure 2.




Figure 2: Deployment workflow from the main branch to the FastAPI and Flutter Web runtime.

6 Main Features

The initial system will provide the following features:

1. **Public learning library:** approximately 15–25 Python topics and 5–10 tutorials or guides, with categories, tags, slugs, breadcrumbs, examples, and related-content navigation.
2. **Roadmap and discovery:** a structured learning path, topic search, category pages, guide listings, useful no-result pages, and stable links.
3. **Accounts and learner actions:** registration, secure login, progress tracking, bookmarks, activity history, and profile settings.
4. **Discussions:** public questions and replies with authenticated participation, reporting, moderation state, and role-based controls.
5. **Authenticated dashboard:** a Flutter Web interface for continuing learning, progress summaries, bookmarks, statistics, and richer workflows.
6. **Administration:** content management, SEO metadata management, user management, reports, moderation, and basic statistics.
7. **System quality:** semantic HTML, responsive layouts, accessible markup, useful 404 pages, health checks, automated tests, and documented deployment.

7 Technology Stack

Area	Technology	Purpose
Programming language	Python	Backend services, route handlers, tests, and deployment scripts.
Backend	FastAPI and Uvicorn	Routing, dependency injection, validation, authentication, JSON endpoints, and API documentation.
Public interface	Jinja2 and HTMX	Fast server-rendered HTML and small progressive interactions.
Application GUI	Flutter Web and Dart	Rich authenticated navigation, dashboards, charts, and stateful workflows.
Database	PostgreSQL with asynchronous queries	Durable storage for users, content, progress, bookmarks, and discussions.
Persistence boundary	Repositories and shared services	Keeps SQL and business rules out of route handlers and widgets.
Migrations	Alembic	Repeatable, reviewable database changes.
Caching and real time	Redis and WebSockets (later phases)	Selected read-heavy operations, notifications, chat, and scale features after validation.
Deployment	FastAPI Cloud	One production origin for public pages, API, and Flutter Web.

The Flutter source remains in `frontend/`; only its generated Web artifact is copied to `backend/app/flutter/web`. The backend keeps database queries in repositories, business rules in services, and API contracts in request and response schemas.

7.1 Implementation workflow

The planned workflow is:

```
python scripts/build_flutter.py
cd backend
uv run pytest
uv run fastapi deploy .
```

The build helper installs dependencies, builds with `-base-href /app/`, injects the compile-time `API_BASE_URL`, validates the generated output, and copies it into the backend package. The same Git commit should release the backend and the Flutter artifact.

8 GUI Design

The GUI will use a simple, content-first layout so that search visitors can reach useful material quickly and authenticated users can move naturally into the richer application panel.

Screen or component	Design proposal
Header	Project identity, roadmap link, topic categories, search field, and account actions.
Home page	Short value proposition, featured topics, learning roadmap entry point, popular guides, and a clear call to continue learning.
Topic page	Breadcrumbs, title and summary, difficulty, structured content, examples, progress/bookmark actions, related topics, and discussion entry point.
Roadmap	Ordered learning path with prerequisites, completion state, filters, and links to public topic pages.
Learner dashboard	Progress summary, continue-learning card, bookmarks, activity history, statistics, and notifications.
Administrator panel	Protected content, SEO metadata, user, report, moderation, and basic analytics views.
Accessibility	Keyboard navigation, visible focus states, labelled controls, readable contrast, semantic headings, responsive layouts, and useful error/empty states.

The public pages will be implemented with semantic server-rendered HTML. Flutter will be used when client-side state, charts, filters, or multi-step interaction provides clear value. This keeps the interface efficient without forcing every feature into a single-page application.

9 SEO Strategy

SEO is a core product requirement rather than a final polishing step. The system will apply the following strategy.

9.1 On-page and technical SEO

Every indexable page should provide:

- a unique, descriptive title and meta description;
- one clear H1 and a logical heading hierarchy;
- a stable, readable, canonical URL;
- server-rendered content in the initial response;
- meaningful internal links between related topics;
- breadcrumbs where they clarify the content hierarchy;
- accurate structured data only when it describes the page; and
- a sitemap and `robots.txt` policy that reflect publication state.

9.2 Content and information architecture

Content will be organized around search intent and learning progression. Topic pages will link to prerequisites, examples, tutorials, guides, categories, and related topics. Titles, summaries, headings, slugs, and metadata will be reviewed for clarity rather than generated as meaningless keyword lists. Public discussion pages and useful search results will be available at ordinary URLs when they add value to a visitor.

9.3 Performance, accessibility, and measurement

Fast server-rendered responses, optimized static assets, responsive layouts, accessible markup, and useful error pages will support both users and crawlers. The project will use functional tests, Lighthouse SEO and accessibility checks targeting at least 90/100, a target performance score of at least 85/100, content review, and usability testing with approximately 5–10 users. Search rankings cannot be guaranteed; the measurable goal is to build technically sound, useful pages that deserve to be found.

9.4 Public route set

The first public route set will include:

```
GET / Home page
GET /roadmap Learning roadmap
GET /topics/{slug} Topic page
GET /tutorials Tutorial listing
GET /guides Guide listing
GET /search Search page
GET /discussions Public discussions
GET /sitemap.xml Published-page sitemap
GET /robots.txt Crawler rules
```

The guiding rule is simple: if a page is valuable to someone who has not signed in, it should be a real Jinja2 URL. Flutter may link to it, but search engines should not need to boot Flutter to read it.

10 Limitations

The first release is deliberately limited. It will not attempt to provide every learning or community feature at once.

- Initial content coverage is limited to approximately 15–25 topics and 5–10 tutorials or guides.
- Quizzes, advanced analytics, extensive moderation dashboards, background jobs, Redis caching, WebSockets, chat, and expanded library coverage are not prerequisites for the first release.
- Payments, video hosting, live classes, native mobile applications, AI tutoring, online code execution, and guaranteed search rankings are outside the initial scope.
- Search visibility depends on content quality, competition, crawlability, site performance, authority, and ongoing maintenance; implementation alone cannot guarantee a ranking.
- Administrative and moderation processes will remain lightweight until the project has enough content and users to justify more complex tooling.

11 Future Enhancements

After the public learning workflow is stable, the project can be extended with:

1. quizzes, exercises, certificates, and more detailed learning analytics;
2. Redis caching, background jobs, search indexing, and performance scaling;
3. WebSockets, notifications, chat, and richer community workflows;

4. expanded administration, moderation dashboards, audit events, and reports;
5. additional Python libraries, frameworks, projects, and structured learning tracks;
6. native mobile applications using the same versioned API;
7. carefully scoped AI-assisted explanations or recommendations; and
8. secure online code execution after isolation, resource limits, and abuse controls have been designed and tested.

The implementation roadmap should remain staged: public learning site first, accounts and lightweight learner actions second, Flutter workflows third, and discussions, administration, real-time features, and scale capabilities only when the earlier foundations are validated.

12 Conclusion

SEO Python Hub will combine discoverable educational content with a richer authenticated learning experience. FastAPI will provide one reliable application boundary; Jinja2 and HTMX will preserve useful, search-friendly public pages; and Flutter Web will support interactive workflows without creating a second production backend. Shared services and repositories will keep both interfaces consistent, while the staged roadmap keeps the initial release achievable.

The central design principle is: **one domain, one FastAPI backend, two deliberate presentation layers, shared services, and an SEO-first public content strategy.**