

SQL Subqueries, CASE, String Functions, and COALESCE

1. What is the purpose of a subquery in SQL?

1 points

- ☐ To group rows based on common values.
- ☐ To perform calculations on numeric columns.
- ☐ To retrieve data from multiple tables.
- ☒ To retrieve data from a nested query

✓ আপনার উত্তরটি সঠিক

To retrieve data from a nested query

2. Which SQL function allows you to conditionally assign values to a column?

1 points

- ☐ CONCAT
- ☐ SUBSTRING
- ☒ CASE
- ☐ COALESCE

✓ আপনার উত্তরটি সঠিক

CASE

3. Which SQL function is used to concatenate two or more strings into a single string?

1 points

- ☐ COALESCE
- ☒ CONCAT
- ☐ SUBSTRING
- ☐ LEFT

✓ আপনার উত্তরটি সঠিক

CONCAT

4. What does the COALESCE function do in SQL?

1 points

- ☒ Returns the first non-null value in a list.
- ☐ Returns the last non-null value in a list.

☐ Returns the sum of all values in a list.

☐ Returns the average of all values in a list.

☒ আপনার উত্তরটি সঠিক

Returns the first non-null value in a list.

5. In SQL, which clause is used to filter the results of a subquery based on a condition?

1 points

☐ GROUP BY

☐ HAVING

☒ WHERE

☐ ORDER BY

☒ আপনার উত্তরটি সঠিক

WHERE

6. Which SQL function extracts a substring from a given string based on a specified starting position and length?

1 points

☐ CONCAT

☐ CASE

☒ SUBSTRING

☐ COALESCE

☒ আপনার উত্তরটি সঠিক

SUBSTRING

বহুব্রীহি সম্পর্কিত

যেকোনো বয়সের শিক্ষার্থী, প্রফেশনাল ও ব্রিলিয়ারদের জন্য বহুব্রীহি হলো দেশের সেরা স্কিল ডেভেলপমেন্ট সলিউশন। বহুব্রীহিতে ইন্ডাস্ট্রির এক্সপার্টদের বানানো ক্যারিয়ার ট্র্যাক প্রোগ্রাম ও ফাউন্ডেশন কোর্সগুলো দেশে-বিদেশে আপনার সফল ক্যারিয়ার নিশ্চিত করবে।

নেভিগেশন

সকল কোর্স
ব্লগ
টার্মস এন্ড কন্ডিশন
রিফান্ড পলিসি
প্রাইভেসি পলিসি
প্লেসমেন্ট সাপোর্ট

সাপোর্ট সেন্টার

16780
(9 AM - 10 PM)

Email

info@bohubrihi.com

সোশাল লিঙ্ক



