

Course

Download file | iLovePDF

Course: Creative Technologies

+

Ask Gemini

+

+

mitaoe.codetantra.com/secure/course.jsp?euclid=698c54860aba96214c8b7d5e#/contents/698c54860aba96214c8b7d69/667a7e0428...

School

CODETANTRA

Home Learn Anywhere

202501090142@mitaoe.ac.in Support Logout

Essentials of Data Science
Laboratory - 2304102L - 2026

Search course ctrl+K

3.2.1 Numpy: Matrix Operations

3.2.2 Numpy: Horizontal and Vertical Stac...

3.2.3 Numpy: Custom Sequence Generation

3.2.4 Numpy: Arithmetic and Statistical Op...

3.2.5 Numpy: Copying and Viewing Arrays

3.2.6 Numpy: Searching, Sorting, Countin...

3.2.7 Student Data Analysis and Operations

4. Practical 4

4.1. Practice Lab Assignment

4.1.1 Pandas - series creation and manipu...

4.1.2 Dictionary to dataframe

4.1.3 Student Information

4.2. Lab Assignment

5. Practical 5

4.1.1. Pandas - series creation and manipulation

4.1.2

Write a Python program that takes a list of numbers from the user, creates a Pandas series from it, and then calculates the mean of even and odd numbers separately using the `groupby` and `mean()` operations.

Hint: You can group the Series based on whether each number is even or odd.

Input Format:

- The user should enter a list of numbers separated by space when prompted.

Output Format:

- The program should display the mean of even and odd numbers separately.
- Each mean value should be displayed with a label indicating whether it corresponds to even or odd numbers.

Refer to the sample test cases for better understanding regarding input and output format.

Sample Test Cases

seriesMa...

Submit

```
1 import pandas as pd
2
3 # Take inputs from the user to create a list of
  numbers
4 numbers = list(map(int, input().split()))
5
6 # Create a Pandas series from the list of numbers
7 series = pd.Series(numbers)
8 # Grouping by even and odd numbers and calculating
  the mean
9 grouped = series.groupby(series % 2 == 0).mean()
10
11 # Display the mean of even and odd numbers with
  labels
12 grouped.index = ['Even' if is_even else 'Odd' for
  is_even in grouped.index]
13 print("Mean of even and odd numbers:")
14 print(grouped)
15
```

Terminal Test cases

< Prev

Reset

Submit

Next >

36°C
Sunny

Search

ENG
IN

12:44
10-05-2026

Course

Download file | iLovePDF

Course: Creative Technologies

Ask Gemini

mitaoe.codetantra.com/secure/course.jsp?euclid=698c54860aba96214c8b7d5e#/contents/698c54860aba96214c8b7d68/698c54860aba96214c8b7d69/667aa30728...

School

CODETANTRA

Home Learn Anywhere

202501090142@mitaoe.ac.in Support Logout

Essentials of Data Science
Laboratory - 2304102L - 2026

Search course ctrl+K

3.2.1 Numpy: Matrix Operations

3.2.2 Numpy: Horizontal and Vertical Stac...

3.2.3 Numpy: Custom Sequence Generation

3.2.4 Numpy: Arithmetic and Statistical Op...

3.2.5 Numpy: Copying and Viewing Arrays

3.2.6 Numpy: Searching, Sorting, Countin...

3.2.7 Student Data Analysis and Operations

4. Practical 4

4.1. Practice Lab Assignment

4.1.1. Pandas - series creation and manipu...

4.1.2 Dictionary to dataframe

4.1.3. Student Information

4.2. Lab Assignment

5. Practical 5

4.1.2. Dictionary to dataframe 12:03

A dictionary of lists has been provided to you in the editor. Create a DataFrame from the dictionary of lists and perform the listed operations, then display the DataFrame before and after each manipulation.

Create the DataFrame:

- Convert the dictionary to a Pandas DataFrame.

Add a new row:

- Take inputs from the user for the new row data (name, age).
- Add the new row to the DataFrame.
- Display the DataFrame after adding the new row.

Modify a row:

- Modify a specific row by changing the age. Take the row index and new age value from the user.
- Display the DataFrame after modifying the row.

Delete a row:

- Take the row index to be deleted from the user.
- Remove the specified row.
- Display the DataFrame after deleting the row.

Add a new column:

- Add a column **Gender** with values taken from the user.
- Display the DataFrame after adding the new column.

datafram...

```
1 # import pandas as pd
2
3 ## Provided dictionary of lists
4 # data = {
5 #     'Name': ['Alice', 'Bob', 'Charlie'],
6 #     'Age': [25, 30, 35],
7 # }
8
9 ## Convert the dictionary to a DataFrame
10 # df = pd.DataFrame(data)
11
12 ## Display the original DataFrame
13 # print("Original DataFrame:")
14 # print(df)
15
16 ## Adding a new row
17
18
19 ## Display the DataFrame after adding a new row
20 # print("After adding a row:\n",df)
21
22 ## Modifying a row
23
24
25 ## Display the DataFrame after modifying a row
```

Terminal Test cases

Prev

Reset

Submit

Next

36°C
Sunny

Search

12:45
10-05-2026

Course

Download file | iLovePDF

Course: Creative Technologies

Ask Gemini

mitaoe.codetantra.com/secure/course.jsp?euclid=698c54860aba96214c8b7d5e#/contents/698c54860aba96214c8b7d68/698c54860aba96214c8b7d69/667cf60f236...

School

CODETANTRA

Home Learn Anywhere

202501090142@mitaoe.ac.in Support Logout

Essentials of Data Science
Laboratory - 2304102L - 2026

Search course ctrl+k

3.2.1 Numpy: Matrix Operations

3.2.2 Numpy: Horizontal and Vertical Stac...

3.2.3 Numpy: Custom Sequence Generation

3.2.4 Numpy: Arithmetic and Statistical Op...

3.2.5 Numpy: Copying and Viewing Arrays

3.2.6 Numpy: Searching, Sorting, Countin...

3.2.7 Student Data Analysis and Operations

4. Practical 4

4.1. Practice Lab Assignment

4.1.1. Pandas - series creation and manipu...

4.1.2 Dictionary to dataframe

4.1.3 Student Information

4.2 Lab Assignment

5. Practical 5

4.1.3. Student Information

Write a program to read a text file containing student information (name, age, and grade) using Pandas. Perform the following tasks:

• Display the first five rows of the data frame.

• Calculate the average age of the students (limit the average age up to 2 decimal places).

• Filter out the students who have a grade above a certain threshold (consider the threshold grade is 'B').

Note:
Refer to the displayed test cases for better understanding.

Sample Test Cases

studentin...

Submit

```
1 import pandas as pd
2
3 # Read the text file into a DataFrame
4 file = input()
5 data = pd.read_csv(file, sep="\s+", header=None,
6 names=["Name", "Age", "Grade"])
7 print("First five rows:")
8 print(data.head())
9 avg = round(data["Age"].mean(),2)
10 print("Average age:", avg)
11
12 filter = data[data['Grade'] <= 'B']
13 print("Students with a grade up to B")
14 print(filter)
```

Terminal Test cases

< Prev

Reset

Submit

Next >

36°C
Sunny

Search

12:45
10-05-2026

Pin C

 $\text{ctrl} + k$

^

↗

1

00/48

CSV file as input,

- display it.

to the sample data

Submit

Submit
Debugger

Submit Next >

Course

Download file | iLovePDF

Course: Creative Technologies

+

Ask Gemini

+

+

mitaoe.codetantra.com/secure/course.jsp?euclid=698c54860aba96214c8b7d5e#/contents/698c54860aba96214c8b7d6a/67861370a5...

School

CODETANTRA

Home Learn Anywhere

202501090142@mitaoe.ac.in Support Logout

Essentials of Data Science
Laboratory - 2304102L - 2026

Search course ctrl+k

4.1. Practice Lab Assignment

4.1.1 Pandas - series creation and manipu...

4.1.2 Dictionary to dataframe

4.1.3 Student Information

4.2. Lab Assignment

4.2.1 Month with the Highest Total Sales

4.2.2 Best Selling Product

4.2.3 City that Sold the Most Products

4.2.4 Most Frequently Sold Product Pairs

4.2.5 Titanic Dataset Analysis and Data Cl...

4.2.6 Titanic Dataset Analysis and Data Cl...

4.2.7 Titanic Dataset Analysis and Data Cl...

4.2.8 Titanic Dataset Analysis and Data Cl...

5. Practical 5

36°C
Sunny

4.2.2. Best Selling Product

00:41

Write a Python program that takes the file name of a CSV file as input, reads the data, and performs the following operations:

- The CSV file contains the columns: Date, Product, Quantity, Price, and City.
- Find the product that sold the most in terms of quantity sold.
- Display the product that sold the most and the total quantity sold for that product.

Sample Data:

Date	Product	Quantity	Price	City
2025-01-01	Product A	5	20	New York
2025-01-01	Product B	3	15	Los Angeles
2025-01-02	Product A	7	20	New York
2025-01-02	Product C	4	30	Chicago
2025-01-03	Product B	2	15	Chicago
2025-01-03	Product A	8	20	Los Angeles
2025-01-04	Product C	6	30	New York
2025-01-04	Product B	5	15	Los Angeles
2025-01-05	Product A	3	20	Chicago
2025-01-05	Product C	10	30	Los Angeles

Note:
The data cannot be displayed in the file. You can refer to the sample data provided for insights.

monthFor...

Submit

```
1 import pandas as pd
2
3 # Prompt the user for the file name
4 file_name = input()
5
6 # Load the data
7 df = pd.read_csv(file_name)
8 product_sales = df.groupby("Product")
9 ["Quantity"].sum()
10 best_product = product_sales.idxmax()
11 highest_quantity = product_sales.max()
12 # Display the result
13 print(f"Best selling product: {best_product}")
14 print(f"Total quantity sold: {highest_quantity}")
```

Terminal Test cases

< Prev

Reset

Submit

Next >

Search

ENG IN

12:48
10-05-2026

Course

Download file | iLovePDF

Course: Creative Technologies

Ask Gemini

mitaoe.codetantra.com/secure/course.jsp?euclid=698c54860aba96214c0b7d5e#/contents/698c54860aba96214c8b7d68/698c54860aba96214c8b7d6a/67861553a5...

School

CODETANTRA

Home Learn Anywhere

202501090142@mitaoe.ac.in Support Logout

Essentials of Data Science
Laboratory - 2304102L - 2026

Search course ctrl+k

4.1. Practice Lab Assignment

4.1.1 Pandas - series creation and manipu...

4.1.2 Dictionary to dataframe

4.1.3 Student Information

4.2. Lab Assignment

4.2.1 Month with the Highest Total Sales

4.2.2 Best Selling Product

4.2.3 City that Sold the Most Products

4.2.4 Most Frequently Sold Product Pairs

4.2.5 Titanic Dataset Analysis and Data Cl...

4.2.6 Titanic Dataset Analysis and Data Cl...

4.2.7 Titanic Dataset Analysis and Data Cl...

4.2.8 Titanic Dataset Analysis and Data Cl...

5. Practical 5

4.2.3. City that Sold the Most Products

Write a Python program that takes the file name of a CSV file as input, reads the data, and performs the following operations:

- The CSV file contains the columns: Date, Product, Quantity, Price, and City.
- Group the data by City and calculate the total quantity of products sold for each city.
- Find the city that sold the most products (based on the total quantity sold).

Sample Data:

```
Date,Product,Quantity,Price,City
2025-01-01,Product A,5,20,New York
2025-01-01,Product B,3,15,Los Angeles
2025-01-02,Product A,7,20,New York
2025-01-02,Product C,4,30,Chicago
2025-01-03,Product B,2,15,Chicago
2025-01-03,Product A,8,20,Los Angeles
2025-01-04,Product C,6,30,New York
2025-01-04,Product B,5,15,Los Angeles
2025-01-05,Product A,3,20,Chicago
2025-01-05,Product C,10,30,Los Angeles
```

Note:
The data cannot be displayed in the file. You can refer to the sample data provided for insights.

monthFor...

```
1 import pandas as pd
2
3 # Prompt the user for the file name
4 file_name = input()
5
6 # Load the data
7 df = pd.read_csv(file_name)
8
9 city_sales = df.groupby("City")["Quantity"].sum()
10
11 best_city = city_sales.idxmax()
12 # Display the result
13 print(f"City sold the most products: {best_city}")
14
```

Terminal Test cases

Prev

Reset

Submit

Next

36°C
Sunny

Search

ENG
IN

12:48
10-05-2026

Course

Download file | iLovePDF

Course: Creative Technologies

+

Ask Gemini

+

+

mitaoe.codetantra.com/secure/course.jsp?euclid=698c54860aba96214c8b7d5e#/contents/698c54860aba96214c8b7d6a/6788eee89ff...

School

CODETANTRA

Home Learn Anywhere

202501090142@mitaoe.ac.in Support Logout

Essentials of Data Science Laboratory - 2304102L - 2026

Search course ctrl+k

4.1. Practice Lab Assignment

4.1.1 Pandas - series creation and manipu...

4.1.2 Dictionary to dataframe

4.1.3 Student Information

4.2. Lab Assignment

4.2.1 Month with the Highest Total Sales

4.2.2 Best Selling Product

4.2.3 City that Sold the Most Products

4.2.4 Most Frequently Sold Product Pairs

4.2.5 Titanic Dataset Analysis and Data Cl...

4.2.6 Titanic Dataset Analysis and Data Cl...

4.2.7 Titanic Dataset Analysis and Data Cl...

4.2.8 Titanic Dataset Analysis and Data Cl...

5. Practical 5

4.2.4. Most Frequently Sold Product Pairs

00:45

Write a Python program that takes the file name of a CSV file as input, reads the data, and performs the following operations:

- The CSV file contains the following columns: Date, Product, Quantity, Price, and City.
- For each date, find all pairs of products that were sold together (i.e., two products sold on the same date).
- Output the product pair/s that was sold most frequently.

Sample Data:

Date	Product	Quantity	Price	City
2025-01-01	Product A	5	20	New York
2025-01-01	Product B	3	15	Los Angeles
2025-01-02	Product A	7	20	New York
2025-01-02	Product C	4	30	Chicago
2025-01-03	Product B	2	15	Chicago
2025-01-03	Product A	8	20	Los Angeles
2025-01-04	Product C	6	30	New York
2025-01-04	Product B	5	15	Los Angeles
2025-01-05	Product A	3	20	Chicago
2025-01-05	Product C	10	30	Los Angeles

Explanation:

Transactions:

- 2025-01-01: Product A, Product B
- 2025-01-02: Product A, Product C
- 2025-01-03: Product B, Product A
- 2025-01-04: Product C, Product B

frequentl...

Submit

1 import pandas as pd

2 from itertools import combinations

3 from collections import Counter

4

5 # Prompt user to input the file name

6 file_name = input()

7

8 # Read data from the specified CSV file

9 df = pd.read_csv(file_name)

10 data_by_date = df.groupby('Date')

11 ['Product'].apply(list)

12

13 product_pair_count = Counter()

14

15 for products in data_by_date:

16 for pair in combinations(sorted(products), 2):

17 product_pair_count[pair] += 1

18

19 max_frequency = max(product_pair_count.values())

20 most_frequent_pairs = [

21 pair for pair, count in

22 product_pair_count.items() if count ==

max_frequency

23]

24

Terminal Test cases

< Prev

Reset

Submit

Next >

36°C Sunny

Search

ENG IN

12:49 10-05-2026

Course

Download file | iLovePDF

Course: Creative Technologies

Ask Gemini

mitaoe.codetantra.com/secure/course.jsp?euclid=698c54860aba96214c8b7d5e#/contents/698c54860aba96214c8b7d6a/67e2b93090...

School

CODETANTRA

Home Learn Anywhere

202501090142@mitaoe.ac.in Support Logout

Essentials of Data Science
Laboratory - 2304102L - 2026

Search course ctrl+k

4.1. Practice Lab Assignment

4.1.1. Pandas - series creation and manipu...

4.1.2. Dictionary to dataframe

4.1.3. Student Information

4.2. Lab Assignment

4.2.1. Month with the Highest Total Sales

4.2.2. Best Selling Product

4.2.3. City that Sold the Most Products

4.2.4. Most Frequently Sold Product Pairs

4.2.5. Titanic Dataset Analysis and Data Cl...

4.2.6. Titanic Dataset Analysis and Data Cl...

4.2.7. Titanic Dataset Analysis and Data Cl...

4.2.8. Titanic Dataset Analysis and Data Cl...

5. Practical 5

4.2.5. Titanic Dataset Analysis and Data Cleaning

You are provided with the Titanic dataset containing information about passengers on the Titanic. Your task is to write Python code to answer the following questions based on the dataset. For each question, perform necessary data cleaning, transformations, and calculations as required.

1. Display the first 5 rows of the dataset.

2. Display the last 5 rows of the dataset.

3. Get the shape of the dataset (number of rows and columns).

4. Get a summary of the dataset (using `.info()`).

5. Get basic statistics (mean, standard deviation, etc.) of the dataset using `.describe()`.

6. Check for missing values and display the count of missing values for each column.

7. Fill missing values in the 'Age' column with the median age.

8. Fill missing values in the 'Embarked' column with the most frequent value (`mode()`).

9. Drop the 'Cabin' column due to many missing values.

10. Create a new column, 'FamilySize' by adding the 'SibSp' and 'Parch' columns.

The Titanic dataset contains columns as shown below,

P	S	P	N	S	P	T	F	C	E
a	u								m
s									b

titanicDat...

```
1 import pandas as pd
2 import numpy as np
3
4 # Load the Titanic dataset
5 data = pd.read_csv('Titanic-Dataset.csv')
6
7 # 1. Display the first 5 rows of the dataset
8
9 print(data.head())
10
11 # 2. Display the last 5 rows of the dataset
12
13 print(data.tail())
14
15 # 3. Get the shape of the dataset
16
17 print(data.shape)
18
19 # 4. Get a summary of the dataset (info)
20
21 print(data.info())
22
23 # 5. Get basic statistics of the dataset
24 print(data.describe())
25
```

Terminal Test cases

< Prev

Reset

Submit

Next >

36°C
Sunny

Search

ENG
IN

12:49
10-05-2026

Course

Download file | iLovePDF

Course: Creative Technologies

Ask Gemini

mitaoe.codetantra.com/secure/course.jsp?euclid=698c54860aba96214c8b7d5e#/contents/698c54860aba96214c8b7d68/698c54860aba96214c8b7d6a/67e378a170...

School

CODETANTRA

Home Learn Anywhere

202501090142@mitaoe.ac.in Support Logout

Essentials of Data Science
Laboratory - 2304102L - 2026

Search course

4.1. Practice Lab Assignment

4.1.1. Pandas - series creation and manipu...

4.1.2. Dictionary to dataframe

4.1.3. Student Information

4.2. Lab Assignment

4.2.1. Month with the Highest Total Sales

4.2.2. Best Selling Product

4.2.3. City that Sold the Most Products

4.2.4. Most Frequently Sold Product Pairs

4.2.5. Titanic Dataset Analysis and Data Cl...

4.2.6. Titanic Dataset Analysis and Data Cl...

4.2.7. Titanic Dataset Analysis and Data Cl...

4.2.8. Titanic Dataset Analysis and Data Cl...

5. Practical 5

4.2.6. Titanic Dataset Analysis and Data Cleaning - 2

You are provided with the Titanic dataset containing information about passengers on the Titanic. Your task is to write Python code to answer the following questions based on the dataset.

1. Create a new column 'IsAlone' which is 1 if the passenger is alone (FamilySize = 0), otherwise 0.

2. Convert the 'Sex' column to numeric values (male: 0, female: 1).

3. One-hot encode the 'Embarked' column, dropping the first category.

4. Get the mean age of passengers.

5. Get the median fare of passengers.

6. Get the number of passengers by class.

7. Get the number of passengers by gender.

8. Get the number of passengers by survival status.

9. Calculate the survival rate of passengers.

10. Calculate the survival rate by gender.

The Titanic dataset contains columns as shown below,

P	S	P	N	S	A	S	P	T	F	C	E
a	u	l	a	e	g	i	a	i	a	a	m
s	r	a	m	x	e	b	r	c	r	b	b
s	v	s	e			s	c	k			
e	i						h	e			
n											
g											
e											
r											
i											

titanicDat...

1 import pandas as pd

2 import numpy as np

3

4 # Load the Titanic dataset

5 data = pd.read_csv('Titanic-Dataset.csv')

6 data['FamilySize'] = data['SibSp'] + data['Parch']

7 # Load the Titanic dataset

8 data = pd.read_csv('Titanic-Dataset.csv')

9

10 # Create a 'FamilySize' column

11 data['FamilySize'] = data['SibSp'] + data['Parch']

12

13 # Create an 'IsAlone' column

14 data['IsAlone'] = (data['FamilySize'] == 0).astype(int)

15

16 # Convert the 'Sex' column to numeric values

17 data['Sex'] = data['Sex'].map({'male': 0, 'female': 1})

18

19 # One-hot encode the 'Embarked' column, dropping the first category

20 data = pd.get_dummies(data, columns=['Embarked'], drop_first=True)

21

Terminal Test cases

Prev Reset Submit Next

36°C Sunny

Search

12-49 10-05-2026

Pin

 $\text{ctrl} + k$

5. Practical 5
-

01:42 🔊 🌙 📝 🔗 —

You are provided with the Titanic dataset containing information about passengers on the Titanic. Your task is to write Python code to answer the following questions based on the dataset.

1. Calculate the survival rate by class.
2. Calculate the survival rate by embarkation location (Embarked_S).
3. Calculate the survival rate by family size (FamilySize).
4. Calculate the survival rate by being alone (IsAlone).
5. Get the average fare by passenger class (Pclass).
6. Get the average age by passenger class (Pclass).
7. Get the average age by survival status (Survived).
8. Get the average fare by survival status (Survived).
9. Get the number of survivors by class (Pclass).
10. Get the number of non-survivors by class (Pclass).

The Titanic dataset contains columns as shown below.

Passenger ID	Survived	Class	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin	Embarked
--------------	----------	-------	------	-----	-----	-------	-------	--------	------	-------	----------

 Submit

```

1 import pandas as pd
2 import numpy as np
3
4 # Load the Titanic dataset
5 data = pd.read_csv('Titanic-Dataset.csv')
6 data['FamilySize'] = data['SibSp'] + data['Parch']
7 data['IsAlone'] = np.where(data['FamilySize'] > 0,
8                             0, 1)
9
10 data = pd.get_dummies(data, columns=['Embarked'],
11                        drop_first=True)
12
13 # 1. Calculate the survival rate by class
14 print(data.groupby('Pclass')['Survived'].mean())
15
16 # 2. Calculate the survival rate by embarked
17 # location
18 print(data.groupby('Embarked_S')
19        ['Survived'].mean())
20
21 # 3. Calculate the survival rate by family size
22 print(data.groupby('FamilySize')
23        ['Survived'].mean())
24
25 # 4. Calculate the survival rate by being alone
26 print(data.groupby('IsAlone')['Survived'].mean())

```

Course

Download file | iLovePDF

Course: Creative Technologies

Ask Gemini

mitaoe.codetantra.com/secure/course.jsp?euclid=698c54860aba96214c8b7d5e#/contents/698c54860aba96214c8b7d68/698c54860aba96214c8b7d6a/67e387fc702...

School

CODETANTRA

Home Learn Anywhere

202501090142@mitaoe.ac.in Support Logout

Essentials of Data Science
Laboratory - 2304102L - 2026

Search course ctrl+k

4.1. Practice Lab Assignment

4.1.1. Pandas - series creation and manipu...

4.1.2. Dictionary to dataframe

4.1.3. Student Information

4.2. Lab Assignment

4.2.1. Month with the Highest Total Sales

4.2.2. Best Selling Product

4.2.3. City that Sold the Most Products

4.2.4. Most Frequently Sold Product Pairs

4.2.5. Titanic Dataset Analysis and Data Cl...

4.2.6. Titanic Dataset Analysis and Data Cl...

4.2.7. Titanic Dataset Analysis and Data Cl...

4.2.8. Titanic Dataset Analysis and Data Cl...

5. Practical 5

4.2.8. Titanic Dataset Analysis and Data Cleaning - 4

You are provided with the Titanic dataset containing information about passengers on the Titanic. Your task is to write Python code to answer the following questions based on the dataset.

1. Get the number of survivors by gender (Sex).
2. Get the number of non-survivors by gender (Sex).
3. Get the number of survivors by embarkation location (Embarked_S).
4. Get the number of non-survivors by embarkation location (Embarked_S).
5. Calculate the percentage of children (Age < 18) who survived.
6. Calculate the percentage of adults (Age >= 18) who survived.
7. Get the median age of survivors.
8. Get the median age of non-survivors.
9. Get the median fare of survivors.
10. Get the median fare of non-survivors.

The Titanic dataset contains columns as shown below,

P	S	P	N	S	A	S	P	T	F	C	E
a	u	l	a	e	g	i	a	i	a	a	m
s	r	c	s	x	e	b	r	c	r	b	b
s	v	s	s								
e	i										
n	d										
g											
e											
n											

1

import pandas as pd

2

import numpy as np

3

4

Load the Titanic dataset

5

data = pd.read_csv('Titanic-Dataset.csv')

6

data = pd.get_dummies(data, columns=['Embarked'],

drop_first=True)

7

8

1. Get the number of survivors by gender

9

print(data[data['Survived']==1]

['Sex'].value_counts())

10

11

2. Get the number of non-survivors by gender

12

print(data[data['Survived']==0]

['Sex'].value_counts())

13

14

3. Get the number of survivors by embarked

location

15

print(data[data['Survived']==1]

['Embarked_S'].value_counts())

16

17

18

4. Get the number of non-survivors by embarked

location

19

print(data[data['Survived']==0]

['Embarked_S'].value_counts())

20

Terminal

Test cases

Prev

Reset

Submit

Next

36°C
Sunny

Search

12:30
10-05-2026