Platform Based Assignment 1 | Solve Me First | HackerRank

https://www.hackerrank.com/challenges/solve-me-first/problem?isFullScreen=true

Chat

HackerRank | Prepare > Algorithms > Warmup > Solve Me First

Exit Full Screen View

Problem

Submissions

Complete the function $solveMeFirst$ to compute the sum of two integers.

Example

$a = 7$

$b = 3$

Return 10.

Function Description

Complete the $solveMeFirst$ function with the following parameters:

- $int\ a$: the first value
- $int\ b$: the second value

Returns

- int: the sum of a and b

Constraints

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

Sample Test case 0

Sample Test case 1

Input (stdin) Download

```
1 2
2 3
```

Your Output (stdout)

```
1 5
```

Expected Output Download

Type here to search

ENG 10:23 07-11-2026

Platform Based Assignment 1 | Solve Me First | HackerRank

https://www.hackerrank.com/challenges/solve-me-first/problem?isFullScreen=true

Chat

HackerRank | Prepare > Algorithms > Warmup > Solve Me First

Exit Full Screen View

Problem

Submissions

Complete the function $solveMeFirst$ to compute the sum of two integers.

Example

$a = 7$

$b = 3$

Return 10.

Function Description

Complete the $solveMeFirst$ function with the following parameters:

- $int\ a$: the first value
- $int\ b$: the second value

Returns

- int: the sum of a and b

Constraints

Congratulations

You solved this challenge. Would you like to challenge your friends?

Next Challenge

Test case 0

Test case 1

Compiler Message

Success

Input (stdin) Download

```
1 2
2 3
```

Type here to search

ENG 10:24 07-11-2026

Platform Based Assignment 1 | For Loop in C | HackerRank

https://www.hackerrank.com/challenges/for-loop-in-c/problem

Chat

Congratulations

You solved this challenge. Would you like to challenge your friends?

Next Challenge

Test case 0

Test case 1

Test case 2

Test case 3

Test case 4

Compiler Message

Success

Input (stdin) Download

```
1 8
2 11
```

Expected Output Download

```
1 eight
```

Type here to search

ENG 13:01 07-11-2026

Platform Based Assignment 1 | Roy and Profile Picture | Basics of I

https://www.hackerearth.com/practice/basic-programming/input-output/basics-of-input-output/practice-problems/al...

Chat

hackerearth

T

14/18 Roy and Profile Picture

Back

Description | Editorial | Submissions | Similar Problems | Discussion

Accepted | Refer judge environment

Score	Time	Memory	Language
20	0.065s	2KiB	C

Input	Result	Time(sec)	Memory(KiB)	Score	Output	Expected	Diff
Test #1	Accepted	0.009	2	10			

Type here to search

ENG 12:50 07-11-2026

Count Odd Numbers in an Interval

https://leetcode.com/problems/count-odd-numbers-in-an-interval-range/submissions/2191147096/

Problem List

Submit

Premium

Description | Accepted | Editorial | Solutions | Submissions

All Submissions

Accepted 84 / 84 testcases passed

tanya26raiu031_ncu submitted at Nov 07, 2026 13:18

Save 41%
Big Diwali Dhamaka
Unlock the Full Experience with Premium for ₹583.25/m...

Runtime

2 ms | Beats 68.52%

Memory

8.28 MB | Beats 84.47%

Code

C | Auto

```
1  int countOdds(int low, int high) {
2      return (high + 1) / 2 - low / 2;
3  }
```

Saved

Ln 3, Col 2

Testcase | Test Result

Accepted Runtime: 1 ms

Case 1 Case 2

Input

low =

3

Fold Alt -

Type here to search

ENG 13:19 07-11-2026

Count Operations to Obtain Zero

https://leetcode.com/problems/count-operations-to-obtain-zero/

Chat

Problem List

Submit

0

Premium

Description | Editorial | Solutions | Submissions

2169. Count Operations to Obtain Zero

Easy | Topics | Companies | Hint

You are given two **non-negative** integers `num1` and `num2`.

In one **operation**, if `num1 >= num2`, you must subtract `num2` from `num1`, otherwise subtract `num1` from `num2`.

- For example, if `num1 = 5` and `num2 = 4`, subtract `num2` from `num1`, thus obtaining `num1 = 1` and `num2 = 4`. However, if `num1 = 4` and `num2 = 5`, after one operation, `num1 = 4` and `num2 = 1`.

Return *the **number of operations** required to make either* `num1 = 0` *or* `num2 = 0`.

934 | 84 | 1 Online

Code

C | Auto

```c
        if (num1 >= num2)
            num1 = num1 - num2;
        else
            num2 = num2 - num1;
        count++;
    }
```

Saved | Ln 13, Col 2

Testcase | Test Result

Accepted Runtime: 0 ms

Case 1 | Case 2

Input

num1 =

2

Type here to search

ENG 13:17 07-11-2026

Platform Based Assignment 1 | For Loop in C | HackerRank

https://www.hackerrank.com/challenges/for-loop-in-c/problem

Chat

Congratulations

You solved this challenge. Would you like to challenge your friends?

Next Challenge

Test case 0

Test case 1

Test case 2

Test case 3

Test case 4

Test case 5

Compiler Message

```
Success
```

Input (stdin) Download

```
8
11
```

Expected Output Download

```
eight
```

Type here to search

ENG 12:58 07-11-2026

Platform Based Assignment 1 | Number of Steps to Reduce a Num

https://leetcode.com/problems/number-of-steps-to-reduce-a-number-to-zero/submissions/2191143433/

Chat

Problem List | Submit | 0 | Premium

Description | Accepted | Editorial | Solutions | Submissions

All Submissions

Accepted 204 / 204 testcases passed

tanya26raiu031_ncu submitted at Nov 07, 2026 13:10

Big Diwali Dhamaka
Save 41%
Unlock the Full Experience with Premium for ₹583.25/m...

Runtime

1 ms | Beats 3.40%

Memory

8.57 MB | Beats 40.51%

Code

C | Auto

```
        steps++;
    }

    return steps;
}
```

Saved

Ln 13, Col 2

Testcase | Test Result

Accepted Runtime: 0 ms

Case 1 | Case 2 | Case 3

Input

num =

14

Type here to search

ENG 13:10 07-11-2026

Platform Based Assignment 1 | Smallest Even Multiple - LeetCode | 67610-conditional-statements-in-

https://leetcode.com/problems/smallest-even-multiple/submissions/2191087765/

Problem List | Submit | Premium

Description | Accepted | Editorial | Solutions | Submissions

All Submissions

Accepted 150 / 150 testcases passed

tanya26raiu031_ncu submitted at Nov 07, 2026 11:09

Big Diwali Dhamaka
Save 41%
Unlock the Full Experience with Premium for ₹583.25/m...

Runtime

0 ms | Beats 100.00%

Memory

8.21 MB | Beats 88.77%

Code

C | Auto

```c
int smallestEvenMultiple(int n) {
    if(n%2==0)
    return n;
    return n*2;
}
```

Saved | Ln 5, Col 2

Testcase | Test Result

Accepted Runtime: 0 ms

Case 1 | Case 2

Input

n =

5

Type here to search | ENG | 11:09 | 07-11-2026

Platform Based Assignment 1 | Grading Students | HackerRank

https://www.hackerrank.com/challenges/grading/problem?isFullScreen=true

Chat

HackerRank | Prepare > Algorithms > Implementation > Grading Students

Exit Full Screen View

Problem

Submissions

HackerLand University has the following grading policy:

- Every student receives a $grade$ in the inclusive range from 0 to 100.
- Any $grade$ less than 40 is a failing grade.

Sam is a professor at the university and likes to round each student's $grade$ according to these rules:

- If the difference between the $grade$ and the next multiple of 5 is less than 3, round $grade$ up to the next multiple of 5.
- If the value of $grade$ is less than 38, no rounding occurs as the result will still be a failing grade.

Examples

- $grade = 84$ round to 85 (85 - 84 is less than 3)
- $grade = 29$ do not round (result is less than 38)
- $grade = 57$ do not round (60 - 57 is 3 or higher)

Congratulations

You solved this challenge. Would you like to challenge your friends?

Next Challenge

Test case 0

Test case 1

Test case 2

Test case 3

Test case 4

Compiler Message

Success

Input (stdin) Download

```
1 4
2 73
3 67
4 38
```

Type here to search

ENG 12:37 07-11-2026

Platform Based Assignment 1 | FizzBuzz | HackerRank

https://www.hackerrank.com/challenges/fizzbuzz/problem

```
    for (int i = 1; i <= 100; i++) {
        if (i % 15 == 0)
            printf("FizzBuzz\n");
        else if (i % 3 == 0)
            printf("Fizz\n");
        else if (i % 5 == 0)
            printf("Buzz\n");
        else
            printf("%d\n", i);
    }
    return 0;
}
```

Line: 15 Col: 2

Upload Code as File | Test against custom input | Run Code | Submit Code

Test case 0

Compiler Message

0.1Success

Type here to search

ENG 12:53 07-11-2026

Platform Based Assignment 1 | Add Two Integers - LeetCode | Solve Me First | HackerRank

https://leetcode.com/problems/add-two-integers/submissions/2191071826/

Problem List | Submit | Premium

Description | Accepted | Editorial | Solutions | Submissions

All Submissions

Accepted 262 / 262 testcases passed

tanya26raiu031_ncu submitted at Nov 07, 2026 10:30

Big Diwali Dhamaka
Save 41%
Unlock the Full Experience with Premium for ₹583.25/m...

Runtime

0 ms | Beats 100.00%

Memory

8.44 MB | Beats 74.76%

Code

C | Auto

```c
int sum(int num1, int num2) {
    int sum = num1+num2;
    return sum;
}
```

Saved

Ln 4, Col 2

Testcase | Test Result

Accepted Runtime: 0 ms

Case 1 | Case 2

Input

num1 =

12

Type here to search
ENG 10:30 07-11-2026

Platform Based Assignment 1 | Calculate Delayed Arrival Time - Le

https://leetcode.com/problems/calculate-delayed-arrival-time/submissions/2191072835/

Problem List | Submit | 0 | Premium

Description | Accepted | Editorial | Solutions | Su

All Submissions

Accepted 556 / 556 testcases passed

tanya26raiu031_ncu submitted at Nov 07, 2026 10:33

Big Diwali Dhamaka
Save 41%
Unlock the Full Experience with Premium for ₹583.25/m...

Runtime

0 ms | Beats 100.00%

Memory

8.55 MB | Beats 85.19%

Code

C | Auto

```
1  int findDelayedArrivalTime(int arrivalTime, int delayedTime) {
2      int total=arrivalTime+delayedTime;
3      if(total>=24){
4      return total-24;
5      } else{
```

Saved | Ln 1, Col 1

Testcase | Test Result

Accepted Runtime: 0 ms

Case 1 | Case 2

Input

arrivalTime =

15

Type here to search
ENG 10:33 07-11-2026

Platform Based Assignment 1 | Total Distance Traveled - LeetCode

https://leetcode.com/problems/total-distance-traveled/

Problem List | Submit | Premium

Description | Accepted | Editorial | Solutions | Sul

All Submissions

Accepted 10000 / 10000 testcases passed

tanya26raiu031_ncu submitted at Nov 07, 2026 10:39

Big Diwali Dhamaka
Save 41%
Unlock the Full Experience with Premium for ₹583.25/m...

Runtime

6 ms | Beats 32.87%

Memory

10.95 MB | Beats 85.65%

Code

C | Auto

```
1  int distanceTraveled(int mainTank, int additionalTank) {
2      int distance = 0;
3
4      while (mainTank >= 5 && additionalTank > 0) {
5          mainTank -= 5;
```

Saved | Ln 1, Col 1

Testcase | Test Result

Accepted Runtime: 0 ms

Case 1 | Case 2

Input

mainTank =

5

Type here to search
ENG 10:40 07-11-2026

Platform Based Assignment 1 | Conditional Statements in C | Hack | 67610-conditional-statements-in-c

https://www.hackerrank.com/challenges/conditional-statements-in-c/problem?isFullScreen=true

Chat

HackerRank | Prepare > C > Conditionals and Loops > Conditional Statements in C

Exit Full Screen View

Problem

Submissions

Objective

if and else are two of the most frequently used conditionals in C/C++, and they enable you to execute zero or one conditional statement among many such dependent conditional statements. We use them in the following ways:

1. `if`: This executes the body of bracketed code starting with $statement1$ if $condition$ evaluates to true.

```
if (condition) {
   statement1;
   ...
}
```

2. `if - else`: This executes the body of bracketed

Congratulations

You solved this challenge. Would you like to challenge your friends?

Next Challenge

Test case 0

Test case 1

Test case 2

Test case 3

Test case 4

Compiler Message

Success

Input (stdin) Download

1 5

Expected Output Download

Type here to search

ENG 11:05 07-11-2026

Upload files · tanya26raiu031-desi | Platform Based Assignment 1 | Sum Multiples - LeetCode

https://leetcode.com/problems/sum-multiples/submissions/2191364397/

Chat

Problem List

Submit

0

Premium

Description | Accepted | Editorial | Solutions | Submissions

All Submissions

Accepted 1000 / 1000 testcases passed

tanya26raiu031_ncu submitted at Nov 07, 2026 20:38

Big Diwali Dhamaka
Save 41%
Unlock the Full Experience with Premium for ₹583.25/m...

Runtime

2 ms | Beats 17.20%

Memory

8.96 MB | Beats 94.72%

Code

C | Auto

```
            total_sum += 1;
        }
    }
    return total_sum;
}
```

Saved

Ln 11, Col 2

Testcase | Test Result

Accepted Runtime: 0 ms

Case 1 | Case 2 | Case 3

Input

n =

7

Type here to search

ENG 20:38 07-11-2026

Platform Based Assignment 1 | A.Digit Sum | Practice Problems

https://www.hackerearth.com/problem/algorithm/digit-sum-4/

INPUT: The first line of the input contains a single integer **T** , denoting the number of test cases. Each of the next **T** lines contains a single integer **N**.

OUTPUT: Each line of the output contains a single integer **S** denoting the sum of the first and last digits of **N.**

CONSTRAINTS:

$0<N<=10^6$

$0<T<=100$

Sample Input	Sample Output
3 1234 124894 242323	5 5 5

Time Limit: 1

Memory Limit: 256

Source Limit:

Submission ID: 132680626

RESULT: Accepted — Refer judge environment

Score	Time (sec)	Memory (KiB)
100	0.04624	2

Language

C

Input	Result	Time (sec)	Memory (KiB)	Score	Your output	Correct output	Diff
Input #1	Accepted	0.009111	2	20			
Input #2	Accepted	0.009489	2	20			
Input #3	Accepted	0.009051	2	20			
Input	Accepted	0.009517	2	20			

Type here to search

ENG 20:49 07-11-2026