

# Self-supervised Learning: Generative or Contrastive

Xiao Liu, Fanjin Zhang, Zhenyu Hou, Li Mian, Zhaoyu Wang, Jing Zhang, Jie Tang\*, Senior Member

**Abstract**—Deep supervised learning has achieved great success in the last decade. However, its deficiencies of dependence on manual labels and vulnerability to attacks have driven people to explore a better solution. As an alternative, self-supervised learning (SSL) attracts many researchers for its soaring performance on representation learning in the last several years. Self-supervised representation learning leverages input data itself as supervision and benefits almost all types of downstream tasks. In this survey, we take a look into new self-supervised learning methods for representation in computer vision, natural language processing, and graph learning. We comprehensively review the existing empirical methods and summarize them into three main categories according to their objectives: generative, contrastive, and generative-contrastive (adversarial). We further investigate related theoretical analysis work to provide deeper thoughts on how self-supervised learning works. Finally, we briefly discuss open problems and future directions for self-supervised learning. An outline slide for the survey is provided<sup>1</sup>.

**Index Terms**—Self-supervised Learning, Generative Model, Contrastive Learning, Deep Learning

## 1 INTRODUCTION

Deep neural networks [81] have shown outstanding performance on various machine learning tasks, especially on supervised learning in computer vision (image classification [33], [57], [64], semantic segmentation [46], [89]), natural language processing (pre-trained language models [34], [78], [88], [159], sentiment analysis [87], question answering [5], [36], [117], [160] etc.) and graph learning (node classification [63], [74], [112], [146], graph classification [7], [129], [167] etc.). Generally, the supervised learning is trained over a specific task with a large manually labeled dataset which is randomly divided into training, validation and test sets.

However, supervised learning is meeting its bottleneck. It not only relies heavily on expensive manual labeling but also suffers from generalization error, spurious correlations, and adversarial attacks. We expect the neural network to learn more with fewer labels, fewer samples, or fewer trials. As a promising candidate, self-supervised learning<sup>1</sup> has drawn massive attention for its fantastic data efficiency and generalization ability, with many state-of-the-art models following this paradigm. In this survey, we will take a comprehensive look at the development of the recent self-supervised learning models and discuss their theoretical soundness, including frameworks such as Pre-trained Lan-




Fig. 1: An illustration to distinguish the supervised, unsupervised and self-supervised learning framework. In self-supervised learning, the “related information” could be another modality, parts of inputs, or another form of the inputs. Repainted from [32].

guage Models (PTM), Generative Adversarial Networks (GAN), Autoencoder and its extensions, Deep Infomax, and Contrastive Coding.

The term “self-supervised learning” was first introduced in robotics, where the training data is automatically labeled by finding and exploiting the relations between different input sensor signals. It was then borrowed by the field of machine learning. In a speech on AAAI 2020, Yann LeCun described self-supervised learning as “the machine predicts any parts of its input for any observed part.” We can summarize them into two classical definitions following LeCun’s:

- Obtain “labels” from the data itself by using a “semi-automatic” process.
- Predict part of the data from other parts.

Specifically, the “other part” here could be incomplete, transformed, distorted, or corrupted. In other words, the machine learns to ‘recover’ whole, or parts of, or merely some features of its original input.

People are often confused by unsupervised learning and self-supervised learning. Self-supervised learning can be viewed as a branch of unsupervised learning since there

- Xiao Liu, Fanjin Zhang, and Zhenyu Hou are with the Department of Computer Science and Technology, Tsinghua University, Beijing, China. E-mail: liuxiao17@mails.tsinghua.edu.cn, zjf17@mails.tsinghua.edu.cn, hzy17@mails.tsinghua.edu.cn
- Jie Tang is with the Department of Computer Science and Technology, Tsinghua University, and Tsinghua National Laboratory for Information Science and Technology (TNList), Beijing, China, 100084. E-mail: jietang@tsinghua.edu.cn, corresponding author
- Li Mian is with the Beijing Institute of Technology, Beijing, China. Email: 1120161659@bit.edu.cn
- Zhaoyu Wang is with the Anhui University, Anhui, China. Email: wzy950507@163.com
- Jing Zhang is with the Renmin University of China, Beijing, China. Email: zhang-jing@ruc.edu.cn

1. Slides at <https://www.aminer.cn/pub/5ee8986f91e011e66831c59b/>

is no manual label involved. However, narrowly speaking, unsupervised learning concentrates on detecting specific data patterns, such as clustering, community discovery, or anomaly detection, while self-supervised learning aims at recovering, which is still in the paradigm of supervised settings. Figure 1 provides a vivid explanation of the differences between them.

There exist several comprehensive reviews related to Pre-trained Language Models [113], Generative Adversarial Networks [151], Autoencoder and contrastive learning for visual representation [68]. However, none of them concentrates on the inspiring idea of self-supervised learning that illustrates researchers in many fields. In this work, we collect studies from natural language processing, computer vision, and graph learning in recent years to present an up-to-date and comprehensive retrospective on the frontier of self-supervised learning. To sum up, our contributions are:

- We provide a detailed and up-to-date review of self-supervised learning for representation. We introduce the background knowledge, models with variants, and important frameworks. One can easily grasp the frontier ideas of self-supervised learning.
- We categorize self-supervised learning models into generative, contrastive, and generative-contrastive (adversarial), with particular genres inner each one. We demonstrate the pros and cons of each category and discuss the recent attempt to shift from generative to contrastive.
- We examine the theoretical soundness of self-supervised learning methods and show how it can benefit the downstream supervised learning tasks.
- We identify several open problems in this field, analyze the limitations and boundaries, and discuss the future direction for self-supervised representation learning.

We organize the survey as follows. In Section 2, we introduce the preliminary knowledge for computer vision, natural language processing, and graph learning. From Section 3 to Section 5, we will introduce the empirical self-supervised learning methods utilizing generative, contrastive and generative-contrastive objectives. In Section 6, we investigate the theoretical basis behind the success of self-supervised learning and its merits and drawbacks. In Section 7, we discuss the open problems and future directions in this field.

## 2 BACKGROUND

### 2.1 Representation Learning in NLP

Pre-trained word representations are key components in natural language processing tasks. Word embeddings are to represent words as low-dimensional real-valued vectors. There are two kinds of word embeddings: non-contextual and contextual embeddings.

Non-contextual Embeddings do not consider the context information of the token; that is, these models only map the token into a distributed embedding space. Thus, for each word  $x$  in the vocabulary  $V$ , embedding will assign it a specific vector  $e_x \in R^d$ , where  $d$  is the dimension of the embedding. These embeddings can not model complex characteristics of word usage and polysemy.




Fig. 2: Number of publications and citations on self-supervised learning from 2012-2019. Self-supervised learning is gaining huge attention in recent years. Data from Microsoft Academic Graph [127]. This only includes paper containing the complete keyword “self-supervised learning”, so the real number should be even larger.

To model both complex characteristics of word usage and polysemy, contextual embedding is proposed. For a text sequence  $x_1, x_2, \dots, x_N, x_n \in V$ , the contextual embedding of  $x_n$  depends on the whole sequence.

$$[e_1, e_2, \dots, e_N] = f(x_1, x_2, \dots, x_N),$$

where  $f(\cdot)$  is the embedding function. Since for a certain token  $x_i$ , the embedding  $e_i$  can be different if  $x_i$  in difference context,  $e_i$  is called contextual embedding. This kind of embedding can distinguish the semantics of words in different contexts.

Distributed word embeddings represent each word as a dense, real-valued, and low-dimensional vector. The first-generation word embedding is introduced as a neural network language model (NNLM) [10]. For NNLM, most of the complexity derives from the non-linear hidden layer in the model. Mikolov et al. proposed Word2Vec Model [92] [93] to learn the word representations efficiently. There are two kinds of implementations: Continuous Bag-of-Words Model (CBOW) and Continuous Skip-gram Model (SG). As a kind of context prediction model, Word2Vec is one of the most popular implementations to generate non-contextual word embeddings for NLP.

In the first-generation word embedding, the same word has the same embedding. Since a word can have multiple senses, therefore, the second-generation word embedding methods are proposed. In this case, each word token has its embedding. These embeddings are also called contextualized word embedding since the embeddings of word tokens depend on its contexts. ELMo (Embeddings from Language Model) [107] is an implementation to generate those contextual word embeddings. It is an RNN-based bidirectional language model which learns multiple embeddings for each word token, and decides how to combine those embeddings based on the downstream tasks. ELMo is a feature-based approach, that is, the model is used as a feature extractor to extract word embedding, and send those embeddings to the downstream task model. The parameters of the extractor are fixed, and only the parameters in the backend model can be trained.

Recently, BERT (Bidirectional Encoder Representations from Transformers) [34] brings large improvements on 11

NLP tasks. Different from feature-based approaches like ELMo, BERT is a fine-tuned approach. The model is first pre-trained on a large amount of corpora through self-supervised learning, and then fine-tuned with labeled data. As the name indicates, BERT uses Transformer as its encoder. In the training stage, BERT masks some tokens in the sentence, and is then trained to predict the masked words. When using BERT, we first initialize the BERT model with pre-trained weights, and then fine-tune the pre-trained model on downstream tasks.

## 2.2 Representation Learning in CV

Computer vision is one of the greatest benefited fields thanks to deep learning. In the past few years, researchers have developed a range of efficient network architectures for supervised tasks. For self-supervised tasks, many of them are also proved to be useful. In this section, we introduce ResNet architecture [57], which is the backbone of a large part of the self-supervised techniques for visual representation models.

Since AlexNet [77], CNN architecture is going deeper and deeper. While AlexNet had only five convolutional layers, the VGG network [126] and GoogleNet (also named Inception\_v1) [133] had 19 and 22 layers respectively.

Evidence reveals that the network depth is of crucial importance [126], [133]. Driven by its significance, a question arises: Is learning better networks as easy as stacking more layers? An obstacle to answering this question was the notorious problem of vanishing/exploding gradients [12], which hampers convergence from the beginning. This problem, however, has been addressed mainly by normalized initialization [83], [122] and intermediate normalization layers [66], which enable networks with tens of layers to start converging for stochastic gradient descent (SGD) with backpropagation [82].

When deeper networks start to converge, a degradation problem will be exposed: with the increasing network depths, the accuracy soon meets its ceiling (which might be unsurprising) and then degrades rapidly. Unexpectedly, such degradation is not caused by overfitting, and adding more layers to a suitably deep model only leads to higher training error.

Residual neural network (ResNet), proposed by He et al. [57], effectively tackles this problem. Instead of asking every few stacked layers to directly learn a desired underlying mapping, the authors design a residual mapping architecture ResNet. The core idea of ResNet is the introduction of shortcut connections, which are those skipping over one or more layers.

A building block is defined as:

$$y = F(x, \{W_i\}) + x. \quad (1)$$

Suppose  $x$  and  $y$  are the input and output vectors of the layers. The function  $F(x, \{W_i\})$  represents the residual mapping to be learned. For an example cell of ResNet that has two layers,  $F = W_2\sigma(W_1x)$  in which  $\sigma$  denotes ReLU [95] and the biases are omitted for simplifying notations. The operation  $F + x$  is performed by a shortcut connection and element-wise addition.

Because of its compelling results, ResNet has blew people's minds and quickly become one of the most popular

architectures in various computer vision tasks. Since then, ResNet architecture has been drawing extensive attention from researchers, and multiple variants based on ResNet are proposed, including ResNeXt [155], Densely Connected CNN [64], and wide residual networks [164].

## 2.3 Representation Learning on Graphs

As a ubiquitous data structure, graphs are extensively employed in multitudes of fields and become the backbone of many systems. The central problem in machine learning on graphs is to find a way to represent graph structure so that it can be easily utilized by machine learning models [53]. To tackle this problem, researchers propose a series of methods for graph representation learning at node level and graph level, which has become a research spotlight recently.

We first define several basic terminologies. Generally, a *graph* is defined as  $G = (V, E, X)$ , where  $V$  denotes a set of vertices,  $|V|$  denotes the number of vertices in the graph,  $E \subseteq (V \times V)$  denotes a set of edges connecting the vertices, and  $X \in \mathbb{R}^{|V| \times d_x}$  is the optional original vertex feature matrix. When input features are unavailable,  $X$  is set as orthogonal matrix or initialized with normal distribution, etc., in order to make the input node features less correlated.

The problem of node representation learning is to learn latent node representations  $Z \in \mathbb{R}^{|V| \times d_z}$ , which is also termed as network representation learning, network embedding, etc. There are also some graph-level representation learning problems, which aims to learn an embedding for the whole graph.

In general, existing network embedding approaches are broadly categorized as (1) factorization-based approaches such as NetMF [110], [111], GraRep [18], HOPE [102], (2) shallow embedding approaches such as DeepWalk [106], LINE [134], HARP [21], and (3) neural network approaches [19], [86]. Recently, graph convolutional network (GCN) [74] and its multiple variants have become the dominant approaches in graph modeling, thanks to the utilization of graph convolution that effectively fuses graph topology and node features.

However, the majority of advanced graph representation learning methods require external guidance like annotated labels. Many researchers endeavor to propose unsupervised algorithms [50], [54], [147], which do not rely on any external labels. Self-supervised learning also opens up an opportunity for effective utilization of the abundant unlabeled data [?], [104].

## 3 GENERATIVE SELF-SUPERVISED LEARNING

In this section we will introduce important self-supervised learning methods based on generative models, including auto-regressive (AR) models, flow-based models, auto-encoding (AE) models and hybrid generative models.

### 3.1 Auto-regressive (AR) Model

Auto-regressive (AR) models can be viewed as “Bayes net structure” (directed graph model). The joint distribution can be factorized as a product of conditionals

$$\max_{\theta} p_{\theta}(\mathbf{x}) = \sum_{t=1}^T \log p_{\theta}(x_t | \mathbf{x}_{1:t-1}) \quad (2)$$

Model	FOS	Type	Generator	Self-supervision	Pretext Task	Hard NS	Hard PS	NS strategy
GPT/GPT-2 [115], [116]	NLP	G	AR	Following words	Next word prediction	-	-	-
PixelCNN [142], [144]	CV	G	AR	Following pixels	Next pixel prediction	-	-	-
NICE [37]	CV	G	Flow based	Whole image	Image reconstruction	-	-	-
RealNVP [38]	CV	G				-	-	-
Glow [72]	CV	G				-	-	-
word2vec [92], [93]	NLP	G	AE	Context words	CBOW & SkipGram	✗	✗	End-to-end
FastText [15]	NLP	G	AE		CBOW	✗	✗	End-to-end
DeepWalk-based [49], [106], [134]	Graph	G	AE	Graph edges	Link prediction	✗	✗	End-to-end
VGAE [75]	Graph	G	AE			✗	✗	End-to-end
BERT [34]	NLP	G	AE	Masked words Sentence topic	Masked language model, Next sentence prediction	-	-	-
SpanBERT [69]	NLP	G	AE	Masked words	Masked language model	-	-	-
ALBERT [78]	NLP	G	AE	Masked words Sentence order	Masked language model, Sentence order prediction	-	-	-
ERNIE [132], [170]	NLP	G	AE	Masked words Sentence topic	Masked language model, Next sentence prediction	-	-	-
GPT-GNN [62]	Graph	G	AE	Attribute & Edge	Masked graph generation	-	-	-
VQ-VAE 2 [118]	CV	G	AE	Whole image	Image reconstruction	-	-	-
XLNet [159]	NLP	G	AE+AR	Masked words	Permutation language model	-	-	-
GraphAF [125]	Graph	G	Flow+AR	Attribute & Edge	Sequential graph generation	-	-	-
RelativePosition [39]	CV	C	-	Spatial relations (Context-Instance)	Relative position prediction	-	-	-
CDJP [71]	CV	C	-		Jigsaw + Inpainting + Colorization	✗	✗	End-to-end
PIRL [94]	CV	C	-		Jigsaw	✗	✓	Memory bank
RotNet [45]	CV	C	-		Rotation Prediction	-	-	-
Deep InfoMax [59]	CV	C	-			✗	✗	End-to-end
AMDIM [6]	CV	C	-	Belonging (Context-Instance)		✗	✓	End-to-end
CPC [101]	CV	C	-			✗	✗	End-to-end
InfoWord [76]	NLP	C	-			✗	✗	End-to-end
DGI [147]	Graph	C	-			✓	✗	End-to-end
InfoGraph [129]	Graph	C	-			✗	✗	End-to-end (batch-wise)
CMC-Graph [55]	Graph	C	-	MI Maximization		✗	✓	End-to-end
S <sup>2</sup> GRL [104]	Graph	C	-			✗	✗	End-to-end
Pre-trained GNN [61]	Graph	C	-		MI maximization, Masked attribute prediction	✗	✗	End-to-end
DeepCluster [20]	CV	C	-			-	-	-
Local Aggregation [173]	CV	C	-			-	-	-
ClusterFit [157]	CV	C	-	Similarity (Context-Context)	Cluster discrimination	-	-	-
M3S [131]	Graph	C	-			-	-	-
InstDisc [153]	CV	C	-			-	-	-
CMC [137]	CV	C	-			✗	✗	Memory bank
MoCo [56]	CV	C	-			✗	✗	Momentum
MoCo v2 [26]	CV	C	-	Identity (Context-Context)	Instance discrimination	✗	✓	Momentum
SimCLR [22]	CV	C	-			✗	✓	End-to-end (batch-wise)
InfoMin [138]	CV	C	-			✗	✓	End-to-end
BYOL [48]	CV	C	-			no NS	✓	End-to-end (batch-wise)
SimCLR v2 (semi) [23]	CV	C	-			✗	✓	End-to-end (batch-wise)
GCC [109]	Graph	C	-	Whole image		✗	✓	Momentum
GAN [47]	CV	G-C	AE		Image reconstruction	-	-	-
Adversarial AE [90]	CV	G-C	AE			-	-	-
BiGAN/ALI [40], [43]	CV	G-C	AE			-	-	-
BigBiGAN [41]	CV	G-C	AE			-	-	-
Colorization [79]	CV	G-C	AE	Image color	Colorization	-	-	-
Inpainting [103]	CV	G-C	AE	Parts of images	Inpainting	-	-	-
Super-resolution [84]	CV	G-C	AE	Details of images	Super-resolution	-	-	-
ELECTRA [28]	NLP	G-C	AE	Masked words	Replaced token detection	✓	✗	End-to-end
WKLM [156]	NLP	G-C	AE	Masked entities	Replaced entity detection	✓	✗	End-to-end
ANE [30]	Graph	G-C	AE	Graph edges	Link prediction	-	-	-
GraphGAN [148]	Graph	G-C	AE			-	-	-
GraphSGAN [35]	Graph	G-C	AE	Graph nodes	Node classification	-	-	-

TABLE 1: An overview of recent self-supervised representation learning. For acronyms used, “FOS” refers to fields of study; “NS” refers to negative samples; “PS” refers to positive samples; “MI” refers to mutual information. For alphabets in “Type”: G Generative ; C Contrastive; G-C Generative-Contrastive (Adversarial).

where the probability of each variable is dependent on the previous variables.

In NLP, the objective of auto-regressive language modeling is usually maximizing the likelihood under the forward autoregressive factorization [159]. GPT [115] and GPT-2 [116] use Transformer decoder architecture [145] for language model. Different from GPT, GPT-2 removes the fine-tuning processes of different tasks. In order to learn unified representations that generalize across different tasks, GPT-2 models  $p(\text{output}|\text{input}, \text{task})$ , which means given different tasks, the same inputs can have different outputs.

The auto-regressive models have also been employed in computer vision, such as PixelRNN [144] and PixelCNN [142]. The general idea is to use auto-regressive methods to model images pixel by pixel. For example, the lower (right) pixels are generated by conditioning on the upper (left) pixels. The pixel distributions of PixelRNN and PixelCNN are modeled by RNN and CNN, respectively. For 2D images, auto-regressive models can only factorize probabilities according to specific directions (such as right and down). Therefore, masked filters are employed in CNN architecture. Furthermore, two convolutional networks are combined to remove the blind spot in images. Based on PixelCNN, WaveNet [141] – a generative model for raw audio was proposed. In order to deal with long-range temporal dependencies, dilated causal convolutions are developed to improve the receptive field. Moreover, Gated Residual blocks and skip connections are employed to empower better expressivity.

The auto-regressive models can also be applied on graph domain problems, such as graph generation. You et al. [162] propose GraphRNN to generate realistic graphs with deep auto-regressive models. They decompose the graph generation process into a sequence generation of nodes and edges conditioned on the graph generated so far. The objective of GraphRNN is defined as the likelihood of the observed graph generation sequences. GraphRNN can be viewed as a hierarchical model, where a graph-level RNN maintains the state of the graph and generates new nodes, while an edge-level RNN generates new edges based on the current graph state. After that, MRNN [108] and GCPN [161] are proposed as auto-regressive approaches. MRNN and GCPN both use a reinforcement learning framework to generate molecule graphs through optimizing domain-specific rewards. However, MRNN mainly uses RNN-based networks for state representations, but GCPN employs GCN-based encoder networks.

The advantage of auto-regressive models is that it can model the context dependency well. However, one shortcoming of the AR model is that the token at each position can only access its context from one direction.

## 3.2 Flow-based Model

The goal of flow-based models is to estimate complex high-dimensional densities  $p(x)$  from data. Intuitively, directly formalizing the densities is difficult. To obtain a complicated densities, we hope to generate it “step by step” by stacking a series of transforming functions that describing different data characteristics respectively. Generally, flow-based models first define a latent variable  $z$  which follows

a known distribution  $p_Z(z)$ . Then define  $z = f_\theta(x)$ , where  $f_\theta$  is an invertible and differentiable function. The goal is to learn the transformation between  $x$  and  $z$  so that the density of  $x$  can be depicted. According to the integral rule,  $p_\theta(x)dx = p(z)dz$ . Therefore, the densities of  $x$  and  $z$  satisfies:

$$p_\theta(x) = p(f_\theta(x)) \left| \frac{\partial f_\theta(x)}{\partial x} \right| \quad (3)$$

and the objective is to maximize the likelihood:

$$\begin{aligned} \max_{\theta} \sum_i \log p_\theta(x^{(i)}) &= \max_{\theta} \sum_i \log p_Z(f_\theta(x^{(i)})) \\ &\quad + \log \left| \frac{\partial f_\theta}{\partial x}(x^{(i)}) \right| \end{aligned} \quad (4)$$

The advantage of flow-based models is that the mapping between  $x$  and  $z$  is invertible. However, it also requires that  $x$  and  $z$  must have the same dimension.  $f_\theta$  needs to be carefully designed since it should be invertible and the Jacobian determinant in Eq. (3) should also be calculated easily. NICE [37] and RealNVP [38] design affine coupling layer to parameterize  $f_\theta$ . The core idea is to split  $x$  into two blocks  $(x_1, x_2)$  and apply a transformation from  $(x_1, x_2)$  to  $(z_1, z_2)$  in an auto-regressive manner, that is  $z_1 = x_1$  and  $z_2 = x_2 + m(x_1)$ . More recently, Glow [72] was proposed and it introduces invertible  $1 \times 1$  convolutions and simplifies RealNVP.

## 3.3 Auto-encoding (AE) Model

The goal of the auto-encoding model is to reconstruct (part of) inputs from (corrupted) inputs. Due to its flexibility, the AE model is probably the most popular generative model with a number of variants.

### 3.3.1 Basic AE Model

Autoencoder (AE) was first introduced in [8] for pre-training artificial neural networks. Before Autoencoder, Restricted Boltzmann Machine (RBM) [128] can also be viewed as a special “autoencoder”. RBM is an undirected graphical model, and it only contains two layers: visible layer and hidden layer. The objective of RBM is to minimize the difference between the marginal distribution of models and data distributions. In contrast, autoencoder can be regarded as a directed graphical model, and it can be trained more easily. Autoencoder is typically for dimensionality reduction. Generally, the autoencoder is a feed-forward neural network trained to produce its input at the output layer. The AE is comprised of an **encoder** network  $h = f_{enc}(x)$  and a **decoder** network  $x' = f_{dec}(h)$ . The objective of AE is to make  $x$  and  $x'$  as similar as possible (such as through mean-square error). It can be proved that the linear autoencoder corresponds to the PCA method. Sometimes the number of hidden units is greater than the number of input units, and some interesting structures can be discovered by imposing sparsity constraints on the hidden units [97].

### 3.3.2 Context Prediction Model (CPM)

The idea of the Context Prediction Model (CPM) is to predict contextual information based on inputs.

In NLP, when it comes to self-supervised learning on word embedding, CBOW and Skip-Gram [93] are pioneering works. CBOW aims to predict the input tokens based on context tokens. In contrast, Skip-Gram aims to predict context tokens based on input tokens. Usually, negative sampling is employed to ensure computational efficiency and scalability. Following CBOW architecture, FastText [15] is proposed by utilizing subword information.

Inspired by the progress of word embedding models in NLP, many network embedding models are proposed based on a similar context prediction objective. Deepwalk [106] samples truncated random walks to learn latent node embedding based on the Skip-Gram model. It treats random walks as the equivalent of sentences. However, LINE [134] aims to generate neighbors based on current nodes.

$$O = - \sum_{(i,j) \in E} w_{ij} \log p(v_j | v_i) \quad (5)$$

where  $E$  denotes edge set,  $v$  denotes the node,  $w_{ij}$  represents the weight of edge  $(v_i, v_j)$ . LINE also uses negative sampling to sample multiple negative edges to approximate the objective.

### 3.3.3 Denoising AE Model

The intuition of denoising autoencoder models is that representation should be robust to the introduction of noise. The masked language model (MLM) can be regarded as a denoising AE model because its input masks predicted tokens. To model text sequence, masked language model (MLM) randomly masks some of the tokens from the input, and then predict them based on their context information, which is similar to the *Cloze* task [136]. BERT [34] is the most representative work in this field. Specifically, in BERT a unique token [MASK] is introduced in the training process to mask some tokens. However, one shortcoming of this method is that there are no input [MASK] tokens for down-stream tasks. To mitigate this, the authors do not always replace the predicted tokens with [MASK] in training. Instead, they replace them with original words or random words with a small probability.

Following BERT, many extensions of MLM emerge. SpanBERT [69] chooses to mask continuous random spans rather than random tokens adopted by BERT. Moreover, it trains the span boundary representations to predict the masked spans, which is inspired by ideas in coreference resolution. ERNIE (Baidu) [132] masks entities or phrases to learn entity-level and phrase-level knowledge, which obtains good results in Chinese natural language processing tasks. ERNIE (Tsinghua) [170] further integrates knowledge (entities and relations) in knowledge graphs into language models.

Compared with the AR model, in denoising AE for language modeling, the predicted tokens have access to contextual information from both sides. However, MLM assumes that the predicted tokens are independent of each other if the unmasked tokens are given.

In graph learning, Hu et al. [62] proposes GPT-GNN, a generative pre-training method for graph neural network. It also leverages the masking techniques on graph and




Fig. 3: Architecture of VQ-VAE [143]. Compared to VAE, the original hidden distribution is replaced with a quantized vector dictionary. In addition, the prior distribution is replaced with a pre-trained PixelCNN that models the hierarchical features of images. Taken from [143]

then asks graph neural network to generate masked edges and attributes. GPT-GNN's wide range of experiments on OAG [127], [135], [165], the largest public academic graph with 100 million nodes and 2 billion edges, shows impressive improvements on various graph learning tasks.

### 3.3.4 Variational AE Model

The variational auto-encoding model assumes that data are generated from underlying latent (unobserved) representation. The posterior distribution over a set of unobserved variables  $Z = \{z_1, z_2, \dots, z_n\}$  given some data  $X$  is approximated by a variational distribution,  $q(z|x)$ .

$$p(z|x) \approx q(z|x) \quad (6)$$

In variational inference and evidence lower bound (ELBO) on the log-likelihood of data is maximized during training.

$$\log p(x) \geq -D_{KL}(q(z|x)||p(z)) + \mathbb{E}_{\sim q(z|x)}[\log p(x|z)] \quad (7)$$

where  $p(x)$  is evidence probability,  $p(z)$  is prior and  $p(x|z)$  is likelihood probability. The right-hand side of the above equation is called ELBO. From the auto-encoding perspective, the first term of ELBO is a regularizer forcing the posterior to approximate the prior. The second term is the likelihood of reconstructing the original input data based on latent variables.

Variational Autoencoders (VAE) [73] is one important example where variational inference is utilized. VAE assumes the prior  $p(z)$  and the approximate posterior  $q(z|x)$  both follow Gaussian distributions. Specifically, let  $p(z) \sim \mathcal{N}(0, 1)$ . Furthermore, reparameterization trick is utilized for modeling approximate posterior  $q(z|x)$ . Assume  $z \sim \mathcal{N}(\mu, \sigma^2)$ ,  $z = \mu + \sigma\epsilon$  where  $\epsilon \sim \mathcal{N}(0, 1)$ . Both  $\mu$  and  $\sigma$  are parameterized by neural networks. Based on calculated latent variable  $z$ , decoder network is utilized to reconstruct the input data.

Recently, a novel and powerful variational AE model called VQ-VAE [143] was proposed. VQ-VAE aims to learn discrete latent variables, which is motivated since many modalities are inherently discrete, such as language, speech, and images. VQ-VAE relies on vector quantization (VQ) to learn the posterior distribution of discrete latent variables. Specifically, the discrete latent variables are calculated by the nearest neighbor lookup using a shared, learnable embedding table. In training, the gradients are approximated through straight-through estimator [11] as

$$\mathcal{L}(x, D(e)) = \|x - D(e)\|_2^2 + \|sg[E(x)] - e\|_2^2 + \beta \|sg[e] - E(x)\|_2^2 \quad (8)$$

where  $e$  refers to the codebook, the operator  $sg$  refers to a stop-gradient operation that blocks gradients from flowing into its argument, and  $\beta$  is a hyperparameter which controls the reluctance to change the code corresponding to the encoder output.

More recently, researchers propose VQ-VAE-2 [118], which can generate versatile high-fidelity images that rival BigGAN [16] on ImageNet [33], which is the state-of-the-art GAN model. First, the authors enlarge the scale and enhance the autoregressive priors by a powerful PixelCNN [142] prior. Additionally, they adopt a multi-scale hierarchical organization of VQ-VAE, which enables learning local information and global information of images separately. Nowadays, VAE and its variants have been widely used in the computer vision area, such as image representation learning, image generation, video generation.

Variational auto-encoding models have also been employed in node representation learning on graphs. For example, Variational graph auto-encoder (VGAE) [75] uses the same variational inference technique as VAE with graph convolutional networks (GCN) [74] as the encoder. Due to the uniqueness of graph-structured data, the objective of VGAE is to reconstruct the adjacency matrix of the graph by measuring node proximity. Zhu et al. [171] propose DVNE, a deep variational network embedding model in Wasserstein space. It learns Gaussian node embedding to model the uncertainty of nodes. 2-Wasserstein distance is used to measure the similarity between the distributions for its effectiveness in preserving network transitivity. vGraph [130] can perform node representation learning and community detection collaboratively through a generative variational inference framework. It assumes that each node can be generated from a mixture of communities, and each community is defined as a multinomial distribution over nodes.

### 3.4 Hybrid Generative Models

#### 3.4.1 Combining AR and AE Model.

Some researchers propose to combine the advantages of both AR and AE. MADE [91] makes a simple modification to autoencoder. It masks the autoencoder's parameters to respect auto-regressive constraints. Specifically, for the original autoencoder, neurons between two adjacent layers are fully-connected through MLPs. However, in MADE, some connections between adjacent layers are masked to ensure that each input dimension is reconstructed solely from the dimensions preceding it. MADE can be easily parallelized on conditional computations, and it can get direct and cheap estimates of high-dimensional joint probabilities by combining AE and AR models.

In NLP, Permutation Language Model (PLM) [159] is a representative model that combines the advantage of auto-regressive model and auto-encoding model. XLNet [159], which introduces PLM, is a generalized auto-regressive pretraining method. XLNet enables learning bidirectional contexts by maximizing the expected likelihood over all permutations of the factorization order. To formalize the idea,




Fig. 4: Illustration for permutation language modeling [159] objective for predicting  $x_3$  given the same input sequence  $x$  but with different factorization orders. Adapted from [159]

let  $\mathcal{Z}_T$  denotes the set of all possible permutations of the length- $T$  index sequence  $[1, 2, \dots, T]$ , the objective of PLM can be expressed as follows:

$$\max_{\theta} \mathbb{E}_{\mathbf{z} \sim \mathcal{Z}_T} \left[ \sum_{t=1}^T \log p_{\theta}(x_{z_t} | \mathbf{x}_{z_{<t}}) \right] \quad (9)$$

Actually, for each text sequence, different factorization orders are sampled. Therefore, each token can see its contextual information from both sides. Based on the permuted order, XLNet also conducts reparameterization with positions to let the model know which position is needed to predict, and then a special two-stream self-attention is introduced for target-aware prediction.

Furthermore, different from BERT, inspired by the latest advancements in the AR model, XLNet integrates the segment recurrence mechanism and relative encoding scheme of Transformer-XL [31] into pre-training, which can model long-range dependency better than Transformer [145].

#### 3.4.2 Combining AE and Flow-based Models

In the graph domain, GraphAF [125] is a flow-based auto-regressive model for the molecule graph generation. It can generate molecules in an iterative process, and also calculate the exact likelihood in parallel. GraphAF formalizes the molecule generation as a sequential decision process. It incorporates detailed domain knowledge into the reward design, such as valency check. Inspired by the recent progress of flow-based models, it defines an invertible transformation from a base distribution (e.g., multivariate Gaussian) to a molecular graph structure. Additionally, Dequantization technique [60] is utilized to convert discrete data (including node types and edge types) into continuous data.

## 4 CONTRASTIVE SELF-SUPERVISED LEARNING

From statistical perspective, machine learning models are categorized into two classes: generative model and discriminative model. Given the joint distribution  $P(X, Y)$  of the input  $X$  and target  $Y$ , the generative model calculates the  $p(X|Y = y)$  by:

$$p(X|Y = y) = \frac{p(X, Y)}{p(Y = y)} = \frac{p(X, Y)}{\int_x p(Y, X = x)} \quad (10)$$

while the discriminative model tries to model the  $P(Y|X = x)$  by:

$$p(Y|X = x) = \frac{p(X, Y)}{p(X = x)} = \frac{p(X, Y)}{\int_y p(Y = y, X)} \quad (11)$$

Notice that most of the representation learning tasks hope to model relationships between  $x$ . Thus for a long time, people believe that the generative model is the only choice for representation learning.




Fig. 5: Self-supervised representation learning performance on ImageNet top-1 accuracy in June, 2020, under linear classification protocol. The self-supervised learning's ability on feature extraction is rapidly approaching the supervised method (ResNet50). Except for BigBiGAN, all the models above are contrastive self-supervised learning methods.

However, recent breakthroughs in contrastive learning, such as Deep InfoMax, MoCo and SimCLR, shed light on the potential of discriminative models for representation. Contrastive learning aims at "learn to compare" through a Noise Contrastive Estimation (NCE) [51] objective formatted as:

$$\mathcal{L} = \mathbb{E}_{x, x^+, x^-} \left[ -\log \left( \frac{e^{f(x)^T f(x^+)}}{e^{f(x)^T f(x^+)} + e^{f(x)^T f(x^-)}} \right) \right] \quad (12)$$

where  $x^+$  is similar to  $x$ ,  $x^-$  is dissimilar to  $x$  and  $f$  is an encoder (representation function). The similarity measure and encoder may vary from task to task, but the framework remains the same. With more dissimilar pairs involved, we have the InfoNCE [101] formulated as:

$$\mathcal{L} = \mathbb{E}_{x, x^+, x^k} \left[ -\log \left( \frac{e^{f(x)^T f(x^+)}}{e^{f(x)^T f(x^+)} + \sum_{k=1}^K e^{f(x)^T f(x^k)}} \right) \right] \quad (13)$$

Here we divide recent contrastive learning frameworks into 2 types: *context-instance* contrast and *context-context* contrast. Both of them achieve amazing performance in downstream tasks, especially on classification problems under the linear protocol.

#### 4.1 Context-Instance Contrast

The context-instance contrast, or so-called *global-local* contrast, focuses on modeling the belonging relationship between the local feature of a sample and its global context representation. When we learn the representation for a local feature, we hope it is associative to the representation of the global content, such as stripes to tigers, sentences to its paragraph, and nodes to their neighborhoods.

There are two main types of Context-Instance Contrast: Predict Relative Position (PRP) and Maximize Mutual Information (MI). The differences between them are:

- PRP focuses on learning relative positions between local components. The global context serves as an implicit requirement for predicting these relations (such as understanding what an elephant looks like is critical for predicting relative position between its head and tail).
- MI focuses on learning the explicit belonging relationships between local parts and global context. The relative positions between local parts are ignored.

##### 4.1.1 Predict Relative Position

Many data contain rich spatial or sequential relations between parts of it. For example, in image data such as Fig. 6, the elephant's head is on the *right* of its tail. In text data, a sentence like "Nice to meet you." would probably be ahead of "Nice to meet you, too.". Various models regard recognizing relative positions between parts of it as the pretext task [68]. It could be to predict relative positions of two patches from a sample [39], or to recover positions of shuffled segments of an image (solve jigsaw) [71], [98], [152], or to infer the rotation angle's degree of an image [45]. PRP may also serve as tools to create hard positive samples. For instance, the jigsaw technique is applied in PIRL [94] to augment the positive sample, but PIRL does not regard solving jigsaw and recovering spatial relation as its objective.




Fig. 6: Three typical methods for spatial relation contrast: predict relative position [39], rotation [45] and solve jigsaw [71], [94], [98], [152].

In the pre-trained language model, similar ideas such as Next Sentence Prediction (NSP) are also adopted. NSP loss is initially introduced by BERT [34], where for a sentence, the model is asked to distinguish the right next sentence, and a randomly sampled one. However, some later work empirically proves that NSP helps little, even harm the performance. So in RoBERTa [88], the NSP loss is removed.

To replace NSP, ALBERT [78] proposes Sentence Order Prediction (SOP) task. That is because, in NSP, the negative next sentence is sampled from other passages that may have different topics with the current one, turning the NSP into a far easier topic model problem. In SOP, two sentences that exchange their position are regarded as a negative sample, making the model concentrate on the coherence of the semantic meaning.

##### 4.1.2 Maximize Mutual Information

This kind of method derives from mutual information (MI) – a basic concept in statistics. Mutual information targets at modeling the association between two variables, and our objective is to maximize it. Generally, this kind of models optimize

$$\max_{g_1 \in \mathcal{G}_1, g_2 \in \mathcal{G}_1} I(g_1(x_1), g_2(x_2)) \quad (14)$$

where  $g_i$  is the representation encoder,  $\mathcal{G}_i$  is a class of encoders with some constraints and  $I(\cdot, \cdot)$  is a sample-based estimator for the real mutual information. In applications, MI is notorious for its hard computation. A common practice is to maximize  $I$ 's lower bound with an NCE objective.




Fig. 7: Two representatives for mutual information's application in contrastive learning. Deep InfoMax (DIM) [59] first encodes an image into feature maps, and leverage a readout function (or so-called summary function) to produce a summary vector. AMDIM [6] enhances the DIM through randomly choosing another view of the image to produce the summary vector.

Deep InfoMax [59] is the first one to explicitly model mutual information through a contrastive learning task, which maximize the MI between a local patch and its global context. For real practices, take image classification as an example, we can encode a cat image  $x$  into  $f(x) \in \mathbb{R}^{M \times M \times d}$ , and take out a local feature vector  $v \in \mathbb{R}^d$ . To conduct contrast between instance and context, we need two other things:

- a summary function  $g: \mathbb{R}^{M \times M \times d} \rightarrow \mathbb{R}^d$  to generate the context vector  $s = g(f(x)) \in \mathbb{R}^d$
- another cat image  $x^-$  and its context vector  $s^- = g(f(x^-))$ .

The contrastive objective is then formulated as

$$\mathcal{L} = \mathbb{E}_{v,x}[-\log(\frac{e^{v^T \cdot s}}{e^{v^T \cdot s} + e^{v^T \cdot s^-}})] \quad (15)$$

Deep InfoMax provides us with a new paradigm and boosts the development of self-supervised learning. The first influential follower is Contrastive Predictive Coding (CPC) [101] for speech recognition. CPC maximize the association between a segment of audio and its context audio. To improve data efficiency, it takes several negative context vectors at the same time. Later on, CPC has also been applied in image classification.

AMDIM [6] enhances the positive association between a local feature and its context. It randomly samples two different views of an image (truncated, discolored, and so forth) to generate the local feature vector and context vector,

respectively. CMC [137] extends it into several different views for one image, and samples another irrelevant image as the negative. However, CMC is fundamentally different from Deep InfoMax and AMDIM because it proposes to measure the context-context similarity rather than context-instance similarity. We will discuss it in the next subsection.

In language pre-training, InfoWord [76] proposes to maximize the mutual information between a global representation of a sentence and  $n$ -grams in it. The context is induced from the sentence with selected n-grams being masked, and the negative contexts are randomly picked out from the corpus.




Fig. 8: Deep Graph InfoMax [147] uses a readout function to generate summary vector  $s_1$ , and puts it into a discriminator with node 1's embedding  $x_1$  and corrupted embedding  $\tilde{x}_1$  respectively to identify which embedding is the real embedding. The corruption is to shuffle the positions of nodes.

In graph learning, Deep Graph InfoMax (DGI) [147] considers a node's representation as the local feature and the average of randomly samples 2-hop neighbors as the context. However, it is hard to generate negative contexts on a single graph. To solve this problem, DGI proposes to *corrupt* the original context by keeping the sub-graph structure and permuting the node features. DGI is followed by a number of works, such as InfoGraph [129], which targets at learning graph-level representation rather than node level, maximizing the mutual information between graph-level representation and substructures at different levels. As what CMC has done to improve Deep InfoMax, in [55] authors propose a contrastive multi-view representation learning method for graph. They also discover that in graph learning, graph diffusion is the most effective way to yield augmented positive sample pairs.

As an attempt to unify graph pre-training, in [61], the authors systematically analysis the pre-training strategies for graph neural networks from two dimensions: attribute/structural and node-level/graph-level. For structural prediction at node-level, they propose Context Prediction to maximize the MI between the representations of k-hop neighborhood and its context graph. For attribute in chemical domain, they propose Attribute Mask to predict the attribute of a node according to its neighborhood, which is a generative objective similar to token masks in BERT.

$S^2GRL$  [105] further separates nodes in the context graph into k-hop context subgraphs, and maximize their MI with target node respectively. However, a fundamental problem of graph pre-training is about how to learn inductive biases across graphs, and existing graph pre-training work are only applicable for a specific domain.




Fig. 9: Cluster-based context-context contrastive methods: DeepCluster [20] and Local Aggregation [173]. In the embedding space, DeepCluster uses clustering to yield pseudo labels for discrimination to draw near similar samples. However, Local Aggregation shows that a egocentric soft-clustering objective would be more effective.

#### 4.2 Context-Context Contrast

Though MI-based contrastive learning achieves great success, some recent studies [22], [26], [56], [140] cast doubt on the actual improvement brought by MI.

The [140] provides empirical evidence that the success of the models mentioned above is only loosely connected to MI by showing that an upper bound MI estimator leads to ill-conditioned and lower performance representations. Instead, more should be attributed to encoder architecture and a negative sampling strategy related to metric learning. A significant focus in metric learning is to perform hard positive sampling while increasing the negative sampling efficiency, and they probably play a more critical role in MI-based models' success.

As an alternative, context-context contrastive learning discards MI and directly studies the relationships between the global representations of different samples as what metric learning does. At the beginning, researchers borrow ideas from semi-supervised learning to produce pseudo labels via cluster-based discrimination, and achieve rather good performance on representations.

More recently, CMC [137], MoCo [56], SimCLR [22], and BYOL [48] further support the above conclusion by outperforming the context-instance-based methods and achieve a competitive result to supervised methods under the linear classification protocol, through a context-to-context level direct comparison. We will start with cluster-based discrimination proposed earlier and then turn to instance discrimination advocated by them.

##### 4.2.1 Cluster-based Discrimination

Context-context contrast is first studied in clustering-based methods [20], [85], [99], [158], especially the DeepCluster [20] which first achieves competitive performance to the supervised model AlexNet [77].

Image classification asks the model to categorize images correctly, and the representation of images in the same category should be similar. Therefore, the motivation is to draw similar images near in the embedding space. In supervised learning, this drawing-near process is accomplished via label supervision; in self-supervised learning, however, we do not have such labels. To solve the label problem,

Deep Cluster [20] proposes to leverage clustering to yield pseudo labels and asks a discriminator to predict on images' label. The training could be formulated in two steps. In the first step, DeepCluster uses K-means to cluster encoded representation and produces pseudo labels for each sample. Then in the second step, the discriminator predicts whether two samples are from the same cluster and back-propagates to the encoder. These two steps are performed iteratively.

Recently, Local Aggregation (LA) [173] has pushed forward the boundary of the cluster-based method. It points out several drawbacks of DeepCluster and makes the corresponding optimization. First, in DeepCluster, samples are assigned to mutual-exclusive clusters, but LA identifies neighbors separately for each example. Second, DeepCluster optimizes a cross-entropy discriminative loss, while LA employs an objective function that directly optimizes a local soft-clustering metric. These two changes substantially boost the performance of LA representation on downstream tasks.

A similar work to aggregate similar vectors together in embedding space is VQ-VAE [118], [143] that we introduce in Section 3. To conquer the traditional deficiency for VAE to generate high-fidelity images, VQ-VAE proposes to quantize vectors. For the feature matrix encoded from an image, VQ-VAE substitutes each 1-dimensional vector in the matrix to the nearest one in an embedding dictionary. This process is somehow the same as what LA is doing.

Clustering-based discrimination may also help in the generalization of other pre-trained models, transferring models from pretext objectives to real tasks better. Traditional representation learning models have only two stages: one for pre-training, and the other for evaluation. ClusterFit [157] introduces a cluster prediction fine-tuning stage similar to DeepCluster between the above two stages, which improves the representation's performance on downstream classification evaluation.

In graph learning, M3S [131] adopts the similar idea to perform DeepCluster-based self-supervised pre-training for better semi-supervised prediction. Given little labeled data and much unlabeled data, for every stage, M3S first pre-train itself to produce pseudo labels on unlabeled data as DeepCluster does, and then compares these pseudo labels with those predicted by the model being supervisedly trained on labeled data. Only top-k confident labels are added into labeled set for next stage semi-supervised training. In [163], this idea is further developed into three pre-training tasks: topology partitioning (similar to spectral clustering), node feature clustering and graph completion.

##### 4.2.2 Instance Discrimination

The prototype of leveraging instance discrimination as a pretext task is InstDisc [153]. On the basis of InstDisc, CMC [137] proposes to adopt multiple different views of an image as positive samples and take another one as the negative. In the embedding space, CMC draws near multiple views of an image, and pull away from other samples. However, it is somehow constrained by the idea of Deep InfoMax, sampling one negative sample for each positive one.

In MoCo [56], researchers further develop the idea of leveraging *instance discrimination* via momentum contrast, which substantially increases the amount of negative samples.

For example, given an input image  $x$ , our intuition is to learn a instinct representation  $q = f_q(x)$  by a query encoder  $f_q(\cdot)$  that can distinguish  $x$  from any other images. Therefore, for a set of other images  $x_i$ , we employ an asynchronously updated key encoder  $f_k(\cdot)$  to yield  $k_+ = f_k(x)$  and  $k_i = f_k(x_i)$ , and optimize the following objective

$$\mathcal{L} = -\log \frac{\exp(q \cdot k_+ / \tau)}{\sum_{i=0}^K \exp(q \cdot k_i / \tau)} \quad (16)$$

where  $K$  is the number of negative samples. This formula is in the form of InfoNCE.

Besides, MoCo presents two other critical ideas in dealing with negative sampling efficiency.

- First, it abandons the traditional end-to-end training framework and designs the momentum contrast learning with two encoders (query and key), which prevents the fluctuation of loss convergence in the beginning period.
- Second, to enlarge the capacity of negative samples, MoCo employs a queue (with  $K$  as large as 65536) to save the recently encoded batches as negative samples. This significantly improves the negative sampling efficiency.




Fig. 10: Conceptual comparison of three contrastive loss mechanisms. Taken from MoCo [56].

There are some other auxiliary techniques to ensure the training convergence, such as batch shuffling to avoid trivial solution and temperature hyper-parameter  $\tau$  to adjust the scale.

However, MoCo adopts a too simple positive sample strategy: a pair of positive representation comes from the same sample without any transformation or augmentation, making the positive pair far too easy to distinguish. PIRL [94] adds jigsaw augmentation as described in Section 4.1.1. In order to produce a pretext-invariant representation, PIRL asks encoder to regard an image and its jigsawed one as similar pairs.




Fig. 11: Ten different views adopted by SIMCLR [22]. The enhancement of positive samples substantially improves the self-supervised learning performance. Taken from [22]

In SimCLR [22], the authors further illustrate the importance of a hard positive sample strategy by introducing

data augmentation in 10 forms. This data augmentation is similar to CMC [137], which leverages several different views to augment the positive pairs. SimCLR follows the end-to-end training framework instead of momentum contrast from MoCo, and to handle the large scale negative samples problem, SimCLR chooses a batch size of  $N$  as large as 8196.

The details are as follows. A minibatch of  $N$  samples is augmented to be  $2N$  samples  $\hat{x}_j (j = 1, 2, \dots, 2N)$ . For a pair of a positive sample  $\hat{x}_i$  and  $\hat{x}_j$  (derive from one original sample), other  $2(N - 1)$  are treated as negative ones. A pairwise contrastive loss NT-Xent loss [24] is defined as

$$l_{i,j} = -\log \frac{\exp(\text{sim}(\hat{x}_i, \hat{x}_j) / \tau)}{\sum_{k=1}^{2N} \mathbb{I}_{[k \neq i]} \exp(\text{sim}(\hat{x}_i, \hat{x}_k) / \tau)} \quad (17)$$

noted that  $l_{i,j}$  is asymmetrical, and the  $\text{sim}(\cdot, \cdot)$  function here is a cosine similarity function that can normalize the representations. The summed up loss is

$$\mathcal{L} = \frac{1}{2N} \sum_{k=1}^N [l_{2i-1,2i} + l_{2i,2i-1}] \quad (18)$$

SimCLR also provides some other useful techniques, including a learnable nonlinear transformation between the representation and the contrastive loss, more training steps, and deeper neural networks. [26] conducts ablation studies to show that techniques in SimCLR can also further improve MoCo's performance.

More investigation into augmenting positive samples is made in InfoMin [138]. The authors claim that for better augmented views in contrastive learning, we should select those views with less mutual information. In the optimal situation, the views should only share the label information. To produce such optimal views, the authors first propose an unsupervised method to minimize mutual information between views. But this may result in loss of information for predicting labels (such as a pure blank view). Therefore, a semi-supervised method is then proposed to find views sharing only label information. This technique leads to an improve about 2% over MoCo v2.

A more radical step is made by BYOL [48], which discards negative sampling in self-supervised learning but achieve an even better result over InfoMin. For contrastive learning methods we mention above, they learn representations by predicting different views of the same image and cast the prediction problem directly in representation space. However, predicting directly in representation space can lead to collapsed representations, because multi-views are generally *too predictive* for each other. Without negative samples, it would be too easy for the neural networks to distinguish. More discussion about functions of negative samples in contrastive loss are in Section 6.3.2.

In BYOL, researchers argue that negative samples may not be indispensable in this process. They conduct preliminary experiment to show that when we use a fixed randomly initialized network (which prevents collapse) to produce targets for our predictions, though the representations are not very good, it would already be much better than randomly initialized ones. An intuition is to iterating this procedure to achieve progressively better representations. Therefore, they propose an architecture (Figure 12) with exponential moving average strategy to update the target encoder just as MoCo does. Additionally, instead of using cross-entropy loss, they




Fig. 12: The architecture of BYOL [48]. Noted that the online encoder has an additional layer  $q_\theta$  compared to the target one, which gives the representations some flexibility to be improved during the training. Taken from [48]

follow the regression paradigm in which mean square error is used as:

$$\mathcal{L}_\theta^{\text{BYOL}} \triangleq \|\bar{q}_\theta(z_\theta) - \bar{z}_\xi'\|_2^2 = 2 - 2 \cdot \frac{\langle \bar{q}_\theta(z_\theta), \bar{z}_\xi' \rangle}{\|\bar{q}_\theta(z_\theta)\|_2 \cdot \|\bar{z}_\xi'\|_2} \quad (19)$$

This not only leads to a better performance in downstream tasks, but also more robust to batch size. In MoCo and SimCLR, a drop in batch size result in a significant decline in performance. But in BYOL, although batch size still matters, it is far less critical with an experiment showing that a batch size of 512 only causes a drop of 0.3% compared to a batch size of 4096, while SimCLR shows a drop of 1.4%.

In graph learning, Graph Contrastive Coding (GCC) [109] is a pioneer to leverage instance discrimination as the pretext task for structural information pre-training. For each node, we sample two subgraphs independently by random walk with restart and use top eigenvectors from their normalized graph Laplacian matrices as nodes' initial representations. Then we use GNN to encode them and calculate the InfoNCE loss as what MoCo and SimCLR do, where the node embeddings from the same node (in different subgraphs) are viewed as similar. Results show that GCC learns better transferable structural knowledge than previous work such as struc2vec [119], GraphWave [42] and ProNE [166].

### 4.3 Self-supervised Contrastive Pre-training for Semi-supervised Self-training

While contrastive learning based self-supervised learning continues to push the boundaries on various bench marks, labels are still important because there is gap between training objectives of self-supervised learning and supervised learning. In other words, no matter how self-supervised learning models improve, they are still only powerful feature extractor, and to transfer to downstream task we still need abundant labels. And to bridge the gap between self pre-training and downstream task, semi-supervised learning is exactly what we are looking for.

Recall the MoCo [56] that have topped the ImageNet leader-board, although it is proved to be beneficial for many other downstream vision task, it fails to improve COCO object detection task. Some following work [96], [174] investigates into this problem and attribute it to the gap between the instance discrimination objective and object detection objective. In such situation, while pure self-supervised pre-training fail to help, semi-supervised based self-training can contribute a lot to it.

First, we will clarify the definitions of semi-supervised learning and self-training. Semi-supervised learning is an

approach to machine learning that combines a small amount of labeled data with a large amount of unlabeled data during training. Various methods derive from several different assumptions made on the data distribution, with self-training (or self-labeling) being the oldest one. In self-training, a model is trained on the small amount of labeled data and then yield labels on unlabeled data. Only those data with highly confident labels are combined with original labeled data to train a new model. We iterate this procedure to find the best model.

The current state-of-the-art supervised model [154] on ImageNet follows the self-training paradigm, where we first train an EfficientNet model on labeled ImageNet images and use it as a teacher to generate pseudo labels on 300M unlabeled images. We then train a larger EfficientNet as a student model on the combination of labeled and pseudo labeled images. We iterate this process by putting back the student as the teacher. During the generation of the pseudo labels, the teacher is not noised so that the pseudo labels are as accurate as possible. However, during the learning of the student, we inject noise such as dropout, stochastic depth and data augmentation via RandAugment to the student so that the student generalizes better than the teacher.

Notice the success of semi-supervised self-training, it is natural to rethink about its relationship with the self-supervised methods, especially with the successful contrastive pre-trained methods. In Section 4.2.1, we have introduced M3S [?] that attempts to combine cluster-based contrastive pre-training and downstream semi-supervised learning. For computer vision tasks, Zoph et al. [174] study the MoCo pre-training and a self-training method in which a teacher is first trained on downstream dataset (e.g. COCO), and then yield pseudo labels on unlabeled data (e.g. ImageNet) and finally a student learns jointly over real labels on downstream dataset and pseudo labels on unlabeled data. They surprisingly find that in terms of very strong data augmentation, pre-training's performance hurts while self-training still benefit from it. In addition, more labeled data diminishes the value of pre-training, while semi-supervised self-training always improves. They also discover that the improvement from pre-training and self-training are additive, i.e. they contribute to the performance from different perspectives. The model with joint pre-training and self-training is the best.

Chen et al. [23]'s SimCLR v2 supports the aforementioned conclusion by showing that with only 10% of the original ImageNet labels, the ResNet-50 are able to surpass the supervised one with joint pre-training and self-training. They propose a 3-step framework:

- 1) Do self-supervised pre-training as SimCLR v1, with some minor architecture modification and a deeper ResNet.
- 2) Fine-tune the last few layers with only 1% or 10% of original ImageNet labels.
- 3) Use the fine-tuned network as *teacher* to yield labels on unlabeled data to train a smaller *student* ResNet-50.

The success in combining self-supervised contrastive pre-training and semi-supervised self-training open up our eyes for a future data efficient deep learning paradigm. More work is expected for investigating their latent mechanisms.

## 5 GENERATIVE-CONTRASTIVE (ADVERSARIAL) SELF-SUPERVISED LEARNING

### 5.1 Why Generative-Contrastive (Adversarial)?

A reason for the generative model's success in self-supervised learning is its ability to fit the data distribution, based on which varied downstream tasks can be conducted. The objective of generative self-supervised learning is usually formulated as a maximum likelihood function

$$\mathcal{L}_{MLE} = - \sum_x \log p(x|c) \quad (20)$$

where  $x$  is all the samples we hope to model, and  $c$  is a conditional constraint such as context information. This objective is then optimized by the Maximum Likelihood Estimation (MLE). Nevertheless, MLE has two fatal problems:

- 1) **Sensitive and Conservative Distribution.** When  $p(x|c) \rightarrow 0$ ,  $\mathcal{L}_{MLE}$  becomes super large, making generative model extremely sensitive to rare samples. It directly leads to a conservative distribution, which has a low performance.
- 2) **Low-level Abstraction Objective.** In MLE, the representation distribution is modeled at  $x$ 's level, such as pixels in images, words in texts, and nodes in graphs. However, most of the classification tasks target at *high-level abstraction*, such as object detection, long paragraph understanding, and molecule classification.

These two problems severely restrict the development of generative self-supervised learning. Fortunately, discriminative and contrastive objectives can solve this problem because they are designed to serve for human-level understanding. Take autoencoder and GAN [114] as examples, autoencoders leverage a pointwise reconstruction  $l_2$  loss, which may fit pixel-level patterns out of the sample distribution. However, GANs utilize contrastive objectives that distinguish the generated samples from real ones, which fit at the semantic-level to avoid this problem.

In terms of the difference to contrastive learning, adversarial methods still preserve the generator structure consisting of an encoder and a decoder, while the contrastive abandons the decoder component (as shown in Fig. 13). It is critical because, on the one hand, the generator endows adversarial learning with strong expressiveness that is peculiar to generative models; on the other hand, it also makes the objective of adversarial methods far more challenging to learn than that of contrastive methods, leading to unstable convergence. In the adversarial setting, the existence of decoder asks the representation to be "reconstructive," in other words, contains all the necessary information for constructing the inputs. In the contrastive setting, however, we only need to learn "distinguishable" information to discriminate different samples.

To sum up, the adversarial methods absorb merits from both generative and contrastive methods together with some drawbacks. In a situation where we need to fit on an implicit distribution, it is a better choice. In the next several subsections, we will discuss its various applications on representation learning.

### 5.2 Generate with Complete Input

In this section, we introduce GAN and its variants for representation learning, which focus on capturing the complete information of the sample.




Fig. 13: Conceptual comparison between autoencoder, GAN, and contrastive methods. Their architectures can be unified into two general components: the generator and the discriminator, and the generator can be further decomposed into an encoder and a decoder. Different things are: 1) For latent distribution  $z$ : in autoencoder and contrastive methods,  $z$  is explicit, while in GAN, it is implicitly modeled. 2) For discriminator: the autoencoder does not have a discriminator (totally generative), while GAN and contrastive have ones. Contrastive discriminator has comparatively fewer parameters than GAN. 3) Their objectives are different. The autoencoder leverages a generative one, and GAN and contrastive choose the discriminator ones.

The inception of adversarial representation learning should be attributed to Generative Adversarial Networks (GAN) [114], which proposes the adversarial training framework. Follow GAN, many variants [16], [65], [67], [70], [84], [103] emerge and reshape people's understanding of deep learning's potential. The training process of GAN could be viewed as two players play a game; one generates fake samples while another tries to distinguish it from real ones. To formulate this problem, we define  $G$  as the generator,  $D$  as the discriminator,  $p_{data}(x)$  as the real sample distribution,  $p_z(z)$  as the learned latent sample distribution, we want to optimize this min-max game

$$\min_G \max_D \mathbb{E}_{x \sim p_{data}(x)} [\log D(x)] + \mathbb{E}_{z \sim p_z(z)} [\log(1 - D(G(z)))] \quad (21)$$

Before VQ-VAE2, GAN maintains dominating performance on image generation tasks over purely generative models, such as autoregressive PixelCNN and autoencoder VAE. It is natural to think about how this framework could benefit representation learning.

However, there is a gap between generation and representation. Compared to autoencoder's explicit latent sample distribution  $p_z(z)$ , GAN's latent distribution  $p_z(z)$  is implicitly modeled. We need to extract this implicit distribution out. To bridge this gap, AAE [90] first proposes a solution to follow the natural idea of the autoencoder. The generator in GAN could be viewed as an implicit autoencoder. In order to extract the representation out, we can replace the generator with an explicit variational autoencoder (VAE). Recall the objective of VAE

$$\mathcal{L}_{VAE} = -\mathbb{E}_{q(z|x)} (-\log(p(x|z)) + \text{KL}(q(z|x)\|p(z))) \quad (22)$$




Fig. 14: The architecture of BiGAN [40] and ALI [43]. This framework jointly models the generation and encoding. Taken from [40]

As we mentioned before, compared to  $l_2$  loss of autoencoder, discriminative loss in GAN better models the high-level abstraction. To alleviate the problem, AAE substitutes the KL divergence function to a discriminative loss

$$\mathcal{L}_{Disc} = \text{CrossEntropy}(q(z), p(z)) \quad (23)$$

that asks the discriminator to distinguish representation from the encoder and a prior distribution.

However, AAE still preserves the reconstruction error, which contradicts with GAN's core idea. Based on AAE, BiGAN [40] and ALI [43] argue to embrace adversarial learning without reservation and put forward a new framework. Given a real sample  $x$

- Generator  $G$ : the generator here virtually acts as the decoder, generates fake samples  $x' = G(z)$  by  $z$  from a prior latent distribution (e.g.  $[\text{uniform}(-1,1)]^d$ ,  $d$  refers to dimension).
- Encoder  $E$ : a newly added component, mapping real sample  $x$  to representation  $z' = E(x)$ . This is also exactly what we want to train.
- Discriminator  $D$ : given two inputs  $[z, G(z)]$  and  $[E(x), x]$ , decide which one is from the real sample distribution.

It is easy to see that their training goal is  $E = G^{-1}$ , in other words, encoder  $E$  should learn to "convert" generator  $G$ . This goal could be rewritten as a  $l_0$  loss for autoencoder [40], but it is not the same as traditional autoencoder because the distribution does not make any assumption about the data itself. The distribution is shaped by the discriminator, which captures the semantic-level difference. Based on BiGAN and ALI, later studies [27], [41] discover that GAN with deeper and larger networks and modified architectures can produce even better results on downstream task.

### 5.3 Recover with Partial Input

As we mentioned above, GAN's architecture is not born for representation learning, and modification is needed to apply its framework. While BiGAN and ALI choose to extract the implicit distribution directly, some other methods such as colorization [79], [80], [168], [169], inpainting [65], [103] and super-resolution [84] apply the adversarial learning via a different way. Instead of asking models to reconstruct the whole input, they provide models with partial input and ask them to recover the rest parts. This is similar to denoising autoencoder (DAE) such as BERT's family in natural language processing but conducted in an adversarial manner.

Colorization is first proposed by [168]. The problem can be described as given one color channel  $L$  in an image



Fig. 15: Illustration of typical "recovering with partial input" methods: colorization, inpainting and super-resolution. Given the original input on the left, models are asked to recover it with different partial inputs given on the right.

and to predict the value of two other channels  $A, B$ . The encoder and decoder networks can be set to any form of convolutional neural networks. What is interesting is that to avoid the uncertainty brings by traditional generative methods such as VAE, the author transforms the generation task into a classification one. They first figure out the common locating area of  $(A, B)$  and then split it into 313 categories. The classification is performed through a softmax layer with hyper-parameter  $T$  as adjustment. Based on [168], a range of colorization-based representation methods [79], [80], [169] are proposed to benefit downstream tasks.

Inpainting [65], [103] is more straight forward. We will ask the model to predict an arbitrary part of an image given the rest of it. Then a discriminator is employed to distinguish the inpainted image with the original one. Super-resolution method SRGAN [84] follows the same idea to recover high-resolution images from blurred low-resolution ones in the adversarial setting.

### 5.4 Pre-trained Language Model

For a long time, the pre-trained language model (PTM) focuses on maximum likelihood estimation based pretext task, because discriminative objectives are thought to be helpless due to languages' vibrant patterns. However, recently some work shows excellent performance and sheds light on contrastive objectives' potential in PTM.




Fig. 16: The architecture of ELECTRA [28]. It follows GAN's framework but uses a two-stage training paradigm to avoid using policy gradient. The MLM is Masked Language Model.

The pioneering work is ELECTRA [28], surpassing BERT given at the same computation budget. ELECTRA proposes Replaced Token Detection (RTD) and leverages GAN's structure to pre-train a language model. In this setting, the generator  $G$  is a small Masked Language Model (MLM), which replaces masked tokens in a sentence to words. The discriminator  $D$  is asked to predict which words are replaced. Notice that *replaced* means not the same with original unmasked inputs. The training is conducted in two stages:

- 1) Warm-up the generator: train the  $G$  with MLM pretext task  $\mathcal{L}_{\text{MLM}}(\mathbf{x}, \theta_G)$  for some steps to warm up the parameters.
- 2) Trained with the discriminator:  $D$ 's parameters are initialized with  $G$ 's and then trained with the discriminative objective  $\mathcal{L}_{\text{Disc}}(\mathbf{x}, \theta_D)$  (a cross-entropy loss). During this period,  $G$ 's parameter is frozen.

The final objective could be written as

$$\min_{\theta_G, \theta_D} \sum_{\mathbf{x} \in \mathcal{X}} \mathcal{L}_{\text{MLM}}(\mathbf{x}, \theta_G) + \lambda \mathcal{L}_{\text{Disc}}(\mathbf{x}, \theta_D) \quad (24)$$

Though ELECTRA is structured as GAN, it is not trained in the GAN setting. That is because compared to image data, which is continuous, word tokens are discrete, which stops the gradient backpropagation. A possible substitution is to leverage policy gradient, but experiments in ELECTRA show that performance is slightly lower. Theoretically speaking,  $\mathcal{L}_{\text{Disc}}(\mathbf{x}, \theta_D)$  is actually turning the conventional  $k$ -class softmax classification into a binary classification. This substantially saves the computation effort, but may somehow harm the representation quality due to the early degeneration of embedding space. In summary, ELECTRA is still an inspiring pioneer work in leveraging discriminative objective.

At the same time, WKLM [156] proposes to perform RTD at the entity-level. For entities in Wikipedia paragraphs, WKLM replaced them with similar entities and trained the language model to distinguish them in a similar discriminative objective as ELECTRA, performing quite well in downstream tasks like question answering. Similar work is REALM [52], which conducts higher article-level retrieval augmentation to the language model. However, REALM is not using the discriminative objective.

## 5.5 Graph Learning

In graph learning, there are also attempts to utilize adversarial learning ([30], [35], [148]). Interestingly, their ideas are quite different from each other.

The most natural idea is to follow BiGAN [40] and ALI [43]'s practice that asks discriminator to distinguish representation from generated and prior distribution. Adversarial Network Embedding (ANE) [30] designs a generator  $G$  that is updated in two stages: 1)  $G$  encodes sampled graph into target embedding and computes traditional NCE with a context encoder  $F$  like Skip-gram, 2) discriminator  $D$  is asked to distinguish embedding from  $G$  and a sampled one from a prior distribution. The optimized objective is a sum of the above two objectives, and the generator  $G$  could yield better node representation for the classification task.

GraphGAN [148] considers to model the link prediction task and follow the original GAN style discriminative objective to distinguish directly at node-level rather than representation-level. The model first selects nodes from the subgraph of the target node  $v_c$  according to embedding encoded by the generator  $G$ . Then some neighbor nodes to  $v_c$  selected from the subgraph, together with those selected by  $G$ , are put into a binary classifier  $D$  to decide whether they are linked to  $v_c$ . Because this framework involves a discrete selection procedure, while the discriminator  $D$  could be updated by gradient descents, the generator  $G$  is updated via policy gradients.




Fig. 17: The architecture of GraphSGAN [35], which investigates into density gaps in embedding space for classification problems. Taken from [35]

GraphSGAN [35] applies the adversarial method in semi-supervised graph learning with the motivation that most classification errors in the graph are caused by marginal nodes. Consider samples in the same category; they are usually *clustered* in the embedding space. Between clusters, there are *density gaps* where few samples exist. The author provides a rigorous mathematical proof that if we generate enough fake samples in density gaps, we are able to perform complete classification theoretically. During the training, GraphSGAN leverages a generator  $G$  to generate fake nodes in density gaps and asks the discriminator  $D$  to classify nodes into their original categories and a category for those fake ones. In the test period, fake samples are removed, and classification results on original categories could be improved substantially.

## 5.6 Domain Adaptation and Multi-modality Representation

Essentially, the discriminator in adversarial learning serves to match the discrepancy between latent representation distribution and data distribution. This function naturally relates to domain adaptation and multi-modality representation problems, which aim at aligning different representation distribution. [1], [2], [44], [123] studies how GAN can help on domain adaptation. [17], [149] leverage adversarial sampling to improve the negative samples' quality. For multi-modality representation, [172]'s image to image translation, [124]'s text style transfer, [29]'s word to word translation and [121] image to text translation show great power of adversarial representation learning.

## 6 THEORY BEHIND SELF-SUPERVISED LEARNING

In last three sections, we introduce a number of empirical works for self-supervised learning. However, we are also curious about their theoretical foundations. In this part, we will provide some theoretical insights on self-supervised learning's success from different perspectives.

### 6.1 GAN

#### 6.1.1 Divergence Matching

As generative models, GANs [47] pay attention to the difference between real data distribution  $P_{\text{data}}(x)$  and generated data distribution  $P_G(x; \theta)$ :

$$\begin{aligned} \theta^* &= \arg \max_{\theta} \prod_{i=1}^m P_G(x^i; \theta) \\ &\approx \arg \min_{\theta} \text{KL}(P_{\text{data}}(x) || P_G(x; \theta)) \end{aligned} \quad (25)$$

f-GAN [100] shows that the generative-adversarial approach is a special case of an existing more general variational divergence estimation problem, and uses f-divergence to train the generative models. f-divergence reflects the difference of two distributions  $P$  and  $Q$ :

$$\begin{aligned} \mathcal{D}_f(P||Q) &= \mathbb{E}_{q(x)}[f(\frac{p(x)}{q(x)})] \\ &= \max_T (\mathbb{E}_{x \sim p(x)}[T(x)] - \mathbb{E}_{x \sim q(x)}[g(T(x))]) \end{aligned} \quad (26)$$

Replace KL-divergence in (25) with Jensen-Shannon(JS) divergence  $JS = \frac{1}{2}[\mathbb{E}_{p(x)} \log \frac{2p(x)}{p(x)+q(x)} + \mathbb{E}_{q(x)} \log \frac{2q(x)}{p(x)+q(x)}]$  and calculate the replaced one with (26), the optimization target of the minmax GAN is achieved.

$$\min_G \max_D (\mathbb{E}_{P_{data}(x)}[\log D(x)] + \mathbb{E}_{P_G(x;\theta)}[\log(1 - D(x))]) \quad (27)$$

Different divergence functions leads to different GAN variants. [100] also discusses the effects of various choices of divergence functions.

### 6.1.2 Disentangled Representation

An important drawback of supervised learning is that it easily get trapped into spurious information. A famous example is that supervised neural networks learn to distinguish dogs and wolves by whether they are in the grass or snow [120], which means the supervised models do not learn the disentangled representations of the grass and the dog, which should be mutual independent.

As an alternative, GAN show its superior potential in learning disentangled features empirically and theoretically. InfoGAN [25] first proposes to learn disentangled representation with DCGAN. Conventionally, we sample white noise from a uniform or Gaussian distribution as input to generator of GAN. However, this white noise does not make any sense to the characteristics of the image we generated. We assume that there should be a latent code  $c$  whose dimensions represent different characteristics of the image respectively (such as rotation degree and width). We will learn this  $c$  jointly in the discrimination period by the discriminator  $D$ , and maximize  $c$ 's mutual information  $I(c; x)$  with the image  $x = G(z, c)$ , where  $G$  refers to the generator (actually the decoder).

Since mutual information is notoriously hard to compute, the authors leverage the variational inference approach to estimates its lower bound  $L_I(c, x)$ , and the final objective for InfoGAN is modified as:

$$\min_G \max_D V_I(D, G) = V(D, G) - \lambda L_I(c; G(z, c)) \quad (28)$$

Experiments show that InfoGAN surely learns a good disentangled representation on MNIST. This further encourage researchers to identify whether the modular structures for generation inner the GAN could be disentangled and independent with each others. GAN dissection [9] is a pioneer work in applying causal analysis into understanding GAN. They identify the correlations between channels in the convolutional layers and objects in the generated images, and examine whether they are causally-related with the output. [13] takes another step to examine these channels' conditional independence via rigorous counterfactual interventions over




Fig. 18: GAN is able to learn disentangled features and encode them in its modular structure. In [13], researchers show that in GAN the features of cock is disentangled with the features of background. Repainted from [13]

them. Results indicate that in BigGAN researchers are able to disentangle backgrounds and objects, such as replacing the background of a cock from the bare soil with the grassland.

These work indicates the ability of GAN to learn disentangled features and other self-supervised learning methods are likely to be capable too.

## 6.2 Maximizing Lower Bound

### 6.2.1 Evidence Lower Bound

VAE (variational auto-encoder) learns the representation through learning a distribution  $q_\phi(z|x)$  to approximate the posteriori distribution  $p_\theta(z|x)$ ,

$$\text{KL}(q_\phi(z|x)||p_\theta(z|x)) = -\text{ELBO}(\theta; \phi; x) + \log p_\theta(x) \quad (29)$$

$$\text{ELBO} = E_{q_\phi(z|x)}[\log q_\phi(z|x)] - E_{p_\theta}[\log p_\theta(z, x)] \quad (30)$$

where ELBO (Evidence Lower Bound Objective) is the lower bound of the optimization target  $\text{KL}(q_\phi(z|x)||p_\theta(z|x))$ . VAE maximizes the *ELBO* to minimize the difference between  $q_\phi(z|x)$  and  $p_\theta(z|x)$ .

$$\text{ELBO}(\theta; \phi; x) = -\text{KL}(q_\phi(z|x)||p_\theta(z)) + E_{q_\phi}[\log p_\theta(x|z)] \quad (31)$$

where  $\text{KL}(q_\phi(z|x)||p_\theta(z))$  is the regularization loss to approximate the Gaussian Distribution and  $E_{q_\phi}[\log p_\theta(x|z)]$  is the reconstruction loss.

### 6.2.2 Mutual Information

Most of current contrastive learning methods aim to maximize the MI(Mutual Information) of the input and its representation with joint density  $p(x, y)$  and marginal densities  $p(x)$  and  $p(y)$ :

$$\begin{aligned} I(X, Y) &= \mathbb{E}_{p(x,y)}[\log \frac{p(x,y)}{p(y)p(x)}] \\ &= \text{KL}(p(x,y)||p(x)p(y)) \end{aligned} \quad (32)$$

Deep Infomax [59]w maximizes the MI of local and global features and replaces KL-divergence with JS-divergence, which is similar to GAN mentioned above. Therefore the optimization target of Deep Infomax becomes:

$$\max_T (\mathbb{E}_{p(x,y)}[\log(T(x, y))] + \mathbb{E}_{p(x)p(y)}[\log(1 - T(x, y))]) \quad (33)$$

The form of the objective optimization function is similar to (27), except that the data distribution becomes the global and local feature distributions. From a probability point of view, GAN and DeepInfoMax are derived from the same process but for a different learning target. The encoder

in GAN, to an extent, works the same as the encoder in representation learning models. The idea of generative-contrastive learning deserves to be used in self-learning areas.

Instance Discrimination [153] [101] directly optimizes the proportion of gap of positive pairs and negative pairs. One of the commonly used estimators is InfoNCE [101]:

$$\begin{aligned} \mathcal{L} &= \mathbb{E}_X [-\log \frac{\exp(x \cdot y / \tau)}{\sum_{i=0}^K \exp(x \cdot x^- / \tau) + \exp(x \cdot y / \tau)}] \\ &= \mathbb{E}_X [-\log \frac{p(x|y)/p(x)}{p(x|y)/p(x) + \sum_{x^- \in \mathbb{X}^-} p(x^-|y)/p(x^-)}] \\ &\approx \mathbb{E}_X \log[1 + \frac{p(x)}{p(x|y)}(N - 1)\mathbb{E}_{x^-} \frac{p(x^-|y)}{p(x^-)}] \quad (34) \\ &\geq \mathbb{E}_X \log[\frac{p(x)}{p(x|y)} N] \\ &= -I(y, x) + \log(N) \end{aligned}$$

Therefore the MI  $I(x, y) \geq \log(N) - \mathcal{L}$ . The approximation becomes increasingly accurate, and  $I(x, y)$  also increases as  $N$  grows. This implies that it is useful to use large negative samples(large values of  $N$ ). But [4] has demonstrated that increasing the number of negative samples does not necessarily help. Negative sampling remains a key challenge to study.

Though maximizing ELBO and MI has been achieved to obtain the state-of-art result in self-supervised representation learning, it is demonstrated that MI and ELBO are loosely connected with the downstream task performance [73] [140]. Maximizing the lower bound(MI and ELBO) is not sufficient to learn useful representations. On the one hand, looser bounds often yield better test accuracy in downstream tasks. On the other hand, achieving the same lower bound value can lead to vastly different representations and performance on downstream tasks, which indicates that it does not necessarily capture useful information of data [3] [139] [14]. There is a non-trivial interaction between the representation encoder, critic, and loss function [140].

MI maximization can also be analyzed from the metric learning view. [140] provides some insight by connecting InfoNCE to the triplet (k-plet) loss in deep learning community. The InfoNCE (34) can be rewritten as follows:

$$\begin{aligned} I_{NCE} &= \mathbb{E}[\frac{1}{k} \sum_{i=1}^k \log \frac{e^{f(x_i, y_i)}}{\frac{1}{k} \sum_{j=1}^k e^{f(x_i, y_j)}}] \\ &= \log k - \mathbb{E}[\frac{1}{k} \sum_{i=1}^k \log(1 + \sum_{j \neq i} e^{f(x_i, y_j) - f(x_i, y_i)})] \quad (35) \end{aligned}$$

In particular  $f$  is constrained to the form  $f(x, y) = \phi(x)^T \phi(y)$  for a certain function  $\phi$ . Then the InfoNCE is corresponding to the expectation of the *multi-class k-pair* loss:

$$L_{k-pair}(\phi) = \frac{1}{k} \sum_{i=1}^k \log(1 + \sum_{j \neq i} e^{\phi(x_i)^T \phi(y_j) - \phi(x_i)^T \phi(y_i)}) \quad (36)$$

In metric learning, the encoder is shared across views( $\phi(x)$  and  $\phi(y)$ ) and the critic function  $f(x, y) = \phi(x)^T \phi(y)$  is symmetric, while the MI maximization is not constrained by these conditions. (36) can be viewed as learning encoders with a parameter-less inner product.

### 6.3 Contrastive Self-supervised Representation Learning

#### 6.3.1 Relationship with Supervised Learning

Self-supervised learning, as is indicated literally, follows the supervised learning pattern. Empirical evidence shows that contrastive learning for pre-training is especially effective for downstream classification tasks (while this improvement is not obvious on many generation tasks). We want to know how contrastive pre-training benefits supervised learning, especially on whether self-supervised learning could learn more, at least for accuracy, than supervised learning does.




Fig. 19: Three possible assumptions about supervised pre-training v.s. supervised training from scratch. Taken from [96]

Newell et al. [96] examine the three possible assumptions in Figure 19 that pre-training: (a) always provides an improvement, (b) reaches higher accuracy with fewer labels but plateaus to the same accuracy as baseline, (c) converges to baseline performance before accuracy plateaus. They conduct experiment on synthetic COCO by rendering which can provide as many labels as possible and discover that self-supervised pre-training follows the patterns in (c), indicating that self-supervised learning cannot learn more than supervised learning, but can make it with few labels.

Although self-supervised learning cannot help on improving accuracy, there are many other aspects it can learn more, such as model robustness and stability. Hendrycks et al. [58] discovers that self-supervised trained neural networks are much robust to adversarial examples, label corruption, and common input corruptions. What's more, it greatly benefits out-of-distribution detection on difficult, near-distribution outliers, so much so that it exceeds the performance of fully supervised methods.

#### 6.3.2 Understand Contrastive Loss

In [150], Wang et al. conduct interesting theoretical analysis on functions of contrastive loss, and split it into two terms:

$$\begin{aligned} \mathcal{L}_{\text{contrast}} &= \mathbb{E}[-\log \frac{e^{f_x^T f_y / \tau}}{e^{f_x^T f_y / \tau} + \sum_i e^{f_x^T f_{y_i^-} / \tau}}] \\ &= \underbrace{\mathbb{E}[-f_x^T f_y / \tau]}_{\text{alignment}} + \underbrace{\mathbb{E}[\log(e^{f_x^T f_y / \tau} + \sum_i e^{f_x^T f_{y_i^-} / \tau})]}_{\text{uniformity}} \quad (37) \end{aligned}$$

where the first term aims at "alignment" and the second aims at "uniformity" of sample vectors on a sphere given the normalization condition. Experiments show that these two terms have a large agreement with downstream tasks. In

addition, the authors explore to directly optimize *alignment* and *uniformity* loss as:

$$\begin{aligned}\mathcal{L}_{\text{align}}(f; \alpha) &\triangleq \mathbb{E}_{(x,y) \sim p_{\text{pos}}} [\|f(x) - f(y)\|_2^\alpha] \\ \mathcal{L}_{\text{uniform}}(f; t) &\triangleq \log \mathbb{E}_{x,y \sim p_{\text{data}}} [e^{-t \|f(x) - f(y)\|_2^2}]\end{aligned}\quad (38)$$

in a joint additive form. They conduct experiments in wide range of scenarios including using CNN or RNN in computer vision or natural language processing tasks, and discover that direct optimization is consistently better than contrastive loss. Besides, both alignment and uniformity are necessary for a good representation. When one of the weights for these two losses is too large, the representation would collapse.

However, it is doubtful that whether alignment and uniformity are necessarily in the form of upper two losses, because in BYOL [48], the authors display a framework without direct negative sampling but outperform all previous contrastive learning pre-training. This illustrates us that we may still achieve uniformity via other techniques such as exponential moving average, batch normalization, regularization and random initialization.

### 6.3.3 Generalization

It seems intuitive that minimizing the aforementioned loss functions should lead the representations better to capture the "similarity" between different entities, but it is unclear why the learned representations should also lead to better performance on downstream tasks, such as linear classification tasks. Intuitively, a self-supervised representation learning framework must capture the feature in unlabelled data and the similarity with semantic information that is implicitly present in downstream tasks. [4] proposed a conceptual framework to analyze contrastive learning on average classification tasks.

Contrastive learning assumes that similar data pair  $(x, x^+)$  comes from a distribution  $\mathcal{D}_{\text{sim}}$  and negative sample  $(x_1^-, \dots, x_k^-)$  from a distribution  $\mathcal{D}_{\text{neg}}$  that is presumably unrelated to  $x$ . Under the hypothesis that semantically similar points are sampled from the same latent class, the unsupervised loss can be expressed as:

$$\mathcal{L}_{\text{un}}(f) = \mathbb{E}_{\substack{x^+ \sim \mathcal{D}_{\text{sim}} \\ x^- \sim \mathcal{D}_{\text{neg}}}} [l(\{f(x)^T(f(x^+) - f(x^-))\})] \quad (39)$$

The self-supervised learning is to find a function  $\hat{f} \in \arg \min_f \hat{\mathcal{L}}_{\text{un}}(f)$  that minimizes the empirical unsupervised loss within the capacity of the used encoder. As negative points are sampled independently identically from the datasets,  $\mathcal{L}_{\text{un}}$  can be decomposed into  $\tau \mathcal{L}_{\text{un}}^=$  and  $(1 - \tau) \mathcal{L}_{\text{un}}^{\neq}$  according to the latent class the negative sample drawn from. The intraclass deviation  $s(f) \geq c'(\mathcal{L}_{\text{un}}(f) - 1)$  controls the  $\mathcal{L}_{\text{un}}(f)$  and implies the unexpected loss contradictive to our optimization target, which is caused by the negative sampling strategies. Under the context of only 1 negative sample, it is proved that optimizing unsupervised loss benefits the downstream classification tasks:

$$\mathcal{L}_{\text{sup}}(\hat{f}) \leq \mathcal{L}_{\text{sup}}^\mu(\hat{f}) \leq \mathcal{L}_{\text{un}}^{\neq}(f) + \beta s(f) + \eta \text{Gen}_M \quad (40)$$

With probability at least  $1 - \delta$ ,  $f$  is the feature mapping function the encoder can capture,  $\text{Gen}_M$  is the generalization error. When the sampled pair  $M \rightarrow \inf$  and the number of

latent class  $|C| \rightarrow \inf$ ,  $\text{Gen}_M$  and  $\delta \rightarrow 0$ . If the encoder is powerful enough and trained using sufficiently large number of samples, the learned function  $f$  with low  $\mathcal{L}_{\text{un}}^{\neq}$  as well as low  $\beta s(f)$  will have good performance on supervised tasks (low  $\mathcal{L}_{\text{sup}}(\hat{f})$ ).

Contrastive learning also has limitations. In fact, contrastive learning does not always pick the best supervised representation function  $f$ . Minimizing the unsupervised loss to get low  $\mathcal{L}_{\text{sup}}(\hat{f})$  does not mean that  $\hat{f} \approx \tilde{f} = \arg \min_f \mathcal{L}_{\text{sup}}$  because high  $\mathcal{L}_{\text{un}}^{\neq}$  and high  $s(f)$  does not imply high  $\mathcal{L}_{\text{sup}}$ , resulting the failure of the algorithm.

The relationship between  $\mathcal{L}_{\text{sup}}(f)$  and  $\mathcal{L}_{\text{sup}}(\hat{f})$  are further explored on the condition of mean classifier loss  $\mathcal{L}_{\text{sup}}^\mu$ , where  $\mu$  indicates that a label  $c$  only corresponds to a embedding vector  $\mu_c := \mathbb{E}_{x \sim D_c}[f(x)]$ . If there exists a function  $f$  that has intraclass concentration in strong sense and can separate latent classes with high margin(on average) with mean classifier, then  $\mathcal{L}_{\text{sup}}^\mu(\hat{f})$  will be low. If  $f(X)$  is  $\sigma^2 - \text{sub-Gaussian}$  in every direction for every class and has maximum norm  $\mathbf{R} = \max_{x \in \mathcal{X}} \|f(x)\|$ , then  $\mathcal{L}_{\text{sup}}^\mu(\hat{f})$  can be controlled by  $\mathcal{L}_{\text{sup}}^\mu(f)$ .

$$\mathcal{L}_{\text{sup}}^\mu(\hat{f}) \leq \gamma(f) \mathcal{L}_{\gamma(f), \text{sup}}^\mu(f) + \beta s(f) + \eta \text{Gen}_M + \epsilon \quad (41)$$

For all  $\epsilon > 0$  and with the probability at least  $1 - \delta$ ,  $\gamma = 1 + c' \mathbf{R} \sigma \sqrt{\log \frac{\mathbf{R}}{\epsilon}}$ . Under the assumption and context, optimizing the unsupervised loss indeed helps pick the best downstream task supervised loss.

As in the aformentioned models [56] [26], (41) can also be extended to more than one negative samples for every similar pair. Then average loss is

$$L_{\text{sup}}(\hat{f}) := \mathbb{E}_{\Upsilon \sim \mathcal{D}} [\mathcal{L}_{\text{sup}}(\Upsilon, \hat{f})] \quad (42)$$

Besides, the general belief is that increasing the number of negative samples always helps, at the cost of increased computational costs. Noise Contrastive Estimation(NCE) [51] explains that increasing the number of negative samples can provably improve the variance of learning parameters. However, [4] argues that this does not hold for contrastive learning and shows that it can hurt performance when the negative samples exceed a threshold.

Under the assumptions, contradicitive representation learning is theoretically proved to benefit the downstream classification tasks. More detailed proofs can be found in [4]. This connects the "similarity" in unlabelled data with the semantic information in downstream tasks. Though the connection temporarily is only in a restricted context, more generalized research deserves exploration.

## 7 DISCUSSIONS AND FUTURE DIRECTIONS

In this section, we will discuss several open problems and future directions in self-supervised learning for representation.

**Theoretical Foundation** Though self-supervised learning has achieved great success, few works investigate the mechanisms behind it. In Section 6, we list several recent works on this topic and show that theoretical analysis is significant to avoid misleading empirical conclusions.

In [4], researchers present a conceptual framework to analyze the contrastive objective's function in generalization

ability. [140] empirically proves that mutual information is only loosely related to the success of several MI-based methods, in which the sampling strategies and architecture design may count more. This type of works is crucial for self-supervised learning to form a solid foundation, and more work related to theory analysis is urgently needed.

**Transferring to downstream tasks** There is an essential gap between pre-training and downstream tasks. Researchers design elaborate pretext tasks to help models learn some critical features of the dataset that can transfer to other jobs, but sometimes this may fail to realize. Besides, the process of selecting pretext tasks seems to be too heuristic and tricky without patterns to follow.

A typical example is the selection of pre-training tasks in BERT and ALBERT. BERT uses Next Sentence Prediction (NSP) to enhance its ability for sentence-level understanding. However, ALBERT shows that NSP equals to a naive topic model, which is far too easy for language model pre-training and even decrease the performance of BERT.

For the pre-training task selection problem, a probably exciting direction would be to design pre-training tasks for a specific downstream task automatically, just as what Neural Architecture Search [175] does for neural network architecture.

**Transferring across datasets** This problem is also known as how to learn inductive biases or inductive learning. Traditionally, we split a dataset into the training used for learning the model parameters and the testing part for evaluation. An essential prerequisite for this learning paradigm is that data in the real world conforms to the distribution in our dataset. Nevertheless, this assumption frequently fails in experiments.

Self-supervised representation learning solves part of this problem, especially in the field of natural language processing. Vast amounts of corpora used in the language model pre-training help to cover most patterns in language and therefore contribute to the success of PTMs in various language tasks. However, this is based on the fact that text in the same language shares the same embedding space. For other tasks like machine translation and fields like graph learning where embedding spaces are different for different datasets, how to learn the transferable inductive biases efficiently is still an open problem.

**Exploring potential of sampling strategies** In [140], the authors attribute one of the reasons for the success of mutual information-based methods to better sampling strategies. MoCo [56], SimCLR [22], and a series of other contrastive methods may also support this conclusion. They propose to leverage super large amounts of negative samples and augmented positive samples, whose effects are studied in deep metric learning. How to further release the power of sampling is still an unsolved and attractive problem.

**Early Degeneration for Contrastive Learning** Contrastive learning methods such as MoCo [56] and SimCLR [22] is rapidly approaching the performance of supervised learning for computer vision. However, their incredible performances are generally limited to the classification problem. Meanwhile, the generative-contrastive method ELETRA [28] for language model pre-training is also outperforming other

generative methods on several standard NLP benchmarks with fewer model parameters. However, some remarks indicate that ELETRA’s performance on language generation and neural entity extraction is not up to expectations.

Problems above are probably because the contrastive objectives often get trapped into embedding spaces’ early degeneration problem, which means that the model over-fits to the discriminative pretext task too early, and therefore lost the ability to generalize. We expect that there would be techniques or new paradigms to solve the early degeneration problem while preserving contrastive learning’s advantages.

## ACKNOWLEDGMENTS

The work is supported by the National Key R&D Program of China (2018YFB1402600), NSFC for Distinguished Young Scholar (61825602), and NSFC (61836013).

## REFERENCES

- [1] H. Ajakan, P. Germain, H. Larochelle, F. Laviolette, and M. Marc-hand. Domain-adversarial neural networks. *arXiv preprint arXiv:1412.4446*, 2014.
- [2] F. Alam, S. Joty, and M. Imran. Domain adaptation with adversarial training and graph embeddings. *arXiv preprint arXiv:1805.05151*, 2018.
- [3] A. A. Alemi, B. Poole, I. Fischer, J. V. Dillon, R. A. Saurous, and K. Murphy. Fixing a broken elbo. *arXiv preprint arXiv:1711.00464*, 2017.
- [4] S. Arora, H. Khandeparkar, M. Khodak, O. Plevrakis, and N. Saunshi. A theoretical analysis of contrastive unsupervised representation learning. *arXiv preprint arXiv:1902.09229*, 2019.
- [5] A. Asai, K. Hashimoto, H. Hajishirzi, R. Socher, and C. Xiong. Learning to retrieve reasoning paths over wikipedia graph for question answering. *arXiv preprint arXiv:1911.10470*, 2019.
- [6] P. Bachman, R. D. Hjelm, and W. Buchwalter. Learning representations by maximizing mutual information across views. In *NIPS*, pages 15509–15519, 2019.
- [7] Y. Bai, H. Ding, S. Bian, T. Chen, Y. Sun, and W. Wang. Simgrnn: A neural network approach to fast graph similarity computation. In *WSDM*, pages 384–392, 2019.
- [8] D. H. Ballard. Modular learning in neural networks. In *AAAI*, pages 279–284, 1987.
- [9] D. Bau, J.-Y. Zhu, H. Strobelt, B. Zhou, J. B. Tenenbaum, W. T. Freeman, and A. Torralba. Gan dissection: Visualizing and understanding generative adversarial networks. *arXiv preprint arXiv:1811.10597*, 2018.
- [10] Y. Bengio, R. Ducharme, P. Vincent, and C. Jauvin. A neural probabilistic language model. *Journal of machine learning research*, 3(Feb):1137–1155, 2003.
- [11] Y. Bengio, N. Léonard, and A. Courville. Estimating or propagating gradients through stochastic neurons for conditional computation. *arXiv preprint arXiv:1308.3432*, 2013.
- [12] Y. Bengio, P. Y. Simard, and P. Frasconi. Learning long-term dependencies with gradient descent is difficult. *IEEE transactions on neural networks*, 5(2):157–66, 1994.
- [13] M. Besserve, R. Sun, and B. Schölkopf. Counterfactuals uncover the modular structure of deep generative models. *arXiv preprint arXiv:1812.03253*, 2018.
- [14] Y. Blau and T. Michaeli. Rethinking lossy compression: The rate-distortion-perception tradeoff. *arXiv preprint arXiv:1901.07821*, 2019.
- [15] P. Bojanowski, E. Grave, A. Joulin, and T. Mikolov. Enriching word vectors with subword information. *Transactions of the Association for Computational Linguistics*, 5:135–146, 2017.
- [16] A. Brock, J. Donahue, and K. Simonyan. Large scale gan training for high fidelity natural image synthesis. *arXiv preprint arXiv:1809.11096*, 2018.
- [17] L. Cai and W. Y. Wang. Kbgan: Adversarial learning for knowledge graph embeddings. *arXiv preprint arXiv:1711.04071*, 2017.
- [18] S. Cao, W. Lu, and Q. Xu. Grarep: Learning graph representations with global structural information. In *CIKM ’15*, 2015.

- [19] S. Cao, W. Lu, and Q. Xu. Deep neural networks for learning graph representations. In *AAAI*, 2016.
- [20] M. Caron, P. Bojanowski, A. Joulin, and M. Douze. Deep clustering for unsupervised learning of visual features. In *Proceedings of the ECCV (ECCV)*, pages 132–149, 2018.
- [21] H. Chen, B. Perozzi, Y. Hu, and S. Skiena. Harp: Hierarchical representation learning for networks. In *AAAI*, 2018.
- [22] T. Chen, S. Kornblith, M. Norouzi, and G. Hinton. A simple framework for contrastive learning of visual representations. *arXiv preprint arXiv:2002.05709*, 2020.
- [23] T. Chen, S. Kornblith, K. Swersky, M. Norouzi, and G. Hinton. Big self-supervised models are strong semi-supervised learners. *arXiv preprint arXiv:2006.10029*, 2020.
- [24] T. Chen, Y. Sun, Y. Shi, and L. Hong. On sampling strategies for neural network-based collaborative filtering. In *SIGKDD*, pages 767–776, 2017.
- [25] X. Chen, Y. Duan, R. Houthooft, J. Schulman, I. Sutskever, and P. Abbeel. Infogan: Interpretable representation learning by information maximizing generative adversarial nets. In *NIPS*, pages 2172–2180, 2016.
- [26] X. Chen, H. Fan, R. Girshick, and K. He. Improved baselines with momentum contrastive learning. *arXiv preprint arXiv:2003.04297*, 2020.
- [27] L. Chongxuan, T. Xu, J. Zhu, and B. Zhang. Triple generative adversarial nets. In *NIPS*, pages 4088–4098, 2017.
- [28] K. Clark, M.-T. Luong, Q. V. Le, and C. D. Manning. Electra: Pre-training text encoders as discriminators rather than generators. *arXiv preprint arXiv:2003.10555*, 2020.
- [29] A. Conneau, G. Lample, M. Ranzato, L. Denoyer, and H. Jégou. Word translation without parallel data. *arXiv preprint arXiv:1710.04087*, 2017.
- [30] Q. Dai, Q. Li, J. Tang, and D. Wang. Adversarial network embedding. In *AAAI*, 2018.
- [31] Z. Dai, Z. Yang, Y. Yang, J. G. Carbonell, Q. Le, and R. Salakhutdinov. Transformer-xl: Attentive language models beyond a fixed-length context. In *Proceedings of the 57th Annual Meeting of the Association for Computational Linguistics*, pages 2978–2988, 2019.
- [32] V. R. de Sa. Learning classification with unlabeled data. In *NIPS*, pages 112–119, 1994.
- [33] J. Deng, W. Dong, R. Socher, L.-J. Li, K. Li, and L. Fei-Fei. Imagenet: A large-scale hierarchical image database. In *CVPR*, pages 248–255. Ieee, 2009.
- [34] J. Devlin, M.-W. Chang, K. Lee, and K. Toutanova. Bert: Pre-training of deep bidirectional transformers for language understanding. In *Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 1 (Long and Short Papers)*, pages 4171–4186, 2019.
- [35] M. Ding, J. Tang, and J. Zhang. Semi-supervised learning on graphs with generative adversarial nets. In *Proceedings of the 27th ACM CIKM*, pages 913–922, 2018.
- [36] M. Ding, C. Zhou, Q. Chen, H. Yang, and J. Tang. Cognitive graph for multi-hop reading comprehension at scale. *arXiv preprint arXiv:1905.05460*, 2019.
- [37] L. Dinh, D. Krueger, and Y. Bengio. Nice: Non-linear independent components estimation. *arXiv preprint arXiv:1410.8516*, 2014.
- [38] L. Dinh, J. Sohl-Dickstein, and S. Bengio. Density estimation using real nvp. *arXiv preprint arXiv:1605.08803*, 2016.
- [39] C. Doersch, A. Gupta, and A. A. Efros. Unsupervised visual representation learning by context prediction. In *Proceedings of the IEEE ICCV*, pages 1422–1430, 2015.
- [40] J. Donahue, P. Krähenbühl, and T. Darrell. Adversarial feature learning. *arXiv preprint arXiv:1605.09782*, 2016.
- [41] J. Donahue and K. Simonyan. Large scale adversarial representation learning. In *NIPS*, pages 10541–10551, 2019.
- [42] C. Donnat, M. Zitnik, D. Hallac, and J. Leskovec. Learning structural node embeddings via diffusion wavelets. In *SIGKDD*, pages 1320–1329, 2018.
- [43] V. Dumoulin, I. Belghazi, B. Poole, O. Mastropietro, A. Lamb, M. Arjovsky, and A. Courville. Adversarially learned inference. *arXiv preprint arXiv:1606.00704*, 2016.
- [44] Y. Ganin, E. Ustinova, H. Ajakan, P. Germain, H. Larochelle, F. Laviolette, M. Marchand, and V. Lempitsky. Domain-adversarial training of neural networks. *The Journal of Machine Learning Research*, 17(1):2096–2030, 2016.
- [45] S. Gidaris, P. Singh, and N. Komodakis. Unsupervised representation learning by predicting image rotations. *arXiv preprint arXiv:1803.07728*, 2018.
- [46] R. Girshick, J. Donahue, T. Darrell, and J. Malik. Rich feature hierarchies for accurate object detection and semantic segmentation. In *CVPR*, pages 580–587, 2014.
- [47] I. Goodfellow, J. Pouget-Abadie, M. Mirza, B. Xu, D. Warde-Farley, S. Ozair, A. Courville, and Y. Bengio. Generative adversarial nets. In *NIPS*, pages 2672–2680, 2014.
- [48] J.-B. Grill, F. Strub, F. Altché, C. Tallec, P. H. Richemond, E. Buchatskaya, C. Doersch, B. A. Pires, Z. D. Guo, M. G. Azar, et al. Bootstrap your own latent: A new approach to self-supervised learning. *arXiv preprint arXiv:2006.07733*, 2020.
- [49] A. Grover and J. Leskovec. node2vec: Scalable feature learning for networks. In *SIGKDD*, pages 855–864, 2016.
- [50] A. Grover, A. Zweig, and S. Ermon. Graphite: Iterative generative modeling of graphs. In *ICML*, 2018.
- [51] M. Gutmann and A. Hyvärinen. Noise-contrastive estimation: A new estimation principle for unnormalized statistical models. In *Proceedings of the Thirteenth International Conference on Artificial Intelligence and Statistics*, pages 297–304, 2010.
- [52] K. Guu, K. Lee, Z. Tung, P. Pasupat, and M.-W. Chang. Realm: Retrieval-augmented language model pre-training. *arXiv preprint arXiv:2002.08909*, 2020.
- [53] W. L. Hamilton, R. Ying, and J. Leskovec. Representation learning on graphs: Methods and applications. *IEEE Data Eng. Bull.*, 40:52–74, 2017.
- [54] W. L. Hamilton, Z. Ying, and J. Leskovec. Inductive representation learning on large graphs. In *NIPS*, 2017.
- [55] K. Hassani and A. H. Khasahmadi. Contrastive multi-view representation learning on graphs. *arXiv preprint arXiv:2006.05582*, 2020.
- [56] K. He, H. Fan, Y. Wu, S. Xie, and R. Girshick. Momentum contrast for unsupervised visual representation learning. *arXiv preprint arXiv:1911.05722*, 2019.
- [57] K. He, X. Zhang, S. Ren, and J. Sun. Deep residual learning for image recognition. In *CVPR*, pages 770–778, 2016.
- [58] D. Hendrycks, M. Mazeika, S. Kadavath, and D. Song. Using self-supervised learning can improve model robustness and uncertainty. In *NeurIPS*, pages 15663–15674, 2019.
- [59] R. D. Hjelm, A. Fedorov, S. Lavoie-Marchildon, K. Grewal, P. Bachman, A. Trischler, and Y. Bengio. Learning deep representations by mutual information estimation and maximization. *arXiv preprint arXiv:1808.06670*, 2018.
- [60] J. Ho, X. Chen, A. Srinivas, Y. Duan, and P. Abbeel. Flow++: Improving flow-based generative models with variational dequantization and architecture design. In *ICML*, pages 2722–2730, 2019.
- [61] W. Hu, B. Liu, J. Gomes, M. Zitnik, P. Liang, V. Pande, and J. Leskovec. Strategies for pre-training graph neural networks. In *ICLR*, 2019.
- [62] Z. Hu, Y. Dong, K. Wang, K.-W. Chang, and Y. Sun. Gpt-gnn: Generative pre-training of graph neural networks. *arXiv preprint arXiv:2006.15437*, 2020.
- [63] Z. Hu, Y. Dong, K. Wang, and Y. Sun. Heterogeneous graph transformer. *arXiv preprint arXiv:2003.01332*, 2020.
- [64] G. Huang, Z. Liu, and K. Q. Weinberger. Densely connected convolutional networks. *2017 IEEE CVPR*, pages 2261–2269, 2017.
- [65] S. Iizuka, E. Simo-Serra, and H. Ishikawa. Globally and locally consistent image completion. *ACM Transactions on Graphics (ToG)*, 36(4):1–14, 2017.
- [66] S. Ioffe and C. Szegedy. Batch normalization: Accelerating deep network training by reducing internal covariate shift. *ArXiv*, abs/1502.03167, 2015.
- [67] P. Isola, J.-Y. Zhu, T. Zhou, and A. A. Efros. Image-to-image translation with conditional adversarial networks. In *CVPR*, pages 1125–1134, 2017.
- [68] L. Jing and Y. Tian. Self-supervised visual feature learning with deep neural networks: A survey. *arXiv preprint arXiv:1902.06162*, 2019.
- [69] M. Joshi, D. Chen, Y. Liu, D. S. Weld, L. Zettlemoyer, and O. Levy. Spanbert: Improving pre-training by representing and predicting spans. *Transactions of the Association for Computational Linguistics*, 8:64–77, 2020.
- [70] T. Karras, S. Laine, and T. Aila. A style-based generator architecture for generative adversarial networks. In *CVPR*, pages 4401–4410, 2019.

- [71] D. Kim, D. Cho, D. Yoo, and I. S. Kweon. Learning image representations by completing damaged jigsaw puzzles. In *2018 IEEE Winter Conference on Applications of Computer Vision (WACV)*, pages 793–802. IEEE, 2018.
- [72] D. P. Kingma and P. Dhariwal. Glow: Generative flow with invertible 1x1 convolutions. In *NIPS*, pages 10215–10224, 2018.
- [73] D. P. Kingma and M. Welling. Auto-encoding variational bayes. *arXiv preprint arXiv:1312.6114*, 2013.
- [74] T. N. Kipf and M. Welling. Semi-supervised classification with graph convolutional networks. *arXiv preprint arXiv:1609.02907*, 2016.
- [75] T. N. Kipf and M. Welling. Variational graph auto-encoders. *arXiv preprint arXiv:1611.07308*, 2016.
- [76] L. Kong, C. d. M. d’Autume, W. Ling, L. Yu, Z. Dai, and D. Yogatama. A mutual information maximization perspective of language representation learning. *arXiv preprint arXiv:1910.08350*, 2019.
- [77] A. Krizhevsky, I. Sutskever, and G. E. Hinton. Imagenet classification with deep convolutional neural networks. In *NIPS*, pages 1097–1105, 2012.
- [78] Z. Lan, M. Chen, S. Goodman, K. Gimpel, P. Sharma, and R. Soricut. Albert: A lite bert for self-supervised learning of language representations. *arXiv preprint arXiv:1909.11942*, 2019.
- [79] G. Larsson, M. Maire, and G. Shakhnarovich. Learning representations for automatic colorization. In *ECCV*, pages 577–593. Springer, 2016.
- [80] G. Larsson, M. Maire, and G. Shakhnarovich. Colorization as a proxy task for visual understanding. In *CVPR*, pages 6874–6883, 2017.
- [81] Y. LeCun, Y. Bengio, and G. Hinton. Deep learning. *nature*, 521(7553):436–444, 2015.
- [82] Y. LeCun, B. Boser, J. S. Denker, D. Henderson, R. E. Howard, W. Hubbard, and L. D. Jackel. Backpropagation applied to handwritten zip code recognition. *Neural Comput.*, 1(4):541551, Dec. 1989.
- [83] Y. LeCun, L. Bottou, G. B. Orr, and K.-R. Müller. Efficient backprop. In *Neural Networks: Tricks of the Trade, This Book is an Outgrowth of a 1996 NIPS Workshop*, page 950, Berlin, Heidelberg, 1998. Springer-Verlag.
- [84] C. Ledig, L. Theis, F. Huszár, J. Caballero, A. Cunningham, A. Acosta, A. Aitken, A. Tejani, J. Totz, Z. Wang, et al. Photo-realistic single image super-resolution using a generative adversarial network. In *CVPR*, pages 4681–4690, 2017.
- [85] D. Li, W.-C. Hung, J.-B. Huang, S. Wang, N. Ahuja, and M.-H. Yang. Unsupervised visual representation learning by graph-based consistent constraints. In *ECCV*, pages 678–694. Springer, 2016.
- [86] R. Li, S. Wang, F. Zhu, and J. Huang. Adaptive graph convolutional neural networks. *ArXiv*, abs/1801.03226, 2018.
- [87] B. Liu. Sentiment analysis and opinion mining. *Synthesis lectures on human language technologies*, 5(1):1–167, 2012.
- [88] Y. Liu, M. Ott, N. Goyal, J. Du, M. Joshi, D. Chen, O. Levy, M. Lewis, L. Zettlemoyer, and V. Stoyanov. Roberta: A robustly optimized bert pretraining approach. *arXiv preprint arXiv:1907.11692*, 2019.
- [89] J. Long, E. Shelhamer, and T. Darrell. Fully convolutional networks for semantic segmentation. In *CVPR*, pages 3431–3440, 2015.
- [90] A. Makhzani, J. Shlens, N. Jaitly, I. Goodfellow, and B. Frey. Adversarial autoencoders. *arXiv preprint arXiv:1511.05644*, 2015.
- [91] M. Mathieu. Masked autoencoder for distribution estimation. 2015.
- [92] T. Mikolov, K. Chen, G. S. Corrado, and J. Dean. Efficient estimation of word representations in vector space. *CoRR*, abs/1301.3781, 2013.
- [93] T. Mikolov, I. Sutskever, K. Chen, G. S. Corrado, and J. Dean. Distributed representations of words and phrases and their compositionality. In *NIPS’13*, pages 3111–3119, 2013.
- [94] I. Misra and L. van der Maaten. Self-supervised learning of pretext-invariant representations. *arXiv preprint arXiv:1912.01991*, 2019.
- [95] V. Nair and G. E. Hinton. Rectified linear units improve restricted boltzmann machines. In *ICML*, 2010.
- [96] A. Newell and J. Deng. How useful is self-supervised pretraining for visual tasks? In *CVPR*, pages 7345–7354, 2020.
- [97] A. Ng et al. Sparse autoencoder. *CS294A Lecture notes*, 72(2011):1–19, 2011.
- [98] M. Noroozi and P. Favaro. Unsupervised learning of visual representations by solving jigsaw puzzles. In *ECCV*, pages 69–84. Springer, 2016.
- [99] M. Noroozi, A. Vinjimoor, P. Favaro, and H. Pirsiavash. Boosting self-supervised learning via knowledge transfer. In *CVPR*, pages 9359–9367, 2018.
- [100] S. Nowozin, B. Cseke, and R. Tomioka. f-gan: Training generative neural samplers using variational divergence minimization. In *NIPS*, pages 271–279, 2016.
- [101] A. v. d. Oord, Y. Li, and O. Vinyals. Representation learning with contrastive predictive coding. *arXiv preprint arXiv:1807.03748*, 2018.
- [102] M. Ou, P. Cui, J. Pei, Z. Zhang, and W. Zhu. Asymmetric transitivity preserving graph embedding. In *KDD ’16*, 2016.
- [103] D. Pathak, P. Krahenbuhl, J. Donahue, T. Darrell, and A. A. Efros. Context encoders: Feature learning by inpainting. In *CVPR*, pages 2536–2544, 2016.
- [104] Z. Peng, Y. Dong, M. Luo, X. ming Wu, and Q. Zheng. Self-supervised graph representation learning via global context prediction. *ArXiv*, abs/2003.01604, 2020.
- [105] Z. Peng, Y. Dong, M. Luo, X.-M. Wu, and Q. Zheng. Self-supervised graph representation learning via global context prediction. *arXiv preprint arXiv:2003.01604*, 2020.
- [106] B. Perozzi, R. Al-Rfou, and S. Skiena. Deepwalk: Online learning of social representations. In *SIGKDD*, pages 701–710, 2014.
- [107] M. E. Peters, M. Neumann, M. Iyyer, M. Gardner, C. Clark, K. Lee, and L. Zettlemoyer. Deep contextualized word representations. *arXiv preprint arXiv:1802.05365*, 2018.
- [108] M. Popova, M. Shvets, J. Oliva, and O. Isayev. Molecularrnn: Generating realistic molecular graphs with optimized properties. *arXiv preprint arXiv:1905.13372*, 2019.
- [109] J. Qiu, Q. Chen, Y. Dong, J. Zhang, H. Yang, M. Ding, K. Wang, and J. Tang. Gcc: Graph contrastive coding for graph neural network pre-training. *arXiv preprint arXiv:2006.09963*, 2020.
- [110] J. Qiu, Y. Dong, H. Ma, J. Li, K. Wang, and J. Tang. Network embedding as matrix factorization: Unifying deepwalk, line, pte, and node2vec. In *WSDM ’18*, 2018.
- [111] J. Qiu, Y. Dong, H. Ma, J. Li, K. Wang, and J. Tang. Network embedding as matrix factorization: Unifying deepwalk, line, pte, and node2vec. In *WSDM*, pages 459–467, 2018.
- [112] J. Qiu, J. Tang, H. Ma, Y. Dong, K. Wang, and J. Tang. Deepinf: Social influence prediction with deep learning. In *KDD’18*, pages 2110–2119. ACM, 2018.
- [113] X. Qiu, T. Sun, Y. Xu, Y. Shao, N. Dai, and X. Huang. Pre-trained models for natural language processing: A survey. *arXiv preprint arXiv:2003.08271*, 2020.
- [114] A. Radford, L. Metz, and S. Chintala. Unsupervised representation learning with deep convolutional generative adversarial networks. *arXiv preprint arXiv:1511.06434*, 2015.
- [115] A. Radford, K. Narasimhan, T. Salimans, and I. Sutskever. Improving language understanding by generative pre-training.
- [116] A. Radford, J. Wu, R. Child, D. Luan, D. Amodei, and I. Sutskever. Language models are unsupervised multitask learners. *OpenAI Blog*, 1(8):9, 2019.
- [117] P. Rajpurkar, J. Zhang, K. Lopyrev, and P. Liang. Squad: 100,000+ questions for machine comprehension of text. *arXiv preprint arXiv:1606.05250*, 2016.
- [118] A. Razavi, A. van den Oord, and O. Vinyals. Generating diverse high-fidelity images with vq-vae-2. In *NIPS*, pages 14837–14847, 2019.
- [119] L. F. Ribeiro, P. H. Saverese, and D. R. Figueiredo. struc2vec: Learning node representations from structural identity. In *SIGKDD*, pages 385–394, 2017.
- [120] M. T. Ribeiro, S. Singh, and C. Guestrin. “ why should i trust you?” explaining the predictions of any classifier. In *SIGKDD*, pages 1135–1144, 2016.
- [121] N. Sarafianos, X. Xu, and I. A. Kakadiaris. Adversarial representation learning for text-to-image matching. In *Proceedings of the IEEE ICCV*, pages 5814–5824, 2019.
- [122] A. M. Saxe, J. L. McClelland, and S. Ganguli. Exact solutions to the nonlinear dynamics of learning in deep linear neural networks. *CoRR*, abs/1312.6120, 2013.
- [123] J. Shen, Y. Qu, W. Zhang, and Y. Yu. Adversarial representation learning for domain adaptation. *stat*, 1050:5, 2017.
- [124] T. Shen, T. Lei, R. Barzilay, and T. Jaakkola. Style transfer from non-parallel text by cross-alignment. In *NIPS*, pages 6830–6841, 2017.

- [125] C. Shi, M. Xu, Z. Zhu, W. Zhang, M. Zhang, and J. Tang. Graphaf: a flow-based autoregressive model for molecular graph generation. *arXiv preprint arXiv:2001.09382*, 2020.
- [126] K. Simonyan and A. Zisserman. Very deep convolutional networks for large-scale image recognition. *arXiv preprint arXiv:1409.1556*, 2014.
- [127] A. Sinha, Z. Shen, Y. Song, H. Ma, D. Eide, B.-j. P. Hsu, and K. Wang. An overview of microsoft academic service (mas) and applications. In *WWW’15*, pages 243–246, 2015.
- [128] P. Smolensky. Information processing in dynamical systems: Foundations of harmony theory. Technical report, Colorado Univ at Boulder Dept of Computer Science, 1986.
- [129] F.-Y. Sun, J. Hoffmann, and J. Tang. Infograph: Unsupervised and semi-supervised graph-level representation learning via mutual information maximization. *arXiv preprint arXiv:1908.01000*, 2019.
- [130] F.-Y. Sun, M. Qu, J. Hoffmann, C.-W. Huang, and J. Tang. vgraph: A generative model for joint community detection and node representation learning. In *NIPS*, pages 512–522, 2019.
- [131] K. Sun, Z. Zhu, and Z. Lin. Multi-stage self-supervised learning for graph convolutional networks. *arXiv preprint arXiv:1902.11038*, 2019.
- [132] Y. Sun, S. Wang, Y. Li, S. Feng, X. Chen, H. Zhang, X. Tian, D. Zhu, H. Tian, and H. Wu. Ernie: Enhanced representation through knowledge integration. *arXiv preprint arXiv:1904.09223*, 2019.
- [133] C. Szegedy, W. Liu, Y. Jia, P. Sermanet, S. Reed, D. Anguelov, D. Erhan, V. Vanhoucke, and A. Rabinovich. Going deeper with convolutions. *2015 IEEE CVPR*, pages 1–9, 2015.
- [134] J. Tang, M. Qu, M. Wang, M. Zhang, J. Yan, and Q. Mei. Line: Large-scale information network embedding. In *WWW’15*, pages 1067–1077, 2015.
- [135] J. Tang, J. Zhang, L. Yao, J. Li, L. Zhang, and Z. Su. Arnetminer: extraction and mining of academic social networks. In *Proceedings of the 14th ACM SIGKDD international conference on Knowledge discovery and data mining*, pages 990–998, 2008.
- [136] W. L. Taylor. cloze procedure: A new tool for measuring readability. *Journalism quarterly*, 30(4):415–433, 1953.
- [137] Y. Tian, D. Krishnan, and P. Isola. Contrastive multiview coding. *arXiv preprint arXiv:1906.05849*, 2019.
- [138] Y. Tian, C. Sun, B. Poole, D. Krishnan, C. Schmid, and P. Isola. What makes for good views for contrastive learning. *arXiv preprint arXiv:2005.10243*, 2020.
- [139] M. Tschannen, O. Bachem, and M. Lucic. Recent advances in autoencoder-based representation learning. *arXiv preprint arXiv:1812.05069*, 2018.
- [140] M. Tschannen, J. Djolonga, P. K. Rubenstein, S. Gelly, and M. Lucic. On mutual information maximization for representation learning. *arXiv preprint arXiv:1907.13625*, 2019.
- [141] A. van den Oord, S. Dieleman, H. Zen, K. Simonyan, O. Vinyals, A. Graves, N. Kalchbrenner, A. Senior, and K. Kavukcuoglu. Wavenet: A generative model for raw audio. In *9th ISCA Speech Synthesis Workshop*, pages 125–125.
- [142] A. Van den Oord, N. Kalchbrenner, L. Espeholt, O. Vinyals, A. Graves, et al. Conditional image generation with pixelcnn decoders. In *NIPS*, pages 4790–4798, 2016.
- [143] A. van den Oord, O. Vinyals, et al. Neural discrete representation learning. In *NIPS*, pages 6306–6315, 2017.
- [144] A. Van Oord, N. Kalchbrenner, and K. Kavukcuoglu. Pixel recurrent neural networks. In *ICML*, pages 1747–1756, 2016.
- [145] A. Vaswani, N. Shazeer, N. Parmar, J. Uszkoreit, L. Jones, A. N. Gomez, Ł. Kaiser, and I. Polosukhin. Attention is all you need. In *NIPS*, pages 5998–6008, 2017.
- [146] P. Veličković, G. Cucurull, A. Casanova, A. Romero, P. Lio, and Y. Bengio. Graph attention networks. *arXiv preprint arXiv:1710.10903*, 2017.
- [147] P. Veličković, W. Fedus, W. L. Hamilton, P. Liò, Y. Bengio, and R. D. Hjelm. Deep graph infomax. *arXiv preprint arXiv:1809.10341*, 2018.
- [148] H. Wang, J. Wang, J. Wang, M. Zhao, W. Zhang, F. Zhang, X. Xie, and M. Guo. Graphgan: Graph representation learning with generative adversarial nets. In *AAAI*, 2018.
- [149] P. Wang, S. Li, and R. Pan. Incorporating gan for negative sampling in knowledge representation learning. In *AAAI*, 2018.
- [150] T. Wang and P. Isola. Understanding contrastive representation learning through alignment and uniformity on the hypersphere. *arXiv preprint arXiv:2005.10242*, 2020.
- [151] Z. Wang, Q. She, and T. E. Ward. Generative adversarial networks: A survey and taxonomy. *arXiv preprint arXiv:1906.01529*, 2019.
- [152] C. Wei, L. Xie, X. Ren, Y. Xia, C. Su, J. Liu, Q. Tian, and A. L. Yuille. Iterative reorganization with weak spatial constraints: Solving arbitrary jigsaw puzzles for unsupervised representation learning. In *CVPR*, pages 1910–1919, 2019.
- [153] Z. Wu, Y. Xiong, S. X. Yu, and D. Lin. Unsupervised feature learning via non-parametric instance discrimination. In *CVPR*, pages 3733–3742, 2018.
- [154] Q. Xie, M.-T. Luong, E. Hovy, and Q. V. Le. Self-training with noisy student improves imagenet classification. In *CVPR*, pages 10687–10698, 2020.
- [155] S. Xie, R. B. Girshick, P. Dollár, Z. Tu, and K. He. Aggregated residual transformations for deep neural networks. *2017 IEEE CVPR*, pages 5987–5995, 2017.
- [156] W. Xiong, J. Du, W. Y. Wang, and V. Stoyanov. Pretrained encyclopedia: Weakly supervised knowledge-pretrained language model. *arXiv preprint arXiv:1912.09637*, 2019.
- [157] X. Yan, I. Misra, A. Gupta, D. Ghadiyaram, and D. Mahajan. Clusterfit: Improving generalization of visual representations. *arXiv preprint arXiv:1912.03330*, 2019.
- [158] J. Yang, D. Parikh, and D. Batra. Joint unsupervised learning of deep representations and image clusters. In *CVPR*, pages 5147–5156, 2016.
- [159] Z. Yang, Z. Dai, Y. Yang, J. Carbonell, R. R. Salakhutdinov, and Q. V. Le. Xlnet: Generalized autoregressive pretraining for language understanding. In *NIPS*, pages 5754–5764, 2019.
- [160] Z. Yang, P. Qi, S. Zhang, Y. Bengio, W. W. Cohen, R. Salakhutdinov, and C. D. Manning. Hotpotqa: A dataset for diverse, explainable multi-hop question answering. *arXiv preprint arXiv:1809.09600*, 2018.
- [161] J. You, B. Liu, Z. Ying, V. Pande, and J. Leskovec. Graph convolutional policy network for goal-directed molecular graph generation. In *NIPS*, pages 6410–6421, 2018.
- [162] J. You, R. Ying, X. Ren, W. Hamilton, and J. Leskovec. Graphrnn: Generating realistic graphs with deep auto-regressive models. In *ICML*, pages 5708–5717, 2018.
- [163] Y. You, T. Chen, Z. Wang, and Y. Shen. When does self-supervision help graph convolutional networks? *arXiv preprint arXiv:2006.09136*, 2020.
- [164] S. Zagoruyko and N. Komodakis. Wide residual networks. *ArXiv*, abs/1605.07146, 2016.
- [165] F. Zhang, X. Liu, J. Tang, Y. Dong, P. Yao, J. Zhang, X. Gu, Y. Wang, B. Shao, R. Li, and K. Wang. Oag: Toward linking large-scale heterogeneous entity graphs. In *KDD’19*, pages 2585–2595, 2019.
- [166] J. Zhang, Y. Dong, Y. Wang, J. Tang, and M. Ding. Prone: fast and scalable network representation learning. In *IJCAI*, pages 4278–4284, 2019.
- [167] M. Zhang, Z. Cui, M. Neumann, and Y. Chen. An end-to-end deep learning architecture for graph classification. In *AAAI*, 2018.
- [168] R. Zhang, P. Isola, and A. A. Efros. Colorful image colorization. In *ECCV*, pages 649–666. Springer, 2016.
- [169] R. Zhang, P. Isola, and A. A. Efros. Split-brain autoencoders: Unsupervised learning by cross-channel prediction. In *CVPR*, pages 1058–1067, 2017.
- [170] Z. Zhang, X. Han, Z. Liu, X. Jiang, M. Sun, and Q. Liu. Ernie: Enhanced language representation with informative entities. *arXiv preprint arXiv:1905.07129*, 2019.
- [171] D. Zhu, P. Cui, D. Wang, and W. Zhu. Deep variational network embedding in wasserstein space. In *SIGKDD*, pages 2827–2836, 2018.
- [172] J.-Y. Zhu, R. Zhang, D. Pathak, T. Darrell, A. A. Efros, O. Wang, and E. Shechtman. Toward multimodal image-to-image translation. In *NIPS*, pages 465–476, 2017.
- [173] C. Zhuang, A. L. Zhai, and D. Yamins. Local aggregation for unsupervised learning of visual embeddings. In *Proceedings of the IEEE ICCV*, pages 6002–6012, 2019.
- [174] B. Zoph, G. Ghiasi, T.-Y. Lin, Y. Cui, H. Liu, E. D. Cubuk, and Q. V. Le. Rethinking pre-training and self-training. *arXiv preprint arXiv:2006.06882*, 2020.
- [175] B. Zoph and Q. V. Le. Neural architecture search with reinforcement learning. *arXiv preprint arXiv:1611.01578*, 2016.

## REVISION HISTORY

- v2/v3 (June 2020): correct several typos and mistakes.
- v4 (July 2020): add papers newly published; add a new theoretical analysis part for contrastive objective;

add semi-supervised self-training's connection with self-supervised contrastive learning.



**Xiao Liu** is a senior undergraduate student with the Department of Computer Science and Technology, Tsinghua University. His main research interests include data mining, machine learning and knowledge graph. He has published a paper on KDD.



**Fanjin Zhang** is a PhD candidate in the Department of Computer Science and Technology, Tsinghua University. She got her bachelor degree from the Department of Computer Science and Technology, Nanjing University. Her research interests include data mining and social network.



**Zhenyu Hou** is an undergraduate with the department of Computer Science and Technology, Tsinghua University. His main research interests include graph representation learning and reasoning.



**Li Mian** received bachelor degree(2020) from Department of Computer Science, Beijing Institute of Technology. She is now admitted into a graduate program in Georgia Institute of Technology. Her research interests focus on data mining, natural language processing and machine learning.



**Zhaoyu Wang** is a graduate student with the Department of Computer Science and Technology of Anhui University. His research interests include data mining, natural language processing and their applications in recommender systems.



**Jing Zhang** received the master and PhD degree from the Department of Computer Science and Technology, Tsinghua University. She is an assistant professor in Information School, Renmin University of China. Her research interests include social network mining and deep learning.



**Jie Tang** received the PhD degree from Tsinghua University. He is full professor in the Department of Computer Science and Technology, Tsinghua University. His main research interests include data mining, social network, and machine learning. He has published over 200 research papers in top international journals and conferences.