

WEEK 5

MySQL Practical

Physician & Department

Week 5 — Output 1

The screenshot shows the MySQL Workbench interface. The top menu bar includes File, Edit, View, Query, Database, Server, Tools, Scripting, and Help. The left sidebar contains a 'Navigator' pane with sections for MANAGEMENT (Server Status, Client Connections, Users and Privileges, Status and System Variables, Data Export, Data Import/Restore), INSTANCE (Startup / Shutdown, Server Logs, Options File), and PERFORMANCE (Dashboard, Performance Reports, Performance Schema Setup). Below this are tabs for Administration and Schemas. The main editor window, titled 'SQL File 2', contains the following SQL script:

```
1 • DROP DATABASE IF EXISTS week5_db;
2
3 • CREATE DATABASE week5_db;
4
5 USE week5_db;
```

The right sidebar shows the 'SQLAdditions' pane with a message: 'Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.' Below this are tabs for Context Help and Snippets.

The bottom pane is the 'Output' window, showing the 'Action Output' tab. It displays a table of execution results:

#	Time	Action	Message	Duration / Fetch
745	19:00:33	CREATE DATABASE week5_db	Error Code: 1007. Can't create database 'week5_db'; database exists	0.000 sec
746	19:00:35	CREATE DATABASE week5_db	Error Code: 1007. Can't create database 'week5_db'; database exists	0.000 sec
747	19:04:31	CREATE DATABASE week5_db	Error Code: 1007. Can't create database 'week5_db'; database exists	0.016 sec
748	19:05:48	DROP DATABASE IF EXISTS week5_db	2 row(s) affected	0.062 sec
749	19:05:48	CREATE DATABASE week5_db	1 row(s) affected	0.016 sec
750	19:05:48	USE week5_db	0 row(s) affected	0.000 sec

Week 5 — Output 2

MySQL Workbench

Local instance MySQL80 x Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: SQL File 2*

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information: No object selected

SQL File 2*

```
15 (3,'Bob Kelso','Head Chief of Medicine','55555555'),
16 (6,'Todd Quinlan','Surgical Attending Physician','66666666'),
17 (7,'John Wen','Surgical Attending Physician','77777777'),
18 (8,'Keith Dudemeister','MD Resident','88888888'),
19 (9,'Molly Clock','Attending Psychiatrist','99999999');
20
21 • SELECT * FROM physician;
```

Result Grid

	employeeid	name	position	ssn
▶ 1	John Dorian	Staff Internist	11111111	
2	Elliot Reid	Staff Internist	22222222	
3	Bob Kelso	Head Chief of Medicine	55555555	
6	Todd Quinlan	Surgical Attending Physician	66666666	
7	John Wen	Surgical Attending Physician	77777777	
8	Keith Dudemeister	MD Resident	88888888	
9	Molly Clock	Attending Psychiatrist	99999999	

physician 1 x

Apply Revert

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 760	19:07:46	DROP DATABASE IF EXISTS week5_db	1 row(s) affected	0.015 sec
✓ 761	19:07:46	CREATE DATABASE week5_db	1 row(s) affected	0.000 sec
✓ 762	19:07:46	USE week5_db	0 row(s) affected	0.000 sec
✓ 763	19:07:46	CREATE TABLE physician (employeeid INT PRIMARY KEY, name VARCHAR(100), ...	0 row(s) affected	0.031 sec
✓ 764	19:07:46	INSERT INTO physician VALUES (1,'John Dorian','Staff Internist','11111111'), (2,'Elliot Reid...	7 row(s) affected Records: 7 Duplicates: 0 Warnings: 0	0.000 sec
✓ 765	19:07:46	SELECT * FROM physician LIMIT 0, 1000	7 row(s) returned	0.015 sec / 0.000 se

Week 5 — Output 3

MySQL Workbench

Local instance MySQL80 x Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: SQL File 2* x

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

physician 4 department 5 x

Apply Revert Context Help Snippets

SQL File 2* x

```
26 );
27
28 • INSERT INTO department VALUES
29 (1,'General Medicine',4),
30 (2,'Surgery',7),
31 (3,'Psychiatry',9);
32 • SELECT * FROM department;
```

Limit to 1000 rows

Result Grid

	departmentid	name	head
▶	1	General Medicine	4
	2	Surgery	7
	3	Psychiatry	9
*	NULL	NULL	NULL

Form Editor

Information: No object selected

Object Info Session

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 784	19:08:51	CREATE TABLE physician (employeeid INT PRIMARY KEY, name VARCHAR(100), ...	0 row(s) affected	0.031 sec
✓ 785	19:08:51	INSERT INTO physician VALUES (1,'John Dorian','Staff Internist','111111111'), (2,'Elliot Reid...	7 row(s) affected Records: 7 Duplicates: 0 Warnings: 0	0.000 sec
✓ 786	19:08:51	SELECT * FROM physician LIMIT 0, 1000	7 row(s) returned	0.000 sec / 0.000 sec
✓ 787	19:08:51	CREATE TABLE department (departmentid INT PRIMARY KEY, name VARCHAR(100...	0 row(s) affected	0.016 sec
✓ 788	19:08:51	INSERT INTO department VALUES (1,'General Medicine',4), (2,'Surgery',7), (3,'Psychiatry',9)	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.000 sec
✓ 789	19:08:51	SELECT * FROM department LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec

Automatic context help disabled. Use the toolbar manually get help for the current caret position or toggle automatic help.