

Week 8 — Screenshot 1

The screenshot displays the MySQL Workbench interface. The top menu bar includes File, Edit, View, Query, Database, Server, Tools, Scripting, and Help. The left sidebar contains a Navigator pane with sections for MANAGEMENT (Server Status, Client Connections, Users and Privileges, Status and System Variables, Data Export, Data Import/Restore), INSTANCE (Startup / Shutdown, Server Logs, Options File), PERFORMANCE (Dashboard, Performance Reports, Performance Schema Setup), and Administration (Schemas, Information). The main workspace is divided into three panes: SQL File, Result Grid, and Action Output.

The SQL File pane shows a query with line numbers 111 to 116:

```
111 * ROLLBACK TO SAVEPOINT Withdrawal1;
112
113 * COMMIT;
114
115 * SELECT *
116 FROM Account;
```

The Result Grid pane displays a table with 5 columns: Account_No, Customer_ID, Account_Type, Balance, and Branch. The data is as follows:

Account_No	Customer_ID	Account_Type	Balance	Branch
10001	101	Savings	60000.00	Hyderabad
10002	102	Savings	70000.00	Mysore
10003	103	Current	120000.00	Bangalore
10004	104	Savings	40000.00	Chennai
10005	105	Current	90000.00	Hyderabad

The Action Output pane shows a log of database actions with columns: #, Time, Action, Message, and Duration / Fetch. The actions are as follows:

#	Time	Action	Message	Duration / Fetch
1681	21:40:39	UPDATE Account SET Balance = Balance - 3000 WHERE Account_No = 10002	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec
1682	21:40:39	SAVEPOINT Withdrawal1	0 row(s) affected	0.000 sec
1683	21:40:39	UPDATE Account SET Balance = Balance + 10000 WHERE Account_No = 10003	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec
1684	21:40:39	ROLLBACK TO SAVEPOINT Withdrawal1	0 row(s) affected	0.000 sec
1685	21:40:39	COMMIT	0 row(s) affected	0.016 sec
1686	21:40:39	SELECT * FROM Account LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec

The right sidebar contains a SQLAdditions pane with a message: "Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help."

Week 8 — Screenshot 2

The screenshot displays the MySQL Workbench interface with a local instance of MySQL 8.0. The main window shows a SQL editor with the following query:

```
72  
73 • COMMIT;  
74  
75 • SELECT *  
76 FROM Account  
77 WHERE Account_No = 10001;
```

Below the editor, the 'Result Grid' shows the results of the query:

Account_No	Customer_ID	Account_Type	Balance	Branch
10001	101	Savings	5000.00	Hyderabad

The 'Output' tab at the bottom shows the execution log:

#	Time	Action	Message	Duration / Patch
1626	21:39:38	SELECT * FROM Bank_Transaction LIMIT 0, 1000	5 row(s) returned	0:000 sec / 0:000 sec
1627	21:39:38	START TRANSACTION	0 row(s) affected	0:000 sec
1628	21:39:38	UPDATE Account SET Balance = Balance + 5000 WHERE Account_No = 10001	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0:015 sec
1629	21:39:38	SELECT * FROM Account WHERE Account_No = 10001 LIMIT 0, 1000	1 row(s) returned	0:000 sec / 0:000 sec
1630	21:39:38	COMMIT	0 row(s) affected	0:000 sec
1631	21:39:38	SELECT * FROM Account WHERE Account_No = 10001 LIMIT 0, 1000	1 row(s) returned	0:000 sec / 0:000 sec

Week 8 — Screenshot 3

The screenshot displays the MySQL Workbench interface. The top menu bar includes File, Edit, View, Query, Database, Server, Tools, Scripting, and Help. The left sidebar contains a Navigator pane with sections for MANAGEMENT (Server Status, Client Connections, Users and Privileges, Status and System Variables, Data Export, Data Import/Restore), INSTANCE (Startup / Shutdown, Server Logs, Options File), PERFORMANCE (Dashboard, Performance Reports, Performance Schema Setup), and Administration (Schemas, Information). The main workspace is divided into three panes: SQL Editor, Result Grid, and Output.

The SQL Editor pane shows a query with the following lines:

```
57 (10005, 'WITHDRAW', 10000);
58 SELECT * FROM Customer;
59
60 SELECT * FROM Account;
61
62 SELECT * FROM Bank_Transaction;
```

The Result Grid pane displays a table with the following data:

Transaction_ID	Account_No	Transaction_Type	Amount	Transaction_Date
1	10001	DEPOSIT	10000.00	2026-09-28 21:39:12
2	10002	DEPOSIT	15000.00	2026-09-28 21:39:12
3	10003	WITHDRAW	20000.00	2026-09-28 21:39:12
4	10004	DEPOSIT	5000.00	2026-09-28 21:39:12
5	10005	WITHDRAW	10000.00	2026-09-28 21:39:12

The Output pane shows the following log entries:

#	Time	Action	Message	Duration / Fetch
1608	21:39:12	INSERT INTO Customer (Customer_ID, Customer_Name, Phone, City) VALUES (101, 'Raw ...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0:000 sec
1609	21:39:12	INSERT INTO Account (Account_No, Customer_ID, Account_Type, Balance, Branch) VAL...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0:000 sec
1610	21:39:12	INSERT INTO Bank_Transaction (Account_No, Transaction_Type, Amount) VALUES (1000...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0:016 sec
1611	21:39:12	SELECT * FROM Customer LIMIT 5, 1000	5 row(s) returned	0:000 sec / 0:000 sec
1612	21:39:12	SELECT * FROM Account LIMIT 5, 1000	5 row(s) returned	0:000 sec / 0:000 sec
1613	21:39:12	SELECT * FROM Bank_Transaction LIMIT 5, 1000	5 row(s) returned	0:000 sec / 0:000 sec

Week 8 — Screenshot 4

The screenshot shows the MySQL Workbench interface with a local instance of MySQL 8.0. The SQL Editor is open with the following queries:

```
18 Account_Type VARCHAR(20),
19 Balance DECIMAL(12,2),
20 Branch VARCHAR(50),
21 FOREIGN KEY (Customer_ID)
22 REFERENCES Customer(Customer_ID)
23 })
24
25 CREATE TABLE Bank_Transaction (
26 Transaction_ID INT PRIMARY KEY AUTO_INCREMENT,
27 Account_No INT,
28 Transaction_Type VARCHAR(20),
29 Amount DECIMAL(12,2),
30 Transaction_Date DATETIME DEFAULT CURRENT_TIMESTAMP,
31 FOREIGN KEY (Account_No)
32 REFERENCES Account(Account_No)
33 })
```

The Output window shows the execution results:

#	Time	Action	Message	Duration / Fetch
1568	21:36:44	CREATE DATABASE Bank_ACID_DB	1 row(s) affected	0.000 sec
1569	21:36:44	USE Bank_ACID_DB	0 row(s) affected	0.000 sec
1570	21:36:44	USE Bank_ACID_DB	0 row(s) affected	0.000 sec
1571	21:36:44	CREATE TABLE Customer (Customer_ID INT PRIMARY KEY, Customer_Name VARCHAR(50), Branch VARCHAR(50), Account_Type VARCHAR(20), Balance DECIMAL(12,2))	0 row(s) affected	0.016 sec
1572	21:36:44	CREATE TABLE Account (Account_No INT PRIMARY KEY, Customer_ID INT, Account_Type VARCHAR(20), Amount DECIMAL(12,2), Transaction_Date DATETIME)	0 row(s) affected	0.062 sec
1573	21:36:44	CREATE TABLE Bank_Transaction (Transaction_ID INT PRIMARY KEY AUTO_INCREMENT, Account_No INT, Transaction_Type VARCHAR(20), Amount DECIMAL(12,2), Transaction_Date DATETIME)	0 row(s) affected	0.047 sec

Week 8 — Screenshot 5

MySQL Workbench

Local instance MySQL80 x Local instance MySQL80 (ban... x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

Server Status

Client Connections

Users and Privileges

Status and System Variables

Data Export

Data Import/Restore

INSTANCE

Startup / Shutdown

Server Logs

Options File

PERFORMANCE

Dashboard

Performance Reports

Performance Schema Setup

SQL File 9*

Limit to 1000 rows

173 SELECT *

174 FROM Account

175 WHERE Account_No = 10001;

176

177 COMMIT;

178

Result Grid

Filter Rows

Filter Rows

Export/Import

Strip Cell Contents

Account_No	Customer_ID	Account_Type	Balance	Branch
10001	101	Savings	50000.00	Hyderabad
10002	102	Current	10000.00	Hyderabad

Result Grid

Form Editor

Administration Schemas

unt 126 Account 127 Account 128 Account 129 Result 130 Result 131 Account 132 Account 133 Account 134 Apply Revert Context Help Snippets

Information

No object selected

Output


Action Output

#	Time	Action	Message	Duration / Fetch
2072	21:42:53	SELECT * FROM Account WHERE Account_No = 10001 LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
2073	21:42:53	COMMIT	0 row(s) affected	0.000 sec
2074	21:42:53	SET SESSION TRANSACTION ISOLATION LEVEL SERIALIZABLE	0 row(s) affected	0.000 sec
2075	21:42:53	START TRANSACTION	0 row(s) affected	0.000 sec
2076	21:42:53	SELECT * FROM Account WHERE Account_No = 10001 LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
2077	21:42:53	COMMIT	0 row(s) affected	0.000 sec

Object Info

Session

Week 8 — Screenshot 6



Week 8 — Screenshot 7

MySQL Workbench

Local instance MySQL80 x Local instance MySQL80 (Ban... x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

SQL File 57

```
132
133 * SELECT
134     Account_No,
135     Balance
136 FROM Account
137 WHERE Account_No IN (10001, 10002);
```

Result Grid

Account_No	Balance
10001	50000.00
10002	82000.00

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Administration Schemas

Customer 24 Account 25 Bank_Transaction 26 Account 27 Account 28 Account 29 Account 30 Account 31 Account Apply Revert Context Help Snippets

Information

No object selected

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1719	21:41:05	START TRANSACTION	0 row(s) affected	0.000 sec
1720	21:41:05	UPDATE Account SET Balance = Balance - 10000 WHERE Account_No = 10001	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec
1721	21:41:05	UPDATE Account SET Balance = Balance + 10000 WHERE Account_No = 10002	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec
1722	21:41:05	SELECT * FROM Account WHERE Account_No IN (10001, 10002) LIMIT 0, 1000	2 row(s) returned	0.015 sec / 0.000 sec
1723	21:41:05	COMMIT	0 row(s) affected	0.000 sec
1724	21:41:05	SELECT Account_No, Balance FROM Account WHERE Account_No IN (10001, 10002)	2 row(s) returned	0.000 sec / 0.000 sec

Object Info Session