Imperative®
Business Ventures
...An Incredible Inspiration for Innovation

IMPERATIVE BUSINESS VENTURES LIMITED

Account Lock Policy

Document Control chart.

Document Name	Account Lock Policy
Version	1.0
Created on	April 2022
Created by	Kunal Pawar, Sr System Admin
Reviewed by	Ketan Shete, Director, Technology & Customer Success
Next Revision	April 2026
Document Approved by	Aman Gujar, Director - IT, InfoSec & Product Development

Document Revision chart.

Date	Version	Reviewed by	Changes
April 2022	1.0	Director - IT, InfoSec & Product Development	No changes
April 2023	1.0	Director - IT, InfoSec & Product Development	No changes
April 2024	1.0	Director - IT, InfoSec & Product Development	No changes
April 2025	1.0	Director - IT, InfoSec & Product Development	No changes

Account Lock Policy

An **Account Lock Policy** is a security measure used to protect accounts from unauthorized access or brute-force attacks. It specifies the conditions under which an account will be locked after a set number of failed login attempts. Here's a breakdown of typical elements that are part of an Account Lock policy:

1. Failed Login Attempts

- Defines the number of unsuccessful login attempts allowed before locking the account. For example, an account may be locked after **5** failed attempts.

2. Lockout Duration

- Specifies how long the account will be locked. It could be a fixed period (e.g., **30 minutes**) or until an administrator manually unlocks it.

3. Re-locking Conditions

- Describes whether the failed login attempts will be reset after a certain period (e.g., **15 minutes**) or if the counter continues to accumulate until an administrator intervenes.

4. Account Unlocking Procedure

- Outlines how to unlock the account, such as via a self-service password reset, administrator intervention, or using a recovery email or phone number.

5. Notification

- A system or administrator may send notifications to users or administrators when an account is locked or when a threshold of failed login attempts is approaching.

6. Exclusion List (optional)

- Certain high-level or trusted users might be excluded from the lockout policy to prevent them from being locked out due to failed login attempts (though this is rare due to security risks).

7. Security Considerations

- Some policies might include additional layers, such as implementing CAPTCHA after a certain number of failed attempts or requiring multi-factor authentication (MFA) after a lockout event.

This policy is commonly implemented in web applications, email systems, and enterprise networks to reduce the risk of unauthorized access from malicious actors.

Imperative Business Ventures Limited