Imperative®
Business Ventures
...An Incredible Inspiration for Innovation

IMPERATIVE BUSINESS VENTURES LIMITED

Firewall Policy

Document Control chart.

Document Name	Firewall Policy
Version	1.0
Created on	Sept 2024
Created by	Kunal Pawar, Sr System Admin
Reviewed by	Ketan Shete, Director, Technology & Customer Success
Next Revision	Sept 2026
Document Approved by	Aman Gujar, Director - IT, InfoSec & Product Development

Document Revision chart.

Date	Version	Reviewed by	Changes
Sept 2024	1.0	Director - IT, InfoSec & Product Development	No changes
Sept 2025	1.0	Director - IT, InfoSec & Product Development	No changes

Firewall Policy

Overview

A Firewall Policy is a set of rules that define how a firewall should handle network traffic. It outlines the conditions under which data can enter or exit a network, what kind of traffic is allowed, and what should be blocked. The policy is crucial for maintaining the security and integrity of the network by preventing unauthorized access, detecting threats, and controlling traffic flow based on the organization's security requirements.

Key Components of a Firewall Policy

1. Access Control Rules

- Allow or Deny rules for inbound and outbound traffic.
- Specific rules based on source IP addresses, destination IP addresses, ports, protocols, or applications.

2. Traffic Direction

- **Inbound traffic:** Rules that apply to data entering the network.
- **Outbound traffic:** Rules for data leaving the network.
- **Internal traffic:** Rules that govern communications within the internal network.

3. Service Control

- Policies to control access to specific services or applications (e.g., HTTP, FTP, DNS, or custom services).

4. Network Address Translation (NAT)

- Rules defining how internal IP addresses are mapped to public IP addresses for outgoing traffic.

5. Intrusion Detection/Prevention Systems (IDS/IPS)

- Some firewalls are integrated with IDS/IPS features to detect and block malicious activities.

6. Logging and Monitoring

- A firewall policy often includes logging of allowed and denied traffic to monitor and detect suspicious activities.
- Alerts and notifications can be set up to inform network administrators of potential threats.

7. VPN and Remote Access Rules

- A firewall policy might govern the use of Virtual Private Networks (VPNs) for secure remote access.

8. Security Zones

- Firewalls often segment the network into zones (e.g., internal, DMZ, and external). Policies can be applied differently based on these zones.

9. Quality of Service (QoS)

- Sometimes firewalls are configured to prioritize certain types of traffic (e.g., voice or video) over others to ensure optimal performance.

Types of Firewall Policies

1. Default Deny Policy (Least Privilege)

- By default, all traffic is denied unless explicitly allowed by a rule. This is considered a secure and restrictive policy.

2. Default Allow Policy

- By default, all traffic is allowed unless explicitly blocked. This policy can be riskier and is often used in less sensitive environments.

3. Stateful vs. Stateless Policies

- Stateful firewalls track the state of active connections and apply policies accordingly.
- Stateless firewalls examine each packet independently and apply rules without tracking connections.

4. Role-Based Policies

- Firewalls can be configured to enforce different access levels for different users, devices, or applications based on roles.

5. Application Layer Firewall Policies

- Policies that control access based on specific applications or services (e.g., blocking certain websites or web applications).

Best Practices for Creating a Firewall Policy

1. Least Privilege

- Start by blocking all traffic and then allow only the traffic necessary for business functions.

2. Regular Audits

- Regularly review and update firewall policies to ensure they are effective against new threats.

3. Segmentation

- Create separate rules for different segments of the network (e.g., internal network, DMZ, and external network).

4. Logging and Monitoring

- Implement thorough logging and review logs regularly to detect unusual activity.

5. Use Strong Authentication

- Apply strong authentication mechanisms, particularly for remote access policies.

6. Test Policies Before Deployment

- Always test policies in a controlled environment before deploying them into production.

7. Documenting Policies

- Ensure that all firewall rules and configurations are documented and well understood by the security team.

Conclusion

A well-defined firewall policy plays a critical role in an organization's overall cybersecurity strategy, ensuring that network traffic is securely managed while allowing legitimate communication to flow.

Imperative Business Ventures Limited