

ICPSR 31901

Study of Women's Health Across the Nation (SWAN), 2003-2005: Visit 07 Dataset

Kim Sutton-Tyrrell
University of Pittsburgh

Faith Selzer
University of Pittsburgh

MaryFran R. (Mary Francis Roy) Sowers
University of Michigan

Joel S. Finkelstein
Massachusetts General Hospital, Boston

Lynda H. Powell
Rush University. Rush-Presbyterian-St. Luke's Medical Center, Chicago

Ellen B. Gold
University of California-Davis

Gail A. Greendale
University of California-Los Angeles

Gerson Weiss
University of Medicine and Dentistry-New Jersey Medical Center

Karen A. Matthews
University of Pittsburgh

ICPSR Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The [terms of use](#) for this study can be found at:
<https://www.icpsr.umich.edu/web/ICPSR/studies/31901/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR Processing Notes for #31901

Study of Women's Health Across the Nation (SWAN), 2003-2005: Visit 07 Dataset

1. **Variable Link:** Using the variable **SWANID**, this dataset can be linked with the SWAN Cross-Sectional Screener Data (ICPSR 04368), Baseline Data (ICPSR 28762), Visit 1 Data (ICPSR 29221), Visit 2 Data (ICPSR 29401), Visit 3 Data (ICPSR 29701), Visit 4 Data (ICPSR 30142), Visit 5 Data (ICPSR 30501), Visit 6 Data (ICPSR 31181), Visit 8 Data (ICPSR 32122), Visit 9 Data (ICPSR 32721), Visit 10 Data (ICPSR 32961), and Family Medical History Data (ICPSR 30181).
2. **Stata Limitations:** Due to Stata limitations, several variables do not contain value labels for character variables within the Stata files.
3. **Undocumented Codes:** The variable **HPSCMOD7** contains an undocumented value which ICPSR has labeled "Undocumented code." No additional information was provided.
4. **Variable Differences:**
 - a. Some variables that are referenced in the P.I. Codebook differ in how they appear in the data set released by ICPSR; no further information was provided. A comparison of these variable names can be referenced as follows. Variable Name in P.I. Codebook -> Variable Name in Data Set: **SPECDEGR** -> **SPECIFY7, SPECIFY7** -> **PROVSPC7, PROVSPC7** -> **SPECIAL7**.
 - b. Some variables that are referenced in the P.I. Codebook are not included in the data set released by ICPSR; no further information was provided.
5. **Additional Information:** For additional information on the Study of Women's Health Across the Nation, please visit the [SWAN](#) website.

ICPSR 31901

Study of Women's Health Across the Nation (SWAN), 2003-2005: Visit 07 Dataset

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

SWANID: Respondent ID

Respondent ID

Value	Label	Unweighted Frequency	%
10046	-	1	0.0%
10056	-	1	0.0%
10153	-	1	0.0%
10196	-	1	0.0%
10245	-	1	0.0%
10484	-	1	0.0%
10514	-	1	0.0%
10522	-	1	0.0%
10532	-	1	0.0%
10550	-	1	0.0%
10604	-	1	0.0%
10629	-	1	0.0%
10630	-	1	0.0%
10694	-	1	0.0%
10747	-	1	0.0%
10757	-	1	0.0%
10879	-	1	0.0%
10910	-	1	0.0%
10968	-	1	0.0%
11007	-	1	0.0%
11041	-	1	0.0%
11079	-	1	0.0%
11097	-	1	0.0%
11119	-	1	0.0%
11126	-	1	0.0%
11133	-	1	0.0%
11180	-	1	0.0%
11201	-	1	0.0%
11208	-	1	0.0%
11211	-	1	0.0%
11267	-	1	0.0%
11284	-	1	0.0%

Value	Label	Unweighted Frequency	%
11286	-	1	0.0%
11298	-	1	0.0%
11338	-	1	0.0%
11347	-	1	0.0%
11430	-	1	0.0%
11463	-	1	0.0%
11478	-	1	0.0%
11481	-	1	0.0%
11508	-	1	0.0%
11519	-	1	0.0%
11600	-	1	0.0%
11613	-	1	0.0%
11630	-	1	0.0%
11632	-	1	0.0%
11642	-	1	0.0%
11740	-	1	0.0%
11769	-	1	0.0%
11772	-	1	0.0%
Total		2,413	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 2,413 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 54411.60
- Minimum: 10046.00
- Maximum: 99962.00
- Standard Deviation: 25813.21

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

VISIT: Study visit

SWAN study visit #

Value	Label	Unweighted Frequency	%
07	-	2413	100.0%
Total		2,413	100.0%

This variable has 2,413 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 6-7 (width: 2; decimal: 0)

Variable Type: character

INTDAY7: Interview day

Date form completed

Value	Label	Unweighted Frequency	%
2286	-	1	0.0%
2297	-	1	0.0%
2315	-	1	0.0%
2324	-	1	0.0%
2332	-	1	0.0%
2333	-	1	0.0%
2355	-	1	0.0%
2365	-	1	0.0%
2373	-	1	0.0%
2375	-	1	0.0%
2399	-	1	0.0%
2401	-	1	0.0%
2417	-	1	0.0%
2418	-	1	0.0%
2423	-	1	0.0%
2425	-	1	0.0%
2432	-	1	0.0%
2439	-	1	0.0%
2441	-	1	0.0%
2447	-	1	0.0%
2449	-	1	0.0%
2456	-	1	0.0%
2462	-	1	0.0%
2465	-	1	0.0%
2466	-	1	0.0%
2468	-	2	0.1%
2478	-	1	0.0%
2480	-	2	0.1%
2481	-	1	0.0%

Value	Label	Unweighted Frequency	%
2483	-	3	0.1%
2484	-	2	0.1%
2485	-	3	0.1%
2486	-	1	0.0%
2490	-	1	0.0%
2492	-	6	0.2%
2493	-	1	0.0%
2494	-	1	0.0%
2496	-	1	0.0%
2498	-	2	0.1%
2499	-	3	0.1%
2501	-	5	0.2%
2502	-	3	0.1%
2503	-	1	0.0%
2504	-	3	0.1%
2505	-	2	0.1%
2506	-	5	0.2%
2507	-	2	0.1%
2508	-	4	0.2%
2509	-	4	0.2%
2510	-	7	0.3%
Total		2,406	99.7%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	7	0.3%
Total		7	0.3%

This variable has 2,406 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 2605.21
- Minimum: 2286.00
- Maximum: 3086.00
- Standard Deviation: 89.56

Location: 8-11 (*width:* 4; *decimal:* 0)

Variable Type: numeric

AGE7: Age at current visit (integer)

Calculated from date of birth to when the interview form was completed, and rounded to the next lowest integer

Value	Label	Unweighted Frequency	%
48	-	2	0.1%
49	-	218	9.0%
50	-	298	12.3%
51	-	291	12.1%
52	-	294	12.2%
53	-	299	12.4%
54	-	291	12.1%
55	-	230	9.5%
56	-	207	8.6%
57	-	136	5.6%
58	-	83	3.4%
59	-	54	2.2%
60	-	8	0.3%
Total		2,411	99.9%
Value	Missing Data	Unweighted Frequency	%
.	-	2	0.1%
Total		2	0.1%

This variable has 2,411 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 53.02
- Median: 53.00
- Mode: 53.00
- Minimum: 48.00
- Maximum: 60.00
- Standard Deviation: 2.68

Location: 12-13 (*width:* 2; *decimal:* 0)

Variable Type: numeric

LANGINT7: Language of interview

Interview language

Value	Label	Unweighted Frequency	%
1	English	2202	91.3%
2	Spanish	14	0.6%

Value	Label	Unweighted Frequency	%
3	Cantonese	83	3.4%
4	Japanese	107	4.4%
	Total	2,406	99.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	7	0.3%
	Total	7	0.3%

This variable has 2,406 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 14-15 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RACE: Race/ethnicity

Participant race/ethnicity from the Screener dataset

Value	Label	Unweighted Frequency	%
1	Black/African American	709	29.4%
2	Chinese/Chinese American	210	8.7%
3	Japanese/Japanese American	261	10.8%
4	Caucasian/White Non-Hispanic	1176	48.7%
5	Hispanic	57	2.4%
	Total	2,413	100.0%

This variable has 2,413 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 16-16 (width: 1; decimal: 0)

Variable Type: numeric

PRGNAN7: PRGNAN7: Currently pregnant

Are you currently pregnant?

Value	Label	Unweighted Frequency	%
1	No	2403	99.6%
2	Yes	3	0.1%
	Total	2,406	99.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	7	0.3%
	Total	7	0.3%

This variable has 2,406 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 17-18 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

ANTICO17: Anticoagulant #1

Since your last study visit, have you taken: Any medication, pills or other medicine to thin your blood (anticoagulants)?

Value	Label	Unweighted Frequency	%
1	No	2342	97.1%
2	Yes	64	2.7%
	Total	2,406	99.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	7	0.3%
	Total	7	0.3%

This variable has 2,406 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 19-20 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACOATW17: Anticoagulant #1 taken two times/week for the last month

If YES to ANTICO17: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	13	0.5%
2	Yes	51	2.1%
	Total	64	2.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2342	97.1%
.	-	7	0.3%
	Total	2,349	97.3%

This variable has 64 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 21-22 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANTICO27: Anticoagulant #2

Since your last study visit, have you taken: Any medication, pills or other medicine to thin your blood (anticoagulants)?

Value	Label	Unweighted Frequency	%
1	No	56	2.3%
2	Yes	8	0.3%
	Total	64	2.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2342	97.1%
.	-	7	0.3%
Total		2,349	97.3%

This variable has 64 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 23-24 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

ACOATW27: Anticoagulant #2 taken two times/week for the last month

If YES to ANTICO27: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	4	0.2%
2	Yes	4	0.2%
Total		8	0.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2398	99.4%
.	-	7	0.3%
Total		2,405	99.7%

This variable has 8 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 25-26 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

HEART17: Heart medication #1

Since your last study visit, have you taken: Anything for your heart or heart beat, including pills or patches?

Value	Label	Unweighted Frequency	%
1	No	2312	95.8%
2	Yes	94	3.9%
	Total	2,406	99.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	7	0.3%
	Total	7	0.3%

This variable has 2,406 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 27-28 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HARTTW17: Heart medication #1 taken two times/week for the last month

If YES to HEART17: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	17	0.7%
2	Yes	77	3.2%
	Total	94	3.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2312	95.8%
.	-	7	0.3%

Value	Missing Data	Unweighted Frequency	%
	Total	2,319	96.1%

This variable has 94 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 29-30 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEART27: Heart medication #2

Since your last study visit, have you taken: Anything for your heart or heart beat, including pills or patches?

Value	Label	Unweighted Frequency	%
1	No	71	2.9%
2	Yes	23	1.0%
	Total	94	3.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2312	95.8%
.	-	7	0.3%
	Total	2,319	96.1%

This variable has 94 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 31-32 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HARTTW27: Heart medication #2 taken two times/week for the last month

If YES to HEART27: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	4	0.2%

Value	Label	Unweighted Frequency	%
2	Yes	19	0.8%
	Total	23	1.0%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2383	98.8%
.	-	7	0.3%
	Total	2,390	99.0%

This variable has 23 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 33-34 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLST17: Cholesterol medication #1

Since your last study visit, have you taken: Any medications for cholesterol or fats in your blood?

Value	Label	Unweighted Frequency	%
1	No	2086	86.4%
2	Yes	320	13.3%
	Total	2,406	99.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	7	0.3%
	Total	7	0.3%

This variable has 2,406 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 35-36 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLTW17: Cholesterol medication #1 taken two times/week for the last month

If YES to CHOLST17: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	39	1.6%
2	Yes	281	11.6%
	Total	320	13.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2086	86.4%
.	-	7	0.3%
	Total	2,093	86.7%

This variable has 320 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 37-38 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLST27: Cholesterol medication #2

Since your last study visit, have you taken: Any medications for cholesterol or fats in your blood?

Value	Label	Unweighted Frequency	%
1	No	299	12.4%
2	Yes	21	0.9%
	Total	320	13.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2086	86.4%
.	-	7	0.3%
	Total	2,093	86.7%

This variable has 320 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 39-40 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLTW27: Cholesterol medication #2 taken two times/week for the last month

If YES to CHOLST27: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	5	0.2%
2	Yes	16	0.7%
	Total	21	0.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2385	98.8%
.	-	7	0.3%
	Total	2,392	99.1%

This variable has 21 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 41-42 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BP17: Blood pressure medication #1

Since your last study visit, have you taken: Blood pressure pills?

Value	Label	Unweighted Frequency	%
1	No	1757	72.8%
2	Yes	649	26.9%
	Total	2,406	99.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	7	0.3%
	Total	7	0.3%

This variable has 2,406 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 43-44 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

BPTW17: Blood pressure medication #1 taken two times/week for the last month

If YES to BP17: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	45	1.9%
2	Yes	604	25.0%
	Total	649	26.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	1757	72.8%
.	-	7	0.3%
	Total	1,764	73.1%

This variable has 649 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 45-46 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BP27: Blood pressure medication #2

Since your last study visit, have you taken: Blood pressure pills?

Value	Label	Unweighted Frequency	%
1	No	433	17.9%
2	Yes	216	9.0%
	Total	649	26.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	1757	72.8%
.	-	7	0.3%
	Total	1,764	73.1%

This variable has 649 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 47-48 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BPTW27: Blood pressure medication #2 taken two times/week for the last month

If YES to BP27: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	13	0.5%
2	Yes	203	8.4%
	Total	216	9.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2190	90.8%
.	-	7	0.3%
Total		2,197	91.0%

This variable has 216 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 49-50 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

DIURET17: Diuretic #1

Since your last study visit, have you taken: Diuretics for water retention?

Value	Label	Unweighted Frequency	%
1	No	2220	92.0%
2	Yes	186	7.7%
Total		2,406	99.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	7	0.3%
Total		7	0.3%

This variable has 2,406 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 51-52 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

DIURTW17: Diuretic #1 taken two times/week for the last month

If YES to DIURET17: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	26	1.1%
2	Yes	160	6.6%
	Total	186	7.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2220	92.0%
.	-	7	0.3%
	Total	2,227	92.3%

This variable has 186 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 53-54 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURET27: Diuretic #2

Since your last study visit, have you taken: Diuretics for water retention?

Value	Label	Unweighted Frequency	%
1	No	178	7.4%
2	Yes	8	0.3%
	Total	186	7.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2220	92.0%
.	-	7	0.3%

Value	Missing Data	Unweighted Frequency	%
	Total	2,227	92.3%

This variable has 186 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 55-56 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURTW27: Diuretic #2 taken two times/week for the last month

If YES to DIURET27: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	3	0.1%
2	Yes	5	0.2%
	Total	8	0.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2398	99.4%
.	-	7	0.3%
	Total	2,405	99.7%

This variable has 8 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 57-58 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYROI17: Thyroid medication #1

Since your last study visit, have you taken: Thyroid pills?

Value	Label	Unweighted Frequency	%
1	No	2146	88.9%

Value	Label	Unweighted Frequency	%
2	Yes	260	10.8%
	Total	2,406	99.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	7	0.3%
	Total	7	0.3%

This variable has 2,406 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 59-60 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYRTW17: Thyroid medication #1 taken two times/week for the last month

If YES to THYROI17: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	10	0.4%
2	Yes	250	10.4%
	Total	260	10.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2146	88.9%
.	-	7	0.3%
	Total	2,153	89.2%

This variable has 260 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 61-62 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYROI27: Thyroid medication #2

Since your last study visit, have you taken: Thyroid pills?

Value	Label	Unweighted Frequency	%
1	No	255	10.6%
2	Yes	5	0.2%
	Total	260	10.8%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2146	88.9%
.	-	7	0.3%
	Total	2,153	89.2%

This variable has 260 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 63-64 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYRTW27: Thyroid medication #2 taken two times/week for the last month

If YES to THYROI27: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	4	0.2%
2	Yes	1	0.0%
	Total	5	0.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2401	99.5%
.	-	7	0.3%
	Total	2,408	99.8%

This variable has 5 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 65-66 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSULN17: Insulin medication #1

Since your last study visit, have you taken: Insulin or pills for sugar in your blood?

Value	Label	Unweighted Frequency	%
1	No	2226	92.3%
2	Yes	180	7.5%
	Total	2,406	99.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	7	0.3%
	Total	7	0.3%

This variable has 2,406 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 67-68 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSUTW17: Insulin medication #1 taken two times/week for the last month

If YES to INSULN17: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	9	0.4%
2	Yes	171	7.1%
	Total	180	7.5%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2226	92.3%
.	-	7	0.3%
	Total	2,233	92.5%

This variable has 180 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 69-70 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSULN27: Insulin medication #2

Since your last study visit, have you taken: Insulin or pills for sugar in your blood?

Value	Label	Unweighted Frequency	%
1	No	92	3.8%
2	Yes	88	3.6%
	Total	180	7.5%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2226	92.3%
.	-	7	0.3%
	Total	2,233	92.5%

This variable has 180 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 71-72 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSUTW27: Insulin medication #2 taken two times/week for the last month

If YES to INSULN27: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	4	0.2%
2	Yes	84	3.5%
	Total	88	3.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2318	96.1%
.	-	7	0.3%
	Total	2,325	96.4%

This variable has 88 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 73-74 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVS17: Nervous condition medication #1

Since your last study visit, have you taken: Any medications for a nervous condition such as tranquilizers, sedatives, sleeping pills, or anti-depression medication?

Value	Label	Unweighted Frequency	%
1	No	1947	80.7%
2	Yes	459	19.0%

Value	Label	Unweighted Frequency	%
Total		2,406	99.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	7	0.3%
Total		7	0.3%

This variable has 2,406 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 75-76 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVTW17: Nervous condition medication #1 taken two times/week for the last month

If YES to NERVS17: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
Total		459	19.0%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	1947	80.7%
.	-	7	0.3%
Total		1,954	81.0%

This variable has 459 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 77-78 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVS27: Nervous condition medication #2

Since your last study visit, have you taken: Any medications for a nervous condition such as tranquilizers, sedatives, sleeping pills, or anti-depression medication?

Value	Label	Unweighted Frequency	%
1	No	327	13.6%
2	Yes	132	5.5%
	Total	459	19.0%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	1947	80.7%
.	-	7	0.3%
	Total	1,954	81.0%

This variable has 459 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 79-80 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVTW27: Nervous condition medication #2 taken two times/week for the last month

If YES to NERVS27: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	34	1.4%
2	Yes	98	4.1%
	Total	132	5.5%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	Refused	0	0.0%
-1	N/A	2274	94.2%
.	-	7	0.3%
	Total	2,281	94.5%

This variable has 132 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 81-82 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STEROI17: Steroid #1

Since your last study visit, have you taken: Steroid pills such as Prednisone, or cortisone?

Value	Label	Unweighted Frequency	%
1	No	2301	95.4%
2	Yes	105	4.4%
	Total	2,406	99.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	7	0.3%
	Total	7	0.3%

This variable has 2,406 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 83-84 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STERTW17: Steroid #1 taken two times/week for the last month

If YES to STEROI17: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	77	3.2%
2	Yes	28	1.2%
	Total	105	4.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2301	95.4%
.	-	7	0.3%
	Total	2,308	95.6%

This variable has 105 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 85-86 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STEROI27: Steroid #2

Since your last study visit, have you taken: Steroid pills such as Prednisone, or cortisone?

Value	Label	Unweighted Frequency	%
1	No	100	4.1%
2	Yes	5	0.2%
	Total	105	4.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2301	95.4%
.	-	7	0.3%
	Total	2,308	95.6%

This variable has 105 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 87-88 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STERTW27: Steroid #2 taken two times/week for the last month

If YES to STEROI27: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	3	0.1%
2	Yes	2	0.1%
	Total	5	0.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2401	99.5%
.	-	7	0.3%
	Total	2,408	99.8%

This variable has 5 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 89-90 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FERTIL17: Fertility medication #1

Since your last study visit, have you taken: Fertility medications to help you get pregnant (such as Pergonal, Clomid, Fertinex, Gonal-F, Follistim or Repronex)?

Value	Label	Unweighted Frequency	%
1	No	2406	99.7%
2	Yes	0	0.0%
	Total	2,406	99.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	7	0.3%
Total		7	0.3%

This variable has 2,406 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 91-92 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FRTLW17: Fertility medication #1 taken two times/week for the last month

If YES to FERTIL17: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0%
2	Yes	0	0.0%
Total		0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2406	99.7%
.	-	7	0.3%
Total		2,413	100.0%

This variable has 0 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 93-94 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FERTIL27: Fertility medication #2

Since your last study visit, have you taken: Fertility medications to help you get pregnant (such as Pergonal, Clomid, Fertinex, Gonal-F, Follistim or Repronex)?

Value	Label	Unweighted Frequency	%
1	No	0	0.0%
2	Yes	0	0.0%
	Total	0	0.0%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2406	99.7%
.	-	7	0.3%
	Total	2,413	100.0%

This variable has 0 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 95-96 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FRTLW27: Fertility medication #2 taken two times/week for the last month

If YES to FERTIL27: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0%
2	Yes	0	0.0%
	Total	0	0.0%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2406	99.7%
.	-	7	0.3%
	Total	2,413	100.0%

This variable has 0 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 97-98 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCP17: Birth control pill #1

Since your last study visit, have you taken: Birth control pills?

Value	Label	Unweighted Frequency	%
1	No	2378	98.5%
2	Yes	28	1.2%
	Total	2,406	99.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	7	0.3%
	Total	7	0.3%

This variable has 2,406 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 99-100 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCPTWI17: Birth control pill #1 taken two times/week for the last month

If YES to BCP17: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	10	0.4%
2	Yes	18	0.7%
	Total	28	1.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	Refused	0	0.0%
-1	N/A	2378	98.5%
.	-	7	0.3%
	Total	2,385	98.8%

This variable has 28 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 101-102 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCP27: Birth control pill #2

Since your last study visit, have you taken: Birth control pills?

Value	Label	Unweighted Frequency	%
1	No	27	1.1%
2	Yes	1	0.0%
	Total	28	1.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2378	98.5%
.	-	7	0.3%
	Total	2,385	98.8%

This variable has 28 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 103-104 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCPTWI27: Birth control pills #2 taken two times/week for the last month

If YES to BCP27: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0%
2	Yes	0	0.0%
	Total	1	0.0%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2405	99.7%
.	.	7	0.3%
	Total	2,412	100.0%

This variable has 1 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 105-106 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

BCREAS7: Primary reason for taking birth control pills

For your most recent use, what was the primary reason for taking birth control pills?

Value	Label	Unweighted Frequency	%
1	Prevent pregnancy	4	0.2%
2	Help control pre menstrual symptoms	2	0.1%
3	Help control menopausal symptoms	3	0.1%
4	Control other symptoms	0	0.0%
5	Regulate periods	7	0.3%
6	Prevent osteoporosis	0	0.0%
7	Reduce bleeding	8	0.3%
8	Other	4	0.2%
	Total	28	1.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	Refused	0	0.0%
-1	N/A	2260	93.7%
.	-	125	5.2%
	Total	2,385	98.8%

This variable has 28 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 107-108 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCRES_S7: Primary reason other specify

For your most recent use, what was the primary reason for taking birth control pills? - (Specify)

Value	Label	Unweighted Frequency	%
-	-	125	5.2%
TO CONTROL FIBROID GROWTH	-	1	0.0%
TO MATCH/ SCHEDULE PERIOD AROUND EGG DONOR	-	1	0.0%
TO RELIEVE MENSTRUAL SYMPTOMS	-	1	0.0%
TO TREAT PROLONGED BLEEDING FROM THICKENED LINING OF UTERUS	-	1	0.0%
	Total	129	5.3%
Value	Missing Data	Unweighted Frequency	%
-1	N/A	2284	94.7%
	Total	2,284	94.7%

This variable has 129 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 109-167 (width: 59; decimal: 0)

Variable Type: character

(Range of) Missing Values: -1

ESTROG17: Estrogen pills #1

Since your last study visit, have you taken: Estrogen pills (such as Premarin, Estrace, Ogen, etc)?

Value	Label	Unweighted Frequency	%
1	No	2272	94.2%
2	Yes	134	5.6%
	Total	2,406	99.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	7	0.3%
	Total	7	0.3%

This variable has 2,406 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 168-169 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRTW17: Estrogen pills #1 taken two times/week for the last month

If YES to ESTROG17: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	35	1.5%
2	Yes	99	4.1%
	Total	134	5.6%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2272	94.2%
.	-	7	0.3%
	Total	2,279	94.4%

This variable has 134 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 170-171 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTROG27: Estrogen pills #2

Since your last study visit, have you taken: Estrogen pills (such as Premarin, Estrace, Ogen, etc)?

Value	Label	Unweighted Frequency	%
1	No	131	5.4%
2	Yes	3	0.1%
	Total	134	5.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2272	94.2%
.	-	7	0.3%
	Total	2,279	94.4%

This variable has 134 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 172-173 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRTW27: Estrogen pills #2 taken two times/week for the last month

If YES to ESTROG27: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0%
2	Yes	2	0.1%
	Total	3	0.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2403	99.6%
.	-	7	0.3%
	Total	2,410	99.9%

This variable has 3 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 174-175 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRDA17: Estrogen #1 prescription daily or off & on

If YES to ESTRTW17: Does/Did your prescription have you take estrogen daily or on and off on a monthly cycle?

Value	Label	Unweighted Frequency	%
1	Every day	107	4.4%
2	Off and On	24	1.0%
	Total	131	5.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	1	0.0%
-7	Refused	0	0.0%
-1	N/A	2272	94.2%
.	-	7	0.3%
	Total	2,282	94.6%

This variable has 131 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 176-177 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRDA27: Estrogen #2 prescription daily or off & on

If YES to ESTRTW27: Does/Did your prescription have you take estrogen daily or on and off on a monthly cycle?

Value	Label	Unweighted Frequency	%
1	Every day	1	0.0%
2	Off and On	2	0.1%
	Total	3	0.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2403	99.6%
.	-	7	0.3%
	Total	2,410	99.9%

This variable has 3 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 178-179 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRNJ17: Estrogen injection/patch #1

Since your last study visit, have you taken: Estrogen by injection or patch (such as Estraderm)?

Value	Label	Unweighted Frequency	%
1	No	2364	98.0%
2	Yes	42	1.7%
	Total	2,406	99.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	7	0.3%
Total		7	0.3%

This variable has 2,406 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 180-181 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

EINJTW17: Estrogen injection/patch #1 taken two times/week for the last month

If YES to ESTRNJ17: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	9	0.4%
2	Yes	33	1.4%
Total		42	1.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2364	98.0%
.	-	7	0.3%
Total		2,371	98.3%

This variable has 42 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 182-183 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

ESTRNJ27: Estrogen injection/patch #2

Since your last study visit, have you taken: Estrogen by injection or patch (such as Estraderm)?

Value	Label	Unweighted Frequency	%
1	No	43	1.8%
2	Yes	1	0.0%
	Total	44	1.8%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2362	97.9%
.	-	7	0.3%
	Total	2,369	98.2%

This variable has 44 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 184-185 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EINJTW27: Estrogen injection/patch #2 taken two times/week for the last month

If YES to ESTRNJ27: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0%
2	Yes	0	0.0%
	Total	1	0.0%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2405	99.7%
.	-	7	0.3%

Value	Missing Data	Unweighted Frequency	%
	Total	2,412	100.0%

This variable has 1 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 186-187 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBIN17: Combination estrogen/progestin #1

Since your last study visit, have you taken: Combination?

Value	Label	Unweighted Frequency	%
1	No	2288	94.8%
2	Yes	118	4.9%
	Total	2,406	99.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	7	0.3%
	Total	7	0.3%

This variable has 2,406 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 188-189 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBTW17: Combination estrogen/progestin #1 taken two times/week for the last month

If YES to COMBIN17: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	37	1.5%

Value	Label	Unweighted Frequency	%
2	Yes	81	3.4%
	Total	118	4.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2288	94.8%
.	-	7	0.3%
	Total	2,295	95.1%

This variable has 118 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 190-191 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBIN27: Combination estrogen/progestin #2

Since your last study visit, have you taken: Combination?

Value	Label	Unweighted Frequency	%
1	No	113	4.7%
2	Yes	3	0.1%
	Total	116	4.8%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2290	94.9%
.	-	7	0.3%
	Total	2,297	95.2%

This variable has 116 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 192-193 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBTW27: Combination estrogen/progestin #2 taken two times/week for the last month

If YES to COMBIN27: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	2	0.1%
2	Yes	1	0.0%
	Total	3	0.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2403	99.6%
.	-	7	0.3%
	Total	2,410	99.9%

This variable has 3 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 194-195 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGES17: Progestin pills #1

Since your last study visit, have you taken: Progestin pills (such as Provera)?

Value	Label	Unweighted Frequency	%
1	No	2305	95.5%
2	Yes	101	4.2%
	Total	2,406	99.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	7	0.3%
	Total	7	0.3%

This variable has 2,406 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 196-197 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGTW17: Progestin pills #1 taken two times/week for the last month

If YES to PROGES17: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	36	1.5%
2	Yes	65	2.7%
	Total	101	4.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2305	95.5%
.	-	7	0.3%
	Total	2,312	95.8%

This variable has 101 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 198-199 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGES27: Progestin pills #2

Since your last study visit, have you taken: Progestin pills (such as Provera)?

Value	Label	Unweighted Frequency	%
1	No	100	4.1%
2	Yes	1	0.0%
	Total	101	4.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2305	95.5%
.	-	7	0.3%
	Total	2,312	95.8%

This variable has 101 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 200-201 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

PROGTW27: Progestin pills #2 taken two times/week for the last month

If YES to PROGES27: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0%
2	Yes	0	0.0%
	Total	1	0.0%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2405	99.7%
.	-	7	0.3%
	Total	2,412	100.0%

This variable has 1 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 202-203 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGDA17: Progestin #1 prescription daily or off & on

If YES to PROGTW17: Does/Did your prescription have you take progestin daily or on and off a monthly cycle?

Value	Label	Unweighted Frequency	%
1	Every day	53	2.2%
2	Off and On	46	1.9%
	Total	99	4.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	2	0.1%
-7	Refused	0	0.0%
-1	N/A	2305	95.5%
.	-	7	0.3%
	Total	2,314	95.9%

This variable has 99 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 204-205 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGDA27: Progestin #2 prescription daily or off & on

If YES to PROGTW27: Does/Did your prescription have you take progestin daily or on and off a monthly cycle?

Value	Label	Unweighted Frequency	%
1	Every day	0	0.0%
2	Off and On	0	0.0%
	Total	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2405	99.7%
.	-	7	0.3%
Total		2,413	100.0%

This variable has 0 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 206-207 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEPR17: Osteoporosis medication #1

Since your last study visit, have you taken: Medications to prevent or treat osteoporosis (brittle or thinning bones such as Fosamax, Didronel, Evista, Miacalcin, Rocaltrol, Actonel)?

Value	Label	Unweighted Frequency	%
1	No	2297	95.2%
2	Yes	106	4.4%
Total		2,403	99.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	3	0.1%
.	-	7	0.3%
Total		10	0.4%

This variable has 2,403 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 208-209 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTETW17: Osteoporosis medication #1 taken two times/week for the last month

If YES to OSTEPR17: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	58	2.4%
2	Yes	48	2.0%
	Total	106	4.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2300	95.3%
.	-	7	0.3%
	Total	2,307	95.6%

This variable has 106 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 210-211 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

OSTEPR27: Osteoporosis medication #2

Since your last study visit, have you taken: Medications to prevent or treat osteoporosis (brittle or thinning bones such as Fosamax, Didronel, Evista, Miacalcin, Rocaltrol, Actonel)?

Value	Label	Unweighted Frequency	%
1	No	102	4.2%
2	Yes	4	0.2%
	Total	106	4.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2300	95.3%
.	-	7	0.3%
	Total	2,307	95.6%

This variable has 106 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 212-213 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTETW27: Osteoporosis medication #2 taken two times/week for the last month

If YES to OSTEPR27: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	2	0.1%
2	Yes	2	0.1%
	Total	4	0.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2402	99.5%
.	-	7	0.3%
	Total	2,409	99.8%

This variable has 4 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 214-215 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ARTHRT17: Arthritis medication #1

Since your last study visit, have you taken: Prescribed medications for arthritis?

Value	Label	Unweighted Frequency	%
1	No	2080	86.2%
2	Yes	207	8.6%
	Total	2,287	94.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	1	0.0%
.	-	125	5.2%
	Total	126	5.2%

This variable has 2,287 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 216-217 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -9, -8, -7, -1, .)

ARTHTW17: Arthritis medication #1 taken two times/week for the last month

If YES to ARTHRT17: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	69	2.9%
2	Yes	138	5.7%
	Total	207	8.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2081	86.2%
.	-	125	5.2%
	Total	2,206	91.4%

This variable has 207 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 218-219 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -9, -8, -7, -1, .)

ARTHRT27: Arthritis medication #2

Since your last study visit, have you taken: Prescribed medications for arthritis?

Value	Label	Unweighted Frequency	%
1	No	167	6.9%
2	Yes	40	1.7%
	Total	207	8.6%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2081	86.2%
.	-	125	5.2%
	Total	2,206	91.4%

This variable has 207 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 220-221 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

ARTHTW27: Arthritis medication #2 taken two times/week for the last month

If YES to ARTHRT27: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	20	0.8%
2	Yes	20	0.8%
	Total	40	1.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2248	93.2%
.	-	125	5.2%
	Total	2,373	98.3%

This variable has 40 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 222-223 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED17: Other prescription medication #1

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about?
(Please list)

Value	Label	Unweighted Frequency	%
1	No	1203	49.9%
2	Yes	1203	49.9%
	Total	2,406	99.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	7	0.3%
	Total	7	0.3%

This variable has 2,406 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 224-225 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW17: Other prescription medication #1 taken two times/week for the last month

If YES to OTHMED17: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	495	20.5%
2	Yes	707	29.3%
	Total	1,202	49.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	1203	49.9%
.	-	7	0.3%
Total		1,211	50.2%

This variable has 1,202 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 226-227 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED27: Other prescription medication #2

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	525	21.8%
2	Yes	677	28.1%
Total		1,202	49.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	1204	49.9%
.	-	7	0.3%
Total		1,211	50.2%

This variable has 1,202 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 228-229 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW27: Other prescription medication #2 taken two times/week for the last month

If YES to OTHMED27: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	296	12.3%
2	Yes	380	15.7%
	Total	676	28.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	1729	71.7%
.	-	7	0.3%
	Total	1,737	72.0%

This variable has 676 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 230-231 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED37: Other prescription medication #3

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about?
(Please list)

Value	Label	Unweighted Frequency	%
1	No	299	12.4%
2	Yes	376	15.6%
	Total	675	28.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	1731	71.7%

Value	Missing Data	Unweighted Frequency	%
.	-	7	0.3%
	Total	1,738	72.0%

This variable has 675 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 232-233 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW37: Other prescription medication #3 taken two times/week for the last month

If YES to OTHMED37: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	171	7.1%
2	Yes	205	8.5%
	Total	376	15.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2030	84.1%
.	-	7	0.3%
	Total	2,037	84.4%

This variable has 376 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 234-235 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED47: Other prescription medication #4

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about?
(Please list)

Value	Label	Unweighted Frequency	%
1	No	158	6.5%
2	Yes	215	8.9%
	Total	373	15.5%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2033	84.3%
.	-	7	0.3%
	Total	2,040	84.5%

This variable has 373 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 236-237 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW47: Other prescription medication #4 taken two times/week for the last month

If YES to OTHMED47: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	89	3.7%
2	Yes	126	5.2%
	Total	215	8.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2191	90.8%
.	-	7	0.3%
	Total	2,198	91.1%

This variable has 215 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 238-239 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED57: Other prescription medication #5

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about?
(Please list)

Value	Label	Unweighted Frequency	%
1	No	77	3.2%
2	Yes	136	5.6%
	Total	213	8.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2193	90.9%
.	-	7	0.3%
	Total	2,200	91.2%

This variable has 213 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 240-241 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW57: Other prescription medication #5 taken two times/week for the last month

If YES to OTHMED57: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	66	2.7%
2	Yes	70	2.9%
	Total	136	5.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2270	94.1%
.	-	7	0.3%
Total		2,277	94.4%

This variable has 136 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 242-243 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED67: Other prescription medication #6

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	42	1.7%
2	Yes	93	3.9%
Total		135	5.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2271	94.1%
.	-	7	0.3%
Total		2,278	94.4%

This variable has 135 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 244-245 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW67: Other prescription medication #6 taken two times/week for the last month

If YES to OTHMED67: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	46	1.9%
2	Yes	47	1.9%
	Total	93	3.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2313	95.9%
.	-	7	0.3%
	Total	2,320	96.1%

This variable has 93 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 246-247 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED77: Other prescription medication #7

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about?
(Please list)

Value	Label	Unweighted Frequency	%
1	No	36	1.5%
2	Yes	57	2.4%
	Total	93	3.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2313	95.9%

Value	Missing Data	Unweighted Frequency	%
.	-	7	0.3%
	Total	2,320	96.1%

This variable has 93 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 248-249 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW77: Other prescription medication #7 taken two times/week for the last month

If YES to OTHMED77: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	32	1.3%
2	Yes	25	1.0%
	Total	57	2.4%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2349	97.3%
.	-	7	0.3%
	Total	2,356	97.6%

This variable has 57 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 250-251 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED87: Other prescription medication #8

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about?
(Please list)

Value	Label	Unweighted Frequency	%
1	No	20	0.8%
2	Yes	37	1.5%
	Total	57	2.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2349	97.3%
.	-	7	0.3%
	Total	2,356	97.6%

This variable has 57 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 252-253 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW87: Other prescription medication #8 taken two times/week for the last month

If YES to OTHMED87: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	21	0.9%
2	Yes	15	0.6%
	Total	36	1.5%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2369	98.2%
.	-	7	0.3%
	Total	2,377	98.5%

This variable has 36 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 254-255 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

OTHMED97: Other prescription medication #9

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about?
(Please list)

Value	Label	Unweighted Frequency	%
1	No	12	0.5%
2	Yes	25	1.0%
	Total	37	1.5%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2369	98.2%
.	-	7	0.3%
	Total	2,376	98.5%

This variable has 37 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 256-257 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW97: Other prescription medication #9 taken two times/week for the last month

If YES to OTHMED97: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	15	0.6%
2	Yes	10	0.4%
	Total	25	1.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2381	98.7%
.	-	7	0.3%
Total		2,388	99.0%

This variable has 25 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 258-259 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME107: Other prescription medication #10

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	7	0.3%
2	Yes	18	0.7%
Total		25	1.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2381	98.7%
.	-	7	0.3%
Total		2,388	99.0%

This variable has 25 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 260-261 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW107: Other prescription medication #10 taken two times/week for the last month

If YES to OTHME107: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	12	0.5%
2	Yes	6	0.2%
	Total	18	0.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2388	99.0%
.	-	7	0.3%
	Total	2,395	99.3%

This variable has 18 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 262-263 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME117: Other prescription medication #11

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about?
(Please list)

Value	Label	Unweighted Frequency	%
1	No	7	0.3%
2	Yes	11	0.5%
	Total	18	0.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2388	99.0%

Value	Missing Data	Unweighted Frequency	%
.	-	7	0.3%
	Total	2,395	99.3%

This variable has 18 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 264-265 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW117: Other prescription medication #11 taken two times/week for the last month

If YES to OTHME117: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	8	0.3%
2	Yes	3	0.1%
	Total	11	0.5%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2395	99.3%
.	-	7	0.3%
	Total	2,402	99.5%

This variable has 11 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 266-267 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME127: Other prescription medication #12

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about?
(Please list)

Value	Label	Unweighted Frequency	%
1	No	1	0.0%
2	Yes	10	0.4%
	Total	11	0.5%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2395	99.3%
.	-	7	0.3%
	Total	2,402	99.5%

This variable has 11 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 268-269 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW127: Other prescription medication #12 taken two times/week for the last month

If YES to OTHME127: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	6	0.2%
2	Yes	4	0.2%
	Total	10	0.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2396	99.3%
.	-	7	0.3%
	Total	2,403	99.6%

This variable has 10 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 270-271 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

OTHME137: Other prescription medication #13

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about?
(Please list)

Value	Label	Unweighted Frequency	%
1	No	6	0.2%
2	Yes	4	0.2%
	Total	10	0.4%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2396	99.3%
.	-	7	0.3%
	Total	2,403	99.6%

This variable has 10 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 272-273 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

OTHTW137: Other prescription medication #13 taken two times/week for the last month

If YES to OTHME137: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	2	0.1%
2	Yes	2	0.1%
	Total	4	0.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2402	99.5%
.	-	7	0.3%
	Total	2,409	99.8%

This variable has 4 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 274-275 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME147: Other prescription medication #14

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	1	0.0%
2	Yes	3	0.1%
	Total	4	0.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2402	99.5%
.	-	7	0.3%
	Total	2,409	99.8%

This variable has 4 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 276-277 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW147: Other prescription medication #14 taken two times/week for the last month

If YES to OTHME147: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0%
2	Yes	2	0.1%
	Total	3	0.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2403	99.6%
.	-	7	0.3%
	Total	2,410	99.9%

This variable has 3 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 278-279 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME157: Other prescription medication #15

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about?
(Please list)

Value	Label	Unweighted Frequency	%
1	No	1	0.0%
2	Yes	2	0.1%
	Total	3	0.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	2403	99.6%
.	-	7	0.3%
	Total	2,410	99.9%

This variable has 3 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 280-281 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW157: Other prescription medication #15 taken two times/week for the last month

If YES to OTHME157: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	2	0.1%
2	Yes	0	0.0%
	Total	2	0.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2404	99.6%
.	-	7	0.3%
	Total	2,411	99.9%

This variable has 2 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 282-283 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTLSTV7: Using any estrogen/progestin at time of last study visit

Were you using any prescription medications containing estrogen or progestin at the time of your last study visit?

Value	Label	Unweighted Frequency	%
1	No	57	2.4%
2	Yes	231	9.6%
	Total	288	11.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%
-8	Do not know	1	0.0%
-7	Refused	0	0.0%
-1	N/A	1998	82.8%
.	-	125	5.2%
	Total	2,125	88.1%

This variable has 288 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 284-285 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REDUHAR7: Reduce risk of heart disease

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	No	52	2.2%
2	Yes	6	0.2%
	Total	58	2.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2230	92.4%
.	-	125	5.2%
	Total	2,355	97.6%

This variable has 58 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 286-287 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEOP07: Reduce risk of osteoporosis

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To reduce the risk of osteoporosis (brittle or thinning bones)

Value	Label	Unweighted Frequency	%
1	No	49	2.0%
2	Yes	9	0.4%
	Total	58	2.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2230	92.4%
.	-	125	5.2%
	Total	2,355	97.6%

This variable has 58 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 288-289 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MENOSYM7: Relieve menopausal symptoms

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	No	20	0.8%
2	Yes	38	1.6%
	Total	58	2.4%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2230	92.4%
.	-	125	5.2%
Total		2,355	97.6%

This variable has 58 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 290-291 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOUNGLK7: Stay young-looking

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To stay young-looking

Value	Label	Unweighted Frequency	%
1	No	51	2.1%
2	Yes	7	0.3%
Total		58	2.4%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2230	92.4%
.	-	125	5.2%
Total		2,355	97.6%

This variable has 58 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 292-293 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HCPADVI7: Health care provider advised

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: A health care provider advised me to take them

Value	Label	Unweighted Frequency	%
1	No	16	0.7%
2	Yes	42	1.7%
	Total	58	2.4%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2230	92.4%
.	-	125	5.2%
	Total	2,355	97.6%

This variable has 58 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 294-295 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FRNADVI7: Friend/relative advised

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: A friend or relative advised me to take them

Value	Label	Unweighted Frequency	%
1	No	53	2.2%
2	Yes	5	0.2%
	Total	58	2.4%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	2230	92.4%
.	-	125	5.2%
	Total	2,355	97.6%

This variable has 58 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 296-297 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMPRMEM7: Improve memory

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To improve my memory

Value	Label	Unweighted Frequency	%
1	No	51	2.1%
2	Yes	7	0.3%
	Total	58	2.4%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2230	92.4%
.	-	125	5.2%
	Total	2,355	97.6%

This variable has 58 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 298-299 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REGPERI7: Regulate periods

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To regulate periods

Value	Label	Unweighted Frequency	%
1	No	43	1.8%
2	Yes	15	0.6%
	Total	58	2.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2230	92.4%
.	-	125	5.2%
	Total	2,355	97.6%

This variable has 58 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 300-301 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HORMOTH7: Take hormones for other reasons

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: Any other? Specify

Value	Label	Unweighted Frequency	%
1	No	41	1.7%
2	Yes	17	0.7%
	Total	58	2.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2230	92.4%
.	-	125	5.2%
	Total	2,355	97.6%

This variable has 58 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 302-303 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , ..

DONTKNO7: Don't know/remember why take hormones

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: Don't Know/Remember

Value	Label	Unweighted Frequency	%
1	No	57	2.4%
2	Yes	1	0.0%
	Total	58	2.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2230	92.4%
.	-	125	5.2%
	Total	2,355	97.6%

This variable has 58 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 304-305 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , ..

HORMDAY7: Last took hormones day

Since your last study visit, you were taking some hormones and then stopped. In what month and year did you last take hormones?

Value	Label	Unweighted Frequency	%
2140	-	1	0.0%
2165	-	2	0.1%
2182	-	1	0.0%
2199	-	1	0.0%

Value	Label	Unweighted Frequency	%
2217	-	1	0.0%
2221	-	1	0.0%
2238	-	1	0.0%
2241	-	1	0.0%
2244	-	1	0.0%
2251	-	1	0.0%
2275	-	1	0.0%
2278	-	1	0.0%
2285	-	1	0.0%
2287	-	1	0.0%
2291	-	1	0.0%
2308	-	1	0.0%
2309	-	1	0.0%
2311	-	1	0.0%
2316	-	1	0.0%
2317	-	1	0.0%
2323	-	1	0.0%
2333	-	1	0.0%
2337	-	1	0.0%
2342	-	1	0.0%
2345	-	2	0.1%
2349	-	1	0.0%
2367	-	1	0.0%
2371	-	1	0.0%
2373	-	1	0.0%
2375	-	1	0.0%
2376	-	1	0.0%
2384	-	1	0.0%
2386	-	1	0.0%
2394	-	1	0.0%
2399	-	2	0.1%
2403	-	1	0.0%
2405	-	1	0.0%
2406	-	1	0.0%
2411	-	1	0.0%

Value	Label	Unweighted Frequency	%
2412	-	1	0.0%
2415	-	1	0.0%
2416	-	1	0.0%
2419	-	1	0.0%
2428	-	1	0.0%
2443	-	1	0.0%
2444	-	1	0.0%
2450	-	1	0.0%
2455	-	1	0.0%
2456	-	1	0.0%
2458	-	1	0.0%
Total		83	3.4%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	2330	96.6%
Total		2,330	96.6%

This variable has 83 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 2413.06
- Median: 2411.00
- Minimum: 2140.00
- Maximum: 2783.00
- Standard Deviation: 130.45

Location: 306-309 (width: 4; decimal: 0)

Variable Type: numeric

PRBBLEE7: Problems with bleeding

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Problems with bleeding

Value	Label	Unweighted Frequency	%
1	No	77	3.2%
2	Yes	6	0.2%
Total		83	3.4%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2205	91.4%
.	-	125	5.2%
Total		2,330	96.6%

This variable has 83 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 310-311 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HAVEPER7: Did not like having periods

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Didn't like having periods

Value	Label	Unweighted Frequency	%
1	No	80	3.3%
2	Yes	3	0.1%
Total		83	3.4%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2205	91.4%
.	-	125	5.2%
Total		2,330	96.6%

This variable has 83 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 312-313 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LIKEFEL7: Did not like how felt on them

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Didn't like how I felt on them

Value	Label	Unweighted Frequency	%
1	No	79	3.3%
2	Yes	4	0.2%
	Total	83	3.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2205	91.4%
.	-	125	5.2%
	Total	2,330	96.6%

This variable has 83 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 314-315 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SIDEEFF7: Worried about possible side effects

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Worried about possible side effects

Value	Label	Unweighted Frequency	%
1	No	66	2.7%
2	Yes	17	0.7%
	Total	83	3.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	2205	91.4%
.	-	125	5.2%
	Total	2,330	96.6%

This variable has 83 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 316-317 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CANCER7: Worried about cancer

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Worried about cancer

Value	Label	Unweighted Frequency	%
1	No	67	2.8%
2	Yes	16	0.7%
	Total	83	3.4%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2205	91.4%
.	-	125	5.2%
	Total	2,330	96.6%

This variable has 83 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 318-319 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ADVISTO7: Health care provider advised to stop

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? My health care provider advised me to stop (for medical reasons)

Value	Label	Unweighted Frequency	%
1	No	56	2.3%
2	Yes	27	1.1%
	Total	83	3.4%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2205	91.4%
.	-	125	5.2%
	Total	2,330	96.6%

This variable has 83 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 320-321 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXPENS17: Too expensive

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Too expensive

Value	Label	Unweighted Frequency	%
1	No	82	3.4%
2	Yes	1	0.0%
	Total	83	3.4%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2205	91.4%
.	-	125	5.2%
	Total	2,330	96.6%

This variable has 83 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 322-323 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOLIKE7: Do not like taking medications

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Don't like to take any medications

Value	Label	Unweighted Frequency	%
1	No	74	3.1%
2	Yes	9	0.4%
	Total	83	3.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2205	91.4%
.	-	125	5.2%
	Total	2,330	96.6%

This variable has 83 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 324-325 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOREMEB7: Couldn't remember to take them

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Couldn't remember to take them

Value	Label	Unweighted Frequency	%
1	No	82	3.4%
2	Yes	1	0.0%

Value	Label	Unweighted Frequency	%
Total		83	3.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2205	91.4%
.	-	125	5.2%
Total		2,330	96.6%

This variable has 83 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 326-327 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DNTKNOW7: Don't know why stopped hormones

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Don't know

Value	Label	Unweighted Frequency	%
Total		83	3.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2205	91.4%
.	-	125	5.2%
Total		2,330	96.6%

This variable has 83 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 328-329 (*width:* 2; *decimal:* 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STOPOTH7: Stopped hormones other reason

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Other, specify

Value	Label	Unweighted Frequency	%
1	No	55	2.3%
2	Yes	28	1.2%
	Total	83	3.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2205	91.4%
.	-	125	5.2%
	Total	2,330	96.6%

This variable has 83 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 330-331 (*width:* 2; *decimal:* 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOREASO7: Stopped hormones no reason given

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? No reason given

Value	Label	Unweighted Frequency	%
1	No	82	3.4%
2	Yes	1	0.0%
	Total	83	3.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	Refused	0	0.0%
-1	N/A	2205	91.4%
.	-	125	5.2%
	Total	2,330	96.6%

This variable has 83 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 332-333 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NEWSRPT7: Stopped hormones news/media reports

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? News/Media reports about women who took hormones as part of a research study (e.g. results of WHI)

Value	Label	Unweighted Frequency	%
1	No	43	1.8%
2	Yes	40	1.7%
	Total	83	3.4%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2205	91.4%
.	-	125	5.2%
	Total	2,330	96.6%

This variable has 83 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 334-335 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REGVITA7: Take any vitamins/minerals at least once per week

Since your last study visit, have you taken any vitamins or minerals fairly regularly, at least once a week?

Value	Label	Unweighted Frequency	%
1	No	700	29.0%
2	Yes	1588	65.8%
	Total	2,288	94.8%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
	Total	125	5.2%

This variable has 2,288 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 336-337 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

ONCEADA7: How often take multi-vitamin

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Regular Once-A-Day, Centrum, or Thera type

Value	Label	Unweighted Frequency	%
1	Do not take any	479	19.9%
2	1-3 days/week	151	6.3%
3	4-6 days/week	154	6.4%
4	Every day	804	33.3%
	Total	1,588	65.8%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	700	29.0%
.	-	125	5.2%
	Total	825	34.2%

This variable has 1,588 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 338-339 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANTOXI7: How often take antioxidant

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Antioxidant combination type

Value	Label	Unweighted Frequency	%
1	Do not take any	1471	61.0%
2	1-3 days/week	31	1.3%
3	4-6 days/week	11	0.5%
4	Every day	75	3.1%
	Total	1,588	65.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	700	29.0%
.	-	125	5.2%
	Total	825	34.2%

This variable has 1,588 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 340-341 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITCOMB7: Other vitamin combinations

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Any other combination types

Value	Label	Unweighted Frequency	%
1	No	1115	46.2%
2	Yes	473	19.6%
	Total	1,588	65.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	700	29.0%
.	-	125	5.2%
	Total	825	34.2%

This variable has 1,588 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 342-343 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMOTH17: How often take other multi-vitamin #1

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Any other combination types? If YES to VITCOMB7, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	3	0.1%
2	1-3 days/week	68	2.8%
3	4-6 days/week	51	2.1%
4	Every day	351	14.5%
	Total	473	19.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	1815	75.2%
.	-	125	5.2%
	Total	1,940	80.4%

This variable has 473 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 344-345 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMOTH27: How often take other multi-vitamin #2

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Any other combination types? If YES to VITCOMB7, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	3	0.1%
2	1-3 days/week	21	0.9%
3	4-6 days/week	13	0.5%
4	Every day	99	4.1%
	Total	136	5.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2152	89.2%
.	-	125	5.2%
	Total	2,277	94.4%

This variable has 136 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 346-347 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMOTH37: How often take other multi-vitamin #3

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Any other combination types? If YES to VITCOMB7, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	2	0.1%
2	1-3 days/week	14	0.6%
3	4-6 days/week	3	0.1%
4	Every day	30	1.2%
	Total	49	2.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2239	92.8%
.	-	125	5.2%
	Total	2,364	98.0%

This variable has 49 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 348-349 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMOTH47: How often take other multi-vitamin #4

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Any other combination types? If YES to VITCOMB7, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	3	0.1%
2	1-3 days/week	5	0.2%
3	4-6 days/week	0	0.0%
4	Every day	15	0.6%
	Total	23	1.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2265	93.9%
.	-	125	5.2%
Total		2,390	99.0%

This variable has 23 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 350-351 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITAMNA7: How often take vitamin A

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Vitamin A, not beta carotene

Value	Label	Unweighted Frequency	%
1	Do not take any	1554	64.4%
2	1-3 days/week	14	0.6%
3	4-6 days/week	5	0.2%
4	Every day	15	0.6%
Total		1,588	65.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	700	29.0%
.	-	125	5.2%
Total		825	34.2%

This variable has 1,588 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 352-353 (*width:* 2; *decimal:* 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BETACAR7: How often take beta-carotene

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Beta-carotene

Value	Label	Unweighted Frequency	%
1	Do not take any	1551	64.3%
2	1-3 days/week	8	0.3%
3	4-6 days/week	2	0.1%
4	Every day	27	1.1%
	Total	1,588	65.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	700	29.0%
.	-	125	5.2%
	Total	825	34.2%

This variable has 1,588 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 354-355 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITAMNC7: How often take vitamin C

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Vitamin C

Value	Label	Unweighted Frequency	%
1	Do not take any	1132	46.9%
2	1-3 days/week	108	4.5%
3	4-6 days/week	61	2.5%
4	Every day	287	11.9%

Value	Label	Unweighted Frequency	%
	Total	1,588	65.8%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	700	29.0%
.	-	125	5.2%
	Total	825	34.2%

This variable has 1,588 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 356-357 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

VITAMND7: How often take vitamin D

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Vitamin D

Value	Label	Unweighted Frequency	%
1	Do not take any	1436	59.5%
2	1-3 days/week	19	0.8%
3	4-6 days/week	19	0.8%
4	Every day	113	4.7%
	Total	1,587	65.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	700	29.0%
.	-	125	5.2%
	Total	826	34.2%

This variable has 1,587 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 358-359 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITAMNE7: How often take vitamin E

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Vitamin E

Value	Label	Unweighted Frequency	%
1	Do not take any	1041	43.1%
2	1-3 days/week	96	4.0%
3	4-6 days/week	87	3.6%
4	Every day	364	15.1%
	Total	1,588	65.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	700	29.0%
.	-	125	5.2%
	Total	825	34.2%

This variable has 1,588 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 360-361 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CALCTUM7: How often take calcium/Tums

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Calcium or Tums

Value	Label	Unweighted Frequency	%
1	Do not take any	889	36.8%

Value	Label	Unweighted Frequency	%
2	1-3 days/week	122	5.1%
3	4-6 days/week	105	4.4%
4	Every day	472	19.6%
	Total	1,588	65.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	700	29.0%
.	-	125	5.2%
	Total	825	34.2%

This variable has 1,588 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 362-363 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

IRON7: How often take iron

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Iron

Value	Label	Unweighted Frequency	%
1	Do not take any	1488	61.7%
2	1-3 days/week	35	1.5%
3	4-6 days/week	7	0.3%
4	Every day	58	2.4%
	Total	1,588	65.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	700	29.0%

Value	Missing Data	Unweighted Frequency	%
-		125	5.2%
Total		825	34.2%

This variable has 1,588 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 364-365 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ZINC7: How often take zinc

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Zinc

Value	Label	Unweighted Frequency	%
1	Do not take any	1537	63.7%
2	1-3 days/week	16	0.7%
3	4-6 days/week	5	0.2%
4	Every day	30	1.2%
Total		1,588	65.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	700	29.0%
.	-	125	5.2%
Total		825	34.2%

This variable has 1,588 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 366-367 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELENIU7: How often take selenium

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Selenium

Value	Label	Unweighted Frequency	%
1	Do not take any	1537	63.7%
2	1-3 days/week	13	0.5%
3	4-6 days/week	7	0.3%
4	Every day	31	1.3%
	Total	1,588	65.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	700	29.0%
.	-	125	5.2%
	Total	825	34.2%

This variable has 1,588 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 368-369 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMSING7: Any other single vitamins

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins?

Value	Label	Unweighted Frequency	%
1	No	1107	45.9%
2	Yes	481	19.9%
	Total	1,588	65.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	700	29.0%
.	-	125	5.2%
	Total	825	34.2%

This variable has 1,588 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 370-371 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT17: How often take other vitamin #1

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING7, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	4	0.2%
2	1-3 days/week	72	3.0%
3	4-6 days/week	63	2.6%
4	Every day	342	14.2%
	Total	481	19.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	1807	74.9%
.	-	125	5.2%
	Total	1,932	80.1%

This variable has 481 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 372-373 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT27: How often take other vitamin #2

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING7, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	3	0.1%
2	1-3 days/week	30	1.2%
3	4-6 days/week	25	1.0%
4	Every day	152	6.3%
	Total	210	8.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2078	86.1%
.	-	125	5.2%
	Total	2,203	91.3%

This variable has 210 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 374-375 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT37: How often take other vitamin #3

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING7, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	0	0.0%
2	1-3 days/week	19	0.8%
3	4-6 days/week	9	0.4%
4	Every day	68	2.8%
	Total	96	4.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2192	90.8%
.	-	125	5.2%
Total		2,317	96.0%

This variable has 96 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 376-377 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT47: How often take other vitamin #4

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING7, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	0	0.0%
2	1-3 days/week	8	0.3%
3	4-6 days/week	3	0.1%
4	Every day	37	1.5%
Total		48	2.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2240	92.8%
.	-	125	5.2%
Total		2,365	98.0%

This variable has 48 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 378-379 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT57: How often take other vitamin #5

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING7, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	1	0.0%
2	1-3 days/week	3	0.1%
3	4-6 days/week	2	0.1%
4	Every day	20	0.8%
	Total	26	1.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2262	93.7%
.	-	125	5.2%
	Total	2,387	98.9%

This variable has 26 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 380-381 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT67: How often take other vitamin #6

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING7, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	0	0.0%
2	1-3 days/week	3	0.1%
3	4-6 days/week	2	0.1%

Value	Label	Unweighted Frequency	%
4	Every day	11	0.5%
	Total	16	0.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2272	94.2%
.	-	125	5.2%
	Total	2,397	99.3%

This variable has 16 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 382-383 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT77: How often take other vitamin #7

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING7, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	0	0.0%
2	1-3 days/week	2	0.1%
3	4-6 days/week	0	0.0%
4	Every day	10	0.4%
	Total	12	0.5%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2276	94.3%
.	-	125	5.2%

Value	Missing Data	Unweighted Frequency	%
	Total	2,401	99.5%

This variable has 12 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 384-385 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT87: How often take other vitamin #8

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING7, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	0	0.0%
2	1-3 days/week	2	0.1%
3	4-6 days/week	0	0.0%
4	Every day	5	0.2%
	Total	7	0.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2281	94.5%
.	-	125	5.2%
	Total	2,406	99.7%

This variable has 7 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 386-387 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT97: How often take other vitamin #9

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING7, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	0	0.0%
2	1-3 days/week	1	0.0%
3	4-6 days/week	0	0.0%
4	Every day	5	0.2%
	Total	6	0.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2282	94.6%
.	-	125	5.2%
	Total	2,407	99.8%

This variable has 6 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 388-389 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMO107: How often take other vitamin #10

If YES to REGVITA7: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING7, specify

Value	Label	Unweighted Frequency	%
1	Do not take any	0	0.0%
2	1-3 days/week	1	0.0%
3	4-6 days/week	0	0.0%
4	Every day	3	0.1%
	Total	4	0.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2284	94.7%
.	-	125	5.2%
Total		2,409	99.8%

This variable has 4 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 390-391 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAIN17: Over-the-counter (OTC) pain medication #1

Since your last study visit, have you taken: Any over-the-counter medications for pain including headaches and arthritis?

Value	Label	Unweighted Frequency	%
1	No	1455	60.3%
2	Yes	833	34.5%
Total		2,288	94.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
Total		125	5.2%

This variable has 2,288 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 392-393 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAINTW17: Over-the-counter (OTC) pain medication #1 taken two times/week for the last month

If YES to PAIN17: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	384	15.9%
2	Yes	448	18.6%
	Total	832	34.5%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	1	0.0%
-7	Refused	0	0.0%
-1	N/A	1455	60.3%
.	-	125	5.2%
	Total	1,581	65.5%

This variable has 832 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 394-395 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -9, -8, -7, -1, .)

PAIN27: Over-the-counter (OTC) pain medication #2

Since your last study visit, have you taken: Any over-the-counter medications for pain including headaches and arthritis?

Value	Label	Unweighted Frequency	%
1	No	574	23.8%
2	Yes	259	10.7%
	Total	833	34.5%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	1455	60.3%

Value	Missing Data	Unweighted Frequency	%
.	-	125	5.2%
	Total	1,580	65.5%

This variable has 833 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 396-397 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAINTW27: Over-the-counter (OTC) pain medication #2 taken two times/week for the last month

If YES to PAIN27: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	169	7.0%
2	Yes	90	3.7%
	Total	259	10.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2029	84.1%
.	-	125	5.2%
	Total	2,154	89.3%

This variable has 259 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 398-399 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEEP17: Over-the-counter (OTC) sleep medication #1

Since your last study visit, have you taken: Anything for problems sleeping?

Value	Label	Unweighted Frequency	%
1	No	2156	89.3%
2	Yes	132	5.5%
	Total	2,288	94.8%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
	Total	125	5.2%

This variable has 2,288 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 400-401 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

SLEPTW17: Over-the-counter (OTC) sleep medication #1 taken two times/week for the last month

If YES to SLEEP17: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	61	2.5%
2	Yes	71	2.9%
	Total	132	5.5%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2156	89.3%
.	-	125	5.2%
	Total	2,281	94.5%

This variable has 132 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 402-403 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEEP27: Over-the-counter (OTC) sleep medication #2

Since your last study visit, have you taken: Anything for problems sleeping?

Value	Label	Unweighted Frequency	%
1	No	120	5.0%
2	Yes	12	0.5%
	Total	132	5.5%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2156	89.3%
.	-	125	5.2%
	Total	2,281	94.5%

This variable has 132 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 404-405 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEPTW27: Over-the-counter (OTC) sleep medication #2 taken two times/week for the last month

If YES to SLEEP17: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	8	0.3%
2	Yes	4	0.2%
	Total	12	0.5%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2276	94.3%
.	-	125	5.2%
	Total	2,401	99.5%

This variable has 12 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 406-407 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC17: Other over-the-counter (OTC) medication #1

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	1568	65.0%
2	Yes	720	29.8%
	Total	2,288	94.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
	Total	125	5.2%

This variable has 2,288 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 408-409 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW17: Other over-the-counter (OTC) medication #1 taken two times/week for the last month

If YES to OTC17: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	196	8.1%
2	Yes	523	21.7%
	Total	719	29.8%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	1568	65.0%
.	-	125	5.2%
	Total	1,694	70.2%

This variable has 719 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 410-411 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

OTC27: Other over-the-counter (OTC) medication #2

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	449	18.6%
2	Yes	271	11.2%
	Total	720	29.8%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	1568	65.0%
.	-	125	5.2%
	Total	1,693	70.2%

This variable has 720 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 412-413 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW27: Other over-the-counter (OTC) medication #2 taken two times/week for the last month

If YES to OTC27: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	72	3.0%
2	Yes	199	8.2%
	Total	271	11.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2017	83.6%
.	-	125	5.2%
	Total	2,142	88.8%

This variable has 271 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 414-415 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC37: Other over-the-counter (OTC) medication #3

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	161	6.7%
2	Yes	110	4.6%
	Total	271	11.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2017	83.6%
.	-	125	5.2%
	Total	2,142	88.8%

This variable has 271 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 416-417 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW37: Other over-the-counter (OTC) medication #3 taken two times/week for the last month

If YES to OTC37: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	30	1.2%
2	Yes	80	3.3%
	Total	110	4.6%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2178	90.3%
.	-	125	5.2%
	Total	2,303	95.4%

This variable has 110 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 418-419 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC47: Other over-the-counter (OTC) medication #4

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	52	2.2%
2	Yes	58	2.4%
	Total	110	4.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2178	90.3%
.	-	125	5.2%
	Total	2,303	95.4%

This variable has 110 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 420-421 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW47: Other over-the-counter (OTC) medication #4 taken two times/week for the last month

If YES to OTC47: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	15	0.6%
2	Yes	43	1.8%
	Total	58	2.4%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2230	92.4%
.	-	125	5.2%
Total		2,355	97.6%

This variable has 58 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 422-423 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC57: Other over-the-counter (OTC) medication #5

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	24	1.0%
2	Yes	34	1.4%
Total		58	2.4%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2230	92.4%
.	-	125	5.2%
Total		2,355	97.6%

This variable has 58 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 424-425 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW57: Other over-the-counter (OTC) medication #5 taken two times/week for the last month

If YES to OTC57: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	9	0.4%
2	Yes	25	1.0%
	Total	34	1.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2254	93.4%
.	-	125	5.2%
	Total	2,379	98.6%

This variable has 34 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 426-427 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

OTC67: Other over-the-counter (OTC) medication #6

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	19	0.8%
2	Yes	15	0.6%
	Total	34	1.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	2254	93.4%
.	-	125	5.2%
	Total	2,379	98.6%

This variable has 34 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 428-429 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW67: Other over-the-counter (OTC) medication #6 taken two times/week for the last month

If YES to OTC67: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	4	0.2%
2	Yes	11	0.5%
	Total	15	0.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2273	94.2%
.	-	125	5.2%
	Total	2,398	99.4%

This variable has 15 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 430-431 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC77: Other over-the-counter (OTC) medication #7

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	3	0.1%
2	Yes	12	0.5%
	Total	15	0.6%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2273	94.2%
.	-	125	5.2%
	Total	2,398	99.4%

This variable has 15 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 432-433 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW77: Other over-the-counter (OTC) medication #7 taken two times/week for the last month

If YES to OTC77: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	2	0.1%
2	Yes	10	0.4%
	Total	12	0.5%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2276	94.3%
.	-	125	5.2%
	Total	2,401	99.5%

This variable has 12 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 434-435 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC87: Other over-the-counter (OTC) medication #8

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	4	0.2%
2	Yes	8	0.3%
	Total	12	0.5%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2276	94.3%
.	-	125	5.2%
	Total	2,401	99.5%

This variable has 12 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 436-437 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW87: Other over-the-counter (OTC) medication #8 taken two times/week for the last month

If YES to OTC87: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0%
2	Yes	7	0.3%
	Total	8	0.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2280	94.5%
.	-	125	5.2%
Total		2,405	99.7%

This variable has 8 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 438-439 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC97: Other over-the-counter (OTC) medication #9

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	2	0.1%
2	Yes	6	0.2%
Total		8	0.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2280	94.5%
.	-	125	5.2%
Total		2,405	99.7%

This variable has 8 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 440-441 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW97: Other over-the-counter (OTC) medication #9 taken two times/week for the last month

If YES to OTC97: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0%
2	Yes	5	0.2%
	Total	6	0.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2282	94.6%
.	-	125	5.2%
	Total	2,407	99.8%

This variable has 6 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 442-443 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC107: Other over-the-counter (OTC) medication #10

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	2	0.1%
2	Yes	4	0.2%
	Total	6	0.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	2282	94.6%
.	-	125	5.2%
	Total	2,407	99.8%

This variable has 6 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 444-445 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW107: Other over-the-counter (OTC) medication #10 taken two times/week for the last month

If YES to OTC107: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0%
2	Yes	3	0.1%
	Total	4	0.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2284	94.7%
.	-	125	5.2%
	Total	2,409	99.8%

This variable has 4 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 446-447 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC117: Other over-the-counter (OTC) medication #11

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	0	0.0%
2	Yes	4	0.2%
	Total	4	0.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2284	94.7%
.	-	125	5.2%
	Total	2,409	99.8%

This variable has 4 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 448-449 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW117: Other over-the-counter (OTC) medication #11 taken two times/week for the last month

If YES to OTC117: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0%
2	Yes	3	0.1%
	Total	4	0.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2284	94.7%
.	-	125	5.2%
	Total	2,409	99.8%

This variable has 4 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 450-451 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC127: Other over-the-counter (OTC) medication #12

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	1	0.0%
2	Yes	3	0.1%
	Total	4	0.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2284	94.7%
.	-	125	5.2%
	Total	2,409	99.8%

This variable has 4 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 452-453 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW127: Other over-the-counter (OTC) medication #12 taken two times/week for the last month

If YES to OTC127: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0%
2	Yes	2	0.1%
	Total	3	0.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2285	94.7%
.	-	125	5.2%
	Total	2,410	99.9%

This variable has 3 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 454-455 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC137: Other over-the-counter (OTC) medication #13

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	1	0.0%
2	Yes	2	0.1%
	Total	3	0.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2285	94.7%
.	-	125	5.2%
	Total	2,410	99.9%

This variable has 3 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 456-457 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW137: Other over-the-counter (OTC) medication #13 taken two times/week for the last month

If YES to OTC137: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0%
2	Yes	1	0.0%
	Total	2	0.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2286	94.7%
.	-	125	5.2%
	Total	2,411	99.9%

This variable has 2 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 458-459 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

OTC147: Other over-the-counter (OTC) medication #14

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	0	0.0%
2	Yes	2	0.1%
	Total	2	0.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	2286	94.7%
.	-	125	5.2%
	Total	2,411	99.9%

This variable has 2 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 460-461 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW147: Other over-the-counter (OTC) medication #14 taken two times/week for the last month

If YES to OTC147: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0%
2	Yes	1	0.0%
	Total	2	0.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2286	94.7%
.	-	125	5.2%
	Total	2,411	99.9%

This variable has 2 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 462-463 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC157: Other over-the-counter (OTC) medication #15

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	1	0.0%
2	Yes	1	0.0%
	Total	2	0.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2286	94.7%
.	-	125	5.2%
	Total	2,411	99.9%

This variable has 2 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 464-465 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW157: Other over-the-counter (OTC) medication #15 taken two times/week for the last month

If YES to OTC157: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0%
2	Yes	0	0.0%
	Total	1	0.0%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2287	94.8%
.	-	125	5.2%
	Total	2,412	100.0%

This variable has 1 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 466-467 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYYNSNO7: Soy protein/phytoestrogen powders/pills

During the past year have you used any supplements containing soy protein or phytoestrogen powders or pills?

Value	Label	Unweighted Frequency	%
1	No	1967	81.5%
2	Yes	318	13.2%
	Total	2,285	94.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	3	0.1%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
	Total	128	5.3%

This variable has 2,285 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 468-469 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYPROT7: How often take soy protein

If YES to SOYYNSNO7: How many times per week?

Value	Label	Unweighted Frequency	%
1	Don't take any	28	1.2%
2	1-3 days/week	96	4.0%
3	4-6 days/week	42	1.7%
4	Every day	152	6.3%
	Total	318	13.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	1970	81.6%
.	-	125	5.2%
Total		2,095	86.8%

This variable has 318 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 470-471 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CEREACA7: How many bowls high calcium cereal

How many bowls of cereal do you eat per week where the label of the cereal box says that it is high in calcium?

Value	Label	Unweighted Frequency	%
1	None or <1/week	1596	66.1%
2	1/week	188	7.8%
3	2/week	166	6.9%
4	3-4/week	115	4.8%
5	5-6/week	46	1.9%
6	>=7/week	38	1.6%
Total		2,149	89.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	139	5.8%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
Total		264	10.9%

This variable has 2,149 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00

- Maximum: 6.00

Location: 472-473 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

BREADCA7: How many slices high calcium bread

How many slices of bread do you eat per week when the bread wrapper says the loaf is high in calcium?

Value	Label	Unweighted Frequency	%
1	None or <1/week	1503	62.3%
2	1/week	130	5.4%
3	2/week	143	5.9%
4	3-4/week	171	7.1%
5	5-6/week	82	3.4%
6	>=7/week	96	4.0%
	Total	2,125	88.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	163	6.8%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
	Total	288	11.9%

This variable has 2,125 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 474-475 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

ORANGCA7: How many glasses high calcium orange juice

Some brands of fortified juice have extra calcium added. How many glasses of fruit juice or fruit drink containing extra calcium do you drink per week?

Value	Label	Unweighted Frequency	%
1	None or <1/week	1337	55.4%
2	1/week	208	8.6%

Value	Label	Unweighted Frequency	%
3	2/week	215	8.9%
4	3-4/week	242	10.0%
5	5-6/week	106	4.4%
6	>=7/week	155	6.4%
	Total	2,263	93.8%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	25	1.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
	Total	150	6.2%

This variable has 2,263 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 476-477 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

ACUPUNC7: Acupuncture

During the past 12 months, have you used any of the following for your health? Acupuncture

Value	Label	Unweighted Frequency	%
1	No	2193	90.9%
2	Yes	95	3.9%
	Total	2,288	94.8%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
	Total	125	5.2%

This variable has 2,288 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 478-479 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPHAR7: Acupuncture - heart

If YES to ACUPUNC7: Please tell me whether or not you use acupuncture: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	93	3.9%
2	Yes	2	0.1%
	Total	95	3.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	84	3.5%
.	-	2234	92.6%
	Total	2,318	96.1%

This variable has 95 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 480-481 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPOST7: Acupuncture - osteoporosis

If YES to ACUPUNC7: Please tell me whether or not you use acupuncture: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	94	3.9%
2	Yes	1	0.0%
	Total	95	3.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	84	3.5%
.	-	2234	92.6%
	Total	2,318	96.1%

This variable has 95 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 482-483 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -9, -8, -7, -1, .)

ACUPMEN7: Acupuncture - menopausal symptoms

If YES to ACUPUNC7: Please tell me whether or not you use acupuncture: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	85	3.5%
2	Yes	10	0.4%
	Total	95	3.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	84	3.5%
.	-	2234	92.6%
	Total	2,318	96.1%

This variable has 95 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 484-485 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -9, -8, -7, -1, .)

ACUPLOO7: Acupuncture - young looking

If YES to ACUPUNC7: Please tell me whether or not you use acupuncture: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	95	3.9%
2	Yes	0	0.0%
	Total	95	3.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	84	3.5%
.	-	2234	92.6%
	Total	2,318	96.1%

This variable has 95 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 486-487 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPMEM7: Acupuncture - improve memory

If YES to ACUPUNC7: Please tell me whether or not you use acupuncture: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	94	3.9%
2	Yes	1	0.0%
	Total	95	3.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	84	3.5%
.	-	2234	92.6%
	Total	2,318	96.1%

This variable has 95 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 488-489 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPPER7: Acupuncture - regulate periods

If YES to ACUPUNC7: Please tell me whether or not you use acupuncture: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	95	3.9%
2	Yes	0	0.0%
	Total	95	3.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	84	3.5%
.	-	2234	92.6%
	Total	2,318	96.1%

This variable has 95 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 490-491 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPGEN7: Acupuncture - general health

If YES to ACUPUNC7: Please tell me whether or not you use acupuncture: For general health?

Value	Label	Unweighted Frequency	%
1	No	51	2.1%
2	Yes	44	1.8%
	Total	95	3.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	84	3.5%
.	-	2234	92.6%
Total		2,318	96.1%

This variable has 95 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 492-493 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9, -8, -7, -1, .)

ACUPWGH7: Acupuncture - weight

If YES to ACUPUNC7: Please tell me whether or not you use acupuncture: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	91	3.8%
2	Yes	4	0.2%
Total		95	3.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	84	3.5%
.	-	2234	92.6%
Total		2,318	96.1%

This variable has 95 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 494-495 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9, -8, -7, -1, .)

ACUPADV7: Acupuncture - provider advice

If YES to ACUPUNC7: Please tell me whether or not you use acupuncture: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	77	3.2%
2	Yes	18	0.7%
	Total	95	3.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	84	3.5%
.	-	2234	92.6%
	Total	2,318	96.1%

This variable has 95 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 496-497 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPOTH7: Acupuncture - other reason

If YES to ACUPUNC7: Please tell me whether or not you use acupuncture: Is there any other reason you use acupuncture?

Value	Label	Unweighted Frequency	%
1	No	20	0.8%
2	Yes	75	3.1%
	Total	95	3.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	84	3.5%
.	-	2234	92.6%

Value	Missing Data	Unweighted Frequency	%
Total		2,318	96.1%

This variable has 95 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 498-499 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPSPE7: Acupuncture - other specify

If YES to ACUPUNC7: Please tell me whether or not you use acupuncture: Is there any other reason you use acupuncture?
Specify

Value	Label	Unweighted Frequency	%
-		2338	96.9%
ANKLE PAIN	-	1	0.0%
ARTHRITIS (FINGER)	-	1	0.0%
ARTHRITIS (NECK)	-	1	0.0%
ASTHMA	-	1	0.0%
BACK + NECK PAIN	-	1	0.0%
BACK PAIN	-	3	0.1%
BACK PAIN, SPINE CORD PAIN	-	1	0.0%
BLOOD PRESSURE	-	1	0.0%
BREAST CANCER, STUFFED EARS, LIVER	-	1	0.0%
CARPAL TUNNEL	-	1	0.0%
CLASS REQUIREMENT	-	1	0.0%
COLD FEET	-	1	0.0%
DEPRESSION	-	1	0.0%
DIGESTIVE PROBLEMS, FOOD SENSITIVITIES	-	1	0.0%
ENDOMETRIOSIS	-	1	0.0%
EYE DIFFICULTY	-	1	0.0%
FIBROMYALGIA	-	1	0.0%
FOOT & BACK PROBLEMS	-	1	0.0%
FOR ALS	-	1	0.0%
FOR EYE	-	1	0.0%
FOR FIBROID SURGERY	-	1	0.0%
FOR KNEE JOINTS	-	1	0.0%

Value	Label	Unweighted Frequency	%
FOR PAIN	-	1	0.0%
FOR SLIPPED DISC	-	1	0.0%
FOR SPRAINED ANKLE	-	1	0.0%
HEADACHE	-	2	0.1%
HOT FLASHES	-	1	0.0%
INJURY ON KNEE	-	1	0.0%
JOINT PAIN	-	1	0.0%
KNEE PAIN	-	2	0.1%
MANAGE PAIN	-	1	0.0%
MENTAL HEALTH	-	1	0.0%
MUSCLE STIFFNESS	-	1	0.0%
NECK AND BACK PAIN	-	1	0.0%
NECK PAIN	-	1	0.0%
PAIN	-	4	0.2%
PAIN CONTROL	-	1	0.0%
PAIN MANAGEMENT	-	1	0.0%
PAIN RELIEF	-	2	0.1%
PULLED MUSCLES	-	1	0.0%
R WAS HAVING PAIN NEEDED ENERGY	-	1	0.0%
RELAXATION	-	1	0.0%
RELIEVE ITCHING FROM POISON IVY	-	1	0.0%
RELIEVE PAIN	-	2	0.1%
RELIEVE STRESS.	-	1	0.0%
SHOULDER ACHE	-	1	0.0%
SHOULDER INJURY	-	1	0.0%
SHOULDER INJURY, PAIN IN ELBOW	-	1	0.0%
SHOULDER PAIN	-	1	0.0%
	Total	2,413	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 2,413 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 500-544 (*width:* 45; *decimal:* 0)

Variable Type: character

BCOHOSH7: Black cohosh

During the past 12 months, have you used any of the following for your health? Black cohosh

Value	Label	Unweighted Frequency	%
1	No	2104	87.2%
2	Yes	184	7.6%
	Total	2,288	94.8%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
	Total	125	5.2%

This variable has 2,288 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 545-546 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHHAR7: Black cohosh - heart

If YES to BCOHOSH7: Please tell me whether or not you use black cohosh: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	177	7.3%
2	Yes	7	0.3%
	Total	184	7.6%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	81	3.4%
.	-	2148	89.0%
	Total	2,229	92.4%

This variable has 184 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 547-548 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHOST7: Black cohosh - osteoporosis

If YES to BCOHOST7: Please tell me whether or not you use black cohosh: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	171	7.1%
2	Yes	13	0.5%
	Total	184	7.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	81	3.4%
.	-	2148	89.0%
	Total	2,229	92.4%

This variable has 184 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 549-550 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHMEN7: Black cohosh - menopausal symptoms

If YES to BCOHOST7: Please tell me whether or not you use black cohosh: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	13	0.5%
2	Yes	171	7.1%
	Total	184	7.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	81	3.4%
.	-	2148	89.0%
	Total	2,229	92.4%

This variable has 184 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 551-552 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHLOO7: Black cohosh - young looking

If YES to BCOHOSH7: Please tell me whether or not you use black cohosh: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	177	7.3%
2	Yes	7	0.3%
	Total	184	7.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	81	3.4%
.	-	2148	89.0%
	Total	2,229	92.4%

This variable has 184 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 553-554 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHMEM7: Black cohosh - improve memory

If YES to BCOHOSH7: Please tell me whether or not you use black cohosh: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	175	7.3%
2	Yes	9	0.4%
	Total	184	7.6%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	81	3.4%
.	-	2148	89.0%
	Total	2,229	92.4%

This variable has 184 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 555-556 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

BCOHPER7: Black cohosh - regulate periods

If YES to BCOHOSH7: Please tell me whether or not you use black cohosh: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	177	7.3%
2	Yes	7	0.3%
	Total	184	7.6%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	81	3.4%
.	-	2148	89.0%
	Total	2,229	92.4%

This variable has 184 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 557-558 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOGEN7: Black cohosh - general health

If YES to BCOHOSH7: Please tell me whether or not you use black cohosh: For general health?

Value	Label	Unweighted Frequency	%
1	No	143	5.9%
2	Yes	41	1.7%
	Total	184	7.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	81	3.4%
.	-	2148	89.0%
	Total	2,229	92.4%

This variable has 184 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 559-560 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHWH7: Black cohosh - weight

If YES to BCOHOSH7: Please tell me whether or not you use black cohosh: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	180	7.5%
2	Yes	4	0.2%
	Total	184	7.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	81	3.4%
.	-	2148	89.0%
	Total	2,229	92.4%

This variable has 184 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 561-562 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHADV7: Black cohosh - provider advice

If YES to BCOHOSH7: Please tell me whether or not you use black cohosh: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	155	6.4%
2	Yes	29	1.2%
	Total	184	7.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	81	3.4%
.	-	2148	89.0%
	Total	2,229	92.4%

This variable has 184 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 563-564 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHOTH7: Black cohosh - other reason

If YES to BCOHOSH7: Please tell me whether or not you use black cohosh: Is there any other reason you use black cohosh?

Value	Label	Unweighted Frequency	%
1	No	166	6.9%
2	Yes	18	0.7%
	Total	184	7.6%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	81	3.4%
.	-	2148	89.0%
	Total	2,229	92.4%

This variable has 184 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 565-566 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

BCOHSPE7: Black cohosh - other specify

If YES to BCOHOSH7: Please tell me whether or not you use black cohosh: Is there any other reason you use black cohosh? Specify

Value	Label	Unweighted Frequency	%
-	-	2395	99.3%
BELIEVES IN HERBS	-	1	0.0%
FOR COLDS AND BALANCE WOMEN STUFF	-	1	0.0%
FOR MOOD	-	1	0.0%
FOR SLEEP	-	1	0.0%
HEADACHE	-	1	0.0%
HELPS VAGINAL DRYNESS	-	1	0.0%
HOT FLASH	-	1	0.0%
HOT FLASHES	-	5	0.2%

Value	Label	Unweighted Frequency	%
MENOPAUSE SYMPTOMS	-	1	0.0%
MOOD SWINGS	-	1	0.0%
REDUCE HOT FLASHES	-	2	0.1%
SLEEP	-	1	0.0%
TO PREPARE FOR MENOPAUSAL SYMPTOMS	-	1	0.0%
	Total	2,413	100.0%

This variable has 2,413 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 567-600 (width: 34; decimal: 0)

Variable Type: character

DQUAI7: Dong Quai

During the past 12 months, have you used any of the following for your health? Dong Quai

Value	Label	Unweighted Frequency	%
1	No	2236	92.7%
2	Yes	52	2.2%
	Total	2,288	94.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
	Total	125	5.2%

This variable has 2,288 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 601-602 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAHAR7: Dong Quai - heart

If YES to DQUAI7: Please tell me whether or not you use Dong Quai: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	49	2.0%
2	Yes	3	0.1%
	Total	52	2.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2276	94.3%
	Total	2,361	97.8%

This variable has 52 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 603-604 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAOST7: Dong Quai - osteoporosis

If YES to DQUAI7: Please tell me whether or not you use Dong Quai: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	46	1.9%
2	Yes	6	0.2%
	Total	52	2.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2276	94.3%
	Total	2,361	97.8%

This variable has 52 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 605-606 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAMEN7: Dong Quai - menopausal symptoms

If YES to DQUAI7: Please tell me whether or not you use Dong Quai: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	17	0.7%
2	Yes	35	1.5%
	Total	52	2.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2276	94.3%
	Total	2,361	97.8%

This variable has 52 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 607-608 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUALOO7: Dong Quai - young looking

If YES to DQUAI7: Please tell me whether or not you use Dong Quai: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	45	1.9%
2	Yes	7	0.3%
	Total	52	2.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2276	94.3%
Total		2,361	97.8%

This variable has 52 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 609-610 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAMEM7: Dong Quai - improve memory

If YES to DQUAI7: Please tell me whether or not you use Dong Quai: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	48	2.0%
2	Yes	4	0.2%
Total		52	2.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2276	94.3%
Total		2,361	97.8%

This variable has 52 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 611-612 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAPER7: Dong Quai - regulate periods

If YES to DQUAI7: Please tell me whether or not you use Dong Quai: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	46	1.9%
2	Yes	6	0.2%
	Total	52	2.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2276	94.3%
	Total	2,361	97.8%

This variable has 52 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 613-614 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

DQUAGEN7: Dong Quai - general health

If YES to DQUAI7: Please tell me whether or not you use Dong Quai: For general health?

Value	Label	Unweighted Frequency	%
1	No	25	1.0%
2	Yes	27	1.1%
	Total	52	2.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2276	94.3%

Value	Missing Data	Unweighted Frequency	%
	Total	2,361	97.8%

This variable has 52 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 615-616 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAWGH7: Dong Quai - weight

If YES to DQUAI7: Please tell me whether or not you use Dong Quai: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	51	2.1%
2	Yes	1	0.0%
	Total	52	2.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2276	94.3%
	Total	2,361	97.8%

This variable has 52 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 617-618 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAADV7: Dong Quai - provider advice

If YES to DQUAI7: Please tell me whether or not you use Dong Quai: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	47	1.9%

Value	Label	Unweighted Frequency	%
2	Yes	5	0.2%
	Total	52	2.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2276	94.3%
	Total	2,361	97.8%

This variable has 52 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 619-620 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

DQUAOTH7: Dong Quai - other reason

If YES to DQUAI7: Please tell me whether or not you use Dong Quai: Is there any other reason you use Dong Quai?

Value	Label	Unweighted Frequency	%
1	No	38	1.6%
2	Yes	14	0.6%
	Total	52	2.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2276	94.3%
	Total	2,361	97.8%

This variable has 52 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 621-622 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUASPE7: Dong Quai - other specify

If YES to DQUAI7: Please tell me whether or not you use Dong Quai: Is there any other reason you use Dong Quai? Specify

Value	Label	Unweighted Frequency	%
-	-	2399	99.4%
DIGESTIVE BENEFIT	-	1	0.0%
ENERGIZING	-	1	0.0%
FEEL LIKE IT	-	1	0.0%
FOR BLOOD	-	1	0.0%
FOR COLDS AND BALANCE WOMEN STUFF	-	1	0.0%
FOR WOMAN'S HEALTH	-	1	0.0%
HOT FLASHES	-	1	0.0%
IMPROVE ENERGY	-	1	0.0%
IN SOUP	-	1	0.0%
PREVENT HAIR LOSS	-	1	0.0%
REPLACEMENT FOR COFFEE	-	1	0.0%
TO FEEL GOOD	-	1	0.0%
TO RELIEVE HOT FLASHES	-	1	0.0%
VAGINAL DRYNESS	-	1	0.0%
	Total	2,413	100.0%

This variable has 2,413 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 623-655 (*width:* 33; *decimal:* 0)

Variable Type: character

DIETNUT7: Nutritious diet

During the past 12 months, have you used any of the following for your health? Eating a nutritious diet

Value	Label	Unweighted Frequency	%
1	No	713	29.5%
2	Yes	1575	65.3%
	Total	2,288	94.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
	Total	125	5.2%

This variable has 2,288 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 656-657 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETHAR7: Nutritious diet - heart

If YES to DIETNUT7: Please tell me whether or not you use eating a nutritious diet: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	675	28.0%
2	Yes	900	37.3%
	Total	1,575	65.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	63	2.6%
.	-	775	32.1%
	Total	838	34.7%

This variable has 1,575 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 658-659 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETOST7: Nutritious diet - osteoporosis

If YES to DIETNUT7: Please tell me whether or not you use eating a nutritious diet: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	934	38.7%
2	Yes	641	26.6%
	Total	1,575	65.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	63	2.6%
.	-	775	32.1%
	Total	838	34.7%

This variable has 1,575 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 660-661 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

DIETMEN7: Nutritious diet - menopausal symptoms

If YES to DIETNUT7: Please tell me whether or not you use eating a nutritious diet: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	1287	53.3%
2	Yes	287	11.9%
	Total	1,574	65.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	63	2.6%
.	-	776	32.2%
	Total	839	34.8%

This variable has 1,574 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 662-663 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETLOO7: Nutritious diet - young looking

If YES to DIETNUT7: Please tell me whether or not you use eating a nutritious diet: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	1064	44.1%
2	Yes	511	21.2%
	Total	1,575	65.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	63	2.6%
.	-	775	32.1%
	Total	838	34.7%

This variable has 1,575 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 664-665 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETMEM7: Nutritious diet - improve memory

If YES to DIETNUT7: Please tell me whether or not you use eating a nutritious diet: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	1201	49.8%
2	Yes	374	15.5%
	Total	1,575	65.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	63	2.6%
.	-	775	32.1%
	Total	838	34.7%

This variable has 1,575 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 666-667 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETPER7: Nutritious diet - regulate periods

If YES to DIETNUT7: Please tell me whether or not you use eating a nutritious diet: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	1525	63.2%
2	Yes	50	2.1%
	Total	1,575	65.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	63	2.6%
.	-	775	32.1%
	Total	838	34.7%

This variable has 1,575 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 668-669 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETGEN7: Nutritious diet - general health

If YES to DIETNUT7: Please tell me whether or not you use eating a nutritious diet: For general health?

Value	Label	Unweighted Frequency	%
1	No	97	4.0%
2	Yes	1478	61.3%
	Total	1,575	65.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	63	2.6%
.	-	775	32.1%
	Total	838	34.7%

This variable has 1,575 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 670-671 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

DIETWGH7: Nutritious diet - weight

If YES to DIETNUT7: Please tell me whether or not you use eating a nutritious diet: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	428	17.7%
2	Yes	1147	47.5%
	Total	1,575	65.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	63	2.6%
.	-	775	32.1%
	Total	838	34.7%

This variable has 1,575 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 672-673 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETADV7: Nutritious diet - provider advice

If YES to DIETNUT7: Please tell me whether or not you use eating a nutritious diet: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	1160	48.1%
2	Yes	415	17.2%
	Total	1,575	65.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	63	2.6%
.	-	775	32.1%
	Total	838	34.7%

This variable has 1,575 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 674-675 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETOTH7: Nutritious diet - other reason

If YES to DIETNUT7: Please tell me whether or not you use eating a nutritious diet: Is there any other reason you use eating a nutritious diet?

Value	Label	Unweighted Frequency	%
1	No	1322	54.8%
2	Yes	253	10.5%
	Total	1,575	65.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	63	2.6%
.	-	775	32.1%
Total		838	34.7%

This variable has 1,575 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 676-677 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETSPE7: Nutritious diet - other specify

If YES to DIETNUT7: Please tell me whether or not you use eating a nutritious diet: Is there any other reason you use eating a nutritious diet? Specify

Value	Label	Unweighted Frequency	%
-	-	2160	89.5%
'I LIKE IT.'	-	1	0.0%
A LOT OF ILLNESSES RUN THROUGH MY FAMILY	-	1	0.0%
ALWAYS DONE IT	-	1	0.0%
ALZHEIMERS PREVENTION	-	1	0.0%
ANXIETY DISORDER	-	1	0.0%
ATKINS DIET WORKS FOR HER	-	1	0.0%
AVOID DIABETES	-	1	0.0%
AVOID PRESCRIPTION MEDS FOR BP	-	1	0.0%
AVOIDS FOODS WITH PRESERVATIVES	-	1	0.0%
BE A GOOD MODEL FOR DAUGHTER	-	1	0.0%
BECAUSE DIABETES TO STAY HEALTHY, PERIOD.	-	1	0.0%
BECAUSE I AM AN ANIMAL RIGHTS PERSON	-	1	0.0%
BECAUSE I HAVE TO EAT	-	1	0.0%
BECAUSE I LIKE IT	-	2	0.1%
BECAUSE I'M SUPPOSE TO	-	1	0.0%
BECAUSE OF MOTHER'S EXAMPLE	-	1	0.0%

Value	Label	Unweighted Frequency	%
BECAUSE SHE NEEDS TO	-	1	0.0%
BEEN A WAY OF LIFE	-	1	0.0%
BELIEF/SYSTEM	-	1	0.0%
BETTER LIFE	-	1	0.0%
BLOOD PRESSURE & CHOLESTEROL	-	1	0.0%
BREAST CANCER	-	1	0.0%
CALCIUM INTAKE	-	1	0.0%
CANCER	-	2	0.1%
CANCER, ALZHEIMER	-	1	0.0%
CAUSE I ALWAYS HAVE	-	1	0.0%
CERTAIN DIET IN POST SURGERY DIET	-	1	0.0%
CHELOSTEROL	-	1	0.0%
CHOLESTEROL	-	3	0.1%
COMMON SENSE	-	3	0.1%
CONDITIONING SKIN	-	1	0.0%
CONTROL CHOLESTEROL	-	2	0.1%
CUT DOWN ON FAT	-	1	0.0%
DELICIOUS TASTE	-	1	0.0%
DIABETES	-	11	0.5%
DIABETES CONCERN PREVENTIVE	-	1	0.0%
DIABETIC	-	2	0.1%
DIETARY RESTRICTIONS	-	1	0.0%
EAT THE WAY I GROW UP	-	1	0.0%
EATING GOOD	-	1	0.0%
ENERGY	-	2	0.1%
ENJOY IT	-	1	0.0%
ENJOYMENT	-	1	0.0%
ENLOY IT	-	1	0.0%
FAMILY HISTORY HEART PROBLEM	-	1	0.0%
FATIGUE	-	1	0.0%
FEEDING KIDS	-	1	0.0%
FEEL BETTER	-	2	0.1%
FEEL BETTER ABOUT SELF	-	1	0.0%
	Total	2,413	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 2,413 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 678-735 (width: 58; decimal: 0)

Variable Type: character

EXERCIS7: Exercise

During the past 12 months, have you used any of the following for your health? Exercise

Value	Label	Unweighted Frequency	%
1	No	690	28.6%
2	Yes	1598	66.2%
	Total	2,288	94.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
	Total	125	5.2%

This variable has 2,288 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 736-737 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERHAR7: Exercise - heart

If YES to EXERCIS7: Please tell me whether or not you use exercise: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	682	28.3%
2	Yes	915	37.9%
	Total	1,597	66.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	67	2.8%
.	-	749	31.0%
	Total	816	33.8%

This variable has 1,597 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 738-739 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXEROST7: Exercise - osteoporosis

If YES to EXERCIS7: Please tell me whether or not you use exercise: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	790	32.7%
2	Yes	807	33.4%
	Total	1,597	66.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	67	2.8%
.	-	749	31.0%
	Total	816	33.8%

This variable has 1,597 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 740-741 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERMEN7: Exercise - menopausal symptoms

If YES to EXERCIS7: Please tell me whether or not you use exercise: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	1310	54.3%
2	Yes	287	11.9%
	Total	1,597	66.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	67	2.8%
.	-	749	31.0%
	Total	816	33.8%

This variable has 1,597 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 742-743 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

EXERLOO7: Exercise - young looking

If YES to EXERCIS7: Please tell me whether or not you use exercise: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	891	36.9%
2	Yes	706	29.3%
	Total	1,597	66.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	67	2.8%
.	-	749	31.0%
	Total	816	33.8%

This variable has 1,597 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 744-745 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERMEM7: Exercise - improve memory

If YES to EXERCIS7: Please tell me whether or not you use exercise: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	1201	49.8%
2	Yes	396	16.4%
	Total	1,597	66.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	67	2.8%
.	-	749	31.0%
	Total	816	33.8%

This variable has 1,597 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 746-747 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERPER7: Exercise - regulate periods

If YES to EXERCIS7: Please tell me whether or not you use exercise: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	1542	63.9%
2	Yes	55	2.3%
	Total	1,597	66.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	67	2.8%
.	-	749	31.0%
	Total	816	33.8%

This variable has 1,597 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 748-749 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERGEN7: Exercise - general health

If YES to EXERCIS7: Please tell me whether or not you use exercise: For general health?

Value	Label	Unweighted Frequency	%
1	No	112	4.6%
2	Yes	1485	61.5%
	Total	1,597	66.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	67	2.8%
.	-	749	31.0%
	Total	816	33.8%

This variable has 1,597 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 750-751 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERWGH7: Exercise - weight

If YES to EXERCIS7: Please tell me whether or not you use exercise: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	324	13.4%
2	Yes	1273	52.8%
	Total	1,597	66.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	67	2.8%
.	-	749	31.0%
	Total	816	33.8%

This variable has 1,597 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 752-753 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

EXERADV7: Exercise - provider advice

If YES to EXERCIS7: Please tell me whether or not you use exercise: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	1071	44.4%
2	Yes	526	21.8%
	Total	1,597	66.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	67	2.8%
.	-	749	31.0%
	Total	816	33.8%

This variable has 1,597 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 754-755 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXEROTH7: Exercise - other reason

If YES to EXERCIS7: Please tell me whether or not you use exercise: Is there any other reason you use exercise?

Value	Label	Unweighted Frequency	%
1	No	1223	50.7%
2	Yes	374	15.5%
	Total	1,597	66.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	67	2.8%
.	-	749	31.0%
	Total	816	33.8%

This variable has 1,597 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 756-757 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERSPE7: Exercise - other specify

If YES to EXERCIS7: Please tell me whether or not you use exercise: Is there any other reason you use exercise? Specify

Value	Label	Unweighted Frequency	%
-		2039	84.5%
ACTIVITY FOR NEIGHBORHOOD GROUP	-	1	0.0%
ADDICTED NOW	-	1	0.0%
ADDICTED TO IT	-	1	0.0%

Value	Label	Unweighted Frequency	%
ANXIETY DISORDER	-	1	0.0%
ARTHRITIS	-	3	0.1%
ARTHRITIS FOR SPINE	-	1	0.0%
ARTHRITIS IN R LEG MAKES IT FEEL BETTER	-	1	0.0%
ARTRITIS	-	1	0.0%
AVOID DIABETES	-	1	0.0%
BALANCES MOOD	-	1	0.0%
BE A GOOD MODEL FOR DAUGHTER	-	1	0.0%
BE MORE ENERGETIC, REDUCE STRESS	-	1	0.0%
BE PHYSICALLY STRONG	-	1	0.0%
BE WITH FRIENDS	-	1	0.0%
BECAUSE I ENJOY IT	-	1	0.0%
BECAUSE IT MAKES ME FEEL BETTER YOUNGER	-	1	0.0%
BECAUSE MY HUSBAND MAKES ME	-	1	0.0%
BEEN DOING IT SINCE SMALL	-	1	0.0%
BETTER HEALTH	-	1	0.0%
BLOOD PRESSURE & CHOLESTEROL	-	1	0.0%
BONE AND JOINT HEALTH	-	1	0.0%
BRING UP CHOLESTEROL HDL	-	1	0.0%
BUILD MUSCLE	-	1	0.0%
CANCER	-	1	0.0%
CANCER, ALZHEIMER	-	1	0.0%
CIRCULATION	-	1	0.0%
COMMON SENSE	-	1	0.0%
COMRADERY	-	1	0.0%
CONTROL CHOLESTEROL AND BLOOD PRESSURE	-	1	0.0%
CONTROL DIABETES	-	2	0.1%
DANCE CLASSES AND I LIKE IT	-	1	0.0%
DEPRESSION	-	1	0.0%
DIABETES	-	6	0.2%
DIABETES AND PAIN MANAGEMENT	-	1	0.0%
DIABETES, FOR MY HEART	-	1	0.0%
DIABETES; STAIRS IN HOME	-	1	0.0%
DOG WALKING	-	2	0.1%
DOG WALKS	-	1	0.0%

Value	Label	Unweighted Frequency	%
DOG-HOBBY	-	1	0.0%
DOGS NEED EXERCISE; GOOD FOR ME	-	1	0.0%
DON'T DRIVE	-	1	0.0%
DON'T HAVE A CAR	-	1	0.0%
EMOTIONAL WELL BEING	-	1	0.0%
EMOTIONAL/PSYCHOLOGICAL WELL-BEING	-	1	0.0%
EMT FIREFIGHTER FOR PROFESSIONS	-	1	0.0%
ENERGY	-	1	0.0%
ENJOY IT	-	2	0.1%
ENJOY IT; STRESS RELIEVER	-	1	0.0%
ENJOYMENT	-	11	0.5%
	Total	2,413	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 2,413 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 758-815 (width: 58; decimal: 0)

Variable Type: character

FLAXSEE7: Flaxseed

During the past 12 months, have you used any of the following for your health? Flaxseed or flaxseed oil supplements

Value	Label	Unweighted Frequency	%
1	No	2007	83.2%
2	Yes	281	11.6%
	Total	2,288	94.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
	Total	125	5.2%

This variable has 2,288 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 816-817 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXHAR7: Flaxseed - heart

If YES to FLAXSEE7: Please tell me whether or not you use flaxseed or flaxseed oil supplements: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	137	5.7%
2	Yes	144	6.0%
	Total	281	11.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	86	3.6%
.	-	2046	84.8%
	Total	2,132	88.4%

This variable has 281 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 818-819 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXOST7: Flaxseed - osteoporosis

If YES to FLAXSEE7: Please tell me whether or not you use flaxseed or flaxseed oil supplements: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	233	9.7%
2	Yes	48	2.0%
	Total	281	11.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	86	3.6%
.	-	2046	84.8%
	Total	2,132	88.4%

This variable has 281 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 820-821 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXMEN7: Flaxseed - menopausal symptoms

If YES to FLAXSEE7: Please tell me whether or not you use flaxseed or flaxseed oil supplements: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	225	9.3%
2	Yes	56	2.3%
	Total	281	11.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	86	3.6%
.	-	2046	84.8%
	Total	2,132	88.4%

This variable has 281 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 822-823 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXLOO7: Flaxseed - young looking

If YES to FLAXSEE7: Please tell me whether or not you use flaxseed or flaxseed oil supplements: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	219	9.1%
2	Yes	62	2.6%
	Total	281	11.6%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	86	3.6%
.	-	2046	84.8%
	Total	2,132	88.4%

This variable has 281 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 824-825 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXMEM7: Flaxseed - improve memory

If YES to FLAXSEE7: Please tell me whether or not you use flaxseed or flaxseed oil supplements: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	238	9.9%
2	Yes	43	1.8%
	Total	281	11.6%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	86	3.6%
.	-	2046	84.8%
	Total	2,132	88.4%

This variable has 281 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 826-827 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXPER7: Flaxseed - regulate periods

If YES to FLAXSEE7: Please tell me whether or not you use flaxseed or flaxseed oil supplements: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	269	11.1%
2	Yes	12	0.5%
	Total	281	11.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	86	3.6%
.	-	2046	84.8%
	Total	2,132	88.4%

This variable has 281 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 828-829 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXGEN7: Flaxseed - general health

If YES to FLAXSEE7: Please tell me whether or not you use flaxseed or flaxseed oil supplements: For general health?

Value	Label	Unweighted Frequency	%
1	No	65	2.7%
2	Yes	216	9.0%
	Total	281	11.6%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	86	3.6%
.	-	2046	84.8%
	Total	2,132	88.4%

This variable has 281 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 830-831 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXWGH7: Flaxseed - weight

If YES to FLAXSEE7: Please tell me whether or not you use flaxseed or flaxseed oil supplements: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	229	9.5%
2	Yes	52	2.2%
	Total	281	11.6%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	86	3.6%
.	-	2046	84.8%
	Total	2,132	88.4%

This variable has 281 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 832-833 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXADV7: Flaxseed - provider advice

If YES to FLAXSEE7: Please tell me whether or not you use flaxseed or flaxseed oil supplements: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	241	10.0%
2	Yes	40	1.7%
	Total	281	11.6%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	86	3.6%
.	-	2046	84.8%
	Total	2,132	88.4%

This variable has 281 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 834-835 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXOTH7: Flaxseed - other reason

If YES to FLAXSEE7: Please tell me whether or not you use flaxseed or flaxseed oil supplements: Is there any other reason you use flaxseed or flaxseed oil supplements?

Value	Label	Unweighted Frequency	%
1	No	210	8.7%
2	Yes	71	2.9%
	Total	281	11.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	86	3.6%
.	-	2046	84.8%
Total		2,132	88.4%

This variable has 281 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 836-837 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXSPE7: Flaxseed - other specify

If YES to FLAXSEE7: Please tell me whether or not you use flaxseed or flaxseed oil supplements: Is there any other reason you use flaxseed or flaxseed oil supplements? Specify

Value	Label	Unweighted Frequency	%
-	-	2342	97.1%
ADDING JUST A DIFFERENT TAST IN OIL	-	1	0.0%
ADDITIONAL FIBER	-	1	0.0%
ARTHRITIS	-	1	0.0%
BASICALLY GIVING TO HUSBAND	-	1	0.0%
BECAUSE IT IS A FOOD I CAN EAT	-	1	0.0%
BECAUSE MY SISTER TOLD ME THAT IT'S GOOD FOR THE SKIN	-	1	0.0%
BOWEL MOTION	-	1	0.0%
BUT DOESN'T REMEMBER	-	1	0.0%
CHOLESTEROL	-	2	0.1%
CONSTIPATION	-	1	0.0%
COUSIN COOKS WITH IT	-	1	0.0%
DEPRESSION , ANXIETY	-	1	0.0%
EYE HEALTH	-	1	0.0%
FOR ALLERGY	-	1	0.0%
FOR CARDIOVASCULAR	-	1	0.0%
FOR FIBER TO RELIEVE CONSTIPATION	-	1	0.0%

Value	Label	Unweighted Frequency	%
FOR JOINTS	-	1	0.0%
FOR PSORIASIS	-	1	0.0%
FOR SKIN RASH	-	1	0.0%
FRIEND ADVISED HER - CANT RECALL WHAT IT IS FOR	-	1	0.0%
FRIEND RECOMMENDED	-	1	0.0%
GOOD FOR HEALTHY BRAIN	-	1	0.0%
GOOD FOR ME	-	1	0.0%
GOOD FOR SKIN	-	1	0.0%
GOOD FOR YOU	-	1	0.0%
HAS INCREASED FIBER CONTENT	-	1	0.0%
HEALTHIER CARDIOVASCULAR SYSTEM	-	1	0.0%
HEALTHY HEART	-	1	0.0%
HELP CANCER	-	1	0.0%
HELP WITH JOINTS & BOWEL REGULARITY	-	1	0.0%
HELPS DIGEST, HELPS ASTHMA	-	1	0.0%
IMPROVE MOOD	-	1	0.0%
IN PACKET WITH HERBAL SUPPLEMENTS	-	1	0.0%
INSULLIN RESISTANCE	-	1	0.0%
IT KEEPS ME REGULAR	-	1	0.0%
IT'S GOOD FOR YOU I STUDIED IT, I FELT BETTER	-	1	0.0%
ITCHY EYES AND IMPROVE SKIN	-	1	0.0%
JOINT	-	1	0.0%
JOINTS	-	1	0.0%
KEEP ELIMINATION NORMAL 3/DAY	-	1	0.0%
KNOW IT'S HEALTHY	-	1	0.0%
LAXATIVE, TO REGULATE SYSTEM	-	1	0.0%
LOWER CHOLESTEROL	-	1	0.0%
LOWERING CHOLESTEROL	-	1	0.0%
LUBRICATE JOINTS	-	1	0.0%
MULTIPLE SCLEROSIS	-	1	0.0%
NEED FOR JOINTS	-	1	0.0%
PAIN RELIEF	-	1	0.0%
PART OF HEALTH DIET	-	1	0.0%
	Total	2,413	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 2,413 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 838-890 (width: 53; decimal: 0)

Variable Type: character

GINKGO7: Ginkgo Biloba

During the past 12 months, have you used any of the following for your health? Ginkgo Biloba

Value	Label	Unweighted Frequency	%
1	No	2138	88.6%
2	Yes	150	6.2%
	Total	2,288	94.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
	Total	125	5.2%

This variable has 2,288 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 891-892 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKHAR7: Ginkgo Biloba - heart

If YES to GINKGO7: Please tell me whether or not you use Ginkgo Biloba: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	144	6.0%
2	Yes	6	0.2%
	Total	150	6.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2178	90.3%
	Total	2,263	93.8%

This variable has 150 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 893-894 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKOST7: Ginkgo Biloba - osteoporosis

If YES to GINKGO7: Please tell me whether or not you use Ginkgo Biloba: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	148	6.1%
2	Yes	2	0.1%
	Total	150	6.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2178	90.3%
	Total	2,263	93.8%

This variable has 150 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 895-896 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKMEN7: Ginkgo Biloba - menopausal symptoms

If YES to GINKGO7: Please tell me whether or not you use Ginkgo Biloba: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	145	6.0%
2	Yes	5	0.2%
	Total	150	6.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2178	90.3%
	Total	2,263	93.8%

This variable has 150 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 897-898 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

GINKLOO7: Ginkgo Biloba - young looking

If YES to GINKGO7: Please tell me whether or not you use Ginkgo Biloba: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	142	5.9%
2	Yes	8	0.3%
	Total	150	6.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2178	90.3%
	Total	2,263	93.8%

This variable has 150 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 899-900 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKMEM7: Ginkgo Biloba - improve memory

If YES to GINKGO7: Please tell me whether or not you use Ginkgo Biloba: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	14	0.6%
2	Yes	136	5.6%
	Total	150	6.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2178	90.3%
	Total	2,263	93.8%

This variable has 150 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 901-902 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKPER7: Ginkgo Biloba - regulate periods

If YES to GINKGO7: Please tell me whether or not you use Ginkgo Biloba: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	150	6.2%
2	Yes	0	0.0%
	Total	150	6.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2178	90.3%
	Total	2,263	93.8%

This variable has 150 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 903-904 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKGEN7: Ginkgo Biloba - general health

If YES to GINKGO7: Please tell me whether or not you use Ginkgo Biloba: For general health?

Value	Label	Unweighted Frequency	%
1	No	105	4.4%
2	Yes	45	1.9%
	Total	150	6.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2178	90.3%
	Total	2,263	93.8%

This variable has 150 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 905-906 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKWGH7: Ginkgo Biloba - weight

If YES to GINKGO7: Please tell me whether or not you use Ginkgo Biloba: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	143	5.9%
2	Yes	7	0.3%
	Total	150	6.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2178	90.3%
	Total	2,263	93.8%

This variable has 150 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 907-908 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

GINKADV7: Ginkgo Biloba - provider advice

If YES to GINKGO7: Please tell me whether or not you use Ginkgo Biloba: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	145	6.0%
2	Yes	5	0.2%
	Total	150	6.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2178	90.3%
	Total	2,263	93.8%

This variable has 150 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 909-910 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKOTH7: Ginkgo Biloba - other reason

If YES to GINKGO7: Please tell me whether or not you use Ginkgo Biloba: Is there any other reason you use Ginkgo Biloba?

Value	Label	Unweighted Frequency	%
1	No	141	5.8%
2	Yes	9	0.4%
	Total	150	6.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2178	90.3%
	Total	2,263	93.8%

This variable has 150 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 911-912 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKSPE7: Ginkgo Biloba - other specify

If YES to GINKGO7: Please tell me whether or not you use Ginkgo Biloba: Is there any other reason you use Ginkgo Biloba?
Specify

Value	Label	Unweighted Frequency	%
-		2404	99.6%
BE MORE ALERT		1	0.0%

Value	Label	Unweighted Frequency	%
ELIMINATION AND REBUILDONG CELLS IN BODY	-	1	0.0%
ENERGY	-	1	0.0%
FOR INCREAASED ENERGY	-	1	0.0%
FOR PEACE OF MIND	-	1	0.0%
FRIEND SUGGESTED	-	1	0.0%
IMPROVES CIRCULATION	-	1	0.0%
MOM PUT IN SOUP	-	1	0.0%
MORE ALERT	-	1	0.0%
	Total	2,413	100.0%

This variable has 2,413 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 913-952 (width: 40; decimal: 0)

Variable Type: character

GINSENG7: Ginseng

During the past 12 months, have you used any of the following for your health? Ginseng

Value	Label	Unweighted Frequency	%
1	No	2155	89.3%
2	Yes	133	5.5%
	Total	2,288	94.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
	Total	125	5.2%

This variable has 2,288 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 953-954 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

GINSHAR7: Ginseng - heart

If YES to GINSENG7: Please tell me whether or not you use ginseng: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	122	5.1%
2	Yes	11	0.5%
	Total	133	5.5%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2195	91.0%
	Total	2,280	94.5%

This variable has 133 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 955-956 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

GINSOST7: Ginseng - osteoporosis

If YES to GINSENG7: Please tell me whether or not you use ginseng: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	127	5.3%
2	Yes	6	0.2%
	Total	133	5.5%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2195	91.0%

Value	Missing Data	Unweighted Frequency	%
	Total	2,280	94.5%

This variable has 133 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 957-958 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSMEN7: Ginseng - menopausal symptoms

If YES to GINSENG7: Please tell me whether or not you use ginseng: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	119	4.9%
2	Yes	14	0.6%
	Total	133	5.5%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2195	91.0%
	Total	2,280	94.5%

This variable has 133 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 959-960 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSLOO7: Ginseng - young looking

If YES to GINSENG7: Please tell me whether or not you use ginseng: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	115	4.8%

Value	Label	Unweighted Frequency	%
2	Yes	18	0.7%
	Total	133	5.5%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2195	91.0%
	Total	2,280	94.5%

This variable has 133 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 961-962 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

GINSMEM7: Ginseng - improve memory

If YES to GINSENG7: Please tell me whether or not you use ginseng: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	91	3.8%
2	Yes	42	1.7%
	Total	133	5.5%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2195	91.0%
	Total	2,280	94.5%

This variable has 133 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 963-964 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSPER7: Ginseng - regulate periods

If YES to GINSENG7: Please tell me whether or not you use ginseng: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	132	5.5%
2	Yes	1	0.0%
	Total	133	5.5%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2195	91.0%
	Total	2,280	94.5%

This variable has 133 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 965-966 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSGEN7: Ginseng - general health

If YES to GINSENG7: Please tell me whether or not you use ginseng: For general health?

Value	Label	Unweighted Frequency	%
1	No	37	1.5%
2	Yes	96	4.0%
	Total	133	5.5%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2195	91.0%
	Total	2,280	94.5%

This variable has 133 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 967-968 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSWGH7: Ginseng - weight

If YES to GINSENG7: Please tell me whether or not you use ginseng: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	118	4.9%
2	Yes	15	0.6%
	Total	133	5.5%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2195	91.0%
	Total	2,280	94.5%

This variable has 133 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 969-970 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSADV7: Ginseng - provider advice

If YES to GINSENG7: Please tell me whether or not you use ginseng: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	126	5.2%
2	Yes	7	0.3%
	Total	133	5.5%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2195	91.0%
	Total	2,280	94.5%

This variable has 133 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 971-972 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

GINSOTH7: Ginseng - other reason

If YES to GINSENG7: Please tell me whether or not you use ginseng: Is there any other reason you use ginseng?

Value	Label	Unweighted Frequency	%
1	No	91	3.8%
2	Yes	42	1.7%
	Total	133	5.5%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2195	91.0%
	Total	2,280	94.5%

This variable has 133 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 973-974 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

GINSSPE7: Ginseng - other specify

If YES to GINSENG7: Please tell me whether or not you use ginseng: Is there any other reason you use ginseng? Specify

Value	Label	Unweighted Frequency	%
-	-	2371	98.3%
ADVERTISMENT	-	1	0.0%
ALTH & RELIEVE ARTHRITIS SYMPTOMS/PAIN	-	1	0.0%
COLD	-	1	0.0%
ECONOMICAL, TASTES GOOD	-	1	0.0%
ENERGY	-	13	0.5%
EXTRA ENERGY	-	1	0.0%
FIBROIDS	-	1	0.0%
FOR ENERGY	-	1	0.0%
FOR INCREASED ENERGY	-	1	0.0%
FOR INCREASED ENERGY FOR RACKET BALL	-	1	0.0%
FUN/ENJOYMENT	-	1	0.0%
GIVE ENERGY	-	1	0.0%
IMPROVE ENERGY	-	1	0.0%
IMPROVE IMMUNE SYSTEM	-	1	0.0%
JUST BECAUSE I LIKE IT	-	1	0.0%
KEEPING MYSELF TOGETHER	-	1	0.0%
MAKES HER JOINTS FEEL GOOD	-	1	0.0%
MOM MADE IT	-	1	0.0%
MORE ALERT	-	1	0.0%
MORE ENERGY	-	3	0.1%
PAIN	-	1	0.0%
PART OF MULTIVITAMIN	-	2	0.1%
PICK UP ENERGY	-	1	0.0%
RELIEVE GAS	-	1	0.0%
STAMINA, STRENGTH	-	1	0.0%
TO HELP WITH ENERGY	-	1	0.0%

Value	Label	Unweighted Frequency	%
WARM UP BODY	-	1	0.0%
	Total	2,413	100.0%

This variable has 2,413 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 975-1012 (width: 38; decimal: 0)

Variable Type: character

GLUSAMI7: Glucosamine

During the past 12 months, have you used any of the following for your health? Glucosamine with or without Chondroitin

Value	Label	Unweighted Frequency	%
1	No	1895	78.5%
2	Yes	393	16.3%
	Total	2,288	94.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
	Total	125	5.2%

This variable has 2,288 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1013-1014 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSHAR7: Glucosamine - heart

If YES to GLUSAMI7: Please tell me whether or not you use glucosamine with or without Chondroitin: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	385	16.0%
2	Yes	8	0.3%

Value	Label	Unweighted Frequency	%
	Total	393	16.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	79	3.3%
.	-	1941	80.4%
	Total	2,020	83.7%

This variable has 393 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1015-1016 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSOST7: Glucosamine - osteoporosis

If YES to GLUSAMI7: Please tell me whether or not you use glucosamine with or without Chondroitin: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	258	10.7%
2	Yes	135	5.6%
	Total	393	16.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	79	3.3%
.	-	1941	80.4%
	Total	2,020	83.7%

This variable has 393 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1017-1018 (*width:* 2; *decimal:* 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSMEN7: Glucosamine - menopausal symptoms

If YES to GLUSAMI7: Please tell me whether or not you use glucosamine with or without Chondroitin: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	383	15.9%
2	Yes	10	0.4%
	Total	393	16.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	79	3.3%
.	-	1941	80.4%
	Total	2,020	83.7%

This variable has 393 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1019-1020 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSLOO7: Glucosamine - young looking

If YES to GLUSAMI7: Please tell me whether or not you use glucosamine with or without Chondroitin: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	377	15.6%
2	Yes	16	0.7%
	Total	393	16.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	Refused	0	0.0%
-1	N/A	79	3.3%
.	-	1941	80.4%
	Total	2,020	83.7%

This variable has 393 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1021-1022 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSMEM7: Glucosamine - improve memory

If YES to GLUSAMI7: Please tell me whether or not you use glucosamine with or without Chondroitin: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	387	16.0%
2	Yes	6	0.2%
	Total	393	16.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	79	3.3%
.	-	1941	80.4%
	Total	2,020	83.7%

This variable has 393 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1023-1024 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSPER7: Glucosamine - regulate periods

If YES to GLUSAMI7: Please tell me whether or not you use glucosamine with or without Chondroitin: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	392	16.2%
2	Yes	1	0.0%
	Total	393	16.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	79	3.3%
.	-	1941	80.4%
	Total	2,020	83.7%

This variable has 393 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1025-1026 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

GLUSGEN7: Glucosamine - general health

If YES to GLUSAMI7: Please tell me whether or not you use glucosamine with or without Chondroitin: For general health?

Value	Label	Unweighted Frequency	%
1	No	222	9.2%
2	Yes	171	7.1%
	Total	393	16.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	79	3.3%
.	-	1941	80.4%
	Total	2,020	83.7%

This variable has 393 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1027-1028 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSWGH7: Glucosamine - weight

If YES to GLUSAMI7: Please tell me whether or not you use glucosamine with or without Chondroitin: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	383	15.9%
2	Yes	10	0.4%
	Total	393	16.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	79	3.3%
.	-	1941	80.4%
	Total	2,020	83.7%

This variable has 393 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1029-1030 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSADV7: Glucosamine - provider advice

If YES to GLUSAMI7: Please tell me whether or not you use glucosamine with or without Chondroitin: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	346	14.3%
2	Yes	47	1.9%
	Total	393	16.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	79	3.3%
.	-	1941	80.4%
Total		2,020	83.7%

This variable has 393 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1031-1032 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSOTH7: Glucosamine - other reason

If YES to GLUSAMI7: Please tell me whether or not you use glucosamine with or without Chondroitin: Is there any other reason you use glucosamine with or without Chondroitin?

Value	Label	Unweighted Frequency	%
1	No	119	4.9%
2	Yes	274	11.4%
Total		393	16.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	79	3.3%
.	-	1941	80.4%
Total		2,020	83.7%

This variable has 393 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1033-1034 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSSPE7: Glucosamine - other specify

If YES to GLUSAMI7: Please tell me whether or not you use glucosamine with or without Chondroitin: Is there any other reason you use glucosamine with or without Chondroitin? Specify

Value	Label	Unweighted Frequency	% 88.6%
-	-	2139	88.6%
AGILITY	-	1	0.0%
ALLERGIC TO THIS STARTED FOR JOINT PAIN	-	1	0.0%
ARITHRITS	-	1	0.0%
ARTHRITIS	-	33	1.4%
ARTHRITIS & JOINTS	-	1	0.0%
ARTHRITIS - DETERIORATION	-	1	0.0%
ARTHRITIS AND JOINT PAIN	-	1	0.0%
ARTHRITIS AND MUSCLES	-	1	0.0%
ARTHRITIS FOR JOINTS	-	1	0.0%
ARTHRITIS IN KNEES	-	1	0.0%
ARTHRITIS IN MY KNEES	-	1	0.0%
ARTHRITIS PAIN	-	2	0.1%
ARTHRITIS, MOBILITY, PAIN MANAGEMENT	-	1	0.0%
ARTHRITIS/JOINT PROBLEMS	-	1	0.0%
ARTHRITS IN JOINTS	-	1	0.0%
BACK PAIN, JOINT PAIN	-	1	0.0%
BACKACHE	-	1	0.0%
BAD HIP	-	1	0.0%
BAD KNEES	-	1	0.0%
BONE	-	1	0.0%
BONE DISCOMFORT	-	1	0.0%
BONE HEALTH I GUESS	-	1	0.0%
BONE/JOINTS	-	1	0.0%
BONES	-	1	0.0%
BONES & JOINTS	-	1	0.0%
CONNECTIVE TISSUE	-	1	0.0%
DR. TOLD ME TO TAKE FOR PAIN IN KNEES	-	1	0.0%
FOR ARTHRITIS	-	2	0.1%
FOR BAD KNEE	-	1	0.0%
FOR HEALTHY BONES AND JOINTS	-	1	0.0%

Value	Label	Unweighted Frequency	%
FOR JOINT ACHES	-	2	0.1%
FOR JOINT HEALTH	-	1	0.0%
FOR JOINT PAIN	-	1	0.0%
FOR JOINT REGENERATION	-	1	0.0%
FOR JOINT STIFFNESS	-	1	0.0%
FOR JOINT STRENGTHENING	-	1	0.0%
FOR JOINTS	-	12	0.5%
FOR JOINTS RELIEVES PAIN IN THEM	-	1	0.0%
FOR JOINTS, HIP PAIN	-	1	0.0%
FOR JOINTS, TO HELP MOVE AROUND	-	1	0.0%
FOR KNEE PAIN	-	3	0.1%
FOR KNEES	-	3	0.1%
FOR MY ARTHRITIS	-	1	0.0%
FOR MY JOINTS	-	2	0.1%
FOR OSTEOARTHRITIS	-	1	0.0%
FOR PAIN IN JOINTS	-	1	0.0%
FOR PAIN IN KNEES	-	1	0.0%
FOR PAIN RELIEF	-	1	0.0%
FOR PREVENTION OF ARTHRITIS AND OSTEOPOROSIS	-	1	0.0%
	Total	2,413	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 2,413 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 1035-1087 (width: 53; decimal: 0)

Variable Type: character

MYAMPRO7: Mexican yam

During the past 12 months, have you used any of the following for your health? Mexican yam or progesterone cream

Value	Label	Unweighted Frequency	%
1	No	2234	92.6%
2	Yes	54	2.2%
	Total	2,288	94.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
Total		125	5.2%

This variable has 2,288 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1088-1089 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMHAR7: Mexican yam - heart

If YES to MYAMPRO7: Please tell me whether or not you use Mexican yam or progesterone cream: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	49	2.0%
2	Yes	5	0.2%
Total		54	2.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2274	94.2%
Total		2,359	97.8%

This variable has 54 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1090-1091 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMOST7: Mexican yam - osteoporosis

If YES to MYAMPRO7: Please tell me whether or not you use Mexican yam or progesterone cream: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	45	1.9%
2	Yes	9	0.4%
	Total	54	2.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2274	94.2%
	Total	2,359	97.8%

This variable has 54 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1092-1093 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMMEN7: Mexican yam - menopausal symptoms

If YES to MYAMPRO7: Please tell me whether or not you use Mexican yam or progesterone cream: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	12	0.5%
2	Yes	42	1.7%
	Total	54	2.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	85	3.5%
.	-	2274	94.2%
	Total	2,359	97.8%

This variable has 54 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1094-1095 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMLOO7: Mexican yam - young looking

If YES to MYAMPRO7: Please tell me whether or not you use Mexican yam or progesterone cream: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	47	1.9%
2	Yes	7	0.3%
	Total	54	2.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2274	94.2%
	Total	2,359	97.8%

This variable has 54 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1096-1097 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMMEM7: Mexican yam - improve memory

If YES to MYAMPRO7: Please tell me whether or not you use Mexican yam or progesterone cream: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	49	2.0%
2	Yes	5	0.2%
	Total	54	2.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2274	94.2%
	Total	2,359	97.8%

This variable has 54 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1098-1099 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

MYAMPER7: Mexican yam - regulate periods

If YES to MYAMPRO7: Please tell me whether or not you use Mexican yam or progesterone cream: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	48	2.0%
2	Yes	6	0.2%
	Total	54	2.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2274	94.2%
	Total	2,359	97.8%

This variable has 54 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1100-1101 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMGEN7: Mexican yam - general health

If YES to MYAMPRO7: Please tell me whether or not you use Mexican yam or progesterone cream: For general health?

Value	Label	Unweighted Frequency	%
1	No	36	1.5%
2	Yes	18	0.7%
	Total	54	2.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2274	94.2%
	Total	2,359	97.8%

This variable has 54 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1102-1103 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMWGH7: Mexican yam - weight

If YES to MYAMPRO7: Please tell me whether or not you use Mexican yam or progesterone cream: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	51	2.1%
2	Yes	3	0.1%
	Total	54	2.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2274	94.2%
Total		2,359	97.8%

This variable has 54 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1104-1105 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMADV7: Mexican yam - provider advice

If YES to MYAMPRO7: Please tell me whether or not you use Mexican yam or progesterone cream: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	49	2.0%
2	Yes	5	0.2%
Total		54	2.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2274	94.2%
Total		2,359	97.8%

This variable has 54 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1106-1107 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMOTH7: Mexican yam - other reason

If YES to MYAMPRO7: Please tell me whether or not you use Mexican yam or progesterone cream: Is there any other reason you use Mexican yam or progesterone cream?

Value	Label	Unweighted Frequency	%
1	No	45	1.9%
2	Yes	9	0.4%
	Total	54	2.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2274	94.2%
	Total	2,359	97.8%

This variable has 54 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1108-1109 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -9, -8, -7, -1, .)

MYAMSPE7: Mexican yam - other specify

If YES to MYAMPRO7: Please tell me whether or not you use Mexican yam or progesterone cream: Is there any other reason you use Mexican yam or progesterone cream? Specify

Value	Label	Unweighted Frequency	%
-	-	2404	99.6%
FEEL YOUNGER	-	1	0.0%
FEELS SHOULD	-	1	0.0%
IN PLACE OF HORMONES	-	1	0.0%
INFLUENCED BLOOD COMPOSITION	-	1	0.0%
KNEE PAIN	-	1	0.0%
REDUCE SYMPTOMS	-	1	0.0%
RELIEVE PMS	-	1	0.0%

Value	Label	Unweighted Frequency	%
SPIRITUAL HEALTH AND WELL BEING	-	1	0.0%
TO STOP BLEEDING	-	1	0.0%
	Total	2,413	100.0%

This variable has 2,413 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 1110-1139 (width: 30; decimal: 0)

Variable Type: character

PRAYER7: Prayer

During the past 12 months, have you used any of the following for your health? Prayer

Value	Label	Unweighted Frequency	%
1	No	1112	46.1%
2	Yes	1176	48.7%
	Total	2,288	94.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
	Total	125	5.2%

This variable has 2,288 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1140-1141 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYHAR7: Prayer - heart

If YES to PRAYER7: Please tell me whether or not you use prayer: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	944	39.1%

Value	Label	Unweighted Frequency	%
2	Yes	232	9.6%
	Total	1,176	48.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	51	2.1%
.	-	1186	49.2%
	Total	1,237	51.3%

This variable has 1,176 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1142-1143 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYOST7: Prayer - osteoporosis

If YES to PRAYER7: Please tell me whether or not you use prayer: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	989	41.0%
2	Yes	187	7.7%
	Total	1,176	48.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	51	2.1%
.	-	1186	49.2%
	Total	1,237	51.3%

This variable has 1,176 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 1144-1145 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYMEN7: Prayer - menopausal symptoms

If YES to PRAYER7: Please tell me whether or not you use prayer: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	1011	41.9%
2	Yes	165	6.8%
	Total	1,176	48.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	51	2.1%
.	-	1186	49.2%
	Total	1,237	51.3%

This variable has 1,176 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1146-1147 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYLOO7: Prayer - young looking

If YES to PRAYER7: Please tell me whether or not you use prayer: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	1001	41.5%
2	Yes	175	7.3%
	Total	1,176	48.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	51	2.1%
.	-	1186	49.2%
	Total	1,237	51.3%

This variable has 1,176 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1148-1149 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYMEM7: Prayer - improve memory

If YES to PRAYER7: Please tell me whether or not you use prayer: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	945	39.2%
2	Yes	231	9.6%
	Total	1,176	48.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	51	2.1%
.	-	1186	49.2%
	Total	1,237	51.3%

This variable has 1,176 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1150-1151 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYPER7: Prayer - regulate periods

If YES to PRAYER7: Please tell me whether or not you use prayer: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	1099	45.5%
2	Yes	77	3.2%
	Total	1,176	48.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	51	2.1%
.	-	1186	49.2%
	Total	1,237	51.3%

This variable has 1,176 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1152-1153 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYGEN7: Prayer - general health

If YES to PRAYER7: Please tell me whether or not you use prayer: For general health?

Value	Label	Unweighted Frequency	%
1	No	414	17.2%
2	Yes	762	31.6%
	Total	1,176	48.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	51	2.1%
.	-	1186	49.2%
	Total	1,237	51.3%

This variable has 1,176 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1154-1155 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYWGH7: Prayer - weight

If YES to PRAYER7: Please tell me whether or not you use prayer: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	944	39.1%
2	Yes	232	9.6%
	Total	1,176	48.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	51	2.1%
.	-	1186	49.2%
	Total	1,237	51.3%

This variable has 1,176 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1156-1157 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYADV7: Prayer - provider advice

If YES to PRAYER7: Please tell me whether or not you use prayer: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	1088	45.1%
2	Yes	88	3.6%
	Total	1,176	48.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	51	2.1%
.	-	1186	49.2%
	Total	1,237	51.3%

This variable has 1,176 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1158-1159 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -9, -8, -7, -1, .)

PRAYOTH7: Prayer - other reason

If YES to PRAYER7: Please tell me whether or not you use prayer: Is there any other reason you use prayer?

Value	Label	Unweighted Frequency	%
1	No	411	17.0%
2	Yes	765	31.7%
	Total	1,176	48.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	51	2.1%
.	-	1186	49.2%
	Total	1,237	51.3%

This variable has 1,176 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1160-1161 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -9, -8, -7, -1, .)

PRAYSPE7: Prayer - other specify

If YES to PRAYER7: Please tell me whether or not you use prayer: Is there any other reason you use prayer? Specify

Value	Label	Unweighted Frequency	% 68.4%
A GOOD LIFE	-	1651	0.0%
A LOT OF FAITH	-	1	0.0%
A PART OF MY FAITH	-	1	0.0%
A STRESS RELIEVER AND PART OF MY FAMILYS TRADITION	-	1	0.0%
ACTIVE RELATIONSHIP WITH GOD	-	1	0.0%
ALTERNATIVE HEALING	-	1	0.0%
ALWAYS BEEN	-	1	0.0%
ALWAYS FOR MY CAT I PRAY	-	1	0.0%
ALWAYS HAVE DONE	-	1	0.0%
AND PEACE OF MIND RELIEVES STRESS	-	1	0.0%
ANSWER TO ANYTHING	-	1	0.0%
ASK GOD'S BLESSING	-	1	0.0%
BE OBEDIENT TO GOD, WHERE HER HELP COMES FROM	-	1	0.0%
BECAUSE I AM GREATFUL	-	1	0.0%
BECAUSE I BELIEVE IN IT	-	2	0.1%
BECAUSE I BELIEVE IN PRAYER	-	1	0.0%
BECAUSE I HAVE FAITH AND BELIEVE IN PRAYER	-	1	0.0%
BECAUSE I LIKE TO KEEP IN TOUCH WITH GOD, INSPIRES ME	-	1	0.0%
BECAUSE I LOVE GOD	-	1	0.0%
BECAUSE I LOVE THE LORD	-	2	0.1%
BECAUSE I NEED TO AND WANT TO, IT'S REQUIRED	-	1	0.0%
BECAUSE I THINK GOD WILL HELP US FEEL BETTER	-	1	0.0%
BECAUSE I WANT TO	-	1	0.0%
BECAUSE I'M A RELIGIOUS PERSON	-	1	0.0%
BECAUSE I'M SPIRITUAL, IT'S THE RIGHT THING TO DO	-	1	0.0%
BECAUSE IS A CHRISTIAN	-	1	0.0%
BECAUSE IT FEELS GOOD	-	1	0.0%
BECAUSE IT WORKS, RELAXATION	-	1	0.0%
BECAUSE IT'S THERE, IT'S THE KEY TO LIFE	-	1	0.0%
BECAUSE OF MY FAITH IN GOD	-	1	0.0%
BECAUSE OF MY RELATIONSHIP WITH GOD	-	1	0.0%
BECAUSE OF MY WALK WITH GOD	-	1	0.0%
BECAUSE THAT'S MY RELIGION	-	1	0.0%

Value	Label	Unweighted Frequency	%
BECAUSE YOU SHOULD	-	1	0.0%
BELIEF	-	2	0.1%
BELIEF SYSTEM	-	1	0.0%
BELIEFS	-	1	0.0%
BELIEVE IN GOD	-	5	0.2%
BELIEVE IN GOD; MY GUIDE	-	1	0.0%
BELIEVE IN HIGH SPIRITUALITY HELP ACCOMPLISHING MY GOALS	-	1	0.0%
BELIEVE IN IT	-	1	0.0%
BELIEVE IN PRAYER & COMMUNICATE WITH GOD	-	1	0.0%
BELIEVE IN THE POWER OF PRAYER	-	1	0.0%
BELIEVE IT HELPS/SPIRITUAL HEALTH	-	1	0.0%
BELIEVE PRAYER CAN HELP	-	1	0.0%
BELIEVES IN IT	-	1	0.0%
BEST THING IN LIFE SPIRITUALLY	-	1	0.0%
BLESSING	-	1	0.0%
CALM	-	1	0.0%
	Total	2,413	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 2,413 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 1162-1221 (width: 60; decimal: 0)

Variable Type: character

SELFHEL7: Self-help group

During the past 12 months, have you used any of the following for your health? Self-help group

Value	Label	Unweighted Frequency	%
1	No	2137	88.6%
2	Yes	151	6.3%
	Total	2,288	94.8%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
	Total	125	5.2%

This variable has 2,288 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1222-1223 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFHAR7: Self-help group - heart

If YES to SELFHEL7: Please tell me whether or not you use self-help group: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	120	5.0%
2	Yes	31	1.3%
	Total	151	6.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2177	90.2%
	Total	2,262	93.7%

This variable has 151 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1224-1225 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFOST7: Self-help group - osteoporosis

If YES to SELFHEL7: Please tell me whether or not you use self-help group: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	135	5.6%
2	Yes	16	0.7%
	Total	151	6.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2177	90.2%
	Total	2,262	93.7%

This variable has 151 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1226-1227 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFMEN7: Self-help group - menopausal symptoms

If YES to SELFHEL7: Please tell me whether or not you use self-help group: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	136	5.6%
2	Yes	15	0.6%
	Total	151	6.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2177	90.2%
	Total	2,262	93.7%

This variable has 151 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1228-1229 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFLOO7: Self-help group - young looking

If YES to SELFHEL7: Please tell me whether or not you use self-help group: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	126	5.2%
2	Yes	25	1.0%
	Total	151	6.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2177	90.2%
	Total	2,262	93.7%

This variable has 151 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1230-1231 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFMEM7: Self-help group - improve memory

If YES to SELFHEL7: Please tell me whether or not you use self-help group: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	126	5.2%
2	Yes	25	1.0%
	Total	151	6.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2177	90.2%
	Total	2,262	93.7%

This variable has 151 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1232-1233 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFPER7: Self-help group - regulate periods

If YES to SELFHEL7: Please tell me whether or not you use self-help group: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	146	6.1%
2	Yes	5	0.2%
	Total	151	6.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2177	90.2%
	Total	2,262	93.7%

This variable has 151 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1234-1235 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFGEN7: Self-help group - general health

If YES to SELFHEL7: Please tell me whether or not you use self-help group: For general health?

Value	Label	Unweighted Frequency	%
1	No	62	2.6%
2	Yes	89	3.7%
	Total	151	6.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2177	90.2%
	Total	2,262	93.7%

This variable has 151 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1236-1237 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

SELFWGH7: Self-help group - weight

If YES to SELFHEL7: Please tell me whether or not you use self-help group: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	93	3.9%
2	Yes	58	2.4%
	Total	151	6.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2177	90.2%
	Total	2,262	93.7%

This variable has 151 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1238-1239 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFADV7: Self-help group - provider advice

If YES to SELFHEL7: Please tell me whether or not you use self-help group: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	123	5.1%
2	Yes	28	1.2%
	Total	151	6.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2177	90.2%
	Total	2,262	93.7%

This variable has 151 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1240-1241 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFOTH7: Self-help group - other reason

If YES to SELFHEL7: Please tell me whether or not you use self-help group: Is there any other reason you use self-help group?

Value	Label	Unweighted Frequency	%
1	No	61	2.5%
2	Yes	90	3.7%
	Total	151	6.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2177	90.2%
	Total	2,262	93.7%

This variable has 151 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1242-1243 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFSP7: Self-help group - other specify

If YES to SELFHEL7: Please tell me whether or not you use self-help group: Is there any other reason you use self-help group? Specify

Value	Label	Unweighted Frequency	%
-	-	2324	96.3%
AA - NOT TO DRINK	-	1	0.0%
AA FOR ALCOHOLISM	-	1	0.0%
ANXIETY REDUCTION	-	1	0.0%
BELONGS TO AN USHERS GROUP AT CHURCH WHO ARE SUPPORTIVE	-	1	0.0%
BIBLE STUDY	-	1	0.0%
COMMUNICATION	-	1	0.0%
COMMUNICATION WITH GOD	-	1	0.0%
CURB ANXIETY	-	1	0.0%
DEPRESSION	-	2	0.1%
DEVELOP FRIENDSHIPS	-	1	0.0%
DIABETES	-	1	0.0%
EATING, FEELING, THINKING BETTER	-	1	0.0%
EFFECTIVE FOR LIFESTYLE	-	1	0.0%
EMOTIONAL HEALTH	-	2	0.1%
EMOTIONAL SUPPORT	-	1	0.0%
FELLOWSHIP	-	1	0.0%

Value	Label	Unweighted Frequency	%
FOR ALCOLHOL ABUSE IN FAMILY-FOUND A SUPPORT NETWORK	-	1	0.0%
FOR MS	-	1	0.0%
FOR RECOVERING FROM DRUG AND ALCOHOL ADDICTION	-	1	0.0%
FOR WELL BEING	-	1	0.0%
FRIENDSHIP, MENTAL & EMOTIONAL HEALTH.	-	1	0.0%
FUN	-	1	0.0%
GAIN MORE KNOWLEDGE, TO SHARE	-	1	0.0%
GAMBLING	-	1	0.0%
GET AROUND PEOPLE WITH SOME PROBLEMS	-	1	0.0%
GET EMOTIONAL HELP	-	1	0.0%
GET THROUGH DIFFICULT PERIOD	-	1	0.0%
GOD LOVES ME, SUPPORT	-	1	0.0%
GOOD STRESS RELIEVER	-	1	0.0%
HELP REINFORCE NOT DRINKING	-	1	0.0%
HELP WITH COMPLIANCE RE: DIABETES & TO REGULATE BLD SUGAR	-	1	0.0%
INFORMATION AND SUPPORT	-	1	0.0%
INNER WELL-BEING	-	1	0.0%
IT'S ALWAYS GOOD TO HAVE CONNECTION WITH OTHER PEOPLE	-	1	0.0%
KEEP WEIGHT DOWN	-	1	0.0%
LIFE COURSE	-	1	0.0%
LIMPODEMA	-	1	0.0%
LOOKING FOR INFO AND SUPPORT	-	1	0.0%
MAINTAIN WEIGHT LOSS, ACCOUNTABLE FOR WHAT IM EATING, EXER	-	1	0.0%
MENTAL HEALTH	-	3	0.1%
MENTAL HEALTH SUPPORT	-	1	0.0%
MENTAL STABILITY	-	1	0.0%
MULTIPLE SCLEROSIS	-	1	0.0%
NEED SUPPORT DUE TO BREAST CANCER	-	1	0.0%
NIGHT SWEATS	-	1	0.0%
PEACEFUL MINE	-	1	0.0%
PRESSURE FROM DAUGHTERS	-	1	0.0%
RELIGIOUS	-	1	0.0%
RELIGIOUS BELIEF	-	1	0.0%
	Total	2,413	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 2,413 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 1244-1301 (width: 58; decimal: 0)

Variable Type: character

SOYSUPP7: Soy supplement

During the past 12 months, have you used any of the following for your health? Soy supplement

Value	Label	Unweighted Frequency	%
1	No	1972	81.7%
2	Yes	316	13.1%
	Total	2,288	94.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
	Total	125	5.2%

This variable has 2,288 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1302-1303 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYHAR7: Soy supplement - heart

If YES to SOYSUPP7: Please tell me whether or not you use soy supplement: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	230	9.5%
2	Yes	86	3.6%
	Total	316	13.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	80	3.3%
.	-	2017	83.6%
	Total	2,097	86.9%

This variable has 316 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1304-1305 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYOST7: Soy supplement - osteoporosis

If YES to SOYSUPP7: Please tell me whether or not you use soy supplement: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	232	9.6%
2	Yes	84	3.5%
	Total	316	13.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	80	3.3%
.	-	2017	83.6%
	Total	2,097	86.9%

This variable has 316 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1306-1307 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYMEN7: Soy supplement - menopausal symptoms

If YES to SOYSUPP7: Please tell me whether or not you use soy supplement: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	120	5.0%
2	Yes	196	8.1%
	Total	316	13.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	80	3.3%
.	-	2017	83.6%
	Total	2,097	86.9%

This variable has 316 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1308-1309 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

SOYLOO7: Soy supplement - young looking

If YES to SOYSUPP7: Please tell me whether or not you use soy supplement: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	257	10.7%
2	Yes	59	2.4%
	Total	316	13.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	80	3.3%
.	-	2017	83.6%
	Total	2,097	86.9%

This variable has 316 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1310-1311 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYMEM7: Soy supplement - improve memory

If YES to SOYSUPP7: Please tell me whether or not you use soy supplement: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	277	11.5%
2	Yes	39	1.6%
	Total	316	13.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	80	3.3%
.	-	2017	83.6%
	Total	2,097	86.9%

This variable has 316 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1312-1313 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYPER7: Soy supplement - regulate periods

If YES to SOYSUPP7: Please tell me whether or not you use soy supplement: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	296	12.3%
2	Yes	20	0.8%
	Total	316	13.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	80	3.3%
.	-	2017	83.6%
	Total	2,097	86.9%

This variable has 316 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1314-1315 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYGEN7: Soy supplement - general health

If YES to SOYSUPP7: Please tell me whether or not you use soy supplement: For general health?

Value	Label	Unweighted Frequency	%
1	No	94	3.9%
2	Yes	222	9.2%
	Total	316	13.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	80	3.3%
.	-	2017	83.6%
	Total	2,097	86.9%

This variable has 316 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1316-1317 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYWGH7: Soy supplement - weight

If YES to SOYSUPP7: Please tell me whether or not you use soy supplement: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	252	10.4%
2	Yes	64	2.7%
	Total	316	13.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	80	3.3%
.	-	2017	83.6%
	Total	2,097	86.9%

This variable has 316 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1318-1319 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

SOYADV7: Soy supplement - provider advice

If YES to SOYSUPP7: Please tell me whether or not you use soy supplement: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	270	11.2%
2	Yes	46	1.9%
	Total	316	13.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	80	3.3%
.	-	2017	83.6%
	Total	2,097	86.9%

This variable has 316 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1320-1321 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYOTH7: Soy supplement - other reason

If YES to SOYSUPP7: Please tell me whether or not you use soy supplement: Is there any other reason you use soy supplement?

Value	Label	Unweighted Frequency	%
1	No	271	11.2%
2	Yes	45	1.9%
	Total	316	13.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	80	3.3%
.	-	2017	83.6%
	Total	2,097	86.9%

This variable has 316 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1322-1323 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYSPE7: Soy supplement - other specify

If YES to SOYSUPP7: Please tell me whether or not you use soy supplement: Is there any other reason you use soy supplement? Specify

Value	Label	Unweighted Frequency	%
-		2368	98.1%
ADDITIONAL PROTEIN AND CALCIUM.	-	1	0.0%
ALLERGIC TO DAIRY	-	1	0.0%

Value	Label	Unweighted Frequency	%
BECAUSE SHE LIKES IT	-	1	0.0%
BREAKFAST	-	1	0.0%
CAN NOT DRINK WHOLE MILK	-	1	0.0%
CANT DRINK MILK	-	1	0.0%
CANT DRINK REGULAR MILK	-	1	0.0%
DAUGHTER SUGGESTED IT	-	1	0.0%
ENERGY	-	1	0.0%
FOR CHOLESTEROL, CLEANSE INTESTINE	-	1	0.0%
FOR HOT FLASHES	-	2	0.1%
GENERAL WELLNESS	-	1	0.0%
GOOD SOURCE OF PROTEIN	-	1	0.0%
HARD TO EAT SOILD FOOD	-	1	0.0%
HEALTHY BREAKFAST SUPPLEMENT	-	1	0.0%
HELP CHOLESTEROL	-	1	0.0%
HOT FLASHES	-	2	0.1%
I LIKE IT	-	1	0.0%
IN CEREAL	-	1	0.0%
INSULIN RESISTANCE	-	1	0.0%
LACTOSE INTOLERANCE	-	4	0.2%
LACTOSE INTOLERANT	-	1	0.0%
LESS MEAT IN DIET	-	1	0.0%
LOOKING TO RELIEVE HOT FLASHES AFTER HYSTERECTOMY	-	1	0.0%
LOVE SOY	-	1	0.0%
MENOPAUSE SYMPTOMS	-	1	0.0%
POST SURGERY	-	1	0.0%
PREFERS DRINKS FOR BREAKFAST	-	1	0.0%
PROTEIN GET AWAY FROM RED MEAT	-	1	0.0%
QUICK MEAL	-	1	0.0%
READ THAT IT IS GOOD FOR YOU AFTER MENOPAUSE	-	1	0.0%
RECOMMENDED BY FRIENDS	-	1	0.0%
REDUCE RISK OF BREAST CANCER	-	1	0.0%
SHE JUST LIKE IT	-	1	0.0%
SUPPOSED TO BE GOOD FOR YOU	-	1	0.0%
TO KEEP CALCIUM INTACT	-	1	0.0%
TO MAKE FEEL MORE FEMININE	-	1	0.0%

Value	Label	Unweighted Frequency	%
TO MEET PROTEIN SUPPLEMENT (VEGETARIAN DIET)	-	1	0.0%
TO USE AS A HORMONE THERAPY	-	1	0.0%
USE TO REPLACE VITAMINS IN BODY	-	1	0.0%
	Total	2,413	100.0%

This variable has 2,413 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 1324-1372 (width: 49; decimal: 0)

Variable Type: character

WORTSTJ7: St. John's wort

During the past 12 months, have you used any of the following for your health? St. John's wort

Value	Label	Unweighted Frequency	%
1	No	2233	92.5%
2	Yes	55	2.3%
	Total	2,288	94.8%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
	Total	125	5.2%

This variable has 2,288 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1373-1374 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTHAR7: St. John's wort - heart

If YES to WORTSTJ7: Please tell me whether or not you use St. John's wort: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	50	2.1%
2	Yes	5	0.2%
	Total	55	2.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	86	3.6%
.	-	2272	94.2%
	Total	2,358	97.7%

This variable has 55 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1375-1376 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTST7: St. John's wort - osteoporosis

If YES to WORTSTJ7: Please tell me whether or not you use St. John's wort: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	49	2.0%
2	Yes	6	0.2%
	Total	55	2.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	86	3.6%
.	-	2272	94.2%
	Total	2,358	97.7%

This variable has 55 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1377-1378 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTMEN7: St. John's wort - menopausal symptoms

If YES to WORTSTJ7: Please tell me whether or not you use St. John's wort: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	35	1.5%
2	Yes	20	0.8%
	Total	55	2.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	86	3.6%
.	-	2272	94.2%
	Total	2,358	97.7%

This variable has 55 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1379-1380 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTLOO7: St. John's wort - young looking

If YES to WORTSTJ7: Please tell me whether or not you use St. John's wort: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	48	2.0%
2	Yes	7	0.3%
	Total	55	2.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	86	3.6%
.	-	2272	94.2%
	Total	2,358	97.7%

This variable has 55 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1381-1382 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -9, -8, -7, -1, .)

WORTMEM7: St. John's wort - improve memory

If YES to WORTSTJ7: Please tell me whether or not you use St. John's wort: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	49	2.0%
2	Yes	6	0.2%
	Total	55	2.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	86	3.6%
.	-	2272	94.2%
	Total	2,358	97.7%

This variable has 55 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1383-1384 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -9, -8, -7, -1, .)

WORTPER7: St. John's wort - regulate periods

If YES to WORTSTJ7: Please tell me whether or not you use St. John's wort: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	53	2.2%
2	Yes	2	0.1%
	Total	55	2.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	86	3.6%
.	-	2272	94.2%
	Total	2,358	97.7%

This variable has 55 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1385-1386 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

WORTGEN7: St. John's wort - general health

If YES to WORTSTJ7: Please tell me whether or not you use St. John's wort: For general health?

Value	Label	Unweighted Frequency	%
1	No	26	1.1%
2	Yes	29	1.2%
	Total	55	2.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	86	3.6%
.	-	2272	94.2%
	Total	2,358	97.7%

This variable has 55 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1387-1388 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTWGH7: St. John's wort - weight

If YES to WORTSTJ7: Please tell me whether or not you use St. John's wort: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	52	2.2%
2	Yes	3	0.1%
	Total	55	2.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	86	3.6%
.	-	2272	94.2%
	Total	2,358	97.7%

This variable has 55 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1389-1390 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTADV7: St. John's wort - provider advice

If YES to WORTSTJ7: Please tell me whether or not you use St. John's wort: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	52	2.2%
2	Yes	3	0.1%
	Total	55	2.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	86	3.6%
.	-	2272	94.2%
Total		2,358	97.7%

This variable has 55 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1391-1392 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9, -8, -7, -1, .)

WORTOTH7: St. John's wort - other reason

If YES to WORTSTJ7: Please tell me whether or not you use St. John's wort: Is there any other reason you use St. John's wort?

Value	Label	Unweighted Frequency	%
1	No	28	1.2%
2	Yes	27	1.1%
Total		55	2.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	86	3.6%
.	-	2272	94.2%
Total		2,358	97.7%

This variable has 55 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1393-1394 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9, -8, -7, -1, .)

WORTSPE7: St. John's wort - other specify

If YES to WORTSTJ7: Please tell me whether or not you use St. John's wort: Is there any other reason you use St. John's wort?
Specify

Value	Label	Unweighted Frequency	%
-		2386	98.9%
BETTER MENTAL MOOD	-	1	0.0%
DEPRESSION	-	1	0.0%
ELEVATE MOOD	-	1	0.0%
EMOTIONAL STABILITY	-	1	0.0%
EMOTIONAL WELL-BEING	-	1	0.0%
FEELING BLUE	-	1	0.0%
FOR MOOD	-	1	0.0%
FRIEND SUGGESTED IT	-	1	0.0%
HEALING PROPERTIES IN SKIN PRODUCTS	-	1	0.0%
HELP WITH DEPRESSION	-	1	0.0%
JOINTS	-	1	0.0%
MENTAL HEALTH	-	1	0.0%
MOOD	-	1	0.0%
MOOD STABILIZER	-	1	0.0%
MOOD SWINGS	-	2	0.1%
MOODY	-	1	0.0%
NOURISH NERVES AND MAINTENANCE BACK PROBLEM	-	1	0.0%
REGULATE MOODS	-	1	0.0%
STRESS	-	1	0.0%
TO ALLEVIATE DEPRESSION	-	1	0.0%
TO IMPROVE MOOD	-	1	0.0%
TO KEEP CALM, COOL, COLLECTED	-	1	0.0%
TO LIFT MOOD	-	1	0.0%
TO RELIEVE DEPRESSION	-	1	0.0%
TO STABILIZE MY PERSONA, IT WORKS FOR ME	-	1	0.0%
TOO EMOTIONAL	-	1	0.0%
	Total	2,413	100.0%

This variable has 2,413 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 1395-1437 (width: 43; decimal: 0)

Variable Type: character

WVITAMI7: Women's vitamins

During the past 12 months, have you used any of the following for your health? Vitamin or supplement combination especially designed for women's health

Value	Label	Unweighted Frequency	%
1	No	1732	71.8%
2	Yes	556	23.0%
	Total	2,288	94.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
	Total	125	5.2%

This variable has 2,288 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1438-1439 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITHAR7: Women's vitamins - heart

If YES to WVITAMI7: Please tell me whether or not you use vitamin or supplement combination especially for women's health: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	372	15.4%
2	Yes	183	7.6%
	Total	555	23.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	74	3.1%
.	-	1784	73.9%
	Total	1,858	77.0%

This variable has 555 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1440-1441 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITOST7: Women's vitamins - osteoporosis

If YES to WVITAMI7: Please tell me whether or not you use vitamin or supplement combination especially for women's health: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	332	13.8%
2	Yes	223	9.2%
	Total	555	23.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	74	3.1%
.	-	1784	73.9%
	Total	1,858	77.0%

This variable has 555 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1442-1443 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITMEN7: Women's vitamins - menopausal symptoms

If YES to WVITAMI7: Please tell me whether or not you use vitamin or supplement combination especially for women's health: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	408	16.9%
2	Yes	147	6.1%
	Total	555	23.0%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	74	3.1%
.	-	1784	73.9%
	Total	1,858	77.0%

This variable has 555 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1444-1445 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITLOO7: Women's vitamins - young looking

If YES to WVITAMI7: Please tell me whether or not you use vitamin or supplement combination especially for women's health: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	415	17.2%
2	Yes	140	5.8%
	Total	555	23.0%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	74	3.1%
.	-	1784	73.9%
	Total	1,858	77.0%

This variable has 555 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1446-1447 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITMEM7: Women's vitamins - improve memory

If YES to WVITAMI7: Please tell me whether or not you use vitamin or supplement combination especially for women's health: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	430	17.8%
2	Yes	125	5.2%
	Total	555	23.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	74	3.1%
.	-	1784	73.9%
	Total	1,858	77.0%

This variable has 555 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1448-1449 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITPER7: Women's vitamins - regulate periods

If YES to WVITAMI7: Please tell me whether or not you use vitamin or supplement combination especially for women's health: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	525	21.8%
2	Yes	30	1.2%
	Total	555	23.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	74	3.1%
.	-	1784	73.9%
	Total	1,858	77.0%

This variable has 555 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1450-1451 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITGEN7: Women's vitamins - general health

If YES to WVITAMI7: Please tell me whether or not you use vitamin or supplement combination especially for women's health: For general health?

Value	Label	Unweighted Frequency	%
1	No	58	2.4%
2	Yes	497	20.6%
	Total	555	23.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	74	3.1%
.	-	1784	73.9%
	Total	1,858	77.0%

This variable has 555 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1452-1453 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITWGH7: Women's vitamins - weight

If YES to WVITAMI7: Please tell me whether or not you use vitamin or supplement combination especially for women's health: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	450	18.6%
2	Yes	105	4.4%
	Total	555	23.0%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	74	3.1%
.	-	1784	73.9%
	Total	1,858	77.0%

This variable has 555 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1454-1455 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

WVITADV7: Women's vitamins - provider advice

If YES to WVITAMI7: Please tell me whether or not you use vitamin or supplement combination especially for women's health: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	432	17.9%
2	Yes	123	5.1%
	Total	555	23.0%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	74	3.1%
.	-	1784	73.9%
	Total	1,858	77.0%

This variable has 555 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1456-1457 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITOTH7: Women's vitamins - other reason

If YES to WVITAMI7: Please tell me whether or not you use vitamin or supplement combination especially for women's health: Is there any other reason you use vitamin or supplement combination especially for women's health?

Value	Label	Unweighted Frequency	%
1	No	507	21.0%
2	Yes	48	2.0%
	Total	555	23.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	74	3.1%
.	-	1784	73.9%
	Total	1,858	77.0%

This variable has 555 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1458-1459 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITSPE7: Women's vitamins - other specify

If YES to WVITAMI7: Please tell me whether or not you use vitamin or supplement combination especially for women's health: Is there any other reason you use vitamin or supplement combination especially for women's health? Specify

Value	Label	Unweighted Frequency	%
	-	2366	98.1%
ADDED CALCIUM AND NOT TOO MUCH IRON	-	1	0.0%
ANEMIA UNDER CONTROL	-	1	0.0%
ANEMIC/HEAVY BLEEDING	-	1	0.0%
BECAUSE I OUGHT TO.	-	1	0.0%
BYPASS SURGERY HAS TO DO THIS LIFE LONG	-	1	0.0%
CONTAINS ALL THE VITAMINS SHE NEEDS.	-	1	0.0%
DAUGHTER HAD LEFTOVER SUPPLY	-	1	0.0%
DIABETES	-	1	0.0%
ENERGY	-	3	0.1%
EYE HEATLH TO REDUCE RISK OF MACULLAR DEGENERATION	-	1	0.0%
FEEL BETTER, FATIGUE	-	1	0.0%
FOR HEALTH	-	1	0.0%
FOR IRON	-	1	0.0%
FOR OVERALL HEALTH AND BENEFIT	-	1	0.0%
FOR WOMEN'S HEALTH	-	1	0.0%
GOOD ANTIOXIDANT	-	1	0.0%
GUY AT GNC SAID IT'S GOOD FOR YOU	-	1	0.0%
HABIT	-	1	0.0%
HUSBAND NAGGED HER	-	1	0.0%
HUSBAND WANTS HER TO TAKE THEM	-	1	0.0%
IMMUNE SYSTEM	-	1	0.0%
ITS THE INTELLIGENT THING TO DO	-	1	0.0%
JOINTS	-	1	0.0%
KEEP ME GOING THROUGH THE DAY	-	1	0.0%
KEEP VITAMINS IN ME	-	1	0.0%
MEDICAL KNOWLEDGE	-	1	0.0%
MORE ENERGY MAKE FUNCTION BETTER IN AM	-	1	0.0%
NOT REGULARLY	-	1	0.0%
PEOPLE TELL ME TO TAKE IT	-	1	0.0%
PREVENTS COLDS AND GIVES ENERGY	-	1	0.0%
R DOES NOT EAT AS WELL AS SHE SHOULD WANTS TO GET REQ. VIT.	-	1	0.0%
REDUCES STRESS	-	1	0.0%
RESPONDENT WAS VERY TIRED ALL THE TIME BEFORE VITAMINS	-	1	0.0%
SHRINK FIBROIDS	-	1	0.0%

Value	Label	Unweighted Frequency	%
SPECIAL WOMENS NEEDS	-	1	0.0%
STAY ALIVE	-	1	0.0%
THINKS IT IS A GOOD IDEA.	-	1	0.0%
THREAT OF LOSING TO MUCH IRON	-	1	0.0%
TO HELP WITH BLOOD PRESSURE	-	1	0.0%
TO INCREASE MY ENERGY	-	1	0.0%
TO MAKE SURE TO TAKE WHAT I'M SUPPOSED TO TAKE.	-	1	0.0%
TO PREVENT MENOPAUSAL SYMPTOMS	-	1	0.0%
TO RELIEVE STRESS	-	1	0.0%
WHY NOT IT'S THERE	-	1	0.0%
WOMEN'S HEALTH	-	1	0.0%
	Total	2,413	100.0%

This variable has 2,413 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 1460-1518 (width: 59; decimal: 0)

Variable Type: character

YOGA7: Yoga

During the past 12 months, have you used any of the following for your health? Yoga

Value	Label	Unweighted Frequency	%
1	No	2001	82.9%
2	Yes	287	11.9%
	Total	2,288	94.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
	Total	125	5.2%

This variable has 2,288 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 1519-1520 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

YOGAHAR7: Yoga - heart

If YES to YOGA7: Please tell me whether or not you use yoga: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	210	8.7%
2	Yes	77	3.2%
	Total	287	11.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	82	3.4%
.	-	2044	84.7%
	Total	2,126	88.1%

This variable has 287 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1521-1522 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

YOGAOST7: Yoga - osteoporosis

If YES to YOGA7: Please tell me whether or not you use yoga: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	190	7.9%
2	Yes	97	4.0%
	Total	287	11.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	82	3.4%
.	-	2044	84.7%
	Total	2,126	88.1%

This variable has 287 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1523-1524 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAMEN7: Yoga - menopausal symptoms

If YES to YOGA7: Please tell me whether or not you use yoga: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	236	9.8%
2	Yes	51	2.1%
	Total	287	11.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	82	3.4%
.	-	2044	84.7%
	Total	2,126	88.1%

This variable has 287 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1525-1526 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGALOO7: Yoga - young looking

If YES to YOGA7: Please tell me whether or not you use yoga: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	180	7.5%
2	Yes	107	4.4%
	Total	287	11.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	82	3.4%
.	-	2044	84.7%
	Total	2,126	88.1%

This variable has 287 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1527-1528 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

YOGAMEM7: Yoga - improve memory

If YES to YOGA7: Please tell me whether or not you use yoga: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	231	9.6%
2	Yes	56	2.3%
	Total	287	11.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	82	3.4%
.	-	2044	84.7%
	Total	2,126	88.1%

This variable has 287 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1529-1530 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAPER7: Yoga - regulate periods

If YES to YOGA7: Please tell me whether or not you use yoga: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	280	11.6%
2	Yes	7	0.3%
	Total	287	11.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	82	3.4%
.	-	2044	84.7%
	Total	2,126	88.1%

This variable has 287 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1531-1532 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAGEN7: Yoga - general health

If YES to YOGA7: Please tell me whether or not you use yoga: For general health?

Value	Label	Unweighted Frequency	%
1	No	27	1.1%
2	Yes	260	10.8%
	Total	287	11.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	82	3.4%
.	-	2044	84.7%
	Total	2,126	88.1%

This variable has 287 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1533-1534 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

YOGAWGH7: Yoga - weight

If YES to YOGA7: Please tell me whether or not you use yoga: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	162	6.7%
2	Yes	125	5.2%
	Total	287	11.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	82	3.4%
.	-	2044	84.7%
	Total	2,126	88.1%

This variable has 287 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1535-1536 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

YOGAADV7: Yoga - provider advice

If YES to YOGA7: Please tell me whether or not you use yoga: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	266	11.0%
2	Yes	21	0.9%
	Total	287	11.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	82	3.4%
.	-	2044	84.7%
	Total	2,126	88.1%

This variable has 287 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1537-1538 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAOTH7: Yoga - other reason

If YES to YOGA7: Please tell me whether or not you use yoga: Is there any other reason you use yoga?

Value	Label	Unweighted Frequency	%
1	No	158	6.5%
2	Yes	129	5.3%
	Total	287	11.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	82	3.4%
.	-	2044	84.7%

Value	Missing Data	Unweighted Frequency	%
Total		2,126	88.1%

This variable has 287 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1539-1540 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGASPE7: Yoga - other specify

If YES to YOGA7: Please tell me whether or not you use yoga: Is there any other reason you use yoga? Specify

Value	Label	Unweighted Frequency	%
-		2285	94.7%
ARTHRITIS	-	2	0.1%
BE LIMBER	-	1	0.0%
BECAUSE SISTER WAS DOING IT AND WANTED ME TO DO IT	-	1	0.0%
BREATHING IS INVIGORATING	-	1	0.0%
CALMING DOWN	-	1	0.0%
CALMING/STRESS REDUCTION	-	1	0.0%
CANCER	-	1	0.0%
EMOTIONAL & PHYSICAL WELL BEING & BALANCE.	-	1	0.0%
EMOTIONAL HEALTH; IMPROVE GOLF	-	1	0.0%
EMOTIONAL WELL BEING	-	1	0.0%
EMOTIONAL WELL-BEING	-	1	0.0%
ENJOYMENT	-	3	0.1%
ENJOYS IT	-	1	0.0%
ENLIGHTENMENT	-	1	0.0%
FEEL BETTER	-	1	0.0%
FEEL GOOD	-	1	0.0%
FEEL GOOD; HELP BACK	-	1	0.0%
FEELS GOOD	-	2	0.1%
FLEXIBILITY	-	1	0.0%
FLEXIBILITY	-	1	0.0%
FLEXIBILITY	-	12	0.5%
FLEXIBILITY & STRESS RELEASE	-	1	0.0%

Value	Label	Unweighted Frequency	%
FLEXIBILITY AND EMOTIONAL SERENITY	-	1	0.0%
FLEXIBILITY OF JOINTS	-	1	0.0%
FLEXIBILITY, MENTAL HEALTH	-	1	0.0%
FLEXIBILITY, STRENGTH, MENTAL HEALTH	-	1	0.0%
FLEXIBILITY; RELAXATION	-	1	0.0%
FOR ALS	-	1	0.0%
FOR FLEXIBILITY	-	1	0.0%
FOR FLEXIBILITY AND BALANCE	-	1	0.0%
FOR FUN	-	1	0.0%
FOR PEACE OF MIND	-	1	0.0%
FOR PHYSICAL HEALTH	-	1	0.0%
FOR RELAXATION AND HELPING TO LESSEN STIFFNESS OF JOINTS	-	1	0.0%
FOR RELAXATION	-	1	0.0%
FRIENDSHIP	-	1	0.0%
GOT IT AS A GIFT	-	1	0.0%
HABIT	-	1	0.0%
HAUGHT IT	-	1	0.0%
HELP LIMBER	-	1	0.0%
HELP W/ FOCUS AND FEELING OF WELL-BEING	-	1	0.0%
I REALLY ENJOY IT	-	1	0.0%
I STRETCH ALOT	-	1	0.0%
IMPROVE FLEXIBILITY, REDUCE STRESS	-	1	0.0%
INCREASE FLEXIBILITY	-	3	0.1%
INNER PEACE & STRESS REDUCER	-	1	0.0%
IT'S GREAT	-	1	0.0%
JOINT PAIN	-	1	0.0%
LIKE IT	-	1	0.0%
	Total	2,413	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 2,413 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 1541-1597 (*width:* 57; *decimal:* 0)

Variable Type: character

During the past 12 months, have you used any of the following for your health? Botanica/Curandero

Value	Label	Unweighted Frequency	%
1	No	2275	94.3%
2	Yes	13	0.5%
	Total	2,288	94.8%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
	Total	125	5.2%

This variable has 2,288 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1598-1599 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

BOTAHAR7: Botanica - heart

If YES to BOTANIC7: Please tell me whether or not you use botanica/curandero: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	13	0.5%
2	Yes	0	0.0%
	Total	13	0.5%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	79	3.3%
.	-	2321	96.2%
	Total	2,400	99.5%

This variable has 13 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1600-1601 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTAOST7: Botanica - osteoporosis

If YES to BOTANIC7: Please tell me whether or not you use botanica/curandero: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	13	0.5%
2	Yes	0	0.0%
	Total	13	0.5%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	79	3.3%
.	-	2321	96.2%
	Total	2,400	99.5%

This variable has 13 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1602-1603 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTAMEN7: Botanica - menopausal symptoms

If YES to BOTANIC7: Please tell me whether or not you use botanica/curandero: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	12	0.5%
2	Yes	1	0.0%
	Total	13	0.5%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	79	3.3%
.	-	2321	96.2%
	Total	2,400	99.5%

This variable has 13 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1604-1605 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTALOO7: Botanica - young looking

If YES to BOTANIC7: Please tell me whether or not you use botanica/curandero: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	13	0.5%
2	Yes	0	0.0%
	Total	13	0.5%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	79	3.3%
.	-	2321	96.2%
	Total	2,400	99.5%

This variable has 13 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1606-1607 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTAMEM7: Botanica - improve memory

If YES to BOTANIC7: Please tell me whether or not you use botanica/curandero: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	13	0.5%
2	Yes	0	0.0%
	Total	13	0.5%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	79	3.3%
.	-	2321	96.2%
	Total	2,400	99.5%

This variable has 13 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1608-1609 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

BOTAPER7: Botanica - regulate periods

If YES to BOTANIC7: Please tell me whether or not you use botanica/curandero: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	13	0.5%
2	Yes	0	0.0%
	Total	13	0.5%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	79	3.3%
.	-	2321	96.2%
	Total	2,400	99.5%

This variable has 13 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1610-1611 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTAGEN7: Botanica - general health

If YES to BOTANIC7: Please tell me whether or not you use botanica/curandero: For general health?

Value	Label	Unweighted Frequency	%
1	No	5	0.2%
2	Yes	8	0.3%
	Total	13	0.5%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	79	3.3%
.	-	2321	96.2%
	Total	2,400	99.5%

This variable has 13 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1612-1613 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTAWGH7: Botanica - weight

If YES to BOTANIC7: Please tell me whether or not you use botanica/curandero: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	13	0.5%
2	Yes	0	0.0%
	Total	13	0.5%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	79	3.3%
.	-	2321	96.2%
	Total	2,400	99.5%

This variable has 13 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1614-1615 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9, -8, -7, -1, .)

BOTAADV7: Botanica - provider advice

If YES to BOTANIC7: Please tell me whether or not you use botanica/curandero: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	13	0.5%
2	Yes	0	0.0%
	Total	13	0.5%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	79	3.3%
.	-	2321	96.2%
	Total	2,400	99.5%

This variable has 13 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1616-1617 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9, -8, -7, -1, .)

BOTAOTH7: Botanica - other reason

If YES to BOTANIC7: Please tell me whether or not you use botanica/curandero: Is there any other reason you use botanica/curandero?

Value	Label	Unweighted Frequency	%
1	No	5	0.2%
2	Yes	8	0.3%
	Total	13	0.5%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	79	3.3%
.	-	2321	96.2%
	Total	2,400	99.5%

This variable has 13 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1618-1619 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

BOTASPE7: Botanica - other specify

If YES to BOTANIC7: Please tell me whether or not you use botanica/curandero: Is there any other reason you use botanica/curandero? Specify

Value	Label	Unweighted Frequency	%
-		2405	99.7%
EMOTIONAL BALANCE	-	1	0.0%
INCREASE METABOLISM	-	1	0.0%
ON ADVICE FROM RELIGIOUS DIRECTOR	-	1	0.0%
PERSONAL REASONS	-	1	0.0%
RELIGION	-	3	0.1%
RELIGIOUS PERSON	-	1	0.0%
	Total	2,413	100.0%

This variable has 2,413 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 1620-1652 (width: 33; decimal: 0)

Variable Type: character

HERBALT7: Herbal tea

During the past 12 months, have you used any of the following for your health? Herbal Tea

Value	Label	Unweighted Frequency	%
1	No	1549	64.2%
2	Yes	739	30.6%
	Total	2,288	94.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
	Total	125	5.2%

This variable has 2,288 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1653-1654 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEAHAR7: Herbal tea - heart

If YES to HERBALT7: Please tell me whether or not you use herbal tea: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	625	25.9%
2	Yes	114	4.7%
	Total	739	30.6%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	51	2.1%
.	-	1623	67.3%
	Total	1,674	69.4%

This variable has 739 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1655-1656 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEAOST7: Herbal tea - osteoporosis

If YES to HERBALT7: Please tell me whether or not you use herbal tea: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	687	28.5%
2	Yes	52	2.2%
	Total	739	30.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	51	2.1%
.	-	1623	67.3%
	Total	1,674	69.4%

This variable has 739 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1657-1658 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEAMEN7: Herbal tea - menopausal symptoms

If YES to HERBALT7: Please tell me whether or not you use herbal tea: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	640	26.5%
2	Yes	99	4.1%
	Total	739	30.6%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	51	2.1%
.	-	1623	67.3%
	Total	1,674	69.4%

This variable has 739 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1659-1660 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

HTEALOO7: Herbal tea - young looking

If YES to HERBALT7: Please tell me whether or not you use herbal tea: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	654	27.1%
2	Yes	85	3.5%
	Total	739	30.6%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	51	2.1%
.	-	1623	67.3%
	Total	1,674	69.4%

This variable has 739 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1661-1662 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEAMEM7: Herbal tea - improve memory

If YES to HERBALT7: Please tell me whether or not you use herbal tea: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	656	27.2%
2	Yes	83	3.4%
	Total	739	30.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	51	2.1%
.	-	1623	67.3%
	Total	1,674	69.4%

This variable has 739 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1663-1664 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEAPER7: Herbal tea - regulate periods

If YES to HERBALT7: Please tell me whether or not you use herbal tea: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	716	29.7%
2	Yes	23	1.0%
	Total	739	30.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	51	2.1%
.	-	1623	67.3%
	Total	1,674	69.4%

This variable has 739 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1665-1666 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEAGEN7: Herbal tea - general health

If YES to HERBALT7: Please tell me whether or not you use herbal tea: For general health?

Value	Label	Unweighted Frequency	%
1	No	241	10.0%
2	Yes	498	20.6%
	Total	739	30.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	51	2.1%
.	-	1623	67.3%
	Total	1,674	69.4%

This variable has 739 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1667-1668 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEAWGH7: Herbal tea - weight

If YES to HERBALT7: Please tell me whether or not you use herbal tea: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	638	26.4%
2	Yes	101	4.2%
	Total	739	30.6%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	51	2.1%
.	-	1623	67.3%
	Total	1,674	69.4%

This variable has 739 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1669-1670 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

HTEAADV7: Herbal tea - provider advice

If YES to HERBALT7: Please tell me whether or not you use herbal tea: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	704	29.2%
2	Yes	35	1.5%
	Total	739	30.6%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	51	2.1%
.	-	1623	67.3%
	Total	1,674	69.4%

This variable has 739 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1671-1672 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEAOTH7: Herbal tea - other reason

If YES to HERBALT7: Please tell me whether or not you use herbal tea: Is there any other reason you use herbal tea?

Value	Label	Unweighted Frequency	%
1	No	383	15.9%
2	Yes	356	14.8%
	Total	739	30.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	51	2.1%
.	-	1623	67.3%
	Total	1,674	69.4%

This variable has 739 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1673-1674 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEASPE7: Herbal tea - other specify

If YES to HERBALT7: Please tell me whether or not you use herbal tea: Is there any other reason you use herbal tea? Specify

Value	Label	Unweighted Frequency	%
-	-	2058	85.3%
1. HELPS ME SLEEP 2. SORE THROAT	-	1	0.0%
1. SINUS 2. INTESTINAL CLEANSING	-	1	0.0%
ADVICE FROM OTHERS	-	1	0.0%

Value	Label	Unweighted Frequency	%
ADVISE OF A FRIEND	-	1	0.0%
AID IN DIGESTION AND PURIFYING SYSTEM AND RELAXATION	-	1	0.0%
ALTERNATIVE TO COFFEE, PLEASURE	-	1	0.0%
ANTI CANCER	-	1	0.0%
ANTIOXIDANT	-	2	0.1%
ANTIOXIDANT IN TAKE	-	1	0.0%
ANTIOXIDANTS	-	1	0.0%
ANTIOXIDENT	-	1	0.0%
ARTHRITIS	-	1	0.0%
ARTICLES	-	1	0.0%
AS A SUBSTITUTE FOR COFFEE	-	1	0.0%
AS ANTACID	-	1	0.0%
ASTHMA AND RELAXATION	-	1	0.0%
B/C NO CAFFEINE/ MOOD AND ENERGY	-	1	0.0%
BECAUSE I LIKE IT	-	2	0.1%
BECAUSE I LIKE IT , NO CAFFEINE	-	1	0.0%
BECAUSE I LIKE THEM	-	1	0.0%
BECAUSE IT TASTE GOOD	-	1	0.0%
BECAUSE THEY TASTE GOOD	-	2	0.1%
BETTER SLEEP	-	1	0.0%
BETTER THAN SODA	-	1	0.0%
BLACK TEA HIGH IN ANTIOXIDANTS;SOME HELP DIGEST;COMFORT FOOD	-	1	0.0%
BLOOD	-	1	0.0%
BUILD UP IMMUNE SYSTEM	-	1	0.0%
CAFFEINE SENSITIVE	-	1	0.0%
CALM HEART	-	1	0.0%
CALMING	-	1	0.0%
CALMING AFFECT	-	1	0.0%
CALMING EFFECT	-	1	0.0%
CALMING EFFECT AND TASTES GOOD	-	1	0.0%
CALMING EFFECTS	-	1	0.0%
CALMING; TO FEEL BETTER	-	1	0.0%
CALMNESS, UPSET STOMACH	-	1	0.0%
CANCER	-	1	0.0%
CANCER PREVENTION	-	1	0.0%

Value	Label	Unweighted Frequency	%
CANCER REDUCING	-	1	0.0%
CANCER TREATMENT	-	1	0.0%
CLEANSING	-	1	0.0%
COFFEE SUBSTITUTE	-	1	0.0%
COLD	-	1	0.0%
COLD, FLUS	-	1	0.0%
COMMON COLD	-	1	0.0%
CONSTIPATION	-	1	0.0%
COUGHS	-	1	0.0%
DECREASE CAFFIENE	-	1	0.0%
DIET SAYS TO	-	1	0.0%
	Total	2,413	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 2,413 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 1675-1734 (width: 60; decimal: 0)

Variable Type: character

OTHALT7: Other health practice

During the past 12 months, have you used any of the following for your health? Any other health practice or remedy

Value	Label	Unweighted Frequency	%
1	No	1916	79.4%
2	Yes	372	15.4%
	Total	2,288	94.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
	Total	125	5.2%

This variable has 2,288 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1735-1736 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHALT7: Other - specify

If YES to OTHALT7: During the past 12 months, have you used any of the following for your health? Any other health practice or remedy - Specify

Value	Label	Unweighted Frequency	%
-		2041	84.6%
8 HOURS OF SLEEP	-	1	0.0%
8 HRS. SLEEP	-	1	0.0%
A DOG	-	1	0.0%
ACUPPRESSURE	-	1	0.0%
ACTIVATED CHARCOAL	-	1	0.0%
ACUPPRESSURE	-	2	0.1%
AEROBICS	-	1	0.0%
ALKALINE DIET	-	1	0.0%
ALOE VERA	-	2	0.1%
ALOE VERA GEL	-	1	0.0%
ANGER MANAGEMENT	-	1	0.0%
ARIZONIA ICE TEA	-	1	0.0%
AROMA THERAPY	-	2	0.1%
AROMATHERAPY	-	1	0.0%
ART	-	1	0.0%
ARTHRAFECT	-	1	0.0%
ATKIN'S DIET	-	1	0.0%
BACK EXERCISE	-	1	0.0%
BARIATRIC VITAMIN SHOTS	-	1	0.0%
BARLEY DRINK & SOY MILK	-	1	0.0%
BARLEY GREEN	-	1	0.0%
BARLEY LEAF POWDER	-	1	0.0%
BARLEY POWDER DRINK	-	1	0.0%
BARLEY SOY DRINK	-	1	0.0%
BEING QUIET, BEING STILL	-	1	0.0%
BIOFEED BACK	-	1	0.0%

Value	Label	Unweighted Frequency	%
BITTERN WATER	-	1	0.0%
BLACK LICORICE	-	1	0.0%
BLUE GREEN ALGAE	-	1	0.0%
BODY MASSAGE	-	1	0.0%
BREW CHINESE HERB	-	1	0.0%
BROWN RICE	-	1	0.0%
BURN CANDLES	-	1	0.0%
CALICUM BY TABLET	-	1	0.0%
CALMAG	-	1	0.0%
CARDIOVASCULAR FITNESS & WEIGHT TRAINING	-	1	0.0%
CHANTING	-	1	0.0%
CHI GONG	-	1	0.0%
CHI GUONG	-	1	0.0%
CHICKEN SOUP	-	1	0.0%
CHINEESE MEDICINE	-	1	0.0%
CHINESE HERBAL	-	1	0.0%
CHINESE HERBS	-	2	0.1%
CHINESE MEDICINE	-	1	0.0%
CHIRPRACTOR	-	1	0.0%
CHIROPRACTA	-	1	0.0%
CHIROPRACTIC	-	6	0.2%
CHIROPRACTIC EXERCISE	-	1	0.0%
CHIROPRACTIC MEDICINE	-	1	0.0%
	Total	2,413	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 2,413 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 1737-1788 (width: 52; decimal: 0)

Variable Type: character

OTHHAR7: Other - heart

If YES to OTHALT7: Please tell me whether or not you use any other health practice or remedy: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	312	12.9%
2	Yes	59	2.4%
	Total	371	15.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	84	3.5%
.	-	1958	81.1%
	Total	2,042	84.6%

This variable has 371 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1789-1790 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHOST7: Other - osteoporosis

If YES to OTHALT7: Please tell me whether or not you use any other health practice or remedy: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	319	13.2%
2	Yes	52	2.2%
	Total	371	15.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	84	3.5%
.	-	1958	81.1%
	Total	2,042	84.6%

This variable has 371 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1791-1792 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMEN7: Other - menopausal symptoms

If YES to OTHALT7: Please tell me whether or not you use any other health practice or remedy: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	333	13.8%
2	Yes	38	1.6%
	Total	371	15.4%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	84	3.5%
.	-	1958	81.1%
	Total	2,042	84.6%

This variable has 371 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1793-1794 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHLOO7: Other - young looking

If YES to OTHALT7: Please tell me whether or not you use any other health practice or remedy: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	308	12.8%
2	Yes	63	2.6%
	Total	371	15.4%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	84	3.5%
.	-	1958	81.1%
	Total	2,042	84.6%

This variable has 371 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1795-1796 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMEM7: Other - improve memory

If YES to OTHALT7: Please tell me whether or not you use any other health practice or remedy: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	326	13.5%
2	Yes	45	1.9%
	Total	371	15.4%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	84	3.5%
.	-	1958	81.1%
	Total	2,042	84.6%

This variable has 371 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1797-1798 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHPER7: Other - regulate periods

If YES to OTHALT7: Please tell me whether or not you use any other health practice or remedy: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	364	15.1%
2	Yes	7	0.3%
	Total	371	15.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	84	3.5%
.	-	1958	81.1%
	Total	2,042	84.6%

This variable has 371 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1799-1800 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

OTHGEN7: Other - general health

If YES to OTHALT7: Please tell me whether or not you use any other health practice or remedy: For general health?

Value	Label	Unweighted Frequency	%
1	No	119	4.9%
2	Yes	252	10.4%
	Total	371	15.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	84	3.5%
.	-	1958	81.1%
	Total	2,042	84.6%

This variable has 371 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1801-1802 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHWGH7: Other - weight

If YES to OTHALT7: Please tell me whether or not you use any other health practice or remedy: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	308	12.8%
2	Yes	63	2.6%
	Total	371	15.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	84	3.5%
.	-	1958	81.1%
	Total	2,042	84.6%

This variable has 371 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1803-1804 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHADV7: Other - provider advice

If YES to OTHALT7: Please tell me whether or not you use any other health practice or remedy: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	323	13.4%
2	Yes	48	2.0%

Value	Label	Unweighted Frequency	%
	Total	371	15.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	84	3.5%
.	-	1958	81.1%
	Total	2,042	84.6%

This variable has 371 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1805-1806 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHALTR7: Other - other reason

If YES to OTHALT7: Please tell me whether or not you use any other health practice or remedy: Is there any other reason you use any other health practice or remedy?

Value	Label	Unweighted Frequency	%
1	No	157	6.5%
2	Yes	214	8.9%
	Total	371	15.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	84	3.5%
.	-	1958	81.1%
	Total	2,042	84.6%

This variable has 371 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1807-1808 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WHYOTHA7: Other - other specify

If YES to OTHALT7: Please tell me whether or not you use any other health practice or remedy: Is there any other reason you use any other health practice or remedy? Specify

Value	Label	Unweighted Frequency	%
-	-	2199	91.1%
ALLERGIES, JOINT PAIN	-	1	0.0%
ALLERGY ELIMINATION TREATMENT	-	1	0.0%
ANGER MANAGEMENT	-	1	0.0%
ANTIOXIDANT	-	1	0.0%
ARTERIES	-	1	0.0%
ARTHRITIS	-	2	0.1%
ARTHRITIS PAIN	-	1	0.0%
BACK AND JOINT PAIN	-	1	0.0%
BACK PAIN	-	2	0.1%
BACK PROBLEM	-	2	0.1%
BACK PROBLEMS	-	1	0.0%
BALANCE YOUR CHAKRAS AND HELP ANKLE AND JOINT PROBLEMS	-	1	0.0%
BETTER LIVER FUNCTION	-	1	0.0%
BETTER PERSON, WANT PEOPLE AROUND ME TO BE WELL	-	1	0.0%
BLOOD PRESSURE	-	1	0.0%
BRING TENSION DOWN; FOCUS	-	1	0.0%
CANCER	-	1	0.0%
CANCER PREVENTION	-	1	0.0%
CANCER THERAPY	-	1	0.0%
CARPAL TUNNEL	-	1	0.0%
CHANGED EATING HABITS	-	1	0.0%
CHOLESTEROL LEVEL REDUCTION	-	1	0.0%
CLEANSING BLOOD	-	1	0.0%
COLD SYMPTOMS	-	1	0.0%
COMMON SENSE	-	1	0.0%
COMMUNICABLE DISEASE	-	1	0.0%
CONTROL PAIN	-	1	0.0%
COULDN'T LIFT ARM	-	1	0.0%

Value	Label	Unweighted Frequency	%
COUNTER SPECIFIC CONDITIONS	-	1	0.0%
DEC. STRESS, ANXIETY, DEPRESSION. MENTAL WELLBEING, INC. BD	-	1	0.0%
DEPRESSION	-	1	0.0%
DURING EXERCISE CONCENTRATE AT THAT TIME IN ORDER TO RELAX	-	1	0.0%
EAT NUTRITIOUS FOOD + HELPS TO CHANNEL TIME & ENERGY	-	1	0.0%
EMOTIONAL HEALTH	-	1	0.0%
EMOTIONAL SUPPORT	-	1	0.0%
ENERGY	-	1	0.0%
ENJOYABLE	-	1	0.0%
EXPRESSION	-	1	0.0%
FATIGUE	-	1	0.0%
FEEL GOOD	-	1	0.0%
FEELS GOOD	-	3	0.1%
FEELS GREAT	-	1	0.0%
FIBER INTAKE	-	1	0.0%
FIGHT WITH DAUGHTER	-	1	0.0%
FIND IT CALMING, FOR MENTAL HEALTH	-	1	0.0%
FLEXIBILITY AND CIRCULATION	-	1	0.0%
FLOSS TO PREVENT HEART DISEASE	-	1	0.0%
FLUID MOBILITY	-	1	0.0%
FOR ALLERGY	-	1	0.0%
	Total	2,413	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 2,413 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 1809-1867 (*width:* 59; *decimal:* 0)

Variable Type: character

OTHALT27: Other health practice 2

During the past 12 months, have you used any of the following for your health? Any other health practice or remedy

Value	Label	Unweighted Frequency	%
1	No	724	30.0%
2	Yes	91	3.8%
	Total	815	33.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	83	3.4%
.	-	1515	62.8%
	Total	1,598	66.2%

This variable has 815 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1868-1869 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -9, -8, -7, -1, .)

OTALT2S7: Other 2 - specify

If YES to OTHALT27: During the past 12 months, have you used any of the following for your health? Any other health practice or remedy - Specify

Value	Label	Unweighted Frequency	%
-	-	2322	96.2%
ACUPPRESSURE	-	1	0.0%
ACIDOPHILUS	-	1	0.0%
AGALISC	-	1	0.0%
AQUATIC	-	1	0.0%
ART THERAPY	-	1	0.0%
BALANCE BALL	-	1	0.0%
BIOFEEDBACK	-	2	0.1%
BREATHING TECHNIQUE	-	1	0.0%
BURN CANDLES	-	1	0.0%
CA	-	1	0.0%
CHI GONG	-	1	0.0%
CHINESE HERBS	-	1	0.0%
CHINESE SPECIAL DIET	-	1	0.0%
CHIROPRACTIC	-	1	0.0%
CHIROPRACTOR	-	6	0.2%
CHIRPRACTOR	-	1	0.0%
COD LIVER OIL	-	1	0.0%

Value	Label	Unweighted Frequency	%
COUNSELOR	-	1	0.0%
COUPLES DIALOG	-	1	0.0%
DIGESTIVE ENZYMES	-	1	0.0%
DIGESTIVE ENZYMES - PANCREATIN 10X	-	1	0.0%
DRESS IN CONTON	-	1	0.0%
DRINKING H2O - 10+ GLASSES/DAY	-	1	0.0%
EATING COLORS/ DARK GREEN VEGETABLES	-	1	0.0%
ESSENTIAL OILS AROMATHERAPY	-	1	0.0%
GRAPEFRUIT SEED EXTRACT	-	1	0.0%
GUIDED IMAGING AND MEDITATION	-	1	0.0%
HOT BATHES	-	1	0.0%
JAZZ	-	1	0.0%
KANINE PERFORMANCE SPORTS	-	1	0.0%
KIND & LOVE (BUDDHIST)	-	1	0.0%
LIGHT THERAPY	-	1	0.0%
LISTEN TO MUSIC	-	1	0.0%
LOW CARB DIET	-	1	0.0%
LUTEN	-	1	0.0%
MA-ROLLER	-	1	0.0%
MASSAGE	-	6	0.2%
MASSAGE BED	-	1	0.0%
MEDITATION	-	1	0.0%
MUSIC THERAPIST	-	1	0.0%
OIL OF OREGANO	-	1	0.0%
OSTEOPATHIN DOCTOR	-	1	0.0%
PHITEN WATER	-	1	0.0%
PHYSICAL THERAPY	-	2	0.1%
PIANO	-	1	0.0%
PILATES ON REFORMER	-	1	0.0%
POWDERED BARLEY GRASS JUICE	-	1	0.0%
PSYCHOLOGIST	-	1	0.0%
PSYCO THERAPY	-	1	0.0%
	Total	2,413	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 2,413 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 1870-1911 (width: 42; decimal: 0)

Variable Type: character

OT2HAR7: Other 2 - heart

If YES to OTHALT27: Please tell me whether or not you use any other health practice or remedy: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	79	3.3%
2	Yes	10	0.4%
	Total	89	3.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2239	92.8%
	Total	2,324	96.3%

This variable has 89 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1912-1913 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

OT2OST7: Other 2 - osteoporosis

If YES to OTHALT27: Please tell me whether or not you use any other health practice or remedy: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	80	3.3%
2	Yes	9	0.4%
	Total	89	3.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2239	92.8%
	Total	2,324	96.3%

This variable has 89 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1914-1915 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT2MEN7: Other 2 - menopausal symptoms

If YES to OTHALT27: Please tell me whether or not you use any other health practice or remedy: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	80	3.3%
2	Yes	9	0.4%
	Total	89	3.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2239	92.8%
	Total	2,324	96.3%

This variable has 89 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1916-1917 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT2LOO7: Other 2 - young looking

If YES to OTHALT27: Please tell me whether or not you use any other health practice or remedy: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	75	3.1%
2	Yes	14	0.6%
	Total	89	3.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2239	92.8%
	Total	2,324	96.3%

This variable has 89 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1918-1919 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

OT2MEM7: Other 2 - improve memory

If YES to OTHALT27: Please tell me whether or not you use any other health practice or remedy: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	80	3.3%
2	Yes	9	0.4%
	Total	89	3.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2239	92.8%
	Total	2,324	96.3%

This variable has 89 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1920-1921 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT2PER7: Other 2 - regulate periods

If YES to OTHALT27: Please tell me whether or not you use any other health practice or remedy: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	89	3.7%
2	Yes	0	0.0%
	Total	89	3.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2239	92.8%
	Total	2,324	96.3%

This variable has 89 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1922-1923 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT2GEN7: Other 2 - general health

If YES to OTHALT27: Please tell me whether or not you use any other health practice or remedy: For general health?

Value	Label	Unweighted Frequency	%
1	No	32	1.3%
2	Yes	57	2.4%
	Total	89	3.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2239	92.8%
	Total	2,324	96.3%

This variable has 89 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1924-1925 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT2WGH7: Other 2 - weight

If YES to OTHALT27: Please tell me whether or not you use any other health practice or remedy: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	77	3.2%
2	Yes	12	0.5%
	Total	89	3.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2239	92.8%
	Total	2,324	96.3%

This variable has 89 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1926-1927 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT2ADV7: Other 2 - provider advice

If YES to OTHALT27: Please tell me whether or not you use any other health practice or remedy: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	82	3.4%
2	Yes	7	0.3%
	Total	89	3.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2239	92.8%
	Total	2,324	96.3%

This variable has 89 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1928-1929 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT2ALT7: Other 2 - other reason

If YES to OTHALT27: Please tell me whether or not you use any other health practice or remedy: Is there any other reason you use any other health practice or remedy?

Value	Label	Unweighted Frequency	%
1	No	27	1.1%
2	Yes	62	2.6%
	Total	89	3.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	Refused	0	0.0%
-1	N/A	85	3.5%
.	-	2239	92.8%
	Total	2,324	96.3%

This variable has 89 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1930-1931 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WHYOT2A7: Other 2 - other specify

If YES to OTHALT27: Please tell me whether or not you use any other health practice or remedy: Is there any other reason you use any other health practice or remedy? Specify

Value	Label	Unweighted Frequency	%
-		2351	97.4%
BACK AND NECK PAIN	-	1	0.0%
BACK PAIN	-	1	0.0%
BACK PAIN FROM GARDENING AND AUTO ACCIDENT	-	1	0.0%
BACKACHE	-	1	0.0%
BENEFITS SIMILAR TO MEDITATION, STRESS REDUCTION	-	1	0.0%
BOWEL MOVEMENT	-	1	0.0%
COMBAT DEPRESSION	-	1	0.0%
DEPRESSION	-	1	0.0%
EXPRESSION	-	1	0.0%
FEELS GOOD	-	2	0.1%
FEELS GREAT.	-	1	0.0%
FOR ALLERGY	-	1	0.0%
FOR BACTERIA	-	1	0.0%
FOR BALANCE AND IMPROVEMENT OF BALANCE	-	1	0.0%
FOR COMFORT, ENJOYMENT	-	1	0.0%
FOR THE EYES	-	1	0.0%
FOR THE SOUL	-	1	0.0%
GOITER	-	1	0.0%

Value	Label	Unweighted Frequency	%
GOOD FOR IMMUNE SYSTEM	-	1	0.0%
I LIKE IT	-	1	0.0%
IN SPECIFIC AREAS	-	1	0.0%
INCREASED MENTAL HEALTH + WELLBEING	-	1	0.0%
INFLAMMATION OF BACK	-	1	0.0%
IT HELPS YOU CALM, RELAXES YOU	-	1	0.0%
LOWER PAIN IN BACK AND HIP	-	1	0.0%
LOWERS BLD SUGAR; HELPS W/BP	-	1	0.0%
MENTAL HEALTH	-	1	0.0%
MENTAL HEALTH & MARRIAGE	-	1	0.0%
MIGRAINE	-	1	0.0%
MINIMIZE STRESS, GIVE YOU ENERGY	-	1	0.0%
MOM	-	1	0.0%
MONITORING WEIGHT	-	1	0.0%
MOODS	-	1	0.0%
MUSCLE, BONES HEALTH, MENTAL HEALTH	-	1	0.0%
MUSCLES	-	1	0.0%
NECK CARTILAGE LOSS	-	1	0.0%
NERVE CONDITION	-	1	0.0%
NERVE PROBLEM	-	1	0.0%
NOT TO FORGET KANJI(CHINESE CHARACTORS)	-	1	0.0%
PREVENTING CONSTIPATION	-	1	0.0%
REDUCES BAD INFLUENCES AND BUILDS IMMUNE SYSTEM	-	1	0.0%
REDUCING STRESS & DECREASING BLOOD PRESSURE	-	1	0.0%
REGULATE BLOOD SUGAR	-	1	0.0%
RELAXATION	-	2	0.1%
RELEASE MENTAL STRESS	-	1	0.0%
RELIGIOUS	-	1	0.0%
SEES HIM WHEN ILL FOR ALIGNMENT	-	1	0.0%
SELF HELP BOOKS	-	1	0.0%
SHOULDERACHE, FATIGUE	-	1	0.0%
	Total	2,413	100.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 2,413 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 1932-1979 (width: 48; decimal: 0)

Variable Type: character

OTHALT37: Other health practice 3

During the past 12 months, have you used any of the following for your health? Any other health practice or remedy

Value	Label	Unweighted Frequency	%
1	No	565	23.4%
2	Yes	31	1.3%
	Total	596	24.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	84	3.5%
.	-	1733	71.8%
	Total	1,817	75.3%

This variable has 596 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1980-1981 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTALT3S7: Other 3 - specify

If YES to OTHALT37: During the past 12 months, have you used any of the following for your health? Any other health practice or remedy - Specify

Value	Label	Unweighted Frequency	%
-	-	2382	98.7%
AROMA THERAPY	-	1	0.0%
CALCIUM	-	1	0.0%
CHIROPRACTOR	-	1	0.0%
DANCE	-	1	0.0%
DECREASE IN CAFFINE	-	1	0.0%
DEEP BREATHE	-	1	0.0%

Value	Label	Unweighted Frequency	%
ECHINASEA & VIT C	-	1	0.0%
FERMENTED FOODS, KIM CHEE	-	1	0.0%
GARLIC SUPPLEMENT	-	1	0.0%
GOING TO CHURCH	-	1	0.0%
HERBS	-	1	0.0%
HOMEOPATHIC REMEDY	-	1	0.0%
HYPNOSIS	-	1	0.0%
LINOLEIC ACID	-	1	0.0%
MASSAGE	-	4	0.2%
MEDITATION	-	1	0.0%
MUSIC	-	1	0.0%
MUSIC/CHANT	-	1	0.0%
NATURE OBSERVING	-	1	0.0%
OMEGA 3, 6 FISH OIL	-	1	0.0%
PAPAYA ENZYME PLUS	-	1	0.0%
PROBIOTICS	-	1	0.0%
RM10	-	1	0.0%
WALKING 2 MILES A DAY	-	1	0.0%
WATER INTAKE, SLEEP, FRIENDS.	-	1	0.0%
WRITE POETRY	-	1	0.0%
YOGURT	-	1	0.0%
ZERO BALANCING	-	1	0.0%
	Total	2,413	100.0%

This variable has 2,413 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 1982-2010 (width: 29; decimal: 0)

Variable Type: character

OT3HAR7: Other 3 - heart

If YES to OTHALT37: Please tell me whether or not you use any other health practice or remedy: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	No	28	1.2%
2	Yes	3	0.1%
	Total	31	1.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	86	3.6%
.	-	2296	95.2%
Total		2,382	98.7%

This variable has 31 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2011-2012 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT3OST7: Other 3 - osteoporosis

If YES to OTHALT37: Please tell me whether or not you use any other health practice or remedy: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	No	28	1.2%
2	Yes	3	0.1%
Total		31	1.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	86	3.6%
.	-	2296	95.2%
Total		2,382	98.7%

This variable has 31 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2013-2014 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT3MEN7: Other 3 - menopausal symptoms

If YES to OTHALT37: Please tell me whether or not you use any other health practice or remedy: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	No	29	1.2%
2	Yes	2	0.1%
	Total	31	1.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	86	3.6%
.	-	2296	95.2%
	Total	2,382	98.7%

This variable has 31 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2015-2016 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT3LOO7: Other 3 - young looking

If YES to OTHALT37: Please tell me whether or not you use any other health practice or remedy: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	No	30	1.2%
2	Yes	1	0.0%
	Total	31	1.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	86	3.6%
.	-	2296	95.2%
	Total	2,382	98.7%

This variable has 31 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2017-2018 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT3MEM7: Other 3 - improve memory

If YES to OTHALT37: Please tell me whether or not you use any other health practice or remedy: To improve memory?

Value	Label	Unweighted Frequency	%
1	No	29	1.2%
2	Yes	2	0.1%
	Total	31	1.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	86	3.6%
.	-	2296	95.2%
	Total	2,382	98.7%

This variable has 31 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2019-2020 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT3PER7: Other 3 - regulate periods

If YES to OTHALT37: Please tell me whether or not you use any other health practice or remedy: To regulate periods?

Value	Label	Unweighted Frequency	%
1	No	31	1.3%
2	Yes	0	0.0%
	Total	31	1.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	86	3.6%
.	-	2296	95.2%
	Total	2,382	98.7%

This variable has 31 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2021-2022 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

OT3GEN7: Other 3 - general health

If YES to OTHALT37: Please tell me whether or not you use any other health practice or remedy: For general health?

Value	Label	Unweighted Frequency	%
1	No	8	0.3%
2	Yes	23	1.0%
	Total	31	1.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	86	3.6%
.	-	2296	95.2%
	Total	2,382	98.7%

This variable has 31 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2023-2024 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT3WGH7: Other 3 - weight

If YES to OTHALT37: Please tell me whether or not you use any other health practice or remedy: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	No	29	1.2%
2	Yes	2	0.1%
	Total	31	1.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	86	3.6%
.	-	2296	95.2%
	Total	2,382	98.7%

This variable has 31 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2025-2026 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT3ADV7: Other 3 - provider advice

If YES to OTHALT37: Please tell me whether or not you use any other health practice or remedy: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	No	31	1.3%
2	Yes	0	0.0%
	Total	31	1.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	86	3.6%
.	-	2296	95.2%
	Total	2,382	98.7%

This variable has 31 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2027-2028 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT3ALT7: Other 3 - other reason

If YES to OTHALT37: Please tell me whether or not you use any other health practice or remedy: Is there any other reason you use any other health practice or remedy?

Value	Label	Unweighted Frequency	%
1	No	11	0.5%
2	Yes	20	0.8%
	Total	31	1.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	86	3.6%
.	-	2296	95.2%
	Total	2,382	98.7%

This variable has 31 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2029-2030 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WHYOT3A7: Other 3 - other specify

If YES to OTHALT37: Please tell me whether or not you use any other health practice or remedy: Is there any other reason you use any other health practice or remedy? Specify

Value	Label	Unweighted Frequency	%
-		2393	99.2%
ACHEs AND PAINS-NECK, BACK; RELAXATION	-	1	0.0%
BACK PAIN	-	1	0.0%
BACK PAIN AND MUSCLE STIFFNESS	-	1	0.0%
BECAUSE I LOVE DOING IT	-	1	0.0%
COLD	-	1	0.0%
DETOX	-	1	0.0%
FOR ALS	-	1	0.0%
GLEAR LUNGS OF (CO2)	-	1	0.0%
GOOD FOR IMMUNE SYSTEM	-	1	0.0%
HELP ME FEEL BETTER ABOUT WHERE I AM - RELAXATION	-	1	0.0%
HIGHER QUALITY OF LIFE.	-	1	0.0%
INCREASING METABOLISM	-	1	0.0%
MENTAL, EMOTIONAL, SPIRITUAL HEALTH	-	1	0.0%
PEACE OF MIND	-	1	0.0%
PREVENTING CONSTIPATION	-	1	0.0%
PROVIDES ENZYMES FOR DIGESTION	-	1	0.0%
REDUCE STRESS/PAIN	-	1	0.0%
RELAXATION	-	2	0.1%
THERAPY	-	1	0.0%
	Total	2,413	100.0%

This variable has 2,413 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2031-2079 (*width:* 49; *decimal:* 0)

Variable Type: character

ANEMIA7: Anemia since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Anemia?

Value	Label	Unweighted Frequency	%
1	No	2117	87.7%

Value	Label	Unweighted Frequency	%
2	Yes	169	7.0%
	Total	2,286	94.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	2	0.1%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
	Total	127	5.3%

This variable has 2,286 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2080-2081 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIABETE7: Diabetes since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Diabetes?

Value	Label	Unweighted Frequency	%
1	No	2214	91.8%
2	Yes	192	8.0%
	Total	2,406	99.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	7	0.3%
	Total	7	0.3%

This variable has 2,406 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 2082-2083 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HIGHBP7: Hypertension since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? High blood pressure or hypertension?

Value	Label	Unweighted Frequency	%
1	No	1769	73.3%
2	Yes	637	26.4%
	Total	2,406	99.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	7	0.3%
	Total	7	0.3%

This variable has 2,406 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2084-2085 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HBCHOLE7: High cholesterol since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? High cholesterol?

Value	Label	Unweighted Frequency	%
1	No	1783	73.9%
2	Yes	505	20.9%
	Total	2,288	94.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
Total		125	5.2%

This variable has 2,288 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2086-2087 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MIGRAIN7: Migraines since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Migraines?

Value	Label	Unweighted Frequency	%
1	No	2151	89.1%
2	Yes	137	5.7%
Total		2,288	94.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
Total		125	5.2%

This variable has 2,288 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2088-2089 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STROKE7: Stroke since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Stroke?

Value	Label	Unweighted Frequency	%
1	No	2273	94.2%
2	Yes	13	0.5%
	Total	2,286	94.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	2	0.1%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
	Total	127	5.3%

This variable has 2,286 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2090-2091 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEOAR7: Arthritis since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Arthritis or osteoarthritis (degenerative joint disease)?

Value	Label	Unweighted Frequency	%
1	No	1939	80.4%
2	Yes	463	19.2%
	Total	2,402	99.5%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	4	0.2%
-7	Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	0	0.0%
.	-	7	0.3%
	Total	11	0.5%

This variable has 2,402 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2092-2093 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYROID7: Over/underactive thyroid since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Overactive or underactive thyroid?

Value	Label	Unweighted Frequency	%
1	No	2165	89.7%
2	Yes	240	9.9%
	Total	2,405	99.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	1	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	7	0.3%
	Total	8	0.3%

This variable has 2,405 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2094-2095 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEARTAT7: Heart attack since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Heart attack?

Value	Label	Unweighted Frequency	%
1	No	2396	99.3%
2	Yes	10	0.4%
	Total	2,406	99.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	7	0.3%
	Total	7	0.3%

This variable has 2,406 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2096-2097 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANGINA7: Angina since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Angina?

Value	Label	Unweighted Frequency	%
1	No	2376	98.5%
2	Yes	29	1.2%
	Total	2,405	99.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	1	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	7	0.3%
	Total	8	0.3%

This variable has 2,405 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2098-2099 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEOPR7: Osteoporosis since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Osteoporosis (brittle or thinning bones)?

Value	Label	Unweighted Frequency	%
1	No	2297	95.2%
2	Yes	106	4.4%
	Total	2,403	99.6%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	3	0.1%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	7	0.3%
	Total	10	0.4%

This variable has 2,403 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2100-2101 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CANCERS7: Cancer since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Cancer, other than skin cancer?

Value	Label	Unweighted Frequency	%
1	No	2367	98.1%
2	Yes	38	1.6%
	Total	2,405	99.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	1	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	7	0.3%
Total		8	0.3%

This variable has 2,405 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2102-2103 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PSITECA7: Primary site of cancer

If YES to CANCERS7: What is the primary site of the cancer?

Value	Label	Unweighted Frequency	%
1	One breast	18	0.7%
2	Both breasts	1	0.0%
3	Ovary	1	0.0%
4	Uterus	2	0.1%
5	Cervix	2	0.1%
6	Leukemia	2	0.1%
7	Lung	2	0.1%
8	Colon	0	0.0%
9	Rectum	0	0.0%
10	Throat	2	0.1%
11	Other cancer	8	0.3%
Total		38	1.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2368	98.1%

Value	Missing Data	Unweighted Frequency	%
.	-	7	0.3%
	Total	2,375	98.4%

This variable has 38 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 11.00

Location: 2104-2105 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SITESPE7: Other site of cancer-specify

If YES to CANCERS7: What is the primary site of the cancer? Specify.

Value	Label	Unweighted Frequency	%
-	-	7	0.3%
BONE	-	1	0.0%
MARROW-			
MULTIPLE			
MYELOMA			
ENDOMETRIAL	-	1	0.0%
RIGHT	-	1	0.0%
THYROID			
THYROID	-	3	0.1%
TONGUE	-	1	0.0%
TRACHEA	-	1	0.0%
	Total	15	0.6%
Value	Missing Data	Unweighted Frequency	%
-1	N/A	2398	99.4%
	Total	2,398	99.4%

This variable has 15 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2106-2134 (width: 29; decimal: 0)

Variable Type: character

(Range of) Missing Values: -1

TAMOXIF7: Taken Tamoxifen since last visit

If BREAST CANCER: Have you taken Tamoxifen since your last study visit?

Value	Label	Unweighted Frequency	%
1	No	9	0.4%
2	Yes	8	0.3%
	Total	17	0.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2271	94.1%
.	-	125	5.2%
	Total	2,396	99.3%

This variable has 17 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2135-2136 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHEMOTH7: Chemotherapy/radiation for cancer

Since your last study visit, have you received chemotherapy or radiation treatment for this cancer?

Value	Label	Unweighted Frequency	%
1	No	22	0.9%
2	Yes	14	0.6%
	Total	36	1.5%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2252	93.3%
.	-	125	5.2%
	Total	2,377	98.5%

This variable has 36 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2137-2138 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BROKEBO7: Number events where bone(s) broken since last visit

How many times have you broken or fractured one or more bones since your last study visit? # of events where bone(s) were broken or fractured

Value	Label	Unweighted Frequency	%
0	-	2340	97.0%
1	-	63	2.6%
2	-	1	0.0%
3	-	1	0.0%
	Total	2,405	99.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	7	0.3%
	Total	8	0.3%

This variable has 2,405 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.18

Location: 2139-2140 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BONES17: Bone #1 broken

Which bones did you break or fracture?

Value	Label	Unweighted Frequency	%
-		2348	97.3%
2 TOES ON RT FOOT (BIG & SMALL)	-	1	0.0%
4TH METATARSAL	-	1	0.0%
BOTH TAIL BONE, SACRUM	-	1	0.0%
BOTH TOES, 2 ON L, 2 ON R	-	1	0.0%
LEFT 3 TOES	-	1	0.0%
LEFT ANKLE	-	4	0.2%
LEFT ANKLE - HAIRLINE FRACTURE	-	1	0.0%
LEFT BIG TOE	-	2	0.1%
LEFT CLAVICLE	-	1	0.0%
LEFT ELBOW CHIPPED	-	1	0.0%
LEFT FOOT	-	2	0.1%
LEFT FOOT (ARCH OF FOOT)	-	1	0.0%
LEFT KNEE CAP (PATELLA)	-	1	0.0%
LEFT OUTSIDE OF FOOT	-	1	0.0%
LEFT RADIUS	-	1	0.0%
LEFT RIBS	-	1	0.0%
LEFT SHOULDER	-	1	0.0%
LEFT TIBIA	-	1	0.0%
LEFT TIBIA FRACTURE	-	1	0.0%
LEFT TOE	-	3	0.1%
LEFT TOE NEXT TO BIG TOE AND KNEE - LEFT SIDE	-	1	0.0%
LEFT TOE(MIDDLE PHALANX)	-	1	0.0%

Value	Label	Unweighted Frequency	%
LEFT UPPER ARM	-	1	0.0%
LEFT WRIST	-	2	0.1%
RIGHT ANKLE	-	3	0.1%
RIGHT ELBOW (NEAR TIP OF HUMERUS)	-	1	0.0%
RIGHT FOOT	-	1	0.0%
RIGHT METATARSAL	-	1	0.0%
RIGHT RADIUS	-	2	0.1%
RIGHT RIBS	-	3	0.1%
RIGHT SHATTERED BASE OF THUMB (3 PINS WITH SURGERY)	-	1	0.0%
RIGHT SHOULDER	-	1	0.0%
RIGHT SMALL TOE	-	1	0.0%
RIGHT TIBIA	-	3	0.1%
RIGHT TOE	-	1	0.0%
RIGHT WRIST	-	1	0.0%
RT FOOT	-	1	0.0%
SHE DOESN'T KNOW HOW OR WHEN SHE FRACTURED HER LEFT LEG	-	1	0.0%
SPINE	-	3	0.1%
Total		2,404	99.6%

Value	Missing Data	Unweighted Frequency	%
-8	Do not know	9	0.4%
Total		9	0.4%

This variable has 2,404 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2141-2195 (width: 55; decimal: 0)

Variable Type: character

(Range of) Missing Values: -8

HAPPEN17: How happened #1

How did it happen? Was it for any of the following reasons?: After a fall from a height above the ground greater than six inches; in a motor vehicle accident; while moving fast, like running, bicycling or skating; while playing sports; or because something heavy fell on you or struck you.

Value	Label	Unweighted Frequency	%
1	No	25	1.0%
2	Yes	31	1.3%
	Total	56	2.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	9	0.4%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	2348	97.3%
	Total	2,357	97.7%

This variable has 56 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2196-2197 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BONES27: Bone #2 broken

Which bones did you break or fracture?

Value	Label	Unweighted Frequency	%
-	-	2348	97.3%
4TH METATARSAL	-	1	0.0%
LEFT & RIGHT BIG TOES	-	1	0.0%
RIGHT FINGER	-	1	0.0%
	Total	2,351	97.4%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	62	2.6%
	Total	62	2.6%

This variable has 2,351 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2198-2218 (width: 21; decimal: 0)

Variable Type: character

(Range of) Missing Values: -1

HAPPEN27: How happened #2

How did it happen? Was it for any of the following reasons?: After a fall from a height above the ground greater than six inches; in a motor vehicle accident; while moving fast, like running, bicycling or skating; while playing sports; or because something heavy fell on you or struck you.

Value	Label	Unweighted Frequency	%
1	No	2	0.1%
2	Yes	1	0.0%
	Total	3	0.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	62	2.6%
.	-	2348	97.3%
	Total	2,410	99.9%

This variable has 3 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2219-2220 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BONES37: Bone #3 broken

Which bones did you break or fracture?

Value	Label	Unweighted Frequency	%
-		2348	97.3%
5TH METATARSAL	-	1	0.0%
	Total	2,349	97.3%
Value	Missing Data	Unweighted Frequency	%
-1	N/A	64	2.7%
	Total	64	2.7%

This variable has 2,349 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2221-2234 (width: 14; decimal: 0)

Variable Type: character

(Range of) Missing Values: -1

HAPPEN37: How happened #3

How did it happen? Was it for any of the following reasons?: After a fall from a height above the ground greater than six inches; in a motor vehicle accident; while moving fast, like running, bicycling or skating; while playing sports; or because something heavy fell on you or struck you.

Value	Label	Unweighted Frequency	%
1	No	1	0.0%
2	Yes	0	0.0%
	Total	1	0.0%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	64	2.7%
.	-	2348	97.3%
	Total	2,412	100.0%

This variable has 1 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00

- Maximum: 1.00

Location: 2235-2236 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DANDC7: Dilation and Curettage (D&C) since last visit

Since your last study visit, have you had any of the following surgeries or procedures? D and C, a scraping of the uterus for any reason, including abortion?

Value	Label	Unweighted Frequency	%
1	No	2253	93.4%
2	Yes	35	1.5%
	Total	2,288	94.8%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
	Total	125	5.2%

This variable has 2,288 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2237-2238 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NUMDAND7: Dilation and Curettage (D&C) number of times

Since your last study visit, how many times have you had a D and C? Number of times

Value	Label	Unweighted Frequency	%
1	-	31	1.3%
2	-	3	0.1%
	Total	34	1.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	2253	93.4%
.	-	125	5.2%
	Total	2,379	98.6%

This variable has 34 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 1.09
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.29

Location: 2239-2240 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HYSTERE7: Hysterectomy since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Hysterectomy (an operation to remove your uterus or womb)?

Value	Label	Unweighted Frequency	%
1	No	2383	98.8%
2	Yes	23	1.0%
	Total	2,406	99.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	7	0.3%
	Total	7	0.3%

This variable has 2,406 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2241-2242 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HYSTDAY7: Day of hysterectomy

Since your last study visit, have you had any of the following surgeries or procedures? Hysterectomy (an operation to remove your uterus or womb)? When was this performed?

Value	Label	Unweighted Frequency	%
1295	-	1	0.0%
1940	-	1	0.0%
2047	-	1	0.0%
2182	-	1	0.0%
2207	-	1	0.0%
2228	-	1	0.0%
2251	-	1	0.0%
2253	-	1	0.0%
2311	-	1	0.0%
2331	-	1	0.0%
2334	-	1	0.0%
2347	-	2	0.1%
2348	-	1	0.0%
2360	-	1	0.0%
2374	-	1	0.0%
2399	-	1	0.0%
2525	-	1	0.0%
2541	-	1	0.0%
2568	-	1	0.0%
2743	-	1	0.0%
Total		21	0.9%
Value	Missing Data	Unweighted Frequency	%
.	-	2392	99.1%
Total		2,392	99.1%

This variable has 21 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 2282.43
- Median: 2334.00
- Mode: 2347.00
- Minimum: 1295.00
- Maximum: 2743.00
- Standard Deviation: 285.84

Location: 2243-2246 (width: 4; decimal: 0)

Variable Type: numeric

OOPHORE7: Ovaries removed since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Did you have one or both ovaries removed (an oophorectomy)?

Value	Label	Unweighted Frequency	%
1	No	2377	98.5%
2	Yes	29	1.2%
	Total	2,406	99.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	7	0.3%
	Total	7	0.3%

This variable has 2,406 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2247-2248 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ONEOVAR7: One or both ovaries removed

Since your last study visit, have you had any of the following surgeries or procedures? Was one ovary removed or were both ovaries removed?

Value	Label	Unweighted Frequency	%
1	One ovary removed	7	0.3%
2	Both ovaries removed	21	0.9%
	Total	28	1.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	Refused	0	0.0%
-1	N/A	2377	98.5%
.	-	7	0.3%
	Total	2,385	98.8%

This variable has 28 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2249-2250 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ABLATIN7: Endometrial ablation since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Did you have an endometrial ablation (a procedure to reduce or eliminate menstrual periods by partially or completely destroying the lining of the uterus)?

Value	Label	Unweighted Frequency	%
1	No	2280	94.5%
2	Yes	5	0.2%
	Total	2,285	94.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	3	0.1%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
	Total	128	5.3%

This variable has 2,285 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2251-2252 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

UTERPRO7: Uterine procedure since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Any other uterine procedures, other than D and C, for example: cesarean section, IUD insertion, fibroid removal or endometrial biopsy?

Value	Label	Unweighted Frequency	%
1	No	2214	91.8%
2	Yes	74	3.1%
Total		2,288	94.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
Total		125	5.2%

This variable has 2,288 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2253-2254 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYRREM7: Thyroid gland removed since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Thyroid gland removed?

Value	Label	Unweighted Frequency	%
1	No	2284	94.7%
2	Yes	4	0.2%
Total		2,288	94.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
Total		125	5.2%

This variable has 2,288 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2255-2256 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENDO7: Endometriosis since last visit

Since your last study visit, have you had any of the following conditions? Endometriosis diagnosed by a physician (abnormal growths in lining of uterus)?

Value	Label	Unweighted Frequency	%
1	No	2273	94.2%
2	Yes	15	0.6%
	Total	2,288	94.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
	Total	125	5.2%

This variable has 2,288 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2257-2258 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PELVCPN7: Pelvic pain since last visit

Since your last study visit, have you had any of the following conditions? Pelvic pain (pain in the lowest part of the abdomen)?

Value	Label	Unweighted Frequency	%
1	No	2199	91.1%
2	Yes	89	3.7%
	Total	2,288	94.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
Total		125	5.2%

This variable has 2,288 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2259-2260 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROLAPS7: Pelvic prolapse since last visit

Since your last study visit, have you had any of the following conditions? Pelvic prolapse or relaxation (the uterus, bladder, or rectum drops, sometimes bulging out of vagina)?

Value	Label	Unweighted Frequency	%
1	No	2265	93.9%
2	Yes	22	0.9%
Total		2,287	94.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	1	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
Total		126	5.2%

This variable has 2,287 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2261-2262 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PELVCNC7: Pelvic cancer since last visit

Since your last study visit, have you had any of the following conditions? Pelvic cancer (cancer of the vulva, cervix, uterus, or ovaries)?

Value	Label	Unweighted Frequency	%
1	No	2280	94.5%
2	Yes	4	0.2%
	Total	2,284	94.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	4	0.2%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
	Total	129	5.3%

This variable has 2,284 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2263-2264 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ABBLEED7: Abnormal vaginal bleeding since last visit

Since your last study visit, have you had any of the following conditions? Abnormal vaginal bleeding (bleeding from the vagina that is different enough from your normal pattern to be a concern: irregular, heavy, or long in duration)?

Value	Label	Unweighted Frequency	%
1	No	2173	90.1%
2	Yes	115	4.8%
	Total	2,288	94.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	0	0.0%
.	-	125	5.2%
	Total	125	5.2%

This variable has 2,288 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2265-2266 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FIBRUTR7: Fibroids since last visit

Since your last study visit, have you had any of the following conditions? Fibroids (benign growths in the uterus or womb)?

Value	Label	Unweighted Frequency	%
1	No	2066	85.6%
2	Yes	222	9.2%
	Total	2,288	94.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
	Total	125	5.2%

This variable has 2,288 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2267-2268 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRVIDER7: Health care provider for women's health

Do you have a health care provider from whom you primarily get your care for women's health conditions? (If you have an obstetrician or gynecologist (ob/gyn) refer to him or her. If you don't, refer to the person from whom you get care for women's health).

Value	Label	Unweighted Frequency	%
1	No	301	12.5%
2	Yes	1987	82.3%
	Total	2,288	94.8%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	.	125	5.2%
	Total	125	5.2%

This variable has 2,288 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2269-2270 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

PROFDEG7: Professional degree of health care provider (HCP)

What professional degree does this health care provider have? If you are not sure, please make your best guess.

Value	Label	Unweighted Frequency	%
1	Medical doctor (MD)	1772	73.4%
2	Dr. of osteopathy (DO)	33	1.4%
3	Chiropractor (DC)	0	0.0%
4	Registered nurse (RN)	7	0.3%
5	Nurse practitioner (NP)	153	6.3%
6	Physician assistant (PA)	7	0.3%
7	Other: specify	1	0.0%
	Total	1,973	81.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	13	0.5%
-7	Refused	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	301	12.5%
.	-	125	5.2%
	Total	440	18.2%

This variable has 1,973 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 2271-2272 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

SPECIFY7: Professional degree - other specify

What professional degree does this health care provider have? If you are not sure, please make your best guess - Specify

Value	Label	Unweighted Frequency	%
-		125	5.2%
DR OF NUTRITION & CHIROPRACTOR	-	1	0.0%
	Total	126	5.2%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	2287	94.8%
	Total	2,287	94.8%

This variable has 126 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2273-2302 (width: 30; decimal: 0)

Variable Type: character

(Range of Missing Values: -1

PROVSPC7: Provider's specialty

Which of the following best describes this provider's specialty?

Value	Label	Unweighted Frequency	%
1	Family practitioner	500	20.7%
2	Internist	323	13.4%
3	Gynecologist	910	37.7%

Value	Label	Unweighted Frequency	%
4	Naturopath	5	0.2%
5	Other	34	1.4%
6	No specialty	2	0.1%
	Total	1,774	73.5%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	31	1.3%
-7	Refused	1	0.0%
-1	N/A	482	20.0%
.	-	125	5.2%
	Total	639	26.5%

This variable has 1,774 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 2303-2304 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

SPECIAL7: Health care provider (HCP) specialty - other specify

Which of the following best describes this provider's specialty? - Specify

Value	Label	Unweighted Frequency	%
	-	125	5.2%
6	-	1	0.0%
ADULT MEDICINE	-	3	0.1%
BREAST CANCER	-	1	0.0%
CARDIOLOGIST	-	1	0.0%
CLINIC	-	1	0.0%
CNS SPECIALIST	-	1	0.0%
DIABETES	-	1	0.0%
DO	-	1	0.0%
GASTROENTEROL	-	1	0.0%

Value	Label	Unweighted Frequency	%
GEN. MEDICINE	-	1	0.0%
GENERAL MEDICINE	-	1	0.0%
GENERAL PRACTITIONER	-	2	0.1%
GENERAL PRACTITIONER	-	4	0.2%
GENERAL PRACTITIONER	-	1	0.0%
+ ENDOCRINOLOGY SPECIALIST			
GERIATRICS	-	2	0.1%
HEART DISEASE	-	1	0.0%
HEMOGLOBIN SPECIALIST	-	1	0.0%
HOLISTIC	-	1	0.0%
INTERNAL/RHEUMATOLOGIST	-	1	0.0%
ONCOLOGIST	-	2	0.1%
SURGEON	-	2	0.1%
WOMAN'S HEALTH	-	1	0.0%
WOMEN'S HEALTH	-	2	0.1%
WOMEN'S HEALTH PCP	-	1	0.0%
	Total	159	6.6%
Value	Missing Data	Unweighted Frequency	%
-1	N/A	2254	93.4%
	Total	2,254	93.4%

This variable has 159 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2305-2351 (*width:* 47; *decimal:* 0)

Variable Type: character

(Range of) Missing Values: -1

PROVTIM7: Time spent by health care provider (HCP) on average

On average, how much time does this health care provider spend with you at each visit?

Value	Label	Unweighted Frequency	%
1	0-5 minutes	50	2.1%
2	6-10 minutes	203	8.4%
3	11-15 minutes	420	17.4%
4	16-20 minutes	454	18.8%
5	21-30 minutes	515	21.3%
6	> 30 minutes	321	13.3%
	Total	1,963	81.4%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	23	1.0%
-7	Refused	1	0.0%
-1	N/A	301	12.5%
.	-	125	5.2%
	Total	450	18.6%

This variable has 1,963 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 2352-2353 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLEEDNG7: Menstrual bleeding since last visit

Did you have any menstrual bleeding since your last study visit?

Value	Label	Unweighted Frequency	%
1	No	1354	56.1%
2	Yes	1050	43.5%
	Total	2,404	99.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	2	0.1%
-7	Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	0	0.0%
.	-	7	0.3%
	Total	9	0.4%

This variable has 2,404 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2354-2355 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLD3MON7: Menstrual bleeding in last 3 months

Did you have any menstrual bleeding in the last 3 months?

Value	Label	Unweighted Frequency	%
1	No	269	11.1%
2	Yes	781	32.4%
	Total	1,050	43.5%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	1356	56.2%
.	-	7	0.3%
	Total	1,363	56.5%

This variable has 1,050 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2356-2357 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LMPDAY7: Last menstrual period day

What was the date that you started your most recent menstrual bleeding?

Value	Label	Unweighted Frequency	%
1994	-	1	0.0%
2175	-	1	0.0%
2182	-	1	0.0%
2187	-	1	0.0%
2188	-	1	0.0%
2195	-	2	0.1%
2196	-	1	0.0%
2199	-	2	0.1%
2205	-	1	0.0%
2213	-	1	0.0%
2215	-	1	0.0%
2222	-	2	0.1%
2230	-	1	0.0%
2231	-	1	0.0%
2235	-	1	0.0%
2240	-	1	0.0%
2242	-	2	0.1%
2245	-	3	0.1%
2252	-	1	0.0%
2253	-	1	0.0%
2254	-	2	0.1%
2260	-	2	0.1%
2264	-	1	0.0%
2269	-	1	0.0%
2270	-	1	0.0%
2271	-	1	0.0%
2273	-	1	0.0%
2274	-	1	0.0%
2276	-	1	0.0%
2277	-	2	0.1%
2280	-	1	0.0%
2281	-	1	0.0%
2282	-	1	0.0%
2283	-	1	0.0%
2285	-	2	0.1%

Value	Label	Unweighted Frequency	%
2287	-	1	0.0%
2289	-	1	0.0%
2290	-	1	0.0%
2293	-	1	0.0%
2294	-	1	0.0%
2297	-	1	0.0%
2301	-	2	0.1%
2303	-	2	0.1%
2304	-	2	0.1%
2311	-	2	0.1%
2315	-	2	0.1%
2316	-	1	0.0%
2317	-	1	0.0%
2319	-	1	0.0%
2320	-	1	0.0%
Total		1,042	43.2%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	1371	56.8%
Total		1,371	56.8%

This variable has 1,042 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 2530.74
- Minimum: 1994.00
- Maximum: 3003.00
- Standard Deviation: 117.47

Location: 2358-2361 (*width:* 4; *decimal:* 0)

Variable Type: numeric

DESCPER7: Describe your menstrual periods

For the next few questions I would like to ask you to think about your periods since your last study visit, during times when you were not using birth control medications: Which of the following best describes your menstrual periods since your last study visit? Have they:

Value	Label	Unweighted Frequency	%
1	Become farther apart	402	16.7%

Value	Label	Unweighted Frequency	%
2	Become closer together	90	3.7%
3	Occurred at more variable intervals	256	10.6%
4	Stayed the same	207	8.6%
5	Become more regular	24	1.0%
	Total	979	40.6%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	5	0.2%
-7	Refused	0	0.0%
-1	N/A	1422	58.9%
.	-	7	0.3%
	Total	1,434	59.4%

This variable has 979 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2362-2363 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LENGCYL7: Length of menstrual cycle

For the next few questions I would like to ask you to think about your periods since your last study visit, during times when you were not using birth control medications: A menstrual cycle is the period of time from the beginning of bleeding from one menstrual period to the beginning of bleeding of the next menstrual period. Since your last study visit, what was the usual length of your menstrual cycles?

Value	Label	Unweighted Frequency	%
1	< 24 days	87	3.6%
2	24-35 days	382	15.8%
3	> 35 days	127	5.3%
4	Too variable to say	324	13.4%
	Total	920	38.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%
-8	Do not know	14	0.6%

Value	Missing Data	Unweighted Frequency	%
-7	Refused	0	0.0%
-1	N/A	1353	56.1%
.	-	125	5.2%
	Total	1,493	61.9%

This variable has 920 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2364-2365 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRGNANT7: Pregnant since last visit

Since your last study visit, have you been pregnant? Please include live births, stillbirths, abortions, miscarriages, tubal or ectopic pregnancies.

Value	Label	Unweighted Frequency	%
1	No	2284	94.7%
2	Yes	0	0.0%
	Total	2,284	94.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	4	0.2%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
	Total	129	5.3%

This variable has 2,284 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2366-2367 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OUTCOME7: Outcome of pregnancy

If YES to PRGNANT7: What was the outcome of the pregnancy?

Value	Label	Unweighted Frequency	%
1	Live birth	0	0.0%
2	Still birth	0	0.0%
3	Miscarriage	0	0.0%
4	Abortion	0	0.0%
5	Tubal (ectopic) pregnancy	0	0.0%
6	Still pregnant	0	0.0%
	Total	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2288	94.8%
.	-	125	5.2%
	Total	2,413	100.0%

This variable has 0 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2368-2369 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

BRSTFEE7: Currently breastfeeding

FOR LIVE BIRTHS ONLY: Are you currently breastfeeding?

Value	Label	Unweighted Frequency	%
1	No	0	0.0%
2	Yes	0	0.0%
	Total	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2288	94.8%

Value	Missing Data	Unweighted Frequency	%
.	-	125	5.2%
	Total	2,413	100.0%

This variable has 0 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2370-2371 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

QLTYLIF7: Quality of life

Thinking about your quality of life at the present time, I'd like you to give it a rating where 0 represents the worst possible quality for you and 10 represents the best possible quality for you. Looking at this line, how would you rate your overall quality of life at the present time? Choose a number between 0 and 10.

Value	Label	Unweighted Frequency	%
0	Worst possible quality	3	0.1%
1	-	6	0.2%
2	-	11	0.5%
3	-	37	1.5%
4	-	69	2.9%
5	-	171	7.1%
6	-	182	7.5%
7	-	487	20.2%
8	-	762	31.6%
9	-	415	17.2%
10	Best possible quality	218	9.0%
	Total	2,361	97.8%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	21	0.9%
.	-	31	1.3%
	Total	52	2.2%

This variable has 2,361 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 7.53
- Median: 8.00
- Mode: 8.00
- Minimum: 0.00
- Maximum: 10.00

- Standard Deviation: 1.65

Location: 2372-2373 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1, .

CONTROL7: Unable to control important things in your life

In the past two weeks you have: Felt unable to control important things in your life?

Value	Label	Unweighted Frequency	%
1	Never	1028	42.6%
2	Almost never	737	30.5%
3	Sometimes	488	20.2%
4	Fairly often	112	4.6%
5	Very often	41	1.7%
	Total	2,406	99.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	7	0.3%
	Total	7	0.3%

This variable has 2,406 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2374-2375 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

ABILITY7: Confident in ability to handle problems

In the past two weeks you have: Felt confident about your ability to handle your personal problems?

Value	Label	Unweighted Frequency	%
1	Never	19	0.8%
2	Almost never	75	3.1%
3	Sometimes	424	17.6%

Value	Label	Unweighted Frequency	%
4	Fairly often	810	33.6%
5	Very often	1078	44.7%
	Total	2,406	99.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	7	0.3%
	Total	7	0.3%

This variable has 2,406 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2376-2377 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOURWAY7: Things were going your way

In the past two weeks you have: Felt that things were going your way?

Value	Label	Unweighted Frequency	%
1	Never	26	1.1%
2	Almost never	112	4.6%
3	Sometimes	642	26.6%
4	Fairly often	990	41.0%
5	Very often	636	26.4%
	Total	2,406	99.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	7	0.3%

Value	Missing Data	Unweighted Frequency	%
	Total	7	0.3%

This variable has 2,406 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2378-2379 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PILING7: Difficulties piling up

In the past two weeks you have: Felt difficulties piling so high that you could not overcome them?

Value	Label	Unweighted Frequency	%
1	Never	1137	47.1%
2	Almost never	749	31.0%
3	Sometimes	382	15.8%
4	Fairly often	104	4.3%
5	Very often	34	1.4%
	Total	2,406	99.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	7	0.3%
	Total	7	0.3%

This variable has 2,406 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2380-2381 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTHER7: Bothered past week

During the past week: I was bothered by things that usually don't bother me.

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	1482	61.4%
2	Some/a little of the time (1-2 days)	535	22.2%
3	Occasionally/mod amt of the time (3-4 days)	182	7.5%
4	Most/all of the time (5-7 days)	68	2.8%
	Total	2,267	93.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	146	6.1%
	Total	146	6.1%

This variable has 2,267 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2382-2383 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

APPETIT7: Lost appetite past week

During the past week: I did not feel like eating; my appetite was poor

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	1910	79.2%
2	Some/a little of the time (1-2 days)	251	10.4%
3	Occasionally/mod amt of the time (3-4 days)	84	3.5%
4	Most/all of the time (5-7 days)	22	0.9%
	Total	2,267	93.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%

Value	Missing Data	Unweighted Frequency	%
.	-	146	6.1%
	Total	146	6.1%

This variable has 2,267 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2384-2385 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLUES7: Had blues past week

During the past week: I felt that I could not shake off the blues even with help from my friends

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	1750	72.5%
2	Some/a little of the time (1-2 days)	343	14.2%
3	Occasionally/mod amt of the time (3-4 days)	122	5.1%
4	Most/all of the time (5-7 days)	52	2.2%
	Total	2,267	93.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	146	6.1%
	Total	146	6.1%

This variable has 2,267 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2386-2387 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GOOD7: As good as others past week

During the past week: I felt that I was just as good as other people

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	72	3.0%
2	Some/a little of the time (1-2 days)	109	4.5%
3	Occasionally/mod amt of the time (3-4 days)	264	10.9%
4	Most/all of the time (5-7 days)	1816	75.3%
	Total	2,261	93.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	6	0.2%
-1	N/A	0	0.0%
.	-	146	6.1%
	Total	152	6.3%

This variable has 2,261 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2388-2389 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

KEEPMIN7: Mind on what doing past week

During the past week: I had trouble keeping my mind on what I was doing

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	1071	44.4%
2	Some/a little of the time (1-2 days)	692	28.7%
3	Occasionally/mod amt of the time (3-4 days)	389	16.1%
4	Most/all of the time (5-7 days)	114	4.7%
	Total	2,266	93.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	1	0.0%
-1	N/A	0	0.0%

Value	Missing Data	Unweighted Frequency	%
.	-	146	6.1%
	Total	147	6.1%

This variable has 2,266 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2390-2391 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DEPRESS7: Felt depressed past week

During the past week: I felt depressed

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	1521	63.0%
2	Some/a little of the time (1-2 days)	496	20.6%
3	Occasionally/mod amt of the time (3-4 days)	168	7.0%
4	Most/all of the time (5-7 days)	80	3.3%
	Total	2,265	93.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	2	0.1%
-1	N/A	0	0.0%
.	-	146	6.1%
	Total	148	6.1%

This variable has 2,265 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2392-2393 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EFFORT7: Everything an effort past week

During the past week: I felt that everything I did was an effort

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	1377	57.1%
2	Some/a little of the time (1-2 days)	588	24.4%
3	Occasionally/mod amt of the time (3-4 days)	189	7.8%
4	Most/all of the time (5-7 days)	112	4.6%
	Total	2,266	93.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	1	0.0%
-1	N/A	0	0.0%
.	-	146	6.1%
	Total	147	6.1%

This variable has 2,266 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2394-2395 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOPEFUL7: Hopeful about future past week

During the past week: I felt hopeful about the future

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	57	2.4%
2	Some/a little of the time (1-2 days)	234	9.7%
3	Occasionally/mod amt of the time (3-4 days)	496	20.6%
4	Most/all of the time (5-7 days)	1476	61.2%
	Total	2,263	93.8%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	4	0.2%
-1	N/A	0	0.0%

Value	Missing Data	Unweighted Frequency	%
.	-	146	6.1%
	Total	150	6.2%

This variable has 2,263 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2396-2397 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FAILURE7: Life has been failure past week

During the past week: I thought my life had been a failure

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	1968	81.6%
2	Some/a little of the time (1-2 days)	205	8.5%
3	Occasionally/mod amt of the time (3-4 days)	72	3.0%
4	Most/all of the time (5-7 days)	20	0.8%
	Total	2,265	93.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	2	0.1%
-1	N/A	0	0.0%
.	-	146	6.1%
	Total	148	6.1%

This variable has 2,265 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2398-2399 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FEARFUL7: Felt fearful past week

During the past week: I felt fearful

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	1826	75.7%
2	Some/a little of the time (1-2 days)	339	14.0%
3	Occasionally/mod amt of the time (3-4 days)	72	3.0%
4	Most/all of the time (5-7 days)	28	1.2%
	Total	2,265	93.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	2	0.1%
-1	N/A	0	0.0%
.	-	146	6.1%
	Total	148	6.1%

This variable has 2,265 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2400-2401 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

RESTLES7: Sleep was restless past week

During the past week: My sleep was restless

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	1018	42.2%
2	Some/a little of the time (1-2 days)	627	26.0%
3	Occasionally/mod amt of the time (3-4 days)	337	14.0%
4	Most/all of the time (5-7 days)	283	11.7%
	Total	2,265	93.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	2	0.1%
-1	N/A	0	0.0%

Value	Missing Data	Unweighted Frequency	%
.	-	146	6.1%
	Total	148	6.1%

This variable has 2,265 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2402-2403 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HAPPY7: Happy past week

During the past week: I was happy

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	84	3.5%
2	Some/a little of the time (1-2 days)	274	11.4%
3	Occasionally/mod amt of the time (3-4 days)	586	24.3%
4	Most/all of the time (5-7 days)	1320	54.7%
	Total	2,264	93.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	3	0.1%
-1	N/A	0	0.0%
.	-	146	6.1%
	Total	149	6.2%

This variable has 2,264 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2404-2405 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TALKLES7: Talked less than usual past week

During the past week: I talked less than usual

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	1651	68.4%
2	Some/a little of the time (1-2 days)	393	16.3%
3	Occasionally/mod amt of the time (3-4 days)	168	7.0%
4	Most/all of the time (5-7 days)	52	2.2%
	Total	2,264	93.8%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	3	0.1%
-1	N/A	0	0.0%
.	-	146	6.1%
	Total	149	6.2%

This variable has 2,264 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2406-2407 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LONELY7: Felt lonely past week

During the past week: I felt lonely

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	1638	67.9%
2	Some/a little of the time (1-2 days)	451	18.7%
3	Occasionally/mod amt of the time (3-4 days)	113	4.7%
4	Most/all of the time (5-7 days)	63	2.6%
	Total	2,265	93.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	2	0.1%
-1	N/A	0	0.0%

Value	Missing Data	Unweighted Frequency	%
.	-	146	6.1%
	Total	148	6.1%

This variable has 2,265 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2408-2409 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

UNFRNDL7: People unfriendly past week

During the past week: People were unfriendly

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	1992	82.6%
2	Some/a little of the time (1-2 days)	215	8.9%
3	Occasionally/mod amt of the time (3-4 days)	44	1.8%
4	Most/all of the time (5-7 days)	14	0.6%
	Total	2,265	93.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	2	0.1%
-1	N/A	0	0.0%
.	-	146	6.1%
	Total	148	6.1%

This variable has 2,265 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2410-2411 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENJOY7: Enjoyed life past week

During the past week: I enjoyed life

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	69	2.9%
2	Some/a little of the time (1-2 days)	202	8.4%
3	Occasionally/mod amt of the time (3-4 days)	429	17.8%
4	Most/all of the time (5-7 days)	1565	64.9%
	Total	2,265	93.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	2	0.1%
-1	N/A	0	0.0%
.	-	146	6.1%
	Total	148	6.1%

This variable has 2,265 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2412-2413 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CRYING7: Crying spells past week

During the past week: I had crying spells

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	1872	77.6%
2	Some/a little of the time (1-2 days)	259	10.7%
3	Occasionally/mod amt of the time (3-4 days)	95	3.9%
4	Most/all of the time (5-7 days)	38	1.6%
	Total	2,264	93.8%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%
-8	Do not know	0	0.0%
-7	Refused	2	0.1%
-1	N/A	0	0.0%

Value	Missing Data	Unweighted Frequency	%
.	-	146	6.1%
	Total	149	6.2%

This variable has 2,264 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2414-2415 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SAD7: Felt sad past week

During the past week: I felt sad

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	1484	61.5%
2	Some/a little of the time (1-2 days)	563	23.3%
3	Occasionally/mod amt of the time (3-4 days)	152	6.3%
4	Most/all of the time (5-7 days)	66	2.7%
	Total	2,265	93.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	2	0.1%
-1	N/A	0	0.0%
.	-	146	6.1%
	Total	148	6.1%

This variable has 2,265 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2416-2417 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DISLIKE7: People disliked me past week

During the past week: I felt that people disliked me

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	2014	83.5%
2	Some/a little of the time (1-2 days)	208	8.6%
3	Occasionally/mod amt of the time (3-4 days)	28	1.2%
4	Most/all of the time (5-7 days)	14	0.6%
	Total	2,264	93.8%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	3	0.1%
-1	N/A	0	0.0%
.	-	146	6.1%
	Total	149	6.2%

This variable has 2,264 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2418-2419 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GETGOIN7: Could not get going past week

During the past week: I could not get going

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	1468	60.8%
2	Some/a little of the time (1-2 days)	567	23.5%
3	Occasionally/mod amt of the time (3-4 days)	156	6.5%
4	Most/all of the time (5-7 days)	74	3.1%
	Total	2,265	93.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	2	0.1%
-1	N/A	0	0.0%

Value	Missing Data	Unweighted Frequency	%
.	-	146	6.1%
	Total	148	6.1%

This variable has 2,265 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2420-2421 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHNGJOB7: Change in job since last visit

Since your last study visit, has there been a change in any of your jobs, that is: your place of employment, your job title, or your usual job tasks?

Value	Label	Unweighted Frequency	%
1	No	1291	53.5%
2	Yes	647	26.8%
	Total	1,938	80.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	329	13.6%
.	-	146	6.1%
	Total	475	19.7%

This variable has 1,938 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2422-2423 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

JOB7: Work for pay past 2 weeks

During the past 2 weeks, did you work at any time at a job or business, including work for pay performed at home? (Include unpaid work in the family farm or business. If you were on vacation, or scheduled leave or sick leave, please answer as though you were at your usual job.)

Value	Label	Unweighted Frequency	%
1	No	141	5.8%
2	Yes	506	21.0%
	Total	647	26.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	1620	67.1%
.	-	146	6.1%
	Total	1,766	73.2%

This variable has 647 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2424-2425 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHANGHR7: Change in usual hours of work

Since your last study visit, has there been a change in your usual hours of work of any of your jobs?

Value	Label	Unweighted Frequency	%
1	No	1346	55.8%
2	Yes	450	18.6%
	Total	1,796	74.4%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	470	19.5%
.	-	146	6.1%
	Total	617	25.6%

This variable has 1,796 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2426-2427 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ROTAT17: Work rotating/alternating

What are your usual hours of work each day for each job? Rotating/Alternating (Alternating weekly/monthly?)

Value	Label	Unweighted Frequency	%
1	No	349	14.5%
2	Yes	101	4.2%
	Total	450	18.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	1817	75.3%
.	-	146	6.1%
	Total	1,963	81.4%

This variable has 450 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2428-2429 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTIM17: Work start time

Work start time

Value	Label	Unweighted Frequency	%
0:00:00	-	1	0.0%
10:00:00	-	19	0.8%
10:30:00	-	3	0.1%
10:45:00	-	1	0.0%
11:00:00	-	7	0.3%

Value	Label	Unweighted Frequency	%
11:30:00	-	2	0.1%
12:00:00	-	4	0.2%
13:00:00	-	2	0.1%
14:00:00	-	1	0.0%
15:00:00	-	8	0.3%
16:00:00	-	1	0.0%
16:30:00	-	2	0.1%
17:00:00	-	4	0.2%
17:30:00	-	1	0.0%
18:00:00	-	1	0.0%
19:00:00	-	2	0.1%
20:00:00	-	1	0.0%
21:00:00	-	1	0.0%
21:30:00	-	1	0.0%
22:30:00	-	1	0.0%
23:00:00	-	3	0.1%
23:30:00	-	1	0.0%
23:45:00	-	1	0.0%
4:00:00	-	4	0.2%
5:00:00	-	4	0.2%
5:15:00	-	1	0.0%
5:30:00	-	2	0.1%
6:00:00	-	13	0.5%
6:20:00	-	1	0.0%
6:30:00	-	11	0.5%
6:45:00	-	1	0.0%
6:54:59	-	1	0.0%
7:00:00	-	26	1.1%
7:15:00	-	3	0.1%
7:20:00	-	1	0.0%
7:30:00	-	34	1.4%
7:45:00	-	1	0.0%
7:50:00	-	1	0.0%
8:00:00	-	83	3.4%
8:15:00	-	1	0.0%

Value	Label	Unweighted Frequency	%
8:30:00	-	33	1.4%
9:00:00	-	54	2.2%
9:30:00	-	6	0.2%
	Total	349	14.5%
Value	Missing Data	Unweighted Frequency	%
.	-	2064	85.5%
	Total	2,064	85.5%

This variable has 349 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2430-2441 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

STPTIM17: Work stop time

Work stop time

Value	Label	Unweighted Frequency	%
0:00:00	-	1	0.0%
11:00:00	-	1	0.0%
11:30:00	-	3	0.1%
12:00:00	-	5	0.2%
12:11:00	-	1	0.0%
12:30:00	-	2	0.1%
13:00:00	-	6	0.2%
13:25:00	-	1	0.0%
13:30:00	-	4	0.2%
14:00:00	-	12	0.5%
14:15:00	-	1	0.0%
14:30:00	-	9	0.4%
14:40:00	-	1	0.0%
14:45:00	-	1	0.0%
15:00:00	-	21	0.9%
15:15:00	-	1	0.0%
15:30:00	-	16	0.7%
15:33:00	-	1	0.0%

Value	Label	Unweighted Frequency	%
15:45:00	-	4	0.2%
16:00:00	-	26	1.1%
16:30:00	-	31	1.3%
16:45:00	-	5	0.2%
17:00:00	-	61	2.5%
17:30:00	-	19	0.8%
17:40:00	-	1	0.0%
18:00:00	-	34	1.4%
18:30:00	-	6	0.2%
19:00:00	-	21	0.9%
19:30:00	-	4	0.2%
19:40:00	-	1	0.0%
1:00:00	-	1	0.0%
20:00:00	-	8	0.3%
20:30:00	-	1	0.0%
21:00:00	-	4	0.2%
21:30:00	-	2	0.1%
22:00:00	-	4	0.2%
22:30:00	-	2	0.1%
23:00:00	-	5	0.2%
23:30:00	-	2	0.1%
3:00:00	-	2	0.1%
5:00:00	-	1	0.0%
5:30:00	-	2	0.1%
6:00:00	-	1	0.0%
6:30:00	-	2	0.1%
7:00:00	-	3	0.1%
7:30:00	-	4	0.2%
8:00:00	-	2	0.1%
9:00:00	-	3	0.1%
	Total	349	14.5%
Value	Missing Data	Unweighted Frequency	%
.	-	2064	85.5%
	Total	2,064	85.5%

This variable has 349 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2442-2453 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

ROTAT27: Work rotating/alternating (2)

What are your usual hours of work each day for each job? Rotating/Alternating (Alternating weekly/monthly?)

Value	Label	Unweighted Frequency	%
1	No	44	1.8%
2	Yes	39	1.6%
	Total	83	3.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2183	90.5%
.	-	146	6.1%
	Total	2,330	96.6%

This variable has 83 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2454-2455 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTIM27: Work start time (2)

Work start time (2)

Value	Label	Unweighted Frequency	%
10:00:00	-	3	0.1%
11:00:00	-	2	0.1%
12:00:00	-	1	0.0%
13:30:00	-	1	0.0%
15:00:00	-	2	0.1%

Value	Label	Unweighted Frequency	%
15:30:00	-	2	0.1%
16:00:00	-	2	0.1%
17:00:00	-	4	0.2%
17:30:00	-	1	0.0%
18:00:00	-	6	0.2%
18:30:00	-	2	0.1%
7:00:00	-	2	0.1%
7:30:00	-	1	0.0%
8:00:00	-	6	0.2%
8:30:00	-	3	0.1%
9:00:00	-	6	0.2%
	Total	44	1.8%

Value	Missing Data	Unweighted Frequency	%
.	-	2369	98.2%
	Total	2,369	98.2%

This variable has 44 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2456-2467 (*width:* 12; *decimal:* 0)

Variable Type: character

(Range of) Missing Values: .

STPTIM27: Work stop time (2)

Work stop time (2)

Value	Label	Unweighted Frequency	%
0:00:00	-	1	0.0%
11:00:00	-	1	0.0%
12:00:00	-	2	0.1%
12:30:00	-	1	0.0%
14:00:00	-	4	0.2%
14:30:00	-	1	0.0%
15:00:00	-	7	0.3%
16:00:00	-	3	0.1%
17:00:00	-	6	0.2%
17:30:00	-	2	0.1%

Value	Label	Unweighted Frequency	%
18:00:00	-	1	0.0%
19:00:00	-	1	0.0%
19:15:00	-	1	0.0%
19:30:00	-	1	0.0%
1:30:00	-	1	0.0%
20:00:00	-	3	0.1%
20:30:00	-	1	0.0%
21:00:00	-	1	0.0%
21:30:00	-	2	0.1%
22:00:00	-	1	0.0%
22:30:00	-	1	0.0%
23:00:00	-	1	0.0%
5:00:00	-	1	0.0%
	Total	44	1.8%
Value	Missing Data	Unweighted Frequency	%
.	-	2369	98.2%
	Total	2,369	98.2%

This variable has 44 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2468-2479 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

ROTAT37: Work rotating/alternating (3)

What are your usual hours of work each day for each job? Rotating/Alternating (Alternating weekly/monthly?)

Value	Label	Unweighted Frequency	%
1	No	5	0.2%
2	Yes	16	0.7%
	Total	21	0.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%
-8	Do not know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	Refused	0	0.0%
-1	N/A	2245	93.0%
.	-	146	6.1%
	Total	2,392	99.1%

This variable has 21 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2480-2481 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTIM37: Work start time (3)

Work start time (3)

Value	Label	Unweighted Frequency	%
11:00:00	-	1	0.0%
18:30:00	-	1	0.0%
6:00:00	-	1	0.0%
8:00:00	-	1	0.0%
8:30:00	-	1	0.0%
	Total	5	0.2%

Value	Missing Data	Unweighted Frequency	%
.	-	2408	99.8%
	Total	2,408	99.8%

This variable has 5 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2482-2493 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

STPTIM37: Work stop time (3)

Work stop time (3)

Value	Label	Unweighted Frequency	%
11:00:00	-	1	0.0%

Value	Label	Unweighted Frequency	%
13:00:00	-	1	0.0%
15:30:00	-	1	0.0%
21:00:00	-	1	0.0%
21:30:00	-	1	0.0%
	Total	5	0.2%
Value	Missing Data	Unweighted Frequency	%
.	-	2408	99.8%
	Total	2,408	99.8%

This variable has 5 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2494-2505 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

HOURSPA7: How many hours/week work for pay

On average, how many total hours a week do you work, for pay?

Value	Label	Unweighted Frequency	%
1	<= 10 hrs	128	5.3%
2	11-19 hrs	76	3.1%
3	20-34 hrs	338	14.0%
4	35-40 hrs	803	33.3%
5	41-60 hrs	395	16.4%
6	>60 hrs	55	2.3%
	Total	1,795	74.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	2	0.1%
-1	N/A	470	19.5%
.	-	146	6.1%
	Total	618	25.6%

This variable has 1,795 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 2506-2507 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VOLUNTE7: Do volunteer work

Do you do volunteer work?

Value	Label	Unweighted Frequency	%
1	No	1395	57.8%
2	Yes	872	36.1%
	Total	2,267	93.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	146	6.1%
	Total	146	6.1%

This variable has 2,267 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2508-2509 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VLNTHR17: Volunteer (1) hours/week

What type of volunteer work do you do? How many hours a week do you spend doing it?

Value	Label	Unweighted Frequency	%
0.06	-	2	0.1%
0.07	-	1	0.0%
0.12	-	2	0.1%
0.19	-	1	0.0%
0.25	-	12	0.5%

Value	Label	Unweighted Frequency	%
0.33	-	1	0.0%
0.38	-	1	0.0%
0.50	-	51	2.1%
0.58	-	1	0.0%
0.75	-	8	0.3%
0.87	-	1	0.0%
1.00	-	168	7.0%
1.15	-	1	0.0%
1.30	-	2	0.1%
1.50	-	28	1.2%
1.54	-	1	0.0%
1.60	-	1	0.0%
2.00	-	162	6.7%
2.16	-	1	0.0%
2.20	-	1	0.0%
2.50	-	21	0.9%
3.00	-	86	3.6%
3.50	-	6	0.2%
3.75	-	1	0.0%
4.00	-	84	3.5%
4.50	-	5	0.2%
5.00	-	52	2.2%
5.50	-	2	0.1%
6.00	-	24	1.0%
7.00	-	7	0.3%
8.00	-	20	0.8%
8.50	-	1	0.0%
8.75	-	1	0.0%
9.00	-	3	0.1%
10.00	-	35	1.5%
11.00	-	3	0.1%
12.00	-	10	0.4%
12.50	-	2	0.1%
15.00	-	16	0.7%
16.00	-	2	0.1%

Value	Label	Unweighted Frequency	%
17.00	-	1	0.0%
18.00	-	2	0.1%
18.80	-	1	0.0%
20.00	-	16	0.7%
24.00	-	1	0.0%
25.00	-	4	0.2%
30.00	-	6	0.2%
32.00	-	1	0.0%
40.00	-	5	0.2%
48.00	-	1	0.0%
Total		867	35.9%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-9.00	Missing	2	0.1%
-8.00	Do not know	3	0.1%
-7.00	Refused	0	0.0%
-1.00	N/A	1395	57.8%
.	-	146	6.1%
Total		1,546	64.1%

This variable has 867 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 4.43
- Median: 2.00
- Mode: 1.00
- Minimum: 0.06
- Maximum: 60.00
- Standard Deviation: 6.36

Location: 2510-2514 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -9.00 , -8.00 , -7.00 , -1.00 , .

VLNTHR27: Volunteer (2) hours/week

What type of volunteer work do you do? How many hours a week do you spend doing it?

Value	Label	Unweighted Frequency	%
0.04	-	1	0.0%

Value	Label	Unweighted Frequency	%
0.11	-	1	0.0%
0.17	-	1	0.0%
0.19	-	2	0.1%
0.21	-	1	0.0%
0.25	-	8	0.3%
0.43	-	1	0.0%
0.50	-	29	1.2%
0.75	-	5	0.2%
1.00	-	80	3.3%
1.20	-	1	0.0%
1.25	-	2	0.1%
1.50	-	11	0.5%
2.00	-	50	2.1%
2.50	-	4	0.2%
3.00	-	22	0.9%
3.50	-	1	0.0%
4.00	-	17	0.7%
4.50	-	1	0.0%
5.00	-	17	0.7%
6.00	-	9	0.4%
7.00	-	2	0.1%
8.00	-	4	0.2%
10.00	-	8	0.3%
12.00	-	1	0.0%
15.00	-	6	0.2%
16.00	-	1	0.0%
20.00	-	2	0.1%
30.00	-	1	0.0%
	Total	289	12.0%

Value	Missing Data	Unweighted Frequency	%
-9.00	Missing	0	0.0%
-8.00	Do not know	5	0.2%
-7.00	Refused	0	0.0%
-1.00	N/A	1973	81.8%

Value	Missing Data	Unweighted Frequency	%
-		146	6.1%
Total		2,124	88.0%

This variable has 289 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 2.86
- Median: 2.00
- Mode: 1.00
- Minimum: 0.04
- Maximum: 30.00
- Standard Deviation: 3.65

Location: 2515-2519 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -9.00 , -8.00 , -7.00 , -1.00 , .

VLNTHR37: Volunteer (3) hours/week

What type of volunteer work do you do? How many hours a week do you spend doing it?

Value	Label	Unweighted Frequency	%
0.25	-	5	0.2%
0.32	-	1	0.0%
0.50	-	11	0.5%
0.75	-	3	0.1%
1.00	-	21	0.9%
1.25	-	1	0.0%
1.50	-	2	0.1%
2.00	-	14	0.6%
2.50	-	2	0.1%
3.00	-	10	0.4%
3.50	-	1	0.0%
5.00	-	7	0.3%
6.00	-	2	0.1%
7.00	-	1	0.0%
8.00	-	1	0.0%
10.00	-	1	0.0%
11.00	-	1	0.0%
16.00	-	1	0.0%
20.00	-	1	0.0%

Value	Label	Unweighted Frequency	%
Total		86	3.6%
Value	Missing Data	Unweighted Frequency	%
-9.00	Missing	0	0.0%
-8.00	Do not know	2	0.1%
-7.00	Refused	0	0.0%
-1.00	N/A	2179	90.3%
.	-	146	6.1%
Total		2,327	96.4%

This variable has 86 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 2.56
- Median: 1.50
- Mode: 1.00
- Minimum: 0.25
- Maximum: 20.00
- Standard Deviation: 3.21

Location: 2520-2524 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -9.00 , -8.00 , -7.00 , -1.00 , .

MARITAL7: Marital status

What is your current marital status? Would you say ...

Value	Label	Unweighted Frequency	%
Total		2,405	99.7%
Value	Missing Data	Unweighted Frequency	%
1	Single/never married	300	12.4%
2	Currently married/living as married	1560	64.6%
3	Separated	81	3.4%
4	Widowed	92	3.8%
5	Divorced	372	15.4%
Total		2,405	99.7%

Value	Missing Data	Unweighted Frequency	%
Total		86	3.6%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	1	0.0%
-1	N/A	0	0.0%

Value	Missing Data	Unweighted Frequency	%
.	-	7	0.3%
	Total	8	0.3%

This variable has 2,405 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2525-2526 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHGHLD7: Change in anyone living in house

Since your last study visit, has there been any change in who is living in your household?

Value	Label	Unweighted Frequency	%
1	No	1739	72.1%
2	Yes	525	21.8%
	Total	2,264	93.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	3	0.1%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	146	6.1%
	Total	149	6.2%

This variable has 2,264 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2527-2528 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOUSEHL7: Anyone living in your household

Other than yourself, is there anyone living in your household?

Value	Label	Unweighted Frequency	%
1	No	58	2.4%
2	Yes	470	19.5%
	Total	528	21.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	1739	72.1%
.	-	146	6.1%
	Total	1,885	78.1%

This variable has 528 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2529-2530 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

RLATE17: Relationship to self (1)-enumeration

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	Spouse	248	10.3%
2	Partner (not married)	13	0.5%
3	Parent	13	0.5%
4	Parent-in-law	3	0.1%
5	Child (biol/adopt/step)	128	5.3%
6	Grandchild	9	0.4%
7	Son/daughter-in-law	0	0.0%
8	Sibling	11	0.5%
9	Niece/nephew	10	0.4%
10	Friend	14	0.6%
11	Tenant/boarder	4	0.2%
12	Other relation	16	0.7%
	Total	469	19.4%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	1798	74.5%
.	-	146	6.1%
Total		1,944	80.6%

This variable has 469 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 2531-2532 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT17: Relationship to yourself (1)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	146	6.1%
AUNT	-	1	0.0%
BOYFRIEND	-	1	0.0%
CHILD (BIOLOGICAL, ADOPTED, ST)	-	128	5.3%
COUSIN	-	2	0.1%
FOREIGN STUDENT	-	1	0.0%
FOSTER CHILD	-	1	0.0%
FRIEND	-	14	0.6%
GOD SON	-	1	0.0%
GODSON	-	1	0.0%
GRANDCHILD	-	9	0.4%
NEIGHBOR	-	1	0.0%
NIECE/ NEPHEW	-	10	0.4%
PARENT	-	13	0.5%
PARENT-IN- LAW	-	3	0.1%

Value	Label	Unweighted Frequency	%
PARTNER	-	1	0.0%
PARTNER (NOT MARRIED)	-	13	0.5%
PERSON I TAKE CARE OF	-	1	0.0%
RELIGIOUS SISTER	-	1	0.0%
ROOMMATE	-	2	0.1%
ROOMMATE 1	-	1	0.0%
SIBLING	-	11	0.5%
SINGNIFICANT	-	1	0.0%
SPOUSE	-	248	10.3%
TENANT/ BOARDER	-	4	0.2%
Total		615	25.5%
Value	Missing Data	Unweighted Frequency	%
-1	N/A	1798	74.5%
Total		1,798	74.5%

This variable has 615 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2533-2562 (*width:* 30; *decimal:* 0)

Variable Type: character

(Range of) Missing Values: -1

SEX17: Gender (1)

Please tell me their gender

Value	Label	Unweighted Frequency	%
-		146	6.1%
-9	Missing	0	0.0%
F	-	119	4.9%
M	-	350	14.5%
Total		615	25.5%
Value	Missing Data	Unweighted Frequency	%
-1	N/A	1798	74.5%

Value	Missing Data	Unweighted Frequency	%
-7	Refused	0	0.0%
-8	Do not know	0	0.0%
	Total	1,798	74.5%

This variable has 615 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2563-2564 (width: 2; decimal: 0)

Variable Type: character

(Range of) Missing Values: -1 , -7 , -8

AGE17: Age (1)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	1	0.0%
2	-	1	0.0%
3	-	1	0.0%
5	-	1	0.0%
8	-	1	0.0%
11	-	1	0.0%
12	-	4	0.2%
13	-	4	0.2%
14	-	3	0.1%
15	-	2	0.1%
16	-	9	0.4%
17	-	6	0.2%
18	-	7	0.3%
19	-	9	0.4%
20	-	5	0.2%
21	-	12	0.5%
22	-	9	0.4%
23	-	11	0.5%
24	-	4	0.2%
25	-	10	0.4%
26	-	12	0.5%
27	-	6	0.2%
28	-	8	0.3%

Value	Label	Unweighted Frequency	%
29	-	6	0.2%
30	-	8	0.3%
31	-	2	0.1%
32	-	1	0.0%
33	-	3	0.1%
34	-	7	0.3%
35	-	6	0.2%
36	-	2	0.1%
37	-	3	0.1%
38	-	1	0.0%
39	-	2	0.1%
40	-	2	0.1%
41	-	3	0.1%
42	-	2	0.1%
44	-	2	0.1%
45	-	5	0.2%
46	-	3	0.1%
47	-	3	0.1%
48	-	5	0.2%
49	-	9	0.4%
50	-	14	0.6%
51	-	19	0.8%
52	-	23	1.0%
53	-	24	1.0%
54	-	19	0.8%
55	-	21	0.9%
56	-	18	0.7%
Total		468	19.4%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	1	0.0%
-1	N/A	1798	74.5%

Value	Missing Data	Unweighted Frequency	%
-	-	146	6.1%
	Total	1,945	80.6%

This variable has 468 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 44.80
- Median: 51.00
- Mode: 57.00
- Minimum: 1.00
- Maximum: 95.00
- Standard Deviation: 17.96

Location: 2565-2566 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

RLATE27: Relationship to yourself (2)-enumeration

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	Spouse	19	0.8%
2	Partner (not married)	2	0.1%
3	Parent	13	0.5%
4	Parent-in-law	0	0.0%
5	Child (biol/adopt/step)	210	8.7%
6	Grandchild	26	1.1%
7	Son/daughter-in-law	8	0.3%
8	Sibling	4	0.2%
9	Niece/nephew	9	0.4%
10	Friend	2	0.1%
11	Tenant/boarder	7	0.3%
12	Other relation	20	0.8%
	Total	320	13.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	1947	80.7%

Value	Missing Data	Unweighted Frequency	%
-		146	6.1%
Total		2,093	86.7%

This variable has 320 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 2567-2568 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT27: Relationship to yourself (2)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-		146	6.1%
BROTHER -IN - LAW	-	1	0.0%
BROTHER-IN-LAW	-	2	0.1%
CHILD (BIOLOGICAL, ADOPTED, ST	-	210	8.7%
COUSIN PARTNER	-	1	0.0%
DAUGHTER'S BOYFRIEND	-	2	0.1%
EXCHANGE STUDENT	-	1	0.0%
FOSTER CHILD	-	1	0.0%
FRIEND	-	2	0.1%
FRIENDS SISTER	-	1	0.0%
GARDENER	-	1	0.0%
GRANDCHILD	-	26	1.1%
NIECE/ NEPHEW	-	9	0.4%
PARENT	-	13	0.5%
PARTNER (NOT MARRIED)	-	2	0.1%

Value	Label	Unweighted Frequency	%
PARTNER'S SON	-	1	0.0%
PERSON I TAKE CARE OF	-	1	0.0%
RELIGIOUS SISTER	-	1	0.0%
ROOMATE	-	1	0.0%
ROOMMATE 2	-	1	0.0%
SIBLING	-	4	0.2%
SISTER IN LAW	-	1	0.0%
SISTER-IN-LAW	-	1	0.0%
SON'S FIANCÉE	-	1	0.0%
SON'S GIRLFRIEND	-	1	0.0%
SON-IN-LAW/ DAUGHTER-IN-LAW	-	8	0.3%
SONS GIRLFRIEND	-	1	0.0%
SPOUSE	-	19	0.8%
TENANT/ BOARDER	-	7	0.3%
Total		466	19.3%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	1947	80.7%
Total		1,947	80.7%

This variable has 466 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2569-2598 (width: 30; decimal: 0)

Variable Type: character

(Range of) Missing Values: -1

SEX27: Gender (2)

Please tell me their gender

Value	Label	Unweighted Frequency	%
-		146	6.1%

Value	Label	Unweighted Frequency	%
-9	Missing	0	0.0%
F	-	128	5.3%
M	-	192	8.0%
	Total	466	19.3%
Value	Missing Data	Unweighted Frequency	%
-1	N/A	1947	80.7%
-7	Refused	0	0.0%
-8	Do not know	0	0.0%
	Total	1,947	80.7%

This variable has 466 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2599-2600 (width: 2; decimal: 0)

Variable Type: character

(Range of) Missing Values: -1 , -7 , -8

AGE27: Age (2)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	4	0.2%
2	-	3	0.1%
3	-	1	0.0%
5	-	2	0.1%
7	-	1	0.0%
9	-	5	0.2%
10	-	3	0.1%
11	-	7	0.3%
12	-	3	0.1%
13	-	8	0.3%
14	-	15	0.6%
15	-	14	0.6%
16	-	13	0.5%
17	-	13	0.5%
18	-	7	0.3%
19	-	9	0.4%

Value	Label	Unweighted Frequency	%
20	-	13	0.5%
21	-	14	0.6%
22	-	10	0.4%
23	-	26	1.1%
24	-	19	0.8%
25	-	12	0.5%
26	-	11	0.5%
27	-	3	0.1%
28	-	8	0.3%
29	-	6	0.2%
30	-	12	0.5%
31	-	5	0.2%
32	-	4	0.2%
33	-	4	0.2%
34	-	8	0.3%
35	-	4	0.2%
36	-	3	0.1%
38	-	2	0.1%
41	-	1	0.0%
44	-	2	0.1%
45	-	3	0.1%
46	-	1	0.0%
48	-	1	0.0%
49	-	1	0.0%
50	-	3	0.1%
51	-	1	0.0%
52	-	1	0.0%
53	-	4	0.2%
54	-	3	0.1%
55	-	3	0.1%
57	-	2	0.1%
58	-	2	0.1%
59	-	2	0.1%
60	-	1	0.0%
Total		320	13.3%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	1947	80.7%
.	-	146	6.1%
Total		2,093	86.7%

This variable has 320 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 26.94
- Median: 23.00
- Mode: 23.00
- Minimum: 1.00
- Maximum: 91.00
- Standard Deviation: 16.46

Location: 2601-2602 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

RLATE37: Relationship to yourself (3)-enumeration

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	Spouse	12	0.5%
2	Partner (not married)	2	0.1%
3	Parent	3	0.1%
4	Parent-in-law	1	0.0%
5	Child (biol/adopt/step)	87	3.6%
6	Grandchild	33	1.4%
7	Son/daughter-in-law	4	0.2%
8	Sibling	5	0.2%
9	Niece/nephew	7	0.3%
10	Friend	3	0.1%
11	Tenant/boarder	2	0.1%
12	Other relation	15	0.6%
Total		174	7.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2093	86.7%
.	-	146	6.1%
	Total	2,239	92.8%

This variable has 174 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 2603-2604 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT37: Relationship to yourself (3)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	146	6.1%
BROTHER-IN-LAW	-	1	0.0%
CHILD (BIOLOGICAL, ADOPTED, ST)	-	87	3.6%
COUSIN	-	1	0.0%
COUSIN KID	-	1	0.0%
DAUGHTERS BOY FRIEND	-	1	0.0%
EX HUSBAND	-	1	0.0%
FORIEGN EXCHANGE STUDENT	-	1	0.0%
FRIEND	-	3	0.1%
FRIENDS	-	1	0.0%
GRANDCHILD	-	33	1.4%
GREAT NIECE	-	1	0.0%
HUSBANDS BROTHER	-	1	0.0%
LIVE IN GUEST	-	1	0.0%

Value	Label	Unweighted Frequency	%
NEIGHBOR'S RELATIVE	-	1	0.0%
NIECE/ NEPHEW	-	7	0.3%
PARENT	-	3	0.1%
PARENT-IN-LAW	-	1	0.0%
PARTNER (NOT MARRIED)	-	2	0.1%
SIBLING	-	5	0.2%
SON'S FIANCE	-	2	0.1%
SON'S FRIEND	-	1	0.0%
SON'S GIRL FRIEND	-	1	0.0%
SON-IN-LAW/ DAUGHTER-IN-LAW	-	4	0.2%
SPOUSE	-	12	0.5%
TENANT/ BOARDER	-	2	0.1%
	Total	320	13.3%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	2093	86.7%
	Total	2,093	86.7%

This variable has 320 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2605-2634 (width: 30; decimal: 0)

Variable Type: character

(Range of) Missing Values: -1

SEX37: Gender (3)

Please tell me their gender

Value	Label	Unweighted Frequency	%
-		146	6.1%
-9	Missing	0	0.0%
F	-	83	3.4%

Value	Label	Unweighted Frequency	%
M	-	91	3.8%
	Total	320	13.3%
Value	Missing Data	Unweighted Frequency	%
-1	N/A	2093	86.7%
-7	Refused	0	0.0%
-8	Do not know	0	0.0%
	Total	2,093	86.7%

This variable has 320 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2635-2636 (width: 2; decimal: 0)

Variable Type: character

(Range of) Missing Values: -1 , -7 , -8

AGE37: Age (3)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	4	0.2%
2	-	2	0.1%
3	-	3	0.1%
4	-	2	0.1%
5	-	3	0.1%
6	-	1	0.0%
7	-	1	0.0%
8	-	3	0.1%
9	-	2	0.1%
10	-	6	0.2%
11	-	3	0.1%
12	-	7	0.3%
13	-	4	0.2%
14	-	10	0.4%
15	-	5	0.2%
16	-	6	0.2%
17	-	10	0.4%
18	-	8	0.3%

Value	Label	Unweighted Frequency	%
19	-	12	0.5%
20	-	9	0.4%
21	-	7	0.3%
22	-	8	0.3%
23	-	7	0.3%
24	-	2	0.1%
25	-	5	0.2%
26	-	1	0.0%
27	-	5	0.2%
29	-	1	0.0%
30	-	4	0.2%
33	-	1	0.0%
34	-	1	0.0%
38	-	1	0.0%
39	-	1	0.0%
40	-	1	0.0%
42	-	1	0.0%
45	-	1	0.0%
46	-	1	0.0%
47	-	2	0.1%
48	-	2	0.1%
50	-	2	0.1%
52	-	2	0.1%
53	-	3	0.1%
54	-	3	0.1%
55	-	2	0.1%
56	-	1	0.0%
59	-	2	0.1%
62	-	1	0.0%
67	-	1	0.0%
73	-	1	0.0%
80	-	1	0.0%
Total		174	7.2%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2093	86.7%
.	-	146	6.1%
Total		2,239	92.8%

This variable has 174 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 23.50
- Median: 19.00
- Mode: 19.00
- Minimum: 1.00
- Maximum: 84.00
- Standard Deviation: 16.72

Location: 2637-2638 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE47: Relationship to self (4)-enumeration

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	Spouse	4	0.2%
2	Partner (not married)	0	0.0%
3	Parent	0	0.0%
4	Parent-in-law	0	0.0%
5	Child (biol/adopt/step)	31	1.3%
6	Grandchild	21	0.9%
7	Son/daughter-in-law	4	0.2%
8	Sibling	2	0.1%
9	Niece/nephew	5	0.2%
10	Friend	4	0.2%
11	Tenant/boarder	2	0.1%
12	Other relation	6	0.2%
Total		79	3.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2188	90.7%
.	-	146	6.1%
	Total	2,334	96.7%

This variable has 79 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 2639-2640 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

RELAT47: Relationship to yourself (4)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	146	6.1%
BROTHER-IN-LAW'S FATHER	-	1	0.0%
CHILD (BIOLOGICAL, ADOPTED, ST)	-	31	1.3%
COUSIN	-	1	0.0%
COUSIN KID	-	1	0.0%
DAUGHTER BOYFRIEND	-	1	0.0%
FRIEND	-	4	0.2%
FRIENDS SON	-	1	0.0%
GRANDCHILD	-	21	0.9%
GREAT GRANDSON	-	1	0.0%
NIECE/ NEPHEW	-	5	0.2%
SIBLING	-	2	0.1%
SON-IN-LAW/ DAUGHTER-IN-LAW	-	4	0.2%

Value	Label	Unweighted Frequency	%
SPOUSE	-	4	0.2%
TENANT/ BOARDER	-	2	0.1%
	Total	225	9.3%
Value	Missing Data	Unweighted Frequency	%
-1	N/A	2188	90.7%
	Total	2,188	90.7%

This variable has 225 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2641-2670 (width: 30; decimal: 0)

Variable Type: character

(Range of) Missing Values: -1

SEX47: Gender (4)

Please tell me their gender

Value	Label	Unweighted Frequency	%
-		146	6.1%
-9	Missing	0	0.0%
F	-	32	1.3%
M	-	47	1.9%
	Total	225	9.3%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	2188	90.7%
-7	Refused	0	0.0%
-8	Do not know	0	0.0%
	Total	2,188	90.7%

This variable has 225 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2671-2672 (width: 2; decimal: 0)

Variable Type: character

(Range of) Missing Values: -1 , -7 , -8

AGE47: Age (4)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	7	0.3%
2	-	3	0.1%
3	-	1	0.0%
4	-	1	0.0%
7	-	1	0.0%
8	-	2	0.1%
9	-	1	0.0%
10	-	5	0.2%
11	-	2	0.1%
12	-	2	0.1%
13	-	2	0.1%
14	-	5	0.2%
15	-	5	0.2%
16	-	4	0.2%
17	-	4	0.2%
18	-	3	0.1%
19	-	4	0.2%
20	-	2	0.1%
21	-	3	0.1%
22	-	1	0.0%
23	-	1	0.0%
24	-	4	0.2%
25	-	1	0.0%
27	-	2	0.1%
29	-	1	0.0%
30	-	1	0.0%
33	-	1	0.0%
36	-	1	0.0%
37	-	2	0.1%
49	-	1	0.0%
52	-	1	0.0%
53	-	2	0.1%
57	-	1	0.0%
58	-	1	0.0%

Value	Label	Unweighted Frequency	%
79	-	1	0.0%
	Total	79	3.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2188	90.7%
.	-	146	6.1%
	Total	2,334	96.7%

This variable has 79 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 19.08
- Median: 16.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 79.00
- Standard Deviation: 15.02

Location: 2673-2674 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

RLATE57: Relationship to self (5)-enumeration

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	Spouse	2	0.1%
2	Partner (not married)	0	0.0%
3	Parent	0	0.0%
4	Parent-in-law	1	0.0%
5	Child (biol/adopt/step)	9	0.4%
6	Grandchild	14	0.6%
7	Son/daughter-in-law	0	0.0%
8	Sibling	0	0.0%
9	Niece/nephew	2	0.1%
10	Friend	2	0.1%
11	Tenant/boarder	1	0.0%

Value	Label	Unweighted Frequency	%
12	Other relation	4	0.2%
	Total	35	1.5%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2232	92.5%
.	.	146	6.1%
	Total	2,378	98.5%

This variable has 35 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 2675-2676 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

RELAT57: Relationship to self (5)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	146	6.1%
CHILD (BIOLOGICAL, ADOPTED, ST	-	9	0.4%
CHILD'S FRIEND	-	1	0.0%
COUSIN	-	1	0.0%
COUSIN KID	-	1	0.0%
FRIEND	-	2	0.1%
FRIENDS DAUGHTER	-	1	0.0%
GRANDCHILD	-	14	0.6%
NIECE/ NEPHEW	-	2	0.1%
PARENT-IN- LAW	-	1	0.0%

Value	Label	Unweighted Frequency	%
SPOUSE	-	2	0.1%
TENANT/ BOARDER	-	1	0.0%
	Total	181	7.5%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	2232	92.5%
	Total	2,232	92.5%

This variable has 181 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2677-2706 (width: 30; decimal: 0)

Variable Type: character

(Range of) Missing Values: -1

SEX57: Gender (5)

Please tell me their gender

Value	Label	Unweighted Frequency	%
-	-	146	6.1%
-9	Missing	0	0.0%
F	-	13	0.5%
M	-	22	0.9%
	Total	181	7.5%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	2232	92.5%
-7	Refused	0	0.0%
-8	Do not know	0	0.0%
	Total	2,232	92.5%

This variable has 181 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2707-2708 (width: 2; decimal: 0)

Variable Type: character

(Range of) Missing Values: -1 , -7 , -8

AGE57: Age (5)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	4	0.2%
3	-	1	0.0%
4	-	1	0.0%
5	-	1	0.0%
6	-	2	0.1%
8	-	2	0.1%
9	-	1	0.0%
10	-	2	0.1%
11	-	3	0.1%
12	-	1	0.0%
13	-	2	0.1%
15	-	1	0.0%
16	-	2	0.1%
18	-	3	0.1%
20	-	3	0.1%
21	-	1	0.0%
26	-	1	0.0%
42	-	1	0.0%
56	-	2	0.1%
83	-	1	0.0%
Total		35	1.5%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2232	92.5%
-	-	146	6.1%
Total		2,378	98.5%

This variable has 35 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 16.83
- Median: 12.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 83.00

- Standard Deviation: 17.51

Location: 2709-2710 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE67: Relationship to self (6)-enumeration

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	Spouse	1	0.0%
2	Partner (not married)	0	0.0%
3	Parent	0	0.0%
4	Parent-in-law	0	0.0%
5	Child (biol/adopt/step)	5	0.2%
6	Grandchild	4	0.2%
7	Son/daughter-in-law	0	0.0%
8	Sibling	0	0.0%
9	Niece/nephew	2	0.1%
10	Friend	1	0.0%
11	Tenant/boarder	0	0.0%
12	Other relation	1	0.0%
	Total	14	0.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2253	93.4%
.	-	146	6.1%
	Total	2,399	99.4%

This variable has 14 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 2711-2712 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT67: Relationship to self (6)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	146	6.1%
CHILD (BIOLOGICAL, ADOPTED, ST)	-	5	0.2%
FRIEND	-	1	0.0%
GRANDCHILD	-	4	0.2%
NIECE/ NEPHEW	-	2	0.1%
SON'S FRIEND	-	1	0.0%
SPOUSE	-	1	0.0%
	Total	160	6.6%
Value	Missing Data	Unweighted Frequency	%
-1	N/A	2253	93.4%
	Total	2,253	93.4%

This variable has 160 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2713-2742 (width: 30; decimal: 0)

Variable Type: character

(Range of) Missing Values: -1

SEX67: Gender (6)

Please tell me their gender

Value	Label	Unweighted Frequency	%
-	-	146	6.1%
-9	Missing	0	0.0%
F	-	6	0.2%
M	-	8	0.3%
	Total	160	6.6%
Value	Missing Data	Unweighted Frequency	%
-1	N/A	2253	93.4%
-7	Refused	0	0.0%
-8	Do not know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
	Total	2,253	93.4%

This variable has 160 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2743-2744 (width: 2; decimal: 0)

Variable Type: character

(Range of) Missing Values: -1 , -7 , -8

AGE67: Age (6)

Please tell me their age

Value	Label	Unweighted Frequency	%
4	-	1	0.0%
5	-	1	0.0%
6	-	1	0.0%
9	-	1	0.0%
10	-	2	0.1%
12	-	1	0.0%
13	-	1	0.0%
14	-	2	0.1%
18	-	1	0.0%
21	-	1	0.0%
48	-	1	0.0%
65	-	1	0.0%
	Total	14	0.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2253	93.4%
.	-	146	6.1%
	Total	2,399	99.4%

This variable has 14 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 17.79

- Median: 12.50
- Minimum: 4.00
- Maximum: 65.00
- Standard Deviation: 17.38

Location: 2745-2746 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE77: Relationship to self (7)-enumeration

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	Spouse	0	0.0%
2	Partner (not married)	0	0.0%
3	Parent	0	0.0%
4	Parent-in-law	0	0.0%
5	Child (biol/adopt/step)	3	0.1%
6	Grandchild	5	0.2%
7	Son/daughter-in-law	0	0.0%
8	Sibling	0	0.0%
9	Niece/nephew	1	0.0%
10	Friend	0	0.0%
11	Tenant/boarder	0	0.0%
12	Other relation	1	0.0%
	Total	10	0.4%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2257	93.5%
.	-	146	6.1%
	Total	2,403	99.6%

This variable has 10 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 5.00
- Maximum: 12.00

Location: 2747-2748 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT77: Relationship to yourself (7)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	146	6.1%
CHILD (BIOLOGICAL, ADOPTED, ST	-	3	0.1%
GRANDCHILD	-	5	0.2%
NIECE/ NEPHEW	-	1	0.0%
SON'S FRIEND	-	1	0.0%
	Total	156	6.5%
Value	Missing Data	Unweighted Frequency	%
-1	N/A	2257	93.5%
	Total	2,257	93.5%

This variable has 156 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2749-2778 (width: 30; decimal: 0)

Variable Type: character

(Range of) Missing Values: -1

SEX77: Gender (7)

Please tell me their gender

Value	Label	Unweighted Frequency	%
-	-	146	6.1%
-9	Missing	0	0.0%
F	-	3	0.1%
M	-	7	0.3%
	Total	156	6.5%
Value	Missing Data	Unweighted Frequency	%
-1	N/A	2257	93.5%
-7	Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	Do not know	0	0.0%
	Total	2,257	93.5%

This variable has 156 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2779-2780 (width: 2; decimal: 0)

Variable Type: character

(Range of) Missing Values: -1 , -7 , -8

AGE77: Age (7)

Please tell me their age

Value	Label	Unweighted Frequency	%
2	-	1	0.0%
5	-	1	0.0%
7	-	2	0.1%
8	-	3	0.1%
10	-	1	0.0%
11	-	1	0.0%
22	-	1	0.0%
	Total	10	0.4%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2257	93.5%
.	-	146	6.1%
	Total	2,403	99.6%

This variable has 10 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 8.80
- Median: 8.00
- Mode: 8.00
- Minimum: 2.00
- Maximum: 22.00
- Standard Deviation: 5.27

Location: 2781-2782 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE87: Relationship to self (8)-enumeration

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	Spouse	1	0.0%
2	Partner (not married)	0	0.0%
3	Parent	0	0.0%
4	Parent-in-law	0	0.0%
5	Child (biol/adopt/step)	0	0.0%
6	Grandchild	3	0.1%
7	Son/daughter-in-law	0	0.0%
8	Sibling	0	0.0%
9	Niece/nephew	1	0.0%
10	Friend	0	0.0%
11	Tenant/boarder	0	0.0%
12	Other relation	1	0.0%
	Total	6	0.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2261	93.7%
.	-	146	6.1%
	Total	2,407	99.8%

This variable has 6 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 2783-2784 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT87: Relationship to yourself (8)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-		146	6.1%
DAUGHTER'S FIANCE	-	1	0.0%
GRANDCHILD	-	3	0.1%
NIECE/ NEPHEW	-	1	0.0%
SPOUSE	-	1	0.0%
	Total	152	6.3%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	2261	93.7%
	Total	2,261	93.7%

This variable has 152 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2785-2801 (width: 17; decimal: 0)

Variable Type: character

(Range of) Missing Values: -1

SEX87: Gender (8)

Please tell me their gender

Value	Label	Unweighted Frequency	%
-		146	6.1%
-9	Missing	0	0.0%
F	-	3	0.1%
M	-	3	0.1%
	Total	152	6.3%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	2261	93.7%
-7	Refused	0	0.0%
-8	Do not know	0	0.0%
	Total	2,261	93.7%

This variable has 152 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2802-2803 (width: 2; decimal: 0)

Variable Type: character
(Range of) Missing Values: -1 , -7 , -8

AGE87: Age (8)

Please tell me their age

Value	Label	Unweighted Frequency	%
4	-	2	0.1%
5	-	1	0.0%
8	-	1	0.0%
68	-	1	0.0%
	Total	5	0.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	1	0.0%
-7	Refused	0	0.0%
-1	N/A	2261	93.7%
.	-	146	6.1%
	Total	2,408	99.8%

This variable has 5 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 17.80
- Median: 5.00
- Mode: 4.00
- Minimum: 4.00
- Maximum: 68.00
- Standard Deviation: 28.11

Location: 2804-2805 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE97: Relationship to self (9)-enumeration

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	Spouse	0	0.0%
2	Partner (not married)	0	0.0%
3	Parent	0	0.0%

Value	Label	Unweighted Frequency	%
4	Parent-in-law	0	0.0%
5	Child (biol/adopt/step)	1	0.0%
6	Grandchild	2	0.1%
7	Son/daughter-in-law	0	0.0%
8	Sibling	0	0.0%
9	Niece/nephew	0	0.0%
10	Friend	0	0.0%
11	Tenant/boarder	0	0.0%
12	Other relation	0	0.0%
	Total	3	0.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2264	93.8%
.	-	146	6.1%
	Total	2,410	99.9%

This variable has 3 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 5.00
- Maximum: 6.00

Location: 2806-2807 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT97: Relationship to yourself (9)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	146	6.1%
CHILD (BIOLOGICAL, ADOPTED, ST	-	1	0.0%
GRANDCHILD	-	2	0.1%
	Total	149	6.2%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	2264	93.8%
	Total	2,264	93.8%

This variable has 149 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2808-2837 (width: 30; decimal: 0)

Variable Type: character

(Range of) Missing Values: -1

SEX97: Gender (9)

Please tell me their gender

Value	Label	Unweighted Frequency	%
-		146	6.1%
-9	Missing	0	0.0%
F	-	2	0.1%
M	-	1	0.0%
	Total	149	6.2%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	2264	93.8%
-7	Refused	0	0.0%
-8	Do not know	0	0.0%
	Total	2,264	93.8%

This variable has 149 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2838-2839 (width: 2; decimal: 0)

Variable Type: character

(Range of) Missing Values: -1 , -7 , -8

AGE97: Age (9)

Please tell me their age

Value	Label	Unweighted Frequency	%
2	-	1	0.0%
6	-	1	0.0%
22	-	1	0.0%

Value	Label	Unweighted Frequency	%
	Total	3	0.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2264	93.8%
.	-	146	6.1%
	Total	2,410	99.9%

This variable has 3 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 10.00
- Median: 6.00
- Minimum: 2.00
- Maximum: 22.00
- Standard Deviation: 10.58

Location: 2840-2841 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

RLATE107: Relationship to self (10)-enumeration

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	Spouse	0	0.0%
2	Partner (not married)	0	0.0%
3	Parent	0	0.0%
4	Parent-in-law	0	0.0%
5	Child (biol/adopt/step)	0	0.0%
6	Grandchild	2	0.1%
7	Son/daughter-in-law	0	0.0%
8	Sibling	0	0.0%
9	Niece/nephew	0	0.0%
10	Friend	0	0.0%
11	Tenant/boarder	0	0.0%
12	Other relation	0	0.0%
	Total	2	0.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2265	93.9%
.	-	146	6.1%
Total		2,411	99.9%

This variable has 2 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 6.00
- Maximum: 6.00

Location: 2842-2843 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT107: Relationship to yourself (10)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	146	6.1%
GRANDCHILD	-	2	0.1%
Total		148	6.1%
Value	Missing Data	Unweighted Frequency	%
-1	N/A	2265	93.9%
Total		2,265	93.9%

This variable has 148 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2844-2853 (width: 10; decimal: 0)

Variable Type: character

(Range of) Missing Values: -1

SEX107: Gender (10)

Please tell me their gender

Value	Label	Unweighted Frequency	%
-	-	146	6.1%

Value	Label	Unweighted Frequency	%
-9	Missing	0	0.0%
M	-	2	0.1%
	Total	148	6.1%
Value	Missing Data	Unweighted Frequency	%
-1	N/A	2265	93.9%
-7	Refused	0	0.0%
-8	Do not know	0	0.0%
	Total	2,265	93.9%

This variable has 148 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2854-2855 (width: 2; decimal: 0)

Variable Type: character

(Range of) Missing Values: -1 , -7 , -8

AGE107: Age (10)

Please tell me their age

Value	Label	Unweighted Frequency	%
5	-	1	0.0%
6	-	1	0.0%
	Total	2	0.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2265	93.9%
.	-	146	6.1%
	Total	2,411	99.9%

This variable has 2 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 5.50
- Median: 5.50
- Minimum: 5.00
- Maximum: 6.00
- Standard Deviation: 0.71

Location: 2856-2857 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE117: Relationship to self (11)-enumeration

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	Spouse	0	0.0%
2	Partner (not married)	0	0.0%
3	Parent	0	0.0%
4	Parent-in-law	0	0.0%
5	Child (biol/adopt/step)	0	0.0%
6	Grandchild	1	0.0%
7	Son/daughter-in-law	0	0.0%
8	Sibling	0	0.0%
9	Niece/nephew	0	0.0%
10	Friend	0	0.0%
11	Tenant/boarder	0	0.0%
12	Other relation	0	0.0%
	Total	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2266	93.9%
.	-	146	6.1%
	Total	2,412	100.0%

This variable has 1 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 6.00
- Maximum: 6.00

Location: 2858-2859 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT117: Relationship to yourself (11)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-		146	6.1%
GRANDCHILD	-	1	0.0%
	Total	147	6.1%
Value	Missing Data	Unweighted Frequency	%
-1	N/A	2266	93.9%
	Total	2,266	93.9%

This variable has 147 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2860-2869 (width: 10; decimal: 0)

Variable Type: character

(Range of) Missing Values: -1

SEX117: Gender (11)

Please tell me their gender

Value	Label	Unweighted Frequency	%
-		146	6.1%
-9	Missing	0	0.0%
M	-	1	0.0%
	Total	147	6.1%
Value	Missing Data	Unweighted Frequency	%
-1	N/A	2266	93.9%
-7	Refused	0	0.0%
-8	Do not know	0	0.0%
	Total	2,266	93.9%

This variable has 147 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2870-2871 (width: 2; decimal: 0)

Variable Type: character

(Range of) Missing Values: -1 , -7 , -8

AGE117: Age (11)

Please tell me their age

Value	Label	Unweighted Frequency	%
4	-	1	0.0%
	Total	1	0.0%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2266	93.9%
.	-	146	6.1%
	Total	2,412	100.0%

This variable has 1 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 4.00
- Median: 4.00
- Mode: 4.00
- Minimum: 4.00
- Maximum: 4.00
- Standard Deviation: 0.00

Location: 2872-2873 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

RLATE127: Relationship to self (12)-enumeration

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	Spouse	0	0.0%
2	Partner (not married)	0	0.0%
3	Parent	0	0.0%
4	Parent-in-law	0	0.0%
5	Child (biol/adopt/step)	0	0.0%
6	Grandchild	1	0.0%
7	Son/daughter-in-law	0	0.0%
8	Sibling	0	0.0%
9	Niece/nephew	0	0.0%
10	Friend	0	0.0%
11	Tenant/boarder	0	0.0%

Value	Label	Unweighted Frequency	%
12	Other relation	0	0.0%
	Total	1	0.0%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2266	93.9%
.	-	146	6.1%
	Total	2,412	100.0%

This variable has 1 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 6.00
- Maximum: 6.00

Location: 2874-2875 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT127: Relationship to yourself (12)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	146	6.1%
GRANDCHILD	-	1	0.0%
	Total	147	6.1%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	2266	93.9%
	Total	2,266	93.9%

This variable has 147 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2876-2885 (width: 10; decimal: 0)

Variable Type: character

(Range of) Missing Values: -1

SEX127: Gender (12)

Please tell me their gender

Value	Label	Unweighted Frequency	%
-		146	6.1%
-9	Missing	0	0.0%
M	-	1	0.0%
	Total	147	6.1%
Value	Missing Data	Unweighted Frequency	%
-1	N/A	2266	93.9%
-7	Refused	0	0.0%
-8	Do not know	0	0.0%
	Total	2,266	93.9%

This variable has 147 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2886-2887 (width: 2; decimal: 0)

Variable Type: character

(Range of) Missing Values: -1 , -7 , -8

AGE127: Age (12)

Please tell me their age

Value	Label	Unweighted Frequency	%
3	-	1	0.0%
	Total	1	0.0%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2266	93.9%
.	-	146	6.1%
	Total	2,412	100.0%

This variable has 1 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 3.00
- Median: 3.00
- Mode: 3.00
- Minimum: 3.00

- Maximum: 3.00
- Standard Deviation: 0.00

Location: 2888-2889 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FORMINT7: Abbreviated (AIN) or regular (INT) interview

Which version of the interview was administered:

Value	Label	Unweighted Frequency	%
-	-	7	0.3%
AFUI	-	21	0.9%
AINT	-	94	3.9%
FUI	-	2267	93.9%
OFUI	-	24	1.0%
Total		2,413	100.0%

This variable has 2,413 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2890-2893 (width: 4; decimal: 0)

Variable Type: character

FLGINTV7: Completed before V7 began (05/15/2003)

Completed before V7 began (05/15/2003)

Value	Label	Unweighted Frequency	%
0	No	2285	94.7%
1	Yes	3	0.1%
Total		2,288	94.8%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	125	5.2%
Total		125	5.2%

This variable has 2,288 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2894-2895 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STATUS7: Menopausal status

Menopausal status variable

Value	Label	Unweighted Frequency	%
1	Post by BSO (Bilateral Salpingo Oophorectomy)	115	4.8%
2	Natural post	1242	51.5%
3	Late peri	241	10.0%
4	Early peri	576	23.9%
5	Pre-menopausal	50	2.1%
6	Pregnant/breastfeeding	0	0.0%
7	Unknown due to hormone therapy (HT) use	122	5.1%
8	Unknown due to hysterectomy	60	2.5%
	Total	2,406	99.7%
Value	Missing Data	Unweighted Frequency	%
.	-	7	0.3%
	Total	7	0.3%

This variable has 2,406 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 2896-2896 (*width:* 1; *decimal:* 0)

Variable Type: numeric

SAADAY7: Self-administered-Part A day

Date form completed

Value	Label	Unweighted Frequency	%
2286	-	1	0.0%
2297	-	1	0.0%
2315	-	1	0.0%
2324	-	1	0.0%

Value	Label	Unweighted Frequency	%
2332	-	1	0.0%
2333	-	1	0.0%
2342	-	1	0.0%
2365	-	1	0.0%
2373	-	1	0.0%
2375	-	1	0.0%
2399	-	1	0.0%
2401	-	1	0.0%
2417	-	1	0.0%
2418	-	1	0.0%
2423	-	1	0.0%
2425	-	1	0.0%
2429	-	1	0.0%
2432	-	1	0.0%
2439	-	1	0.0%
2441	-	1	0.0%
2449	-	1	0.0%
2455	-	1	0.0%
2462	-	1	0.0%
2465	-	1	0.0%
2468	-	1	0.0%
2478	-	1	0.0%
2480	-	2	0.1%
2481	-	2	0.1%
2482	-	1	0.0%
2483	-	2	0.1%
2484	-	3	0.1%
2485	-	2	0.1%
2486	-	1	0.0%
2490	-	2	0.1%
2491	-	1	0.0%
2492	-	5	0.2%
2493	-	1	0.0%
2494	-	1	0.0%
2495	-	1	0.0%

Value	Label	Unweighted Frequency	%
2496	-	1	0.0%
2497	-	1	0.0%
2498	-	1	0.0%
2499	-	2	0.1%
2500	-	3	0.1%
2501	-	4	0.2%
2502	-	1	0.0%
2503	-	2	0.1%
2504	-	4	0.2%
2505	-	4	0.2%
2506	-	6	0.2%
Total		2,380	98.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	33	1.4%
Total		33	1.4%

This variable has 2,380 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 2605.08
- Minimum: 2286.00
- Maximum: 3069.00
- Standard Deviation: 89.63

Location: 2897-2900 (width: 4; decimal: 0)

Variable Type: numeric

FORMSAA7: Full form (SAA), Abbreviated (AIN) or Phone Interview (PAT)

Which form/questionnaire completed:

Value	Label	Unweighted Frequency	%
-	-	33	1.4%
AFU	-	21	0.9%
AIN	-	80	3.3%
OFU	-	16	0.7%
PAT	-	20	0.8%
SAA	-	2243	93.0%

Value	Label	Unweighted Frequency	%
	Total	2,413	100.0%

This variable has 2,413 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 2901-2903 (width: 3; decimal: 0)

Variable Type: character

LANGSAA7: Language of Self-A

Interview language

Value	Label	Unweighted Frequency	%
1	English	2173	90.1%
2	Spanish	13	0.5%
3	Cantonese	87	3.6%
4	Japanese	107	4.4%
	Total	2,380	98.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	33	1.4%

This variable has 2,380 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2904-2905 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

OVERHLT7: Overall health

In general, would you say your health is excellent, very good, good, fair or poor?

Value	Label	Unweighted Frequency	%
1	Excellent	316	13.1%

Value	Label	Unweighted Frequency	%
2	Very good	882	36.6%
3	Good	803	33.3%
4	Fair	320	13.3%
5	Poor	45	1.9%
	Total	2,366	98.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	3	0.1%
-7	Refused	11	0.5%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	47	1.9%

This variable has 2,366 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2906-2907 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOSPSTA7: Hospital stays since last visit

Since your last study visit, how many different times did you stay in the hospital overnight or longer?

Value	Label	Unweighted Frequency	%
0	-	2047	84.8%
1	-	143	5.9%
2	-	26	1.1%
3	-	11	0.5%
4	-	7	0.3%
5	-	3	0.1%
6	-	2	0.1%
10	-	1	0.0%
	Total	2,240	92.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	3	0.1%
-1	N/A	0	0.0%
.	-	33	1.4%
Total		173	7.2%

This variable has 2,240 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 0.55

Location: 2908-2909 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MDTALK7: Number times talk to health professional

Since your last study visit, about how many times did you see or talk to a doctor, nurse practitioner or other health care provider, regarding your own health? (Do not count hospitalizations or visits for this study).

Value	Label	Unweighted Frequency	%
0	-	210	8.7%
1	-	304	12.6%
2	-	370	15.3%
3	-	330	13.7%
4	-	287	11.9%
5	-	170	7.0%
6	-	137	5.7%
7	-	56	2.3%
8	-	58	2.4%
9	-	17	0.7%
10	-	98	4.1%
11	-	3	0.1%
12	-	42	1.7%
13	-	3	0.1%
14	-	6	0.2%

Value	Label	Unweighted Frequency	%
15	-	19	0.8%
16	-	4	0.2%
17	-	4	0.2%
18	-	4	0.2%
19	-	1	0.0%
20	-	39	1.6%
21	-	1	0.0%
24	-	4	0.2%
25	-	10	0.4%
26	-	2	0.1%
27	-	1	0.0%
28	-	2	0.1%
29	-	1	0.0%
30	-	17	0.7%
32	-	1	0.0%
35	-	4	0.2%
36	-	2	0.1%
38	-	2	0.1%
40	-	4	0.2%
45	-	3	0.1%
50	-	5	0.2%
52	-	2	0.1%
54	-	1	0.0%
60	>=60 times	12	0.5%
Total		2,236	92.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	138	5.7%
-8	Do not know	1	0.0%
-7	Refused	5	0.2%
-1	N/A	0	0.0%
.	-	33	1.4%
Total		177	7.3%

This variable has 2,236 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 5.18
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 7.47

Location: 2910-2911 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVES7: Talk to professional for nerves

Since your last study visit, about how many times did you see or talk to a health care provider or other professional for problems with emotions, "nerves", or mental health?

Value	Label	Unweighted Frequency	%
0	-	1796	74.4%
1	-	129	5.3%
2	-	67	2.8%
3	-	43	1.8%
4	-	30	1.2%
5	-	20	0.8%
6	-	22	0.9%
7	-	5	0.2%
8	-	10	0.4%
9	-	4	0.2%
10	-	26	1.1%
12	-	16	0.7%
13	-	1	0.0%
14	-	4	0.2%
15	-	5	0.2%
16	-	2	0.1%
18	-	3	0.1%
19	-	1	0.0%
20	-	14	0.6%
22	-	1	0.0%
24	-	4	0.2%
26	-	1	0.0%
27	-	1	0.0%
28	-	1	0.0%

Value	Label	Unweighted Frequency	%
30	-	5	0.2%
32	-	1	0.0%
35	-	1	0.0%
36	-	2	0.1%
38	-	1	0.0%
40	-	4	0.2%
48	-	1	0.0%
50	-	2	0.1%
52	-	1	0.0%
54	-	1	0.0%
56	-	1	0.0%
60	>=60 times	11	0.5%
	Total	2,237	92.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	1	0.0%
-7	Refused	5	0.2%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	176	7.3%

This variable has 2,237 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 1.58
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 6.36

Location: 2912-2913 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAPSMEA7: Pap smear since last visit

Since your last study visit, have you had: A Pap Smear (a routine medical test in which the doctor examines the cervix)?

Value	Label	Unweighted Frequency	%
1	No	635	26.3%
2	Yes	1607	66.6%
	Total	2,242	92.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	1	0.0%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	171	7.1%

This variable has 2,242 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2914-2915 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BRSTEXA7: Breast exam since last visit

Since your last study visit, have you had: A breast physical examination (a doctor or medical assistant feels for lumps in the breast)?

Value	Label	Unweighted Frequency	%
1	No	539	22.3%
2	Yes	1704	70.6%
	Total	2,243	93.0%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	170	7.0%

This variable has 2,243 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2916-2917 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

MAMOGRA7: Mammogram since last visit

Since your last study visit, have you had: A mammogram (an x-ray taken only of the breast by a machine that presses the breast against a glass plate)?

Value	Label	Unweighted Frequency	%
1	No	611	25.3%
2	Yes	1631	67.6%
	Total	2,242	92.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	1	0.0%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	171	7.1%

This variable has 2,242 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2918-2919 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

HLTHSER7: Health services did not receive

Since your last study visit, are there any health services that you needed but did not receive?

Value	Label	Unweighted Frequency	%
1	No	1856	76.9%
2	Yes	296	12.3%
	Total	2,152	89.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	227	9.4%
-8	Do not know	0	0.0%
-7	Refused	1	0.0%
-1	N/A	0	0.0%
.	-	33	1.4%
Total		261	10.8%

This variable has 2,152 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2920-2921 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSURAN7: Insurance doesn't cover

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Insurance or health plan does not cover

Value	Label	Unweighted Frequency	%
1	No	178	7.4%
2	Yes	107	4.4%
Total		285	11.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	11	0.5%
-1	N/A	1947	80.7%
.	-	33	1.4%
Total		2,128	88.2%

This variable has 285 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2922-2923 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOTAFFR7: Cannot afford

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? -
Cannot afford

Value	Label	Unweighted Frequency	%
1	No	161	6.7%
2	Yes	126	5.2%
	Total	287	11.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	9	0.4%
-1	N/A	1947	80.7%
.	-	33	1.4%
	Total	2,126	88.1%

This variable has 287 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2924-2925 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOTTRANS7: Travel distance/no transportation

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? -
Travel distance / lack of transportation

Value	Label	Unweighted Frequency	%
1	No	261	10.8%
2	Yes	22	0.9%
	Total	283	11.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	13	0.5%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	1947	80.7%
.	-	33	1.4%
	Total	2,130	88.3%

This variable has 283 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2926-2927 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOPROVI7: No health care provider

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - No health care provider

Value	Label	Unweighted Frequency	%
1	No	228	9.4%
2	Yes	55	2.3%
	Total	283	11.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	13	0.5%
-1	N/A	1947	80.7%
.	-	33	1.4%
	Total	2,130	88.3%

This variable has 283 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2928-2929 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TOOBUSY7: Too busy

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Too busy / didn't have the time

Value	Label	Unweighted Frequency	%
1	No	173	7.2%
2	Yes	113	4.7%
	Total	286	11.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	10	0.4%
-1	N/A	1947	80.7%
.	-	33	1.4%
	Total	2,127	88.1%

This variable has 286 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2930-2931 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOTRUST7: Don't trust doctors

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Don't trust doctors

Value	Label	Unweighted Frequency	%
1	No	252	10.4%
2	Yes	30	1.2%
	Total	282	11.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	14	0.6%
-1	N/A	1947	80.7%
.	-	33	1.4%
	Total	2,131	88.3%

This variable has 282 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2932-2933 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BETTROF7: Better off not knowing

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - I'm better off not knowing

Value	Label	Unweighted Frequency	%
1	No	273	11.3%
2	Yes	9	0.4%
	Total	282	11.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	14	0.6%
-1	N/A	1947	80.7%
.	-	33	1.4%
	Total	2,131	88.3%

This variable has 282 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2934-2935 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FAILOTH7: No health care - other reason

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Other

Value	Label	Unweighted Frequency	%
1	No	189	7.8%
2	Yes	96	4.0%
	Total	285	11.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	11	0.5%
-1	N/A	1947	80.7%
.	-	33	1.4%
Total		2,128	88.2%

This variable has 285 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2936-2937 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SMOKERE7: Smoked regularly since last visit

Since your last study visit, have you smoked cigarettes regularly (at least one cigarette a day)?

Value	Label	Unweighted Frequency	%
1	No	2055	85.2%
2	Yes	323	13.4%
Total		2,378	98.5%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%
-8	Do not know	0	0.0%
-7	Refused	1	0.0%
-1	N/A	0	0.0%
.	-	33	1.4%
Total		35	1.5%

This variable has 2,378 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2938-2939 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AVCIGDA7: Average cigarettes/day since last visit

If YES to SMOKERE7: How many cigarettes, on average, do you smoke per day now?

Value	Label	Unweighted Frequency	%
0	-	26	1.1%
1	-	7	0.3%
2	-	9	0.4%
3	-	13	0.5%
4	-	15	0.6%
5	-	14	0.6%
6	-	14	0.6%
7	-	7	0.3%
8	-	10	0.4%
9	-	3	0.1%
10	-	66	2.7%
11	-	1	0.0%
12	-	10	0.4%
13	-	1	0.0%
15	-	25	1.0%
16	-	3	0.1%
18	-	2	0.1%
19	-	2	0.1%
20	-	68	2.8%
21	-	1	0.0%
25	-	8	0.3%
28	-	1	0.0%
30	-	6	0.2%
35	-	2	0.1%
40	-	6	0.2%
Total		320	13.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	3	0.1%
-1	N/A	2057	85.2%
.	-	33	1.4%

Value	Missing Data	Unweighted Frequency	%
	Total	2,093	86.7%

This variable has 320 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 11.98
- Median: 10.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 8.59

Location: 2940-2941 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HHMEMSM7: Household members who smoke

How many members of your household smoke tobacco in the house (at least 1 cigarette, cigar or pipe bowl per day)?

Value	Label	Unweighted Frequency	%
0	-	1831	75.9%
1	-	311	12.9%
2	-	64	2.7%
3	-	27	1.1%
4	-	5	0.2%
6	-	1	0.0%
	Total	2,239	92.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	4	0.2%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	174	7.2%

This variable has 2,239 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 6.00
- Standard Deviation: 0.60

Location: 2942-2943 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOMEXPD7: Days exposed to smoke in home past week

During the past 7 days, on how many days were you exposed to tobacco smoke inside your home?

Value	Label	Unweighted Frequency	%
0	-	1890	78.3%
1	-	25	1.0%
2	-	41	1.7%
3	-	10	0.4%
4	-	16	0.7%
5	-	14	0.6%
6	-	4	0.2%
7	-	217	9.0%
Total		2,217	91.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	26	1.1%
-1	N/A	0	0.0%
.	-	33	1.4%
Total		196	8.1%

This variable has 2,217 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 0.82
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.14

Location: 2944-2945 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOMEXPH7: Hours exposed to smoke in home past week

Over the past 7 days, when you were exposed to tobacco smoke in your home, how many hours were you exposed during a typical day?

Value	Label	Unweighted Frequency	%
0	-	306	12.7%
1	-	89	3.7%
2	-	55	2.3%
3	-	30	1.2%
4	-	28	1.2%
5	-	18	0.7%
6	-	22	0.9%
7	-	5	0.2%
8	-	21	0.9%
10	-	8	0.3%
11	-	1	0.0%
12	-	13	0.5%
14	-	2	0.1%
15	-	5	0.2%
16	-	2	0.1%
18	-	1	0.0%
20	-	5	0.2%
24	-	7	0.3%
Total		618	25.6%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	138	5.7%
-8	Do not know	0	0.0%
-7	Refused	12	0.5%
-1	N/A	1612	66.8%
.	-	33	1.4%
Total		1,795	74.4%

This variable has 618 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 2.42
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 4.30

Location: 2946-2947 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKEXPD7: Past 7 days, days exposed to smoke - work

During the past 7 days, on how many days were you exposed to tobacco smoke while at work?

Value	Label	Unweighted Frequency	%
0	-	2063	85.5%
1	-	43	1.8%
2	-	27	1.1%
3	-	11	0.5%
4	-	20	0.8%
5	-	42	1.7%
6	-	5	0.2%
7	-	27	1.1%
Total		2,238	92.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	5	0.2%
-1	N/A	0	0.0%
.	-	33	1.4%
Total		175	7.3%

This variable has 2,238 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.15

Location: 2948-2949 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKEXPH7: Hours/day at work exposed to smoke

Over the past 7 days, when you were exposed to tobacco smoke while at work, how many hours were you exposed during a typical day?

Value	Label	Unweighted Frequency	%
0	-	237	9.8%
1	-	100	4.1%
2	-	28	1.2%
3	-	9	0.4%
4	-	7	0.3%
5	-	7	0.3%
6	-	2	0.1%
7	-	2	0.1%
8	-	9	0.4%
12	-	1	0.0%
Total		402	16.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	138	5.7%
-8	Do not know	0	0.0%
-7	Refused	1	0.0%
-1	N/A	1839	76.2%
.	-	33	1.4%
Total		2,011	83.3%

This variable has 402 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 0.89
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 1.70

Location: 2950-2951 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKEXPE7: Number people smoking when exposed to smoke-work

During the past 7 days, when you were exposed to tobacco smoke while at work, how many people on average were smoking in the room you were in?

Value	Label	Unweighted Frequency	%
0	-	234	9.7%

Value	Label	Unweighted Frequency	%
1	-	67	2.8%
2	-	29	1.2%
3	-	17	0.7%
4	-	8	0.3%
5	-	9	0.4%
6	-	6	0.2%
7	-	3	0.1%
8	-	1	0.0%
10	-	8	0.3%
12	-	1	0.0%
15	-	1	0.0%
20	-	1	0.0%
36	-	1	0.0%
50	-	1	0.0%
Total		387	16.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	139	5.8%
-8	Do not know	1	0.0%
-7	Refused	4	0.2%
-1	N/A	1849	76.6%
.	-	33	1.4%
Total		2,026	84.0%

This variable has 387 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 1.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 3.86

Location: 2952-2953 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

TOTEXPH7: Total hours exposed to smoke-other places

During the past 7 days, how many total hours were you exposed to tobacco smoke while at places other than home or work (including meetings, restaurants, bars, parties, etc.)?

Value	Label	Unweighted Frequency	%
0	-	1577	65.4%
1	-	275	11.4%
2	-	152	6.3%
3	-	72	3.0%
4	-	38	1.6%
5	-	27	1.1%
6	-	19	0.8%
7	-	9	0.4%
8	-	15	0.6%
9	-	5	0.2%
10	-	10	0.4%
11	-	1	0.0%
12	-	11	0.5%
14	-	2	0.1%
15	-	2	0.1%
16	-	2	0.1%
20	-	6	0.2%
24	-	6	0.2%
25	-	1	0.0%
30	-	2	0.1%
32	-	1	0.0%
35	-	1	0.0%
46	-	1	0.0%
100	-	1	0.0%
105	-	1	0.0%
Total		2,237	92.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	1	0.0%
-7	Refused	5	0.2%
-1	N/A	0	0.0%
-	-	33	1.4%
Total		176	7.3%

This variable has 2,237 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 1.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 105.00
- Standard Deviation: 4.25

Location: 2954-2956 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DRNKBEE7: Drink alcoholic beverages since last visit

Since your last study visit, did you drink any beer, wine, liquor, or mixed drinks?

Value	Label	Unweighted Frequency	%
1	No	733	30.4%
2	Yes	1540	63.8%
	Total	2,273	94.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	107	4.4%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	140	5.8%

This variable has 2,273 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2957-2958 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLASBEE7: Average glasses of beer

How many glasses of beer (a medium glass or serving of beer is twelve ounces) did you drink on average per day, week or month?

Value	Label	Unweighted Frequency	%
1	None or < 1/mo	1051	43.6%
2	1-3/mo	249	10.3%

Value	Label	Unweighted Frequency	%
3	1/wk	80	3.3%
4	2-4/wk	79	3.3%
5	5-6/wk	26	1.1%
6	1/day	20	0.8%
7	2-3/day	22	0.9%
8	4/day	4	0.2%
9	>= 5/day	3	0.1%
	Total	1,534	63.6%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	102	4.2%
-8	Do not know	0	0.0%
-7	Refused	4	0.2%
-1	N/A	740	30.7%
.	-	33	1.4%
	Total	879	36.4%

This variable has 1,534 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2959-2960 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

GLASWIN7: Average glasses of wine

How many glasses of wine or wine coolers (a medium glass or serving of wine is 4 to 6 ounces), did you drink on average per day, week or month?

Value	Label	Unweighted Frequency	%
1	None or < 1/mo	671	27.8%
2	1-3/mo	363	15.0%
3	1/wk	119	4.9%
4	2-4/wk	199	8.2%
5	5-6/wk	62	2.6%
6	1/day	60	2.5%
7	2-3/day	60	2.5%

Value	Label	Unweighted Frequency	%
8	4/day	2	0.1%
9	>= 5/day	2	0.1%
Total		1,538	63.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	100	4.1%
-8	Do not know	0	0.0%
-7	Refused	2	0.1%
-1	N/A	740	30.7%
.	-	33	1.4%
Total		875	36.3%

This variable has 1,538 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2961-2962 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

GLASLIQ7: Average glasses of liquor

How many glasses of liquor or mixed drinks (a medium serving is one shot), did you drink on average per day, week or month?

Value	Label	Unweighted Frequency	%
1	None or < 1/mo	1046	43.3%
2	1-3/mo	308	12.8%
3	1/wk	60	2.5%
4	2-4/wk	74	3.1%
5	5-6/wk	19	0.8%
6	1/day	17	0.7%
7	2-3/day	12	0.5%
8	4/day	0	0.0%
9	>= 5/day	1	0.0%
Total		1,537	63.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	100	4.1%

Value	Missing Data	Unweighted Frequency	%
-8	Do not know	0	0.0%
-7	Refused	3	0.1%
-1	N/A	740	30.7%
.	-	33	1.4%
Total		876	36.3%

This variable has 1,537 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2963-2964 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOTFLAS7: Hot flashes past 2 weeks

Thinking back over the past two weeks, how often have you had: Hot flashes or flushes?

Value	Label	Unweighted Frequency	%
1	Not at all	1098	45.5%
2	1-5 days	715	29.6%
3	6-8 days	125	5.2%
4	9-13 days	109	4.5%
5	Every day	330	13.7%
Total		2,377	98.5%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	3	0.1%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	33	1.4%
Total		36	1.5%

This variable has 2,377 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2965-2966 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NUMHOTF7: Hot flashes/flushes times/day

On the days that you have hot flashes or flushes, how many times each day do you usually have them?

Value	Label	Unweighted Frequency	%
0.0	-	2	0.1%
1.0	-	348	14.4%
1.5	-	9	0.4%
2.0	-	348	14.4%
2.5	-	6	0.2%
3.0	-	203	8.4%
3.5	-	8	0.3%
4.0	-	93	3.9%
4.5	-	2	0.1%
5.0	-	60	2.5%
5.5	-	2	0.1%
6.0	-	45	1.9%
7.0	-	11	0.5%
8.0	-	6	0.2%
9.0	-	4	0.2%
10.0	-	30	1.2%
12.0	-	5	0.2%
13.0	-	3	0.1%
14.0	-	3	0.1%
15.0	-	5	0.2%
20.0	-	5	0.2%
40.0	-	2	0.1%
Total		1,200	49.7%

Value	Missing Data	Unweighted Frequency	%
-9.0	Missing	137	5.7%
-8.0	Do not know	1	0.0%
-7.0	Refused	15	0.6%
-1.0	N/A	1027	42.6%
.	-	33	1.4%
Total		1,213	50.3%

This variable has 1,200 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 2.94
- Median: 2.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 2.95

Location: 2967-2970 (width: 4; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: -9.0 , -8.0 , -7.0 , -1.0 , .

BOTHOTF7: Bothered by hot flashes

How much are you usually bothered by hot flashes or flushes?

Value	Label	Unweighted Frequency	%
1	Not at all	87	3.6%
2	Very little	569	23.6%
3	Moderately	445	18.4%
4	A lot	110	4.6%
	Total	1,211	50.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	138	5.7%
-8	Do not know	0	0.0%
-7	Refused	3	0.1%
-1	N/A	1028	42.6%
.	-	33	1.4%
	Total	1,202	49.8%

This variable has 1,211 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2971-2972 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COLDSWE7: Cold sweats past 2 weeks

Thinking back over the past two weeks, how often have you had: Cold sweats?

Value	Label	Unweighted Frequency	%
1	Not at all	1997	82.8%
2	1-5 days	179	7.4%
3	6-8 days	39	1.6%
4	9-13 days	16	0.7%
5	Every day	44	1.8%
	Total	2,275	94.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	105	4.4%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	138	5.7%

This variable has 2,275 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2973-2974 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NUMCLDS7: Cold sweats times/day

On the days that you have cold sweats, how many times each day do you usually have them?

Value	Label	Unweighted Frequency	%
0.0	-	2	0.1%
1.0	-	139	5.8%
1.5	-	6	0.2%
2.0	-	67	2.8%
2.5	-	1	0.0%
3.0	-	29	1.2%
4.0	-	7	0.3%
5.0	-	9	0.4%
6.0	-	3	0.1%
7.0	-	2	0.1%

Value	Label	Unweighted Frequency	%
8.0	-	1	0.0%
10.0	-	4	0.2%
15.0	-	1	0.0%
Total		271	11.2%
Value	Missing Data	Unweighted Frequency	%
-9.0	Missing	138	5.7%
-8.0	Do not know	1	0.0%
-7.0	Refused	4	0.2%
-1.0	N/A	1966	81.5%
.	-	33	1.4%
Total		2,142	88.8%

This variable has 271 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 1.99
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 1.77

Location: 2975-2978 (width: 4; decimal: 1)

Variable Type: numeric

(Range of Missing Values: -9.0 , -8.0 , -7.0 , -1.0 , .

BOTCLDS7: Bothered by cold sweats

How much are you usually bothered by cold sweats?

Value	Label	Unweighted Frequency	%
1	Not at all	25	1.0%
2	Very little	111	4.6%
3	Moderately	105	4.4%
4	A lot	35	1.5%
Total		276	11.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	Refused	1	0.0%
-1	N/A	1966	81.5%
.	-	33	1.4%
	Total	2,137	88.6%

This variable has 276 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2979-2980 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NITESWE7: Night sweats past 2 weeks

Thinking back over the past two weeks, how often have you had: Night sweats?

Value	Label	Unweighted Frequency	%
1	Not at all	1430	59.3%
2	1-5 days	603	25.0%
3	6-8 days	89	3.7%
4	9-13 days	72	3.0%
5	Every day	183	7.6%
	Total	2,377	98.5%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	1	0.0%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	36	1.5%

This variable has 2,377 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2981-2982 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NUMNITS7: Night sweats times/night

On the days that you have night sweats, how many times each night do you usually have them?

Value	Label	Unweighted Frequency	%
0.0	-	2	0.1%
1.0	-	473	19.6%
1.5	-	11	0.5%
2.0	-	261	10.8%
2.5	-	6	0.2%
3.0	-	83	3.4%
3.5	-	2	0.1%
4.0	-	23	1.0%
5.0	-	19	0.8%
6.0	-	5	0.2%
7.0	-	2	0.1%
8.0	-	2	0.1%
9.0	-	1	0.0%
10.0	-	1	0.0%
13.0	-	1	0.0%
14.0	-	1	0.0%
20.0	-	1	0.0%
40.0	-	1	0.0%
Total		895	37.1%
Value	Missing Data	Unweighted Frequency	%
-9.0	Missing	139	5.8%
-8.0	Do not know	1	0.0%
-7.0	Refused	6	0.2%
-1.0	N/A	1339	55.5%
-	-	33	1.4%
Total		1,518	62.9%

This variable has 895 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 1.83
- Median: 1.00

- Mode: 1.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 1.88

Location: 2983-2986 (width: 4; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: -9.0 , -8.0 , -7.0 , -1.0 , .

BOTNITS7: Bothered by night sweats

How much are you usually bothered by night sweats?

Value	Label	Unweighted Frequency	%
1	Not at all	65	2.7%
2	Very little	353	14.6%
3	Moderately	365	15.1%
4	A lot	116	4.8%
	Total	899	37.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	5	0.2%
-1	N/A	1339	55.5%
.	-	33	1.4%
	Total	1,514	62.7%

This variable has 899 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2987-2988 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STIFF7: Stiffness/soreness past 2 weeks

Thinking back over the past two weeks, how often have you had: Stiffness or soreness in joints, neck or shoulders?

Value	Label	Unweighted Frequency	%
1	Not at all	665	27.6%
2	1-5 days	819	33.9%

Value	Label	Unweighted Frequency	%
3	6-8 days	193	8.0%
4	9-13 days	128	5.3%
5	Every day	571	23.7%
	Total	2,376	98.5%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	4	0.2%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	37	1.5%

This variable has 2,376 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2989-2990 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTSTIF7: Bothered by stiffness

How much are you usually bothered by stiffness or soreness in joints, neck or shoulders?

Value	Label	Unweighted Frequency	%
1	Not at all	36	1.5%
2	Very little	596	24.7%
3	Moderately	713	29.5%
4	A lot	261	10.8%
	Total	1,606	66.6%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	3	0.1%
-1	N/A	634	26.3%
.	-	33	1.4%

Value	Missing Data	Unweighted Frequency	%
	Total	807	33.4%

This variable has 1,606 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2991-2992 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IRRITAB7: Irritability past 2 weeks

Thinking back over the past two weeks, how often have you had: Irritability or grouchiness?

Value	Label	Unweighted Frequency	%
1	Not at all	928	38.5%
2	1-5 days	1139	47.2%
3	6-8 days	139	5.8%
4	9-13 days	65	2.7%
5	Every day	102	4.2%
	Total	2,373	98.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	7	0.3%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	40	1.7%

This variable has 2,373 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2993-2994 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTIRRT7: Bothered by irritability

How much are you usually bothered by irritability or grouchiness?

Value	Label	Unweighted Frequency	%
1	Not at all	63	2.6%
2	Very little	711	29.5%
3	Moderately	488	20.2%
4	A lot	108	4.5%
	Total	1,370	56.8%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	5	0.2%
-1	N/A	868	36.0%
.	-	33	1.4%
	Total	1,043	43.2%

This variable has 1,370 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2995-2996 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NRVOUS7: Tense/nervous past 2 weeks

Thinking back over the past two weeks, how often have you felt: Tense or nervous

Value	Label	Unweighted Frequency	%
1	Not at all	902	37.4%
2	1-5 days	1016	42.1%
3	6-8 days	157	6.5%
4	9-13 days	88	3.6%
5	Every day	112	4.6%
	Total	2,275	94.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	105	4.4%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	138	5.7%

This variable has 2,275 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2997-2998 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTNERV7: Bothered by tenseness

How much are you usually bothered by feeling tense or nervous?

Value	Label	Unweighted Frequency	%
1	Not at all	68	2.8%
2	Very little	618	25.6%
3	Moderately	535	22.2%
4	A lot	139	5.8%
	Total	1,360	56.4%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	2	0.1%
-1	N/A	881	36.5%
.	-	33	1.4%
	Total	1,053	43.6%

This variable has 1,360 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2999-3000 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACHE87: Back aches/pains past 2 weeks

Thinking back over the past two weeks, how often have you had: Back aches or pains?

Value	Label	Unweighted Frequency	%
1	Not at all	803	33.3%
2	1-5 days	852	35.3%
3	6-8 days	175	7.3%
4	9-13 days	123	5.1%
5	Every day	325	13.5%
	Total	2,278	94.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	101	4.2%
-8	Do not know	0	0.0%
-7	Refused	1	0.0%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	135	5.6%

This variable has 2,278 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3001-3002 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

VAGINDR7: Vaginal dryness past 2 weeks

Thinking back over the past two weeks, how often have you had: Vaginal dryness?

Value	Label	Unweighted Frequency	%
1	Not at all	1636	67.8%
2	1-5 days	408	16.9%
3	6-8 days	80	3.3%
4	9-13 days	51	2.1%
5	Every day	198	8.2%
	Total	2,373	98.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	Do not know	0	0.0%
-7	Refused	7	0.3%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	40	1.7%

This variable has 2,373 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3003-3004 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FEELBLU7: Feeling blue past 2 weeks

Thinking back over the past two weeks, how often have you had: Feeling blue or depressed?

Value	Label	Unweighted Frequency	%
1	Not at all	1124	46.6%
2	1-5 days	946	39.2%
3	6-8 days	144	6.0%
4	9-13 days	84	3.5%
5	Every day	78	3.2%
	Total	2,376	98.5%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	4	0.2%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	37	1.5%

This variable has 2,376 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3005-3006 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIZZY7: Dizzy spells past 2 weeks

Thinking back over the past two weeks, how often have you had: Dizzy spells?

Value	Label	Unweighted Frequency	%
1	Not at all	1838	76.2%
2	1-5 days	384	15.9%
3	6-8 days	24	1.0%
4	9-13 days	18	0.7%
5	Every day	12	0.5%
	Total	2,276	94.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	102	4.2%
-8	Do not know	0	0.0%
-7	Refused	2	0.1%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	137	5.7%

This variable has 2,276 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3007-3008 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FORGET7: Forgetfulness past 2 weeks

Thinking back over the past two weeks, how often have you had: Forgetfulness?

Value	Label	Unweighted Frequency	%
1	Not at all	730	30.3%
2	1-5 days	1035	42.9%
3	6-8 days	230	9.5%
4	9-13 days	91	3.8%
5	Every day	192	8.0%
	Total	2,278	94.4%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	100	4.1%
-8	Do not know	0	0.0%
-7	Refused	2	0.1%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	135	5.6%

This variable has 2,278 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3009-3010 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MOODCHG7: Frequent mood changes past 2 weeks

Thinking back over the past two weeks, how often have you had: Frequent mood changes?

Value	Label	Unweighted Frequency	%
1	Not at all	1449	60.0%
2	1-5 days	723	30.0%
3	6-8 days	119	4.9%
4	9-13 days	43	1.8%
5	Every day	44	1.8%
	Total	2,378	98.5%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%
-8	Do not know	0	0.0%
-7	Refused	1	0.0%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	35	1.5%

This variable has 2,378 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 3011-3012 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HARTRAC7: Heart pounding/racing past 2 weeks

Thinking back over the past two weeks, how often have you had: Heart pounding or racing?

Value	Label	Unweighted Frequency	%
1	Not at all	1689	70.0%
2	1-5 days	475	19.7%
3	6-8 days	64	2.7%
4	9-13 days	26	1.1%
5	Every day	24	1.0%
	Total	2,278	94.4%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	100	4.1%
-8	Do not know	0	0.0%
-7	Refused	2	0.1%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	135	5.6%

This variable has 2,278 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3013-3014 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FEARFULA7: Feeling fearful past 2 weeks

Thinking back over the past two weeks, how often have you had: Feeling fearful for no reason?

Value	Label	Unweighted Frequency	%
1	Not at all	1900	78.7%
2	1-5 days	284	11.8%
3	6-8 days	49	2.0%

Value	Label	Unweighted Frequency	%
4	9-13 days	26	1.1%
5	Every day	19	0.8%
	Total	2,278	94.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	101	4.2%
-8	Do not know	0	0.0%
-7	Refused	1	0.0%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	135	5.6%

This variable has 2,278 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3015-3016 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HDACHE7: Headaches past 2 weeks

Thinking back over the past two weeks, how often have you had: Headaches?

Value	Label	Unweighted Frequency	%
1	Not at all	1067	44.2%
2	1-5 days	1010	41.9%
3	6-8 days	121	5.0%
4	9-13 days	43	1.8%
5	Every day	38	1.6%
	Total	2,279	94.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	100	4.1%
-8	Do not know	0	0.0%
-7	Refused	1	0.0%
-1	N/A	0	0.0%
.	-	33	1.4%

Value	Missing Data	Unweighted Frequency	%
	Total	134	5.6%

This variable has 2,279 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3017-3018 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BRSTPAI7: Breast pain/tenderness past 2 weeks

Thinking back over the past two weeks, how often have you had: Breast pain/tenderness?

Value	Label	Unweighted Frequency	%
1	Not at all	1792	74.3%
2	1-5 days	402	16.7%
3	6-8 days	52	2.2%
4	9-13 days	13	0.5%
5	Every day	20	0.8%
	Total	2,279	94.4%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	100	4.1%
-8	Do not know	0	0.0%
-7	Refused	1	0.0%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	134	5.6%

This variable has 2,279 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3019-3020 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TRBLSLE7: Trouble falling asleep past 2 weeks

In the past two weeks: Did you have trouble falling asleep?

Value	Label	Unweighted Frequency	%
1	No, not in the past 2 wks	1223	50.7%
2	Yes, < once a wk	350	14.5%
3	Yes, 1-2 times/wk	326	13.5%
4	Yes, 3-4 times/wk	181	7.5%
5	Yes, 5 or more times/wk	162	6.7%
	Total	2,242	92.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	1	0.0%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	171	7.1%

This variable has 2,242 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3021-3022 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

WAKEUP7: Wake up several times/night past 2 weeks

In the past two weeks: Did you wake up several times a night?

Value	Label	Unweighted Frequency	%
1	No, not in the past 2 wks	617	25.6%
2	Yes, < once a wk	366	15.2%
3	Yes, 1-2 times/wk	399	16.5%
4	Yes, 3-4 times/wk	380	15.7%
5	Yes, 5 or more times/wk	477	19.8%
	Total	2,239	92.8%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	138	5.7%
-8	Do not know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	Refused	3	0.1%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	174	7.2%

This variable has 2,239 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3023-3024 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

WAKEARL7: Wake up early past 2 weeks

In the past two weeks: Did you wake up earlier than you had planned to, and were unable to fall asleep again?

Value	Label	Unweighted Frequency	%
1	No, not in the past 2 wks	1067	44.2%
2	Yes, < once a wk	421	17.4%
3	Yes, 1-2 times/wk	367	15.2%
4	Yes, 3-4 times/wk	207	8.6%
5	Yes, 5 or more times/wk	180	7.5%
	Total	2,242	92.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	1	0.0%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	171	7.1%

This variable has 2,242 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3025-3026 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

SLEEPQL7: Sleep quality overall past month

During the past month, how would you rate your sleep quality overall?

Value	Label	Unweighted Frequency	%
1	Very good	537	22.3%
2	Fairly good	1185	49.1%
3	Fairly bad	419	17.4%
4	Very bad	98	4.1%
	Total	2,239	92.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	138	5.7%
-8	Do not know	0	0.0%
-7	Refused	3	0.1%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	174	7.2%

This variable has 2,239 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3027-3028 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEKEVER7: Involuntary leakage ever

Have you ever leaked urine, even a very small amount, beyond your control?

Value	Label	Unweighted Frequency	%
1	No	673	27.9%
2	Yes	1554	64.4%
	Total	2,227	92.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	153	6.3%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	186	7.7%

This variable has 2,227 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3029-3030 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEKDISC7: Ever discuss leakage with health care provider

Have you ever discussed your urine leakage with a doctor, nurse or other health care professional?

Value	Label	Unweighted Frequency	%
1	No	1083	44.9%
2	Yes	461	19.1%
	Total	1,544	64.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	145	6.0%
-8	Do not know	0	0.0%
-7	Refused	4	0.2%
-1	N/A	687	28.5%
.	-	33	1.4%
	Total	869	36.0%

This variable has 1,544 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3031-3032 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LNOTBAD7: Not discuss: problem not bad enough

If NO to LEKDISC7: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - My problem is not bad enough to discuss it with a doctor, nurse or health care professional

Value	Label	Unweighted Frequency	%
1	No	191	7.9%
2	Yes	900	37.3%
	Total	1,091	45.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	138	5.7%
-8	Do not know	0	0.0%
-7	Refused	13	0.5%
-1	N/A	1138	47.2%
.	-	33	1.4%
	Total	1,322	54.8%

This variable has 1,091 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3033-3034 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LNOEFTX7: Not discuss: think no effective treatment

If NO to LEKDISC7: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - I don't think there are any effective treatments for my leaking problem

Value	Label	Unweighted Frequency	%
1	No	833	34.5%
2	Yes	251	10.4%
	Total	1,084	44.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	139	5.8%
-8	Do not know	0	0.0%
-7	Refused	19	0.8%
-1	N/A	1138	47.2%
.	-	33	1.4%
	Total	1,329	55.1%

This variable has 1,084 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3035-3036 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LNRMOLD7: Not discuss: normal part of getting old

If NO to LEKDISC7: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - Leaking urine is a normal part of getting older

Value	Label	Unweighted Frequency	%
1	No	510	21.1%
2	Yes	579	24.0%
	Total	1,089	45.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	138	5.7%
-8	Do not know	0	0.0%
-7	Refused	15	0.6%
-1	N/A	1138	47.2%
.	-	33	1.4%
	Total	1,324	54.9%

This variable has 1,089 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3037-3038 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LNRMCHD7: Not discuss: normal after having children

If NO to LEKDISC7: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - Leaking urine is normal after having children

Value	Label	Unweighted Frequency	%
1	No	776	32.2%
2	Yes	308	12.8%
	Total	1,084	44.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	138	5.7%
-8	Do not know	0	0.0%
-7	Refused	20	0.8%
-1	N/A	1138	47.2%
.	-	33	1.4%
Total		1,329	55.1%

This variable has 1,084 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3039-3040 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LWYSURG7: Not discuss: worried will need surgery

If NO to LEKDISC7: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - I am worried that I will be told I need surgery

Value	Label	Unweighted Frequency	%
1	No	1036	42.9%
2	Yes	52	2.2%
Total		1,088	45.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	138	5.7%
-8	Do not know	0	0.0%
-7	Refused	16	0.7%
-1	N/A	1138	47.2%
.	-	33	1.4%
Total		1,325	54.9%

This variable has 1,088 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3041-3042 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEMBARR7: Not discuss: too embarrassed to bring up

If NO to LEKDISC7: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - I am too embarrassed about my leaking problem to bring it up at a visit with my doctor/nurse/other health care professional

Value	Label	Unweighted Frequency	%
1	No	998	41.4%
2	Yes	89	3.7%
	Total	1,087	45.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	138	5.7%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%
-1	N/A	1138	47.2%
.	-	33	1.4%
	Total	1,326	55.0%

This variable has 1,087 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3043-3044 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LDRNASK7: Not discuss: health care provider (HCP) never asked

If NO to LEKDISC7: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - My doctor/nurse/health care professional has never asked me about my leaking problem

Value	Label	Unweighted Frequency	%
1	No	494	20.5%
2	Yes	593	24.6%
	Total	1,087	45.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	138	5.7%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	1138	47.2%
.	-	33	1.4%
	Total	1,326	55.0%

This variable has 1,087 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3045-3046 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LTXMYSF7: Not discuss: can treat myself

If NO to LEKDISC7: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - I can or have treated my leaking problem by myself

Value	Label	Unweighted Frequency	%
1	No	731	30.3%
2	Yes	354	14.7%
	Total	1,085	45.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	138	5.7%
-8	Do not know	0	0.0%
-7	Refused	18	0.7%
-1	N/A	1139	47.2%
.	-	33	1.4%
	Total	1,328	55.0%

This variable has 1,085 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3047-3048 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEAKOR7: Not discuss: other reason

If NO to LEKDISC7: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - Are there any other reason(s) you have not discussed your leaking problem with a doctor/nurse/health care professional?

Value	Label	Unweighted Frequency	%
1	No	908	37.6%
2	Yes	172	7.1%
	Total	1,080	44.8%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	138	5.7%
-8	Do not know	0	0.0%
-7	Refused	24	1.0%
-1	N/A	1138	47.2%
.	-	33	1.4%
	Total	1,333	55.2%

This variable has 1,080 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3049-3050 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEAKORS7: Not discuss: other specify

If NO to LEKDISC7: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - Are there any other reason(s) you have not discussed your leaking problem with a doctor/nurse/health care professional? - Please list (Specify)

Value	Label	Unweighted Frequency	%
	-	170	7.0%
0	-	1	0.0%
AFTER BEING IN CAR FOR LONG PERIOD OF TIME/ WAITING TOO LONG	-	1	0.0%
ALL MY LIFE HAVE BEEN LIKE THAT	-	1	0.0%
BECAUSE I HELD URINE TO LONG	-	1	0.0%
BECAUSE IT ONLEY	-	1	0.0%

Value	Label	Unweighted Frequency	%
HAPPEN WHEN I HAV A COLD			
BEE BUSY YTAKING CARE IF HUSBAND & WORKING	-	1	0.0%
BLADDER SUSPENSION 8 YRS AGO	-	1	0.0%
CAN'T REMEMBER WHEN I GET MY PHYSICAL	-	1	0.0%
CAUSED BY CAFFEINE, SOLVED BY AVOIDING CAFFEINE	-	1	0.0%
CUT BACK ON CAFFEINE, WHICH SEEMED TO WORK	-	1	0.0%
DID NOT THINK IT WAS VERY IMPORTANT	-	1	0.0%
DID NOT THINK OF IT AT THE TIME	-	1	0.0%
DIDN'T THINK IT WAS THAT IMPORTANT	-	1	0.0%
DIDN'T THINK IT WAS TOO MUCH OF PROBLEM, WILL TALK TO DR.	-	1	0.0%
DIDN'T THINK TO BRING IT UP	-	1	0.0%
DISAPPEARED - JUST DURING A COLD/ COUGHING	-	1	0.0%
DO A VAGINAL EXERCISE W/THE	-	1	0.0%

Value	Label	Unweighted Frequency	%
MUSCLES,RELEASES THEN TIGHTEN	-		
DO NOT WANT TO USE DRUGS - VERY SENSITIVE TO DRUGS.	-	1	0.0%
DOES NOT HAPPEN OFTEN	-	1	0.0%
DOES NOT HAPPEN VERY OFTEN	-	1	0.0%
DOESN'T BOTHER ME	-	1	0.0%
DON'T FEEL ITS A PROBLEM	-	1	0.0%
DON'T GET TO DR'S VERY OFTEN	-	1	0.0%
DON'T LEAK THAT MUCH OR THAT OFTEN IF I GO TO THE BATHROOM,	-	1	0.0%
DON'T WANT TO GET UP & PUT OFF GETTING UP TO GO TO BATHROOM	-	1	0.0%
DON'T WANT TO TAKE ANY MORE PILLS	-	1	0.0%
DUE TO FIBROIDS TUMORS	-	1	0.0%
EMBARRASSED	-	1	0.0%
FORGET TO MENTION	-	1	0.0%
FORGOT ABOUT PROBLEM	-	1	0.0%
FORGOT TO ASK	-	1	0.0%
FORGOT, IT DOES NOT	-	1	0.0%

Value	Label	Unweighted Frequency	%
HAPPEN OFTEN ENOUGH YET			
HADD HYSTERECTOMY A FEW YRS AGO- WEAK MUSCLES	-	1	0.0%
HADNT THOUGHT ABOUT IT; BUT NOW I WILL	-	1	0.0%
HAPPENED FOR SHORT PERIOD OF TIME(NOT SEVER) NOT HAPPEN NOW	-	1	0.0%
HAPPENS VERY LITTLE ONLY WHEN I WAIT TO GO TO THE BATHROOM	-	1	0.0%
HAPPENS WHEN COUGHING OR WAITING TO LONG TO GO TO BATHROOM	-	1	0.0%
HARDLY EVER HAPPENS	-	1	0.0%
HAVE BEEN DOING KEGEL EXERCISES, WHICH SEEM TO HELP	-	1	0.0%
HAVE FIBROIDS WHICH CAUSE PRESSURE	-	1	0.0%
HAVE HAD A 'WEAK' BLADDER ALL MY LIFE	-	1	0.0%
HAVE NOT BEEN TO SEE A DOCTOR/ NURSE OR OTHER	-	1	0.0%

Value	Label	Unweighted Frequency	%
HEALTH CARE PRO			
HAVE NOT MADE IT A POINT TO SEE THE DOCTOR.	-	1	0.0%
HAVE NOT SEEN DOCTOR	-	1	0.0%
HAVE NOT TAKEN THE TIME TO GO TO DOCTOR & DISCUSS PROBLEM	-	1	0.0%
HAVEN'T BEEN GOING TO DR.	-	1	0.0%
HAVEN'T BEEN TO DOCTOR	-	1	0.0%
HAVEN'T BEEN TO DOCTOR SINCE IT HAPPENED	-	1	0.0%
HAVEN'T BEEN TO DOCTORS IN THE PAST YEAR	-	1	0.0%
	Total	339	14.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-1	N/A	2071	85.8%
-7	Refused	3	0.1%
	Total	2,074	86.0%

This variable has 339 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 3051-3110 (*width:* 60; *decimal:* 0)

Variable Type: character

(Range of Missing Values: -1 , -7

RXTRMLK7: Health care provider (HCP) recommended leakage treatment

Did a doctor, nurse or other health care professional recommend or prescribe any treatment for your urine leakage?

Value	Label	Unweighted Frequency	%
1	No	178	7.4%
2	Yes	291	12.1%
	Total	469	19.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	145	6.0%
-8	Do not know	0	0.0%
-7	Refused	1	0.0%
-1	N/A	1765	73.1%
.	-	33	1.4%
	Total	1,944	80.6%

This variable has 469 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3111-3112 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LRXMED7: Leak treatment recommended: medication

If YES to RXTRMLK7: For the treatments that were recommended or prescribed by a doctor, nurse or other health care professional, tell us how satisfied you were with each of them - Medication

Value	Label	Unweighted Frequency	%
0	Not recommended	196	8.1%
1	Recommended, but have not tried tmt	19	0.8%
2	Recommended, but not satisfied w/tmt	17	0.7%
3	Recommended, somewhat satisfied w/tmt	28	1.2%
4	Recommended, very satisfied w/tmt	18	0.7%
	Total	278	11.5%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	142	5.9%
-8	Do not know	0	0.0%
-7	Refused	8	0.3%
-1	N/A	1952	80.9%

Value	Missing Data	Unweighted Frequency	%
.	-	33	1.4%
	Total	2,135	88.5%

This variable has 278 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 3113-3114 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LRXKEGL7: Leak treatment recommended: kegel exercise

If YES to RXTRMLK7: For the treatments that were recommended or prescribed by a doctor, nurse or other health care professional, tell us how satisfied you were with each of them - Kegel or pelvic muscle exercises

Value	Label	Unweighted Frequency	%
0	Not recommended	68	2.8%
1	Recommended, but have not tried tmt	34	1.4%
2	Recommended, but not satisfied w/tmt	63	2.6%
3	Recommended, somewhat satisfied w/tmt	100	4.1%
4	Recommended, very satisfied w/tmt	22	0.9%
	Total	287	11.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	138	5.7%
-8	Do not know	0	0.0%
-7	Refused	3	0.1%
-1	N/A	1952	80.9%
.	-	33	1.4%
	Total	2,126	88.1%

This variable has 287 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 3115-3116 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LRXBIOF7: Leak treatment recommended: biofeedback

If YES to RXTRMLK7: For the treatments that were recommended or prescribed by a doctor, nurse or other health care professional, tell us how satisfied you were with each of them - Biofeedback or electrical stimulation

Value	Label	Unweighted Frequency	%
0	Not recommended	260	10.8%
1	Recommended, but have not tried tmt	9	0.4%
2	Recommended, but not satisfied w/tmt	4	0.2%
3	Recommended, somewhat satisfied w/tmt	5	0.2%
4	Recommended, very satisfied w/tmt	4	0.2%
	Total	282	11.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	9	0.4%
-1	N/A	1952	80.9%
.	-	33	1.4%
	Total	2,131	88.3%

This variable has 282 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 3117-3118 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LRXUMOR7: Leak treatment recommended: urinate more often

If YES to RXTRMLK7: For the treatments that were recommended or prescribed by a doctor, nurse or other health care professional, tell us how satisfied you were with each of them - Urinate more often or urinate on a schedule

Value	Label	Unweighted Frequency	%
0	Not recommended	216	9.0%
1	Recommended, but have not tried tmt	7	0.3%
2	Recommended, but not satisfied w/tmt	16	0.7%
3	Recommended, somewhat satisfied w/tmt	39	1.6%
4	Recommended, very satisfied w/tmt	5	0.2%

Value	Label	Unweighted Frequency	%
	Total	283	11.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	8	0.3%
-1	N/A	1952	80.9%
.	-	33	1.4%
	Total	2,130	88.3%

This variable has 283 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 3119-3120 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LRXLIMT7: Leak treatment recommended: limit fluids

If YES to RXTRMLK7: For the treatments that were recommended or prescribed by a doctor, nurse or other health care professional, tell us how satisfied you were with each of them - Limit fluid intake

Value	Label	Unweighted Frequency	%
0	Not recommended	237	9.8%
1	Recommended, but have not tried tmt	8	0.3%
2	Recommended, but not satisfied w/tmt	15	0.6%
3	Recommended, somewhat satisfied w/tmt	17	0.7%
4	Recommended, very satisfied w/tmt	5	0.2%
	Total	282	11.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	9	0.4%
-1	N/A	1952	80.9%
.	-	33	1.4%
	Total	2,131	88.3%

This variable has 282 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 3121-3122 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LRXSURG7: Leak treatment recommended: surgery

If YES to RXTRMLK7: For the treatments that were recommended or prescribed by a doctor, nurse or other health care professional, tell us how satisfied you were with each of them - Surgery

Value	Label	Unweighted Frequency	%
0	Not recommended	223	9.2%
1	Recommended, but have not tried tmt	29	1.2%
2	Recommended, but not satisfied w/tmt	8	0.3%
3	Recommended, somewhat satisfied w/tmt	8	0.3%
4	Recommended, very satisfied w/tmt	16	0.7%
	Total	284	11.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	7	0.3%
-1	N/A	1952	80.9%
.	-	33	1.4%
	Total	2,129	88.2%

This variable has 282 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 3123-3124 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LRXOTH7: Leak treatment recommended: other treatment

If YES to RXTRMLK7: For the treatments that were recommended or prescribed by a doctor, nurse or other health care professional, tell us how satisfied you were with each of them - Any other treatments

Value	Label	Unweighted Frequency	%
0	Not recommended	245	10.2%
1	Recommended, but have not tried tmt	8	0.3%
2	Recommended, but not satisfied w/tmt	5	0.2%
3	Recommended, somewhat satisfied w/tmt	9	0.4%
4	Recommended, very satisfied w/tmt	7	0.3%
	Total	274	11.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	141	5.8%
-8	Do not know	0	0.0%
-7	Refused	13	0.5%
-1	N/A	1952	80.9%
.	-	33	1.4%
	Total	2,139	88.6%

This variable has 274 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 3125-3126 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

LEKINVO7: Involuntary leakage since last study visit

Since your last study visit, have you leaked, even a very small amount, of urine involuntarily or beyond your control?

Value	Label	Unweighted Frequency	%
1	No	144	6.0%
2	Yes	1391	57.6%
	Total	1,535	63.6%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	129	5.3%
-8	Do not know	0	0.0%
-7	Refused	5	0.2%
-1	N/A	674	27.9%
.	-	70	2.9%

Value	Missing Data	Unweighted Frequency	%
	Total	878	36.4%

This variable has 1,535 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3127-3128 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEKDAY7: Days leaked urine in last month

In the last month, about how many days have you lost any urine, even a small amount, beyond your control?

Value	Label	Unweighted Frequency	%
1	Never	157	6.5%
2	Less than 1 day/week	762	31.6%
3	Several days/week	279	11.6%
4	Almost daily/daily	156	6.5%
	Total	1,354	56.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	174	7.2%
-8	Do not know	0	0.0%
-7	Refused	2	0.1%
-1	N/A	850	35.2%
.	-	33	1.4%
	Total	1,059	43.9%

This variable has 1,354 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3129-3130 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEKCOUG7: Leak urine due to cough, laugh, etc. in last month

In the last month, have you lost any urine, even a small amount, beyond your control when you are coughing, laughing, sneezing, jogging, picking up an object from the floor or similar type of activity?

Value	Label	Unweighted Frequency	%
1	No	280	11.6%
2	Yes	932	38.6%
	Total	1,212	50.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	140	5.8%
-8	Do not know	0	0.0%
-7	Refused	1	0.0%
-1	N/A	1027	42.6%
.	-	33	1.4%
	Total	1,201	49.8%

This variable has 1,212 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3131-3132 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

COUGLWK7: Times/week leak due to cough, laugh, etc.

If YES to LEKCOUG7: About how many time per week have you lost any urine under these circumstances?

Value	Label	Unweighted Frequency	%
1	LT once/wk	535	22.2%
2	One-several times/wk	298	12.3%
3	Almost daily/daily	109	4.5%
	Total	942	39.0%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	7	0.3%
-1	N/A	1294	53.6%
.	-	33	1.4%
	Total	1,471	61.0%

This variable has 942 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 3133-3134 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEKURGE7: Leak urine due to urge to void & too slow in last month

In the last month, have you lost any urine, even a small amount, beyond your control when you have the urge to urinate and can't get to the toilet fast enough?

Value	Label	Unweighted Frequency	%
1	No	464	19.2%
2	Yes	741	30.7%
	Total	1,205	49.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	146	6.1%
-8	Do not know	0	0.0%
-7	Refused	2	0.1%
-1	N/A	1027	42.6%
.	-	33	1.4%
	Total	1,208	50.1%

This variable has 1,205 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3135-3136 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

URGELWK7: Times/week leak due to urge to void

If YES to LEKURGE7: About how many times per week have you lost any urine under this circumstance?

Value	Label	Unweighted Frequency	%
1	LT once/wk	377	15.6%
2	One-several times/wk	286	11.9%
3	Almost daily/daily	88	3.6%
	Total	751	31.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	3	0.1%
-1	N/A	1489	61.7%
.	-	33	1.4%
Total		1,662	68.9%

This variable has 751 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 3137-3138 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEKAMNT7: Amount leaked

How much urine do you lose when you leak?

Value	Label	Unweighted Frequency	%
1	A drop or two	711	29.5%
2	Enough to change underwear/wear Liner	444	18.4%
3	Enough to wet outer clothing	37	1.5%
4	Enough to wet floor	12	0.5%
Total		1,204	49.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	139	5.8%
-8	Do not know	0	0.0%
-7	Refused	9	0.4%
-1	N/A	1028	42.6%
.	-	33	1.4%
Total		1,209	50.1%

This variable has 1,204 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3139-3140 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEKBOTH7: Bothered by leakage

On a scale from 0 to 10, where 0 = Not at all bothered and 10 = Extremely bothered, how much does the leakage of urine bother you?

Value	Label	Unweighted Frequency	%
0	Not at all bothered	98	4.1%
1	-	172	7.1%
2	-	141	5.8%
3	-	134	5.6%
4	-	120	5.0%
5	Somewhat bothered	224	9.3%
6	-	56	2.3%
7	-	77	3.2%
8	-	62	2.6%
9	-	30	1.2%
10	Extremely bothered	91	3.8%
Total		1,205	49.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-7	Refused	9	0.4%
-1	N/A	1029	42.6%
.	-	33	1.4%
Total		1,208	50.1%

This variable has 1,205 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 4.16
- Median: 4.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 2.87

Location: 3141-3142 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7 , -1 , .

STARTNE7: Started new job/school upsetting since last visit

Since your last study visit, have you experienced any of the following: Started school, a training program, or new job?

Value	Label	Unweighted Frequency	%
1	No	1822	75.5%
2	Yes, not at all upsetting	224	9.3%
3	Yes, somewhat upsetting	162	6.7%
4	Yes, very upsetting	24	1.0%
5	Yes, very upsetting & still upsetting	10	0.4%
	Total	2,242	92.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	1	0.0%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	171	7.1%

This variable has 2,242 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3143-3144 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

WORKTRB7: Work problems upsetting since last visit

Since your last study visit, have you experienced any of the following: Had trouble with a boss or conditions at work got worse?

Value	Label	Unweighted Frequency	%
1	No	1681	69.7%
2	Yes, not at all upsetting	76	3.1%
3	Yes, somewhat upsetting	361	15.0%
4	Yes, very upsetting	123	5.1%
5	Yes, very upsetting & still upsetting	97	4.0%
	Total	2,338	96.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	37	1.5%

Value	Missing Data	Unweighted Frequency	%
-8	Do not know	0	0.0%
-7	Refused	5	0.2%
-1	N/A	0	0.0%
.	-	33	1.4%
Total		75	3.1%

This variable has 2,338 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3145-3146 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

QUITJOB7: Quit job upsetting since last visit

Since your last study visit, have you experienced any of the following: Quit, fired or laid off from a job?

Value	Label	Unweighted Frequency	%
1	No	2044	84.7%
2	Yes, not at all upsetting	57	2.4%
3	Yes, somewhat upsetting	67	2.8%
4	Yes, very upsetting	43	1.8%
5	Yes, very upsetting & still upsetting	30	1.2%
Total		2,241	92.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	2	0.1%
-1	N/A	0	0.0%
.	-	33	1.4%
Total		172	7.1%

This variable has 2,241 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3147-3148 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORKLOAD7: Increase work load upsetting since last visit

Since your last study visit, have you experienced any of the following: Took on a greatly increased workload at job?

Value	Label	Unweighted Frequency	%
1	No	1633	67.7%
2	Yes, not at all upsetting	218	9.0%
3	Yes, somewhat upsetting	277	11.5%
4	Yes, very upsetting	77	3.2%
5	Yes, very upsetting & still upsetting	34	1.4%
	Total	2,239	92.8%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	4	0.2%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	174	7.2%

This variable has 2,239 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3149-3150 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRTUNEM7: Partner unemployed upsetting since last visit

Since your last study visit, have you experienced any of the following: Husband/partner became unemployed?

Value	Label	Unweighted Frequency	%
1	No	2086	86.4%
2	Yes, not at all upsetting	39	1.6%
3	Yes, somewhat upsetting	53	2.2%
4	Yes, very upsetting	32	1.3%
5	Yes, very upsetting & still upsetting	31	1.3%
	Total	2,241	92.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	2	0.1%
-1	N/A	0	0.0%
.	-	33	1.4%
Total		172	7.1%

This variable has 2,241 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3151-3152 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MONEYPR7: Money problems upsetting since last visit

Since your last study visit, have you experienced any of the following: Major money problems?

Value	Label	Unweighted Frequency	%
1	No	1764	73.1%
2	Yes, not at all upsetting	63	2.6%
3	Yes, somewhat upsetting	279	11.6%
4	Yes, very upsetting	123	5.1%
5	Yes, very upsetting & still upsetting	112	4.6%
Total		2,341	97.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	37	1.5%
-8	Do not know	0	0.0%
-7	Refused	2	0.1%
-1	N/A	0	0.0%
.	-	33	1.4%
Total		72	3.0%

This variable has 2,341 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 3153-3154 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORSREL7: Worsening relationship upsetting since last visit

Since your last study visit, have you experienced any of the following: Relations with husband/partner changed for the worse but without separation or divorce?

Value	Label	Unweighted Frequency	%
1	No	1974	81.8%
2	Yes, not at all upsetting	37	1.5%
3	Yes, somewhat upsetting	134	5.6%
4	Yes, very upsetting	47	1.9%
5	Yes, very upsetting & still upsetting	50	2.1%
	Total	2,242	92.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	1	0.0%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	171	7.1%

This variable has 2,242 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3155-3156 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELATEN7: Ended relationship upsetting since last visit

Since your last study visit, have you experienced any of the following: Were separated or divorced or a long-term relationship ended?

Value	Label	Unweighted Frequency	%
1	No	2134	88.4%
2	Yes, not at all upsetting	24	1.0%

Value	Label	Unweighted Frequency	%
3	Yes, somewhat upsetting	31	1.3%
4	Yes, very upsetting	22	0.9%
5	Yes, very upsetting & still upsetting	31	1.3%
Total		2,242	92.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	1	0.0%
-1	N/A	0	0.0%
.	-	33	1.4%
Total		171	7.1%

This variable has 2,242 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3157-3158 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

SERIPRO7: Serious family problem upsetting since last visit

Since your last study visit, have you experienced any of the following: Had a serious problem with child or family member (other than husband/partner) or with a close friend?

Value	Label	Unweighted Frequency	%
1	No	1728	71.6%
2	Yes, not at all upsetting	47	1.9%
3	Yes, somewhat upsetting	287	11.9%
4	Yes, very upsetting	158	6.5%
5	Yes, very upsetting & still upsetting	121	5.0%
Total		2,341	97.0%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	37	1.5%
-8	Do not know	0	0.0%
-7	Refused	2	0.1%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	72	3.0%

This variable has 2,341 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3159-3160 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

CHILDMO7: Child moved upsetting since last visit

Since your last study visit, have you experienced any of the following: A child moved out of the house or left the area?

Value	Label	Unweighted Frequency	%
1	No	1890	78.3%
2	Yes, not at all upsetting	163	6.8%
3	Yes, somewhat upsetting	144	6.0%
4	Yes, very upsetting	28	1.2%
5	Yes, very upsetting & still upsetting	18	0.7%
	Total	2,243	93.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	170	7.0%

This variable has 2,243 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3161-3162 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

RESPCAR7: Responsibility for care upsetting since last visit

Since your last study visit, have you experienced any of the following: Took on responsibility for the care of another child, grandchild, parent, other family member or friend?

Value	Label	Unweighted Frequency	%
1	No	1877	77.8%
2	Yes, not at all upsetting	147	6.1%
3	Yes, somewhat upsetting	157	6.5%
4	Yes, very upsetting	38	1.6%
5	Yes, very upsetting & still upsetting	24	1.0%
	Total	2,243	93.0%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	170	7.0%

This variable has 2,243 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3163-3164 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEGALPR7: Legal problems upsetting since last visit

Since your last study visit, have you experienced any of the following: Family member had legal problems or a problem with the police?

Value	Label	Unweighted Frequency	%
1	No	1994	82.6%
2	Yes, not at all upsetting	39	1.6%
3	Yes, somewhat upsetting	113	4.7%
4	Yes, very upsetting	55	2.3%
5	Yes, very upsetting & still upsetting	41	1.7%

Value	Label	Unweighted Frequency	%
	Total	2,242	92.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	1	0.0%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	171	7.1%

This variable has 2,242 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3165-3166 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CRELDIE7: Close relative died upsetting since last visit

Since your last study visit, have you experienced any of the following: A close relative (husband/partner, child or parent) died?

Value	Label	Unweighted Frequency	%
1	No	2092	86.7%
2	Yes, not at all upsetting	20	0.8%
3	Yes, somewhat upsetting	88	3.6%
4	Yes, very upsetting	72	3.0%
5	Yes, very upsetting & still upsetting	68	2.8%
	Total	2,340	97.0%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	37	1.5%
-8	Do not know	0	0.0%
-7	Refused	3	0.1%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	73	3.0%

This variable has 2,340 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3167-3168 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , ..

CLOSDIE7: Other close friend/relative died upsetting since last visit

Since your last study visit, have you experienced any of the following: A close friend or family member other than a husband/partner, child or parent died?

Value	Label	Unweighted Frequency	%
1	No	1774	73.5%
2	Yes, not at all upsetting	62	2.6%
3	Yes, somewhat upsetting	283	11.7%
4	Yes, very upsetting	143	5.9%
5	Yes, very upsetting & still upsetting	78	3.2%
	Total	2,340	97.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	37	1.5%
-8	Do not know	0	0.0%
-7	Refused	3	0.1%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	73	3.0%

This variable has 2,340 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3169-3170 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , ..

SELFVIO7: Violent event to self upsetting since last visit

Since your last study visit, have you experienced any of the following: Major accident, assault, disaster, robbery or other violent event happened to yourself?

Value	Label	Unweighted Frequency	%
1	No	2141	88.7%

Value	Label	Unweighted Frequency	%
2	Yes, not at all upsetting	7	0.3%
3	Yes, somewhat upsetting	35	1.5%
4	Yes, very upsetting	32	1.3%
5	Yes, very upsetting & still upsetting	27	1.1%
	Total	2,242	92.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	1	0.0%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	171	7.1%

This variable has 2,242 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3171-3172 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9, -8, -7, -1, .)

FAMILVIO7: Violent event to other family member upsetting since last visit

Since your last study visit, have you experienced any of the following: Major accident, assault, disaster, robbery or other violent event happened to a family member?

Value	Label	Unweighted Frequency	%
1	No	2115	87.7%
2	Yes, not at all upsetting	8	0.3%
3	Yes, somewhat upsetting	54	2.2%
4	Yes, very upsetting	45	1.9%
5	Yes, very upsetting & still upsetting	19	0.8%
	Total	2,241	92.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	Refused	2	0.1%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	172	7.1%

This variable has 2,241 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3173-3174 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYSILL7: Serious illness family upsetting since last visit

Since your last study visit, have you experienced any of the following: Serious physical illness, injury or drug/alcohol problem in family member, partner or close friend?

Value	Label	Unweighted Frequency	%
1	No	1710	70.9%
2	Yes, not at all upsetting	34	1.4%
3	Yes, somewhat upsetting	227	9.4%
4	Yes, very upsetting	149	6.2%
5	Yes, very upsetting & still upsetting	120	5.0%
	Total	2,240	92.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	3	0.1%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	173	7.2%

This variable has 2,240 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3175-3176 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MAJEVEN7: Other major event upsetting since last visit

Since your last study visit, have you experienced any of the following: Other major event not included above?

Value	Label	Unweighted Frequency	%
1	No	1998	82.8%
2	Yes, not at all upsetting	32	1.3%
3	Yes, somewhat upsetting	124	5.1%
4	Yes, very upsetting	81	3.4%
5	Yes, very upsetting & still upsetting	97	4.0%
	Total	2,332	96.6%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	41	1.7%
-8	Do not know	0	0.0%
-7	Refused	7	0.3%
-1	N/A	0	0.0%
.	-	33	1.4%
	Total	81	3.4%

This variable has 2,332 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3177-3178 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INCOME7: Total family income

What is your total family income (before taxes) from all sources within your household in the last year?

Value	Label	Unweighted Frequency	%
1	Less than \$19,999	219	9.1%
2	\$20,000 to \$49,999	592	24.5%
3	\$50,000 to \$99,999	472	19.6%
4	\$100,000 or more	862	35.7%
	Total	2,145	88.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	39	1.6%
-7	Refused	59	2.4%
-1	N/A	0	0.0%
.	-	33	1.4%
Total		268	11.1%

This variable has 2,145 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3179-3180 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOW_HAR7: How hard to pay for basics

How hard is it for you to pay for the very basics like food, housing, medical care, and heating? Would you say it is ...

Value	Label	Unweighted Frequency	%
1	Very hard	134	5.6%
2	Somewhat hard	525	21.8%
3	Not hard at all	1600	66.3%
Total		2,259	93.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	100	4.1%
-8	Do not know	19	0.8%
-7	Refused	2	0.1%
-1	N/A	0	0.0%
.	-	33	1.4%
Total		154	6.4%

This variable has 2,259 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 3181-3182 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INTRPAN7: Interested this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Interested

Value	Label	Unweighted Frequency	%
1	Not at all/very slightly	86	3.6%
2	A little	208	8.6%
3	Moderately	631	26.2%
4	Quite a bit	889	36.8%
5	Extremely	325	13.5%
	Total	2,139	88.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	134	5.6%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	140	5.8%
	Total	274	11.4%

This variable has 2,139 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3183-3184 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DISIPAN7: Disinterested this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Disinterested

Value	Label	Unweighted Frequency	%
1	Not at all/very slightly	0	0.0%
2	A little	0	0.0%
3	Moderately	0	0.0%
4	Quite a bit	0	0.0%
5	Extremely	0	0.0%
	Total	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	2413	100.0%
	Total	2,413	100.0%

This variable has 0 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 3185-3186 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXCIPAN7: Excited this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Excited

Value	Label	Unweighted Frequency	%
1	Not at all/very slightly	298	12.3%
2	A little	445	18.4%
3	Moderately	842	34.9%
4	Quite a bit	426	17.7%
5	Extremely	127	5.3%
	Total	2,138	88.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	134	5.6%
-8	Do not know	0	0.0%
-7	Refused	1	0.0%
-1	N/A	0	0.0%
.	-	140	5.8%
	Total	275	11.4%

This variable has 2,138 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 3187-3188 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

UPSEPAN7: Upset this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Upset

Value	Label	Unweighted Frequency	%
1	Not at all/very slightly	672	27.8%
2	A little	755	31.3%
3	Moderately	392	16.2%
4	Quite a bit	213	8.8%
5	Extremely	104	4.3%
	Total	2,136	88.5%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	134	5.6%
-8	Do not know	0	0.0%
-7	Refused	3	0.1%
-1	N/A	0	0.0%
.	-	140	5.8%
	Total	277	11.5%

This variable has 2,136 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3189-3190 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STROPAN7: Strong this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Strong

Value	Label	Unweighted Frequency	%
1	Not at all/very slightly	169	7.0%
2	A little	313	13.0%
3	Moderately	768	31.8%
4	Quite a bit	677	28.1%
5	Extremely	207	8.6%
	Total	2,134	88.4%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	134	5.6%
-8	Do not know	0	0.0%
-7	Refused	5	0.2%
-1	N/A	0	0.0%
.	-	140	5.8%
	Total	279	11.6%

This variable has 2,134 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3191-3192 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GUILPAN7: Guilty this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Guilty

Value	Label	Unweighted Frequency	%
1	Not at all/very slightly	1493	61.9%
2	A little	463	19.2%
3	Moderately	120	5.0%
4	Quite a bit	49	2.0%
5	Extremely	11	0.5%
	Total	2,136	88.5%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	134	5.6%
-8	Do not know	0	0.0%
-7	Refused	3	0.1%
-1	N/A	0	0.0%
.	-	140	5.8%
	Total	277	11.5%

This variable has 2,136 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 3193-3194 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SCARPAN7: Scared this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Scared

Value	Label	Unweighted Frequency	%
1	Not at all/very slightly	1419	58.8%
2	A little	458	19.0%
3	Moderately	146	6.1%
4	Quite a bit	88	3.6%
5	Extremely	24	1.0%
	Total	2,135	88.5%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	135	5.6%
-8	Do not know	0	0.0%
-7	Refused	3	0.1%
-1	N/A	0	0.0%
.	-	140	5.8%
	Total	278	11.5%

This variable has 2,135 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3195-3196 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOSTPAN7: Hostile this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Hostile

Value	Label	Unweighted Frequency	%
1	Not at all/very slightly	1556	64.5%
2	A little	395	16.4%
3	Moderately	118	4.9%

Value	Label	Unweighted Frequency	%
4	Quite a bit	47	1.9%
5	Extremely	17	0.7%
	Total	2,133	88.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	136	5.6%
-8	Do not know	0	0.0%
-7	Refused	4	0.2%
-1	N/A	0	0.0%
.	-	140	5.8%
	Total	280	11.6%

This variable has 2,133 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3197-3198 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENTHPAN7: Enthusiastic this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Enthusiastic

Value	Label	Unweighted Frequency	%
1	Not at all/very slightly	180	7.5%
2	A little	424	17.6%
3	Moderately	726	30.1%
4	Quite a bit	613	25.4%
5	Extremely	194	8.0%
	Total	2,137	88.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	134	5.6%
-8	Do not know	0	0.0%
-7	Refused	2	0.1%
-1	N/A	0	0.0%
.	-	140	5.8%

Value	Missing Data	Unweighted Frequency	%
	Total	276	11.4%

This variable has 2,137 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3199-3200 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROUPAN7: Proud this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Proud

Value	Label	Unweighted Frequency	%
1	Not at all/very slightly	228	9.4%
2	A little	339	14.0%
3	Moderately	674	27.9%
4	Quite a bit	609	25.2%
5	Extremely	285	11.8%
	Total	2,135	88.5%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	134	5.6%
-8	Do not know	0	0.0%
-7	Refused	4	0.2%
-1	N/A	0	0.0%
.	-	140	5.8%
	Total	278	11.5%

This variable has 2,135 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3201-3202 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IRRIPAN7: Irritable this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Irritable

Value	Label	Unweighted Frequency	%
1	Not at all/very slightly	708	29.3%
2	A little	881	36.5%
3	Moderately	326	13.5%
4	Quite a bit	171	7.1%
5	Extremely	51	2.1%
	Total	2,137	88.6%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	134	5.6%
-8	Do not know	0	0.0%
-7	Refused	2	0.1%
-1	N/A	0	0.0%
.	-	140	5.8%
	Total	276	11.4%

This variable has 2,137 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3203-3204 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ALERPAN7: Alert this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Alert

Value	Label	Unweighted Frequency	%
1	Not at all/very slightly	111	4.6%
2	A little	240	9.9%
3	Moderately	740	30.7%
4	Quite a bit	790	32.7%
5	Extremely	253	10.5%
	Total	2,134	88.4%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	135	5.6%
-8	Do not know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	Refused	4	0.2%
-1	N/A	0	0.0%
.	-	140	5.8%
	Total	279	11.6%

This variable has 2,134 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3205-3206 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ASHAPAN7: Ashamed this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Ashamed

Value	Label	Unweighted Frequency	%
1	Not at all/very slightly	1767	73.2%
2	A little	257	10.7%
3	Moderately	70	2.9%
4	Quite a bit	23	1.0%
5	Extremely	16	0.7%
	Total	2,133	88.4%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	3	0.1%
-1	N/A	0	0.0%
.	-	140	5.8%
	Total	280	11.6%

This variable has 2,133 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3207-3208 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSPPAN7: Inspired this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Inspired

Value	Label	Unweighted Frequency	%
1	Not at all/very slightly	333	13.8%
2	A little	470	19.5%
3	Moderately	681	28.2%
4	Quite a bit	464	19.2%
5	Extremely	187	7.7%
	Total	2,135	88.5%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	134	5.6%
-8	Do not know	0	0.0%
-7	Refused	4	0.2%
-1	N/A	0	0.0%
.	-	140	5.8%
	Total	278	11.5%

This variable has 2,135 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3209-3210 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVPAN7: Nervous this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Nervous

Value	Label	Unweighted Frequency	%
1	Not at all/very slightly	942	39.0%
2	A little	743	30.8%
3	Moderately	274	11.4%
4	Quite a bit	131	5.4%
5	Extremely	44	1.8%
	Total	2,134	88.4%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	2	0.1%
-1	N/A	0	0.0%
.	-	140	5.8%
Total		279	11.6%

This variable has 2,134 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3211-3212 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

DETEPAN7: Determined this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Determined

Value	Label	Unweighted Frequency	%
1	Not at all/very slightly	156	6.5%
2	A little	261	10.8%
3	Moderately	640	26.5%
4	Quite a bit	710	29.4%
5	Extremely	371	15.4%
Total		2,138	88.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	134	5.6%
-8	Do not know	0	0.0%
-7	Refused	1	0.0%
-1	N/A	0	0.0%
.	-	140	5.8%
Total		275	11.4%

This variable has 2,138 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3213-3214 (*width:* 2; *decimal:* 0)
Variable Type: numeric
(*Range of Missing Values:* -9, -8, -7, -1, .)

ATTEPAN7: Attentive this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Attentive

Value	Label	Unweighted Frequency	%
1	Not at all/very slightly	113	4.7%
2	A little	275	11.4%
3	Moderately	723	30.0%
4	Quite a bit	784	32.5%
5	Extremely	239	9.9%
	Total	2,134	88.4%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	134	5.6%
-8	Do not know	0	0.0%
-7	Refused	5	0.2%
-1	N/A	0	0.0%
.	-	140	5.8%
	Total	279	11.6%

This variable has 2,134 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3215-3216 (*width:* 2; *decimal:* 0)
Variable Type: numeric
(*Range of Missing Values:* -9, -8, -7, -1, .)

JITTPAN7: Jittery this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Jittery

Value	Label	Unweighted Frequency	%
1	Not at all/very slightly	1334	55.3%
2	A little	502	20.8%
3	Moderately	184	7.6%
4	Quite a bit	91	3.8%

Value	Label	Unweighted Frequency	%
5	Extremely	19	0.8%
	Total	2,130	88.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	138	5.7%
-8	Do not know	0	0.0%
-7	Refused	5	0.2%
-1	N/A	0	0.0%
.	-	140	5.8%
	Total	283	11.7%

This variable has 2,130 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3217-3218 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACTIPAN7: Active this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Active

Value	Label	Unweighted Frequency	%
1	Not at all/very slightly	152	6.3%
2	A little	284	11.8%
3	Moderately	706	29.3%
4	Quite a bit	662	27.4%
5	Extremely	330	13.7%
	Total	2,134	88.4%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	134	5.6%
-8	Do not know	0	0.0%
-7	Refused	5	0.2%
-1	N/A	0	0.0%
.	-	140	5.8%
	Total	279	11.6%

This variable has 2,134 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3219-3220 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AFRAPAN7: Afraid this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Afraid

Value	Label	Unweighted Frequency	%
1	Not at all/very slightly	1488	61.7%
2	A little	444	18.4%
3	Moderately	118	4.9%
4	Quite a bit	59	2.4%
5	Extremely	28	1.2%
	Total	2,137	88.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	134	5.6%
-8	Do not know	0	0.0%
-7	Refused	2	0.1%
-1	N/A	0	0.0%
.	-	140	5.8%
	Total	276	11.4%

This variable has 2,137 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3221-3222 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STEADPE7: Steady person

Please read each statement and circle the number that represents how you generally feel: I am a steady person

Value	Label	Unweighted Frequency	%
1	Almost never	18	0.7%

Value	Label	Unweighted Frequency	%
2	Sometimes	278	11.5%
3	Often	760	31.5%
4	Almost always	1183	49.0%
	Total	2,239	92.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	3	0.1%
-1	N/A	1	0.0%
.	-	33	1.4%
	Total	174	7.2%

This variable has 2,239 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3223-3224 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SATISEL7: Satisfied with self

Please read each statement and circle the number that represents how you generally feel: I feel satisfied with myself

Value	Label	Unweighted Frequency	%
1	Almost never	70	2.9%
2	Sometimes	493	20.4%
3	Often	909	37.7%
4	Almost always	767	31.8%
	Total	2,239	92.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	3	0.1%
-1	N/A	1	0.0%
.	-	33	1.4%

Value	Missing Data	Unweighted Frequency	%
	Total	174	7.2%

This variable has 2,239 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3225-3226 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RESTLESA7: Nervous/restless

Please read each statement and circle the number that represents how you generally feel: I feel nervous and restless

Value	Label	Unweighted Frequency	%
1	Almost never	1054	43.7%
2	Sometimes	991	41.1%
3	Often	154	6.4%
4	Almost always	40	1.7%
	Total	2,239	92.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	3	0.1%
-1	N/A	1	0.0%
.	-	33	1.4%
	Total	174	7.2%

This variable has 2,239 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3227-3228 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WISHAPP7: Wish could be happy as others

Please read each statement and circle the number that represents how you generally feel: I wish I could be as happy as other seem to be

Value	Label	Unweighted Frequency	%
1	Almost never	1149	47.6%
2	Sometimes	772	32.0%
3	Often	218	9.0%
4	Almost always	95	3.9%
	Total	2,234	92.6%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	8	0.3%
-1	N/A	1	0.0%
.	-	33	1.4%
	Total	179	7.4%

This variable has 2,234 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3229-3230 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LIKEFA17: Feel like failure

Please read each statement and circle the number that represents how you generally feel: I feel like a failure

Value	Label	Unweighted Frequency	%
1	Almost never	1682	69.7%
2	Sometimes	473	19.6%
3	Often	58	2.4%
4	Almost always	27	1.1%
	Total	2,240	92.8%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	2	0.1%
-1	N/A	1	0.0%

Value	Missing Data	Unweighted Frequency	%
.	-	33	1.4%
	Total	173	7.2%

This variable has 2,240 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3231-3232 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TENSION7: State of turmoil over recent concerns

Please read each statement and circle the number that represents how you generally feel: I get in a state of turmoil or tension as I think over my recent concerns and interests

Value	Label	Unweighted Frequency	%
1	Almost never	1214	50.3%
2	Sometimes	782	32.4%
3	Often	187	7.7%
4	Almost always	56	2.3%
	Total	2,239	92.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	3	0.1%
-1	N/A	1	0.0%
.	-	33	1.4%
	Total	174	7.2%

This variable has 2,239 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3233-3234 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FEELSEC7: Feel secure

Please read each statement and circle the number that represents how you generally feel: I feel secure

Value	Label	Unweighted Frequency	%
1	Almost never	140	5.8%
2	Sometimes	482	20.0%
3	Often	793	32.9%
4	Almost always	826	34.2%
	Total	2,241	92.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	1	0.0%
-1	N/A	1	0.0%
.	-	33	1.4%
	Total	172	7.1%

This variable has 2,241 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3235-3236 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LACKSEL7: Lack self-confidence

Please read each statement and circle the number that represents how you generally feel: I lack self-confidence

Value	Label	Unweighted Frequency	%
1	Almost never	1142	47.3%
2	Sometimes	887	36.8%
3	Often	159	6.6%
4	Almost always	51	2.1%
	Total	2,239	92.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	138	5.7%
-8	Do not know	0	0.0%
-7	Refused	2	0.1%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	1	0.0%
.	-	33	1.4%
	Total	174	7.2%

This variable has 2,239 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3237-3238 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INADEQA7: Feel inadequate

Please read each statement and circle the number that represents how you generally feel: I feel inadequate

Value	Label	Unweighted Frequency	%
1	Almost never	1358	56.3%
2	Sometimes	734	30.4%
3	Often	109	4.5%
4	Almost always	38	1.6%
	Total	2,239	92.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	3	0.1%
-1	N/A	1	0.0%
.	-	33	1.4%
	Total	174	7.2%

This variable has 2,239 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3239-3240 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORRYTO7: Worry over things that don't matter

Please read each statement and circle the number that represents how you generally feel: I worry too much over something that does not matter

Value	Label	Unweighted Frequency	%
1	Almost never	893	37.0%
2	Sometimes	1054	43.7%
3	Often	219	9.1%
4	Almost always	75	3.1%
	Total	2,241	92.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	1	0.0%
-1	N/A	1	0.0%
.	-	33	1.4%
	Total	172	7.1%

This variable has 2,241 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3241-3242 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COURTES7: Treated with less courtesy than others

In your day-to-day life have you had the following experiences: You are treated with less courtesy than other people

Value	Label	Unweighted Frequency	%
1	Often	42	1.7%
2	Sometimes	442	18.3%
3	Rarely	1095	45.4%
4	Never	661	27.4%
	Total	2,240	92.8%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	138	5.7%

Value	Missing Data	Unweighted Frequency	%
-8	Do not know	0	0.0%
-7	Refused	1	0.0%
-1	N/A	1	0.0%
.	-	33	1.4%
	Total	173	7.2%

This variable has 2,240 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3243-3244 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RESPECT7: Treated with less respect than others

In your day-to-day life have you had the following experiences: You are treated with less respect than other people

Value	Label	Unweighted Frequency	%
1	Often	39	1.6%
2	Sometimes	403	16.7%
3	Rarely	1106	45.8%
4	Never	691	28.6%
	Total	2,239	92.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	139	5.8%
-8	Do not know	0	0.0%
-7	Refused	1	0.0%
-1	N/A	1	0.0%
.	-	33	1.4%
	Total	174	7.2%

This variable has 2,239 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3245-3246 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

POORSER7: Received poorer service than others

In your day-to-day life have you had the following experiences: You receive poorer service than other people at restaurants

Value	Label	Unweighted Frequency	%
1	Often	16	0.7%
2	Sometimes	254	10.5%
3	Rarely	1046	43.3%
4	Never	920	38.1%
	Total	2,236	92.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	138	5.7%
-8	Do not know	0	0.0%
-7	Refused	5	0.2%
-1	N/A	1	0.0%
.	-	33	1.4%
	Total	177	7.3%

This variable has 2,236 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3247-3248 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

NOTSMAR7: People think not as smart as others

In your day-to-day life have you had the following experiences: People act as if they think you are not smart

Value	Label	Unweighted Frequency	%
1	Often	38	1.6%
2	Sometimes	361	15.0%
3	Rarely	972	40.3%
4	Never	868	36.0%
	Total	2,239	92.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	138	5.7%

Value	Missing Data	Unweighted Frequency	%
-8	Do not know	0	0.0%
-7	Refused	2	0.1%
-1	N/A	1	0.0%
.	-	33	1.4%
	Total	174	7.2%

This variable has 2,239 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3249-3250 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AFRAIDO7: People act as if afraid of you

In your day-to-day life have you had the following experiences: People act as if they are afraid of you

Value	Label	Unweighted Frequency	%
1	Often	29	1.2%
2	Sometimes	271	11.2%
3	Rarely	651	27.0%
4	Never	1288	53.4%
	Total	2,239	92.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	138	5.7%
-8	Do not know	0	0.0%
-7	Refused	2	0.1%
-1	N/A	1	0.0%
.	-	33	1.4%
	Total	174	7.2%

This variable has 2,239 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3251-3252 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DISHONS7: People think you are dishonest

In your day-to-day life have you had the following experiences: People act as if they think you are dishonest

Value	Label	Unweighted Frequency	%
1	Often	17	0.7%
2	Sometimes	104	4.3%
3	Rarely	536	22.2%
4	Never	1582	65.6%
	Total	2,239	92.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	138	5.7%
-8	Do not know	0	0.0%
-7	Refused	2	0.1%
-1	N/A	1	0.0%
.	-	33	1.4%
	Total	174	7.2%

This variable has 2,239 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3253-3254 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BETTER7: People act as if better than you

In your day-to-day life have you had the following experiences: People act as if they're better than you are

Value	Label	Unweighted Frequency	%
1	Often	52	2.2%
2	Sometimes	543	22.5%
3	Rarely	925	38.3%
4	Never	719	29.8%
	Total	2,239	92.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	138	5.7%

Value	Missing Data	Unweighted Frequency	%
-8	Do not know	0	0.0%
-7	Refused	2	0.1%
-1	N/A	1	0.0%
.	-	33	1.4%
	Total	174	7.2%

This variable has 2,239 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3255-3256 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSULTE7: Insulted by other people

In your day-to-day life have you had the following experiences: You or your family members are called names or insulted

Value	Label	Unweighted Frequency	%
1	Often	29	1.2%
2	Sometimes	88	3.6%
3	Rarely	443	18.4%
4	Never	1679	69.6%
	Total	2,239	92.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	138	5.7%
-8	Do not know	0	0.0%
-7	Refused	2	0.1%
-1	N/A	1	0.0%
.	-	33	1.4%
	Total	174	7.2%

This variable has 2,239 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3257-3258 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HARASSE7: Harassed by other people

In your day-to-day life have you had the following experiences: You are threatened or harassed

Value	Label	Unweighted Frequency	%
1	Often	29	1.2%
2	Sometimes	68	2.8%
3	Rarely	409	16.9%
4	Never	1733	71.8%
	Total	2,239	92.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	138	5.7%
-8	Do not know	0	0.0%
-7	Refused	2	0.1%
-1	N/A	1	0.0%
.	-	33	1.4%
	Total	174	7.2%

This variable has 2,239 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3259-3260 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IGNORED7: Ignored by other people

In your day-to-day life have you had the following experiences: People ignore you or act as if you are not there

Value	Label	Unweighted Frequency	%
1	Often	40	1.7%
2	Sometimes	312	12.9%
3	Rarely	785	32.5%
4	Never	1103	45.7%
	Total	2,240	92.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	138	5.7%

Value	Missing Data	Unweighted Frequency	%
-8	Do not know	0	0.0%
-7	Refused	1	0.0%
-1	N/A	1	0.0%
.	-	33	1.4%
	Total	173	7.2%

This variable has 2,240 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3261-3262 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCRACE7: Because of race

Were any of the following reasons why you "sometimes" or "often" had these experiences? Race

Value	Label	Unweighted Frequency	%
1	No	609	25.2%
2	Yes	380	15.7%
	Total	989	41.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	138	5.7%
-8	Do not know	0	0.0%
-7	Refused	3	0.1%
-1	N/A	1250	51.8%
.	-	33	1.4%
	Total	1,424	59.0%

This variable has 989 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3263-3264 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCETHN7: Because of ethnicity

Were any of the following reasons why you "sometimes" or "often" had these experiences? Ethnicity

Value	Label	Unweighted Frequency	%
1	No	674	27.9%
2	Yes	310	12.8%
	Total	984	40.8%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	138	5.7%
-8	Do not know	0	0.0%
-7	Refused	8	0.3%
-1	N/A	1250	51.8%
.	-	33	1.4%
	Total	1,429	59.2%

This variable has 984 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3265-3266 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

BCGENDR7: Because of gender

Were any of the following reasons why you "sometimes" or "often" had these experiences? Gender

Value	Label	Unweighted Frequency	%
1	No	497	20.6%
2	Yes	488	20.2%
	Total	985	40.8%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	8	0.3%
-1	N/A	1250	51.8%
.	-	33	1.4%
	Total	1,428	59.2%

This variable has 985 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3267-3268 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCAGE7: Because of age

Were any of the following reasons why you "sometimes" or "often" had these experiences? Age

Value	Label	Unweighted Frequency	%
1	No	603	25.0%
2	Yes	383	15.9%
	Total	986	40.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	7	0.3%
-1	N/A	1250	51.8%
.	-	33	1.4%
	Total	1,427	59.1%

This variable has 986 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3269-3270 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCINCM7: Because of income level

Were any of the following reasons why you "sometimes" or "often" had these experiences? Income Level

Value	Label	Unweighted Frequency	%
1	No	758	31.4%
2	Yes	227	9.4%
	Total	985	40.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	8	0.3%
-1	N/A	1250	51.8%
.	-	33	1.4%
Total		1,428	59.2%

This variable has 985 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3271-3272 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCLANG7: Because of language

Were any of the following reasons why you "sometimes" or "often" had these experiences? Language

Value	Label	Unweighted Frequency	%
1	No	840	34.8%
2	Yes	144	6.0%
Total		984	40.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	138	5.7%
-8	Do not know	0	0.0%
-7	Refused	8	0.3%
-1	N/A	1250	51.8%
.	-	33	1.4%
Total		1,429	59.2%

This variable has 984 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3273-3274 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCWGHT7: Because of weight

Were any of the following reasons why you "sometimes" or "often" had these experiences? Body Weight

Value	Label	Unweighted Frequency	%
1	No	762	31.6%
2	Yes	224	9.3%
	Total	986	40.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	138	5.7%
-8	Do not know	0	0.0%
-7	Refused	6	0.2%
-1	N/A	1250	51.8%
.	-	33	1.4%
	Total	1,427	59.1%

This variable has 986 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3275-3276 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

BCPHAPP7: Because of physical appearance

Were any of the following reasons why you "sometimes" or "often" had these experiences? Physical Appearance

Value	Label	Unweighted Frequency	%
1	No	752	31.2%
2	Yes	234	9.7%
	Total	986	40.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	7	0.3%
-1	N/A	1250	51.8%
.	-	33	1.4%
	Total	1,427	59.1%

This variable has 986 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3277-3278 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCORIEN7: Because of sexual orientation

Were any of the following reasons why you "sometimes" or "often" had these experiences? Sexual Orientation

Value	Label	Unweighted Frequency	%
1	No	927	38.4%
2	Yes	59	2.4%
	Total	986	40.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	7	0.3%
-1	N/A	1250	51.8%
.	-	33	1.4%
	Total	1,427	59.1%

This variable has 986 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3279-3280 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHEREX7: Because of other reason

Were any of the following reasons why you "sometimes" or "often" had these experiences? Other, Specify:

Value	Label	Unweighted Frequency	%
1	No	718	29.8%
2	Yes	221	9.2%
	Total	939	38.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	54	2.2%
-1	N/A	1250	51.8%
.	-	33	1.4%
Total		1,474	61.1%

This variable has 939 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3281-3282 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

QUICKTP7: Quick tempered

Please read each statement and circle the number that corresponds to your response for each item ... give the answer that describes how you generally feel: I am quick tempered

Value	Label	Unweighted Frequency	%
1	Almost never	1213	50.3%
2	Sometimes	883	36.6%
3	Often	121	5.0%
4	Almost always	22	0.9%
Total		2,239	92.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	3	0.1%
-1	N/A	1	0.0%
.	-	33	1.4%
Total		174	7.2%

This variable has 2,239 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3283-3284 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FIERYTP7: Fiery temper

Please read each statement and circle the number that corresponds to your response for each item ... give the answer that describes how you generally feel: I have a fiery temper

Value	Label	Unweighted Frequency	%
1	Almost never	1629	67.5%
2	Sometimes	525	21.8%
3	Often	69	2.9%
4	Almost always	16	0.7%
	Total	2,239	92.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	3	0.1%
-1	N/A	1	0.0%
.	-	33	1.4%
	Total	174	7.2%

This variable has 2,239 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3285-3286 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOTHEAD7: Hot-headed person

Please read each statement and circle the number that corresponds to your response for each item ... give the answer that describes how you generally feel: I am a hot-headed person

Value	Label	Unweighted Frequency	%
1	Almost never	1836	76.1%
2	Sometimes	344	14.3%
3	Often	44	1.8%
4	Almost always	11	0.5%
	Total	2,235	92.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	7	0.3%
-1	N/A	1	0.0%
.	-	33	1.4%
Total		178	7.4%

This variable has 2,235 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3287-3288 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GETANGR7: Angry when slowed by others' mistakes

Please read each statement and circle the number that corresponds to your response for each item ... give the answer that describes how you generally feel: I get angry when I'm slowed down by others' mistakes

Value	Label	Unweighted Frequency	%
1	Almost never	1015	42.1%
2	Sometimes	1083	44.9%
3	Often	123	5.1%
4	Almost always	17	0.7%
Total		2,238	92.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	4	0.2%
-1	N/A	1	0.0%
.	-	33	1.4%
Total		175	7.3%

This variable has 2,238 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3289-3290 (*width:* 2; *decimal:* 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANNOYED7: Annoyed when not recognized for work

Please read each statement and circle the number that corresponds to your response for each item ... give the answer that describes how you generally feel: I feel annoyed when I am not given recognition for doing good work

Value	Label	Unweighted Frequency	%
1	Almost never	957	39.7%
2	Sometimes	1124	46.6%
3	Often	129	5.3%
4	Almost always	29	1.2%
	Total	2,239	92.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	3	0.1%
-1	N/A	1	0.0%
.	-	33	1.4%
	Total	174	7.2%

This variable has 2,239 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3291-3292 (*width:* 2; *decimal:* 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLYOFF7: Fly off the handle

Please read each statement and circle the number that corresponds to your response for each item ... give the answer that describes how you generally feel: I fly off the handle

Value	Label	Unweighted Frequency	%
1	Almost never	1716	71.1%
2	Sometimes	478	19.8%
3	Often	31	1.3%
4	Almost always	13	0.5%

Value	Label	Unweighted Frequency	%
	Total	2,238	92.7%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	4	0.2%
-1	N/A	1	0.0%
.	-	33	1.4%
	Total	175	7.3%

This variable has 2,238 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3293-3294 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SAYNAST7: Say nasty things

Please read each statement and circle the number that corresponds to your response for each item ... give the answer that describes how you generally feel: When I get mad, I say nasty things

Value	Label	Unweighted Frequency	%
1	Almost never	1416	58.7%
2	Sometimes	732	30.3%
3	Often	68	2.8%
4	Almost always	22	0.9%
	Total	2,238	92.7%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	4	0.2%
-1	N/A	1	0.0%
.	-	33	1.4%
	Total	175	7.3%

This variable has 2,238 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3295-3296 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FURIOUS7: Furious when criticized in front of others

Please read each statement and circle the number that corresponds to your response for each item ... give the answer that describes how you generally feel: It makes me furious when I'm criticized in front of others

Value	Label	Unweighted Frequency	%
1	Almost never	989	41.0%
2	Sometimes	979	40.6%
3	Often	171	7.1%
4	Almost always	93	3.9%
	Total	2,232	92.5%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	10	0.4%
-1	N/A	1	0.0%
.	-	33	1.4%
	Total	181	7.5%

This variable has 2,232 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3297-3298 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FEELHIT7: Feel like hitting someone

Please read each statement and circle the number that corresponds to your response for each item ... give the answer that describes how you generally feel: When I get frustrated, I feel like hitting someone

Value	Label	Unweighted Frequency	%
1	Almost never	1977	81.9%

Value	Label	Unweighted Frequency	%
2	Sometimes	223	9.2%
3	Often	25	1.0%
4	Almost always	14	0.6%
	Total	2,239	92.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	3	0.1%
-1	N/A	1	0.0%
.	-	33	1.4%
	Total	174	7.2%

This variable has 2,239 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3299-3300 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

INFURIA7: Infuriated when good job/poor evaluation

Please read each statement and circle the number that corresponds to your response for each item ... give the answer that describes how you generally feel: I feel infuriated when I do a good job & get a poor evaluation

Value	Label	Unweighted Frequency	%
1	Almost never	1159	48.0%
2	Sometimes	809	33.5%
3	Often	153	6.3%
4	Almost always	112	4.6%
	Total	2,233	92.5%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	9	0.4%
-1	N/A	1	0.0%

Value	Missing Data	Unweighted Frequency	%
.	-	33	1.4%
	Total	180	7.5%

This variable has 2,233 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3301-3302 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FUTURE7: Future seems hopeless to me

Please indicate the extent to which you agree or disagree with each statement by circling the corresponding number: The future seems to me to be hopeless, and I can't believe things are changing for the better

Value	Label	Unweighted Frequency	%
0	Strongly agree	44	1.8%
1	Somewhat agree	194	8.0%
2	Cannot say	224	9.3%
3	Somewhat disagree	410	17.0%
4	Strongly disagree	1368	56.7%
	Total	2,240	92.8%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	138	5.7%
-8	Do not know	0	0.0%
-7	Refused	1	0.0%
-1	N/A	1	0.0%
.	-	33	1.4%
	Total	173	7.2%

This variable has 2,240 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 3303-3304 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GOALS7: Impossible for me to reach goals

Please indicate the extent to which you agree or disagree with each statement by circling the corresponding number: I feel it is impossible for me to reach the goals that I would like to strive for

Value	Label	Unweighted Frequency	%
0	Strongly agree	96	4.0%
1	Somewhat agree	238	9.9%
2	Cannot say	190	7.9%
3	Somewhat disagree	463	19.2%
4	Strongly disagree	1254	52.0%
	Total	2,241	92.9%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	137	5.7%
-8	Do not know	0	0.0%
-7	Refused	1	0.0%
-1	N/A	1	0.0%
.	-	33	1.4%
	Total	172	7.1%

This variable has 2,241 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 3305-3306 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLGSAV7: Completed after V7 cutoff (01/31/2005) or before (5/15/2003)

Completed after V7 cutoff (01/31/2005)

Value	Label	Unweighted Frequency	%
0	No	2371	98.3%
1	Yes	2	0.1%
	Total	2,373	98.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	Refused	0	0.0%
-1	Before V7	7	0.3%
.	-	33	1.4%
	Total	40	1.7%

This variable has 2,373 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3307-3308 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYDAY7: Physical measures day

Date form completed

Value	Label	Unweighted Frequency	%
2297	-	1	0.0%
2315	-	1	0.0%
2324	-	1	0.0%
2332	-	1	0.0%
2333	-	1	0.0%
2365	-	1	0.0%
2373	-	1	0.0%
2375	-	1	0.0%
2400	-	1	0.0%
2417	-	1	0.0%
2423	-	1	0.0%
2432	-	1	0.0%
2439	-	1	0.0%
2441	-	1	0.0%
2447	-	1	0.0%
2449	-	1	0.0%
2456	-	1	0.0%
2462	-	1	0.0%
2465	-	1	0.0%
2468	-	2	0.1%

Value	Label	Unweighted Frequency	%
2478	-	1	0.0%
2480	-	2	0.1%
2483	-	3	0.1%
2484	-	2	0.1%
2485	-	3	0.1%
2486	-	1	0.0%
2492	-	6	0.2%
2493	-	1	0.0%
2494	-	1	0.0%
2496	-	1	0.0%
2498	-	1	0.0%
2499	-	2	0.1%
2501	-	5	0.2%
2502	-	2	0.1%
2504	-	4	0.2%
2505	-	1	0.0%
2506	-	4	0.2%
2507	-	1	0.0%
2508	-	3	0.1%
2509	-	4	0.2%
2510	-	7	0.3%
2511	-	12	0.5%
2512	-	20	0.8%
2513	-	18	0.7%
2514	-	11	0.5%
2515	-	4	0.2%
2516	-	8	0.3%
2517	-	7	0.3%
2518	-	10	0.4%
2519	-	13	0.5%
Total		2,243	93.0%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	170	7.0%

Value	Missing Data	Unweighted Frequency	%
	Total	170	7.0%

This variable has 2,243 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 2604.65
- Minimum: 2297.00
- Maximum: 3086.00
- Standard Deviation: 88.92

Location: 3309-3312 (width: 4; decimal: 0)

Variable Type: numeric

PULSE7: Pulse, beats/30 seconds

Pulse, beats/30 seconds

Value	Label	Unweighted Frequency	%
21	-	3	0.1%
22	-	4	0.2%
23	-	8	0.3%
24	-	11	0.5%
25	-	22	0.9%
26	-	30	1.2%
27	-	52	2.2%
28	-	72	3.0%
29	-	108	4.5%
30	-	222	9.2%
31	-	175	7.3%
32	-	171	7.1%
33	-	191	7.9%
34	-	180	7.5%
35	-	198	8.2%
36	-	158	6.5%
37	-	102	4.2%
38	-	118	4.9%
39	-	69	2.9%
40	-	79	3.3%
41	-	32	1.3%
42	-	35	1.5%

Value	Label	Unweighted Frequency	%
43	-	15	0.6%
44	-	9	0.4%
45	-	19	0.8%
46	-	12	0.5%
47	-	7	0.3%
48	-	1	0.0%
49	-	1	0.0%
50	-	3	0.1%
51	-	1	0.0%
52	-	3	0.1%
54	-	1	0.0%
56	-	2	0.1%
60	-	1	0.0%
68	-	1	0.0%
70	-	1	0.0%
74	-	1	0.0%
78	-	1	0.0%
80	-	1	0.0%
Total		2,120	87.9%

Value	Missing Data	Unweighted Frequency	%
.	-	293	12.1%
Total		293	12.1%

This variable has 2,120 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 33.87
- Median: 33.00
- Mode: 30.00
- Minimum: 21.00
- Maximum: 80.00
- Standard Deviation: 4.98

Location: 3313-3314 (width: 2; decimal: 0)

Variable Type: numeric

SYSBP17: Systolic blood pressure #1

Systolic BP #1

Value	Label	Unweighted Frequency	%
79	-	1	0.0%
80	-	2	0.1%
81	-	1	0.0%
82	-	5	0.2%
84	-	4	0.2%
86	-	8	0.3%
88	-	11	0.5%
90	-	19	0.8%
92	-	28	1.2%
93	-	1	0.0%
94	-	20	0.8%
95	-	1	0.0%
96	-	45	1.9%
98	-	74	3.1%
99	-	1	0.0%
100	-	81	3.4%
101	-	2	0.1%
102	-	82	3.4%
104	-	68	2.8%
106	-	96	4.0%
107	-	1	0.0%
108	-	118	4.9%
109	-	1	0.0%
110	-	137	5.7%
112	-	121	5.0%
114	-	88	3.6%
116	-	86	3.6%
118	-	115	4.8%
119	-	2	0.1%
120	-	134	5.6%
121	-	1	0.0%
122	-	73	3.0%
124	-	70	2.9%
125	-	2	0.1%
126	-	64	2.7%

Value	Label	Unweighted Frequency	%
127	-	1	0.0%
128	-	93	3.9%
129	-	1	0.0%
130	-	78	3.2%
132	-	47	1.9%
133	-	1	0.0%
134	-	29	1.2%
135	-	1	0.0%
136	-	42	1.7%
138	-	42	1.7%
139	-	1	0.0%
140	-	41	1.7%
142	-	28	1.2%
144	-	9	0.4%
146	-	16	0.7%
Total		2,109	87.4%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	304	12.6%
Total		304	12.6%

This variable has 2,109 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 117.67
- Median: 116.00
- Mode: 110.00
- Minimum: 79.00
- Maximum: 220.00
- Standard Deviation: 16.47

Location: 3315-3317 (*width:* 3; *decimal:* 0)

Variable Type: numeric

DIABP17: Diastolic blood pressure #1

Diastolic BP #1

Value	Label	Unweighted Frequency	%
20	-	1	0.0%

Value	Label	Unweighted Frequency	%
22	-	1	0.0%
44	-	2	0.1%
46	-	1	0.0%
48	-	6	0.2%
50	-	14	0.6%
52	-	6	0.2%
53	-	1	0.0%
54	-	20	0.8%
55	-	1	0.0%
56	-	26	1.1%
58	-	43	1.8%
59	-	1	0.0%
60	-	85	3.5%
62	-	79	3.3%
63	-	1	0.0%
64	-	103	4.3%
66	-	105	4.4%
67	-	1	0.0%
68	-	155	6.4%
70	-	229	9.5%
71	-	1	0.0%
72	-	144	6.0%
74	-	168	7.0%
75	-	1	0.0%
76	-	152	6.3%
78	-	157	6.5%
79	-	1	0.0%
80	-	186	7.7%
82	-	76	3.1%
83	-	1	0.0%
84	-	74	3.1%
85	-	1	0.0%
86	-	58	2.4%
88	-	67	2.8%
89	-	1	0.0%

Value	Label	Unweighted Frequency	%
90	-	58	2.4%
92	-	16	0.7%
94	-	18	0.7%
96	-	12	0.5%
98	-	12	0.5%
100	-	11	0.5%
102	-	2	0.1%
104	-	1	0.0%
106	-	3	0.1%
108	-	2	0.1%
110	-	3	0.1%
Total		2,107	87.3%
Value	Missing Data	Unweighted Frequency	%
.	-	306	12.7%
Total		306	12.7%

This variable has 2,107 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 73.64
- Median: 74.00
- Mode: 70.00
- Minimum: 20.00
- Maximum: 110.00
- Standard Deviation: 9.98

Location: 3318-3320 (width: 3; decimal: 0)

Variable Type: numeric

SYSBP27: Systolic blood pressure #2

Systolic BP #2

Value	Label	Unweighted Frequency	%
74	-	1	0.0%
78	-	2	0.1%
80	-	1	0.0%
82	-	2	0.1%
84	-	5	0.2%
86	-	10	0.4%

Value	Label	Unweighted Frequency	%
88	-	16	0.7%
89	-	1	0.0%
90	-	25	1.0%
92	-	17	0.7%
93	-	1	0.0%
94	-	28	1.2%
95	-	1	0.0%
96	-	44	1.8%
98	-	67	2.8%
99	-	1	0.0%
100	-	81	3.4%
102	-	87	3.6%
104	-	90	3.7%
106	-	91	3.8%
108	-	133	5.5%
110	-	149	6.2%
112	-	109	4.5%
114	-	78	3.2%
115	-	1	0.0%
116	-	97	4.0%
118	-	111	4.6%
120	-	108	4.5%
121	-	1	0.0%
122	-	77	3.2%
124	-	81	3.4%
125	-	1	0.0%
126	-	75	3.1%
128	-	75	3.1%
129	-	1	0.0%
130	-	53	2.2%
131	-	2	0.1%
132	-	44	1.8%
133	-	1	0.0%
134	-	38	1.6%
135	-	1	0.0%

Value	Label	Unweighted Frequency	%
136	-	39	1.6%
138	-	52	2.2%
139	-	1	0.0%
140	-	35	1.5%
142	-	19	0.8%
144	-	19	0.8%
146	-	20	0.8%
148	-	21	0.9%
150	-	12	0.5%
Total		2,102	87.1%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	311	12.9%
Total		311	12.9%

This variable has 2,102 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 117.30
- Median: 116.00
- Mode: 110.00
- Minimum: 74.00
- Maximum: 210.00
- Standard Deviation: 16.59

Location: 3321-3323 (width: 3; decimal: 0)

Variable Type: numeric

DIABP27: Diastolic blood pressure #2

Diastolic BP #2

Value	Label	Unweighted Frequency	%
20	-	2	0.1%
24	-	1	0.0%
42	-	2	0.1%
44	-	1	0.0%
48	-	3	0.1%
50	-	11	0.5%
52	-	7	0.3%

Value	Label	Unweighted Frequency	%
54	-	20	0.8%
56	-	25	1.0%
58	-	47	1.9%
60	-	92	3.8%
62	-	92	3.8%
64	-	100	4.1%
66	-	110	4.6%
67	-	1	0.0%
68	-	173	7.2%
69	-	2	0.1%
70	-	222	9.2%
71	-	1	0.0%
72	-	151	6.3%
73	-	1	0.0%
74	-	155	6.4%
76	-	148	6.1%
78	-	151	6.3%
80	-	180	7.5%
81	-	1	0.0%
82	-	74	3.1%
84	-	69	2.9%
85	-	1	0.0%
86	-	62	2.6%
87	-	1	0.0%
88	-	61	2.5%
90	-	52	2.2%
92	-	24	1.0%
93	-	1	0.0%
94	-	12	0.5%
96	-	13	0.5%
98	-	9	0.4%
100	-	10	0.4%
102	-	2	0.1%
104	-	1	0.0%
106	-	2	0.1%

Value	Label	Unweighted Frequency	%
108	-	3	0.1%
110	-	3	0.1%
112	-	1	0.0%
114	-	1	0.0%
118	-	1	0.0%
	Total	2,102	87.1%
Value	Missing Data	Unweighted Frequency	%
.	-	311	12.9%
	Total	311	12.9%

This variable has 2,102 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 73.42
- Median: 72.00
- Mode: 70.00
- Minimum: 20.00
- Maximum: 118.00
- Standard Deviation: 10.07

Location: 3324-3326 (*width:* 3; *decimal:* 0)

Variable Type: numeric

HEIGHT7: Height (in cm)

Height (in cm)

Value	Label	Unweighted Frequency	%
142.30	-	1	0.0%
144.20	-	1	0.0%
144.60	-	1	0.0%
144.70	-	1	0.0%
144.80	-	1	0.0%
145.00	-	1	0.0%
145.40	-	1	0.0%
145.70	-	2	0.1%
146.00	-	1	0.0%
146.10	-	1	0.0%
146.40	-	1	0.0%
146.80	-	2	0.1%

Value	Label	Unweighted Frequency	%
146.90	-	5	0.2%
147.00	-	1	0.0%
147.10	-	1	0.0%
147.30	-	1	0.0%
147.40	-	1	0.0%
147.50	-	1	0.0%
147.70	-	1	0.0%
147.80	-	2	0.1%
148.00	-	1	0.0%
148.10	-	1	0.0%
148.20	-	1	0.0%
148.40	-	1	0.0%
148.50	-	3	0.1%
148.60	-	4	0.2%
148.70	-	1	0.0%
148.80	-	1	0.0%
148.90	-	1	0.0%
149.00	-	2	0.1%
149.20	-	2	0.1%
149.30	-	2	0.1%
149.40	-	1	0.0%
149.50	-	4	0.2%
149.60	-	1	0.0%
149.70	-	1	0.0%
149.80	-	2	0.1%
149.85	-	1	0.0%
149.88	-	1	0.0%
149.90	-	2	0.1%
150.00	-	7	0.3%
150.20	-	1	0.0%
150.30	-	2	0.1%
150.40	-	2	0.1%
150.50	-	2	0.1%
150.60	-	1	0.0%
150.70	-	2	0.1%

Value	Label	Unweighted Frequency	%
150.80	-	3	0.1%
150.90	-	4	0.2%
151.00	-	8	0.3%
	Total	2,125	88.1%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-7.00	Refused	1	0.0%
.	-	287	11.9%
	Total	288	11.9%

This variable has 2,125 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 162.11
- Minimum: 142.30
- Maximum: 185.50
- Standard Deviation: 6.60

Location: 3327-3332 (width: 6; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -7.00 , .

HTMETHO7: Height measurement method

Height Measurement Method

Value	Label	Unweighted Frequency	%
1	Stadiometer	1888	78.2%
2	Portable	230	9.5%
3	Self-reported	9	0.4%
	Total	2,127	88.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	286	11.9%
	Total	286	11.9%

This variable has 2,127 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 3333-3334 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTSELF7: Height self-reported reason

If Self Report, then choose one of the following:

Value	Label	Unweighted Frequency	%
1	Partic in wheelchair/disabled	1	0.0%
2	Equipment failure	1	0.0%
3	Refused to be measured	1	0.0%
4	Other	6	0.2%
	Total	9	0.4%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2121	87.9%
.	-	283	11.7%
	Total	2,404	99.6%

This variable has 9 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3335-3336 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTSELF8: Height self-reported, other specify

If Self Report, then choose one of the following: Other - Specify

Value	Label	Unweighted Frequency	%
	-	283	11.7%
HOME VISIT	-	3	0.1%

Value	Label	Unweighted Frequency	%
HOME VISIT -- NO PORTABLE EQUIPMENT	-	1	0.0%
JUST WENT TO DOC. AND HAD HT AND WT REPORTED IT TO ME	-	1	0.0%
STUDY COORDINATOR DID NOT GET MEASUREMENT	-	1	0.0%
	Total	289	12.0%
Value	Missing Data	Unweighted Frequency	%
-1	N/A	2124	88.0%
	Total	2,124	88.0%

This variable has 289 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 3337-3389 (width: 53; decimal: 0)

Variable Type: character

(Range of) Missing Values: -1

WEIGHT7: Weight (in kg)

Weight (in kg)

Value	Label	Unweighted Frequency	%
37.80000000000	-	1	0.0%
39.80000000000	-	1	0.0%
40.40000000000	-	2	0.1%
40.50000000000	-	1	0.0%
40.60000000000	-	1	0.0%
41.30000000000	-	1	0.0%
41.50000000000	-	1	0.0%
41.90000000000	-	1	0.0%
42.50000000000	-	1	0.0%
42.70000000001	-	1	0.0%
43.00000000000	-	1	0.0%
43.40000000000	-	1	0.0%

Value	Label	Unweighted Frequency	%
43.500000000000	-	2	0.1%
43.600000000000	-	2	0.1%
43.800000000000	-	1	0.0%
44.200000000000	-	3	0.1%
45.000000000000	-	1	0.0%
45.100000000000	-	1	0.0%
45.200000000000	-	1	0.0%
45.300000000000	-	1	0.0%
45.400000000000	-	3	0.1%
45.45454545455	-	1	0.0%
45.600000000000	-	1	0.0%
45.700000000000	-	2	0.1%
45.800000000000	-	2	0.1%
46.000000000000	-	3	0.1%
46.100000000000	-	1	0.0%
46.200000000000	-	2	0.1%
46.400000000000	-	1	0.0%
46.500000000000	-	1	0.0%
46.700000000000	-	2	0.1%
46.800000000000	-	2	0.1%
46.900000000000	-	1	0.0%
47.000000000000	-	4	0.2%
47.100000000000	-	1	0.0%
47.400000000000	-	1	0.0%
47.500000000000	-	2	0.1%
47.600000000000	-	2	0.1%
47.700000000000	-	1	0.0%
47.72727272728	-	2	0.1%
47.900000000000	-	1	0.0%
48.000000000000	-	4	0.2%
48.100000000000	-	2	0.1%
48.200000000000	-	4	0.2%
48.300000000000	-	3	0.1%
48.400000000000	-	6	0.2%
48.500000000000	-	1	0.0%

Value	Label	Unweighted Frequency	%
48.600000000000	-	1	0.0%
48.700000000000	-	2	0.1%
48.800000000000	-	3	0.1%
	Total	2,233	92.5%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	180	7.5%
	Total	180	7.5%

This variable has 2,233 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 76.56563530514
- Minimum: 37.80000000000
- Maximum: 189.60000000000
- Standard Deviation: 20.99998330166

Location: 3390-3404 (width: 15; decimal: 11)

Variable Type: numeric

SCALE7: Weight scale type

Weight Scale Type

Value	Label	Unweighted Frequency	%
1	Balance beam	1141	47.3%
2	Clinic digital	346	14.3%
3	Portable	631	26.2%
4	Self-reported	116	4.8%
	Total	2,234	92.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	179	7.4%
	Total	179	7.4%

This variable has 2,234 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3405-3406 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WTSELF7: Weight self-reported reason

If Self Report, then choose one of the following:

Value	Label	Unweighted Frequency	%
1	Partic in wheelchair/disabled	1	0.0%
2	Equipment failure	1	0.0%
3	Refused to be weighed	0	0.0%
4	Weight more than scale	1	0.0%
5	Other	113	4.7%
	Total	116	4.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	2123	88.0%
.	-	174	7.2%
	Total	2,297	95.2%

This variable has 116 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3407-3408 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WTSELF7: Weight self-reported, other specify

If Self Report, then choose one of the following: Other - Specify

Value	Label	Unweighted Frequency	%
-	-	174	7.2%
AIN	-	90	3.7%

Value	Label	Unweighted Frequency	%
HOME VISIT	-	3	0.1%
HOME VISIT -- NO PORTABLE SCALE	-	1	0.0%
PAT	-	19	0.8%
	Total	287	11.9%
Value	Missing Data	Unweighted Frequency	%
-1	N/A	2126	88.1%
	Total	2,126	88.1%

This variable has 287 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 3409-3439 (width: 31; decimal: 0)

Variable Type: character

(Range of) Missing Values: -1

WAIST7: Waist circumference

Waist Circumference

Value	Label	Unweighted Frequency	%
60.0	-	1	0.0%
60.8	-	1	0.0%
61.0	-	2	0.1%
61.2	-	2	0.1%
61.5	-	1	0.0%
61.6	-	1	0.0%
61.9	-	1	0.0%
62.0	-	1	0.0%
62.1	-	2	0.1%
62.2	-	2	0.1%
62.4	-	3	0.1%
62.5	-	2	0.1%
62.6	-	1	0.0%
62.7	-	1	0.0%
62.9	-	1	0.0%
63.0	-	4	0.2%

Value	Label	Unweighted Frequency	%
63.1	-	1	0.0%
63.2	-	3	0.1%
63.4	-	4	0.2%
63.6	-	1	0.0%
63.7	-	1	0.0%
63.9	-	1	0.0%
64.0	-	2	0.1%
64.1	-	1	0.0%
64.2	-	3	0.1%
64.3	-	1	0.0%
64.4	-	2	0.1%
64.5	-	2	0.1%
64.6	-	1	0.0%
64.7	-	1	0.0%
64.8	-	1	0.0%
65.0	-	3	0.1%
65.1	-	2	0.1%
65.2	-	3	0.1%
65.4	-	1	0.0%
65.5	-	2	0.1%
65.7	-	2	0.1%
65.8	-	2	0.1%
65.9	-	4	0.2%
66.0	-	4	0.2%
66.1	-	1	0.0%
66.2	-	1	0.0%
66.3	-	1	0.0%
66.4	-	2	0.1%
66.5	-	2	0.1%
66.6	-	2	0.1%
66.7	-	5	0.2%
66.8	-	2	0.1%
67.0	-	7	0.3%
67.1	-	3	0.1%
	Total	2,121	87.9%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	292	12.1%
	Total	292	12.1%

This variable has 2,121 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 88.95
- Minimum: 60.00
- Maximum: 158.00
- Standard Deviation: 16.51

Location: 3440-3444 (width: 5; decimal: 1)

Variable Type: numeric

WASTMEA7: Waist measurement taken in:

Waist measurement

Value	Label	Unweighted Frequency	%
1	Undergarments	1671	69.2%
2	Light clothing	449	18.6%
	Total	2,120	87.9%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	293	12.1%
	Total	293	12.1%

This variable has 2,120 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3445-3446 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HIP7: Hip circumference

Hip Circumference

Value	Label	Unweighted Frequency	%
68.0	-	1	0.0%
75.4	-	1	0.0%
78.0	-	1	0.0%
79.2	-	1	0.0%
80.4	-	1	0.0%
81.1	-	1	0.0%
81.4	-	2	0.1%
81.7	-	1	0.0%
82.0	-	2	0.1%
82.2	-	1	0.0%
82.3	-	1	0.0%
82.9	-	1	0.0%
83.0	-	2	0.1%
83.3	-	1	0.0%
83.5	-	1	0.0%
83.6	-	1	0.0%
83.7	-	1	0.0%
84.0	-	2	0.1%
84.2	-	3	0.1%
84.3	-	1	0.0%
84.5	-	3	0.1%
84.6	-	1	0.0%
84.7	-	1	0.0%
84.9	-	3	0.1%
85.0	-	1	0.0%
85.3	-	1	0.0%
85.4	-	1	0.0%
85.5	-	3	0.1%
85.6	-	3	0.1%
85.7	-	1	0.0%
85.8	-	1	0.0%
86.0	-	4	0.2%
86.1	-	1	0.0%
86.2	-	3	0.1%
86.4	-	3	0.1%

Value	Label	Unweighted Frequency	%
86.5	-	1	0.0%
86.6	-	4	0.2%
86.7	-	3	0.1%
86.8	-	4	0.2%
86.9	-	2	0.1%
87.0	-	4	0.2%
87.1	-	1	0.0%
87.3	-	2	0.1%
87.4	-	2	0.1%
87.5	-	1	0.0%
87.6	-	3	0.1%
87.7	-	4	0.2%
87.8	-	3	0.1%
87.9	-	2	0.1%
88.0	-	7	0.3%
Total		2,118	87.8%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	295	12.2%
Total		295	12.2%

This variable has 2,118 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 107.63
- Minimum: 68.00
- Maximum: 182.00
- Standard Deviation: 15.24

Location: 3447-3451 (width: 5; decimal: 1)

Variable Type: numeric

HIPMEAS7: Hip measurement taken in:

Hip Measurement taken in:

Value	Label	Unweighted Frequency	%
1	Undergarments	1318	54.6%
2	Light clothing	800	33.2%

Value	Label	Unweighted Frequency	%
	Total	2,118	87.8%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	295	12.2%
	Total	295	12.2%

This variable has 2,118 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3452-3453 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FORMPHY7: Abbreviated or full physical measures

Abbreviated or Full Physical Measures

Value	Label	Unweighted Frequency	%
-		170	7.0%
AIN	-	93	3.9%
PAT	-	20	0.8%
PHY	-	2130	88.3%
	Total	2,413	100.0%

This variable has 2,413 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 3454-3456 (width: 3; decimal: 0)

Variable Type: character

BMI7: Body Mass Index (BMI)

BMI is calculated as weight in kilograms divided by the square of height in meters

Value	Label	Unweighted Frequency	%
16.334876929402	-	1	0.0%

Value	Label	Unweighted Frequency	%
16.437696404788	-	1	0.0%
16.597876779979	-	1	0.0%
16.822773186410	-	1	0.0%
16.967396495043	-	1	0.0%
16.994185825551	-	1	0.0%
17.118045680728	-	1	0.0%
17.125627130951	-	1	0.0%
17.270059307911	-	1	0.0%
17.452273940904	-	1	0.0%
17.455374764265	-	1	0.0%
17.514756375140	-	1	0.0%
17.530148451424	-	1	0.0%
17.624852391861	-	1	0.0%
17.662194300371	-	1	0.0%
17.779330557739	-	1	0.0%
17.812500000000	-	1	0.0%
17.952095829617	-	1	0.0%
17.997622782080	-	1	0.0%
17.998866213152	-	1	0.0%
18.017656430776	-	1	0.0%
18.035197148585	-	1	0.0%
18.082799267210	-	1	0.0%
18.191682663006	-	1	0.0%
18.195482773624	-	1	0.0%
18.213410559145	-	1	0.0%
18.356315756311	-	1	0.0%
18.372976455744	-	1	0.0%
18.379777364615	-	1	0.0%
18.412995515276	-	1	0.0%
18.577128659483	-	1	0.0%
18.581980481774	-	1	0.0%
18.587007913806	-	1	0.0%
18.594581060407	-	1	0.0%
18.679430121034	-	1	0.0%
18.692783015854	-	1	0.0%

Value	Label	Unweighted Frequency	%
18.695913739646	-	1	0.0%
18.725696593938	-	1	0.0%
18.729163805267	-	1	0.0%
18.730738430925	-	1	0.0%
18.745562130178	-	1	0.0%
18.754387402192	-	1	0.0%
18.763589805852	-	1	0.0%
18.826793499802	-	1	0.0%
18.899841713826	-	1	0.0%
18.925468477722	-	1	0.0%
18.945312500000	-	1	0.0%
19.011284064911	-	1	0.0%
19.068827968510	-	1	0.0%
19.096666361529	-	1	0.0%
	Total	2,110	87.4%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	303	12.6%
	Total	303	12.6%

This variable has 2,110 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 28.867826557324
- Minimum: 16.334876929402
- Maximum: 63.825525696650
- Standard Deviation: 7.298603711085

Location: 3457-3471 (width: 15; decimal: 12)

Variable Type: numeric

COGDAY7: Cognitive function day

Date form completed

Value	Label	Unweighted Frequency	%
2315	-	1	0.0%
2333	-	1	0.0%
2365	-	1	0.0%

Value	Label	Unweighted Frequency	%
2373	-	1	0.0%
2375	-	1	0.0%
2399	-	1	0.0%
2417	-	1	0.0%
2423	-	1	0.0%
2432	-	1	0.0%
2439	-	1	0.0%
2441	-	1	0.0%
2447	-	1	0.0%
2449	-	1	0.0%
2456	-	1	0.0%
2462	-	1	0.0%
2478	-	1	0.0%
2480	-	2	0.1%
2483	-	3	0.1%
2484	-	2	0.1%
2485	-	2	0.1%
2492	-	6	0.2%
2493	-	1	0.0%
2494	-	1	0.0%
2496	-	1	0.0%
2499	-	2	0.1%
2501	-	4	0.2%
2502	-	2	0.1%
2504	-	3	0.1%
2505	-	1	0.0%
2506	-	5	0.2%
2508	-	3	0.1%
2509	-	4	0.2%
2510	-	7	0.3%
2511	-	11	0.5%
2512	-	19	0.8%
2513	-	17	0.7%
2514	-	11	0.5%
2515	-	4	0.2%

Value	Label	Unweighted Frequency	%
2516	-	8	0.3%
2517	-	7	0.3%
2518	-	10	0.4%
2519	-	12	0.5%
2520	-	21	0.9%
2521	-	8	0.3%
2522	-	18	0.7%
2523	-	9	0.4%
2524	-	8	0.3%
2525	-	12	0.5%
2526	-	15	0.6%
2527	-	18	0.7%
Total		2,053	85.1%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	360	14.9%
Total		360	14.9%

This variable has 2,053 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 2600.51
- Minimum: 2315.00
- Maximum: 3086.00
- Standard Deviation: 81.66

Location: 3472-3475 (width: 4; decimal: 0)

Variable Type: numeric

LANGCOG7: Language of cognitive function

Interview Language

Value	Label	Unweighted Frequency	%
1	English	1873	77.6%
2	Spanish	9	0.4%
3	Cantonese	82	3.4%
4	Japanese	89	3.7%
Total		2,053	85.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	360	14.9%
	Total	360	14.9%

This variable has 2,053 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3476-3477 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDTHR7: East Boston Memory Test (EBMT) Immediate Recall: Three

Now I would like to ask you to try to remember a short story. First, I'm going to read you a short story and when I'm through, I'm going to wait a few seconds and then ask you to tell me as much as you can remember. The story is: Three children were alone at home and the house caught on fire. A brave fireman managed to climb in a back window and carry them to safety. Aside from minor cuts and bruises, all were well. Please tell me the story. Is the following idea present: Three

Value	Label	Unweighted Frequency	%
0	Absent	33	1.4%
1	Present	2019	83.7%
	Total	2,052	85.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	361	15.0%
	Total	361	15.0%

This variable has 2,052 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3478-3479 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDCH17: East Boston Memory Test (EBMT) Immediate Recall: Children (1)

Is the following idea present: Children

Value	Label	Unweighted Frequency	%
0	Absent	24	1.0%
1	Present	2028	84.0%
	Total	2,052	85.0%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	361	15.0%
	Total	361	15.0%

This variable has 2,052 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3480-3481 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDHOU7: East Boston Memory Test (EBMT) Immediate Recall: House

Is the following idea present: House

Value	Label	Unweighted Frequency	%
0	Absent	258	10.7%
1	Present	1794	74.3%
	Total	2,052	85.0%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	0	0.0%
.	-	361	15.0%
	Total	361	15.0%

This variable has 2,052 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3482-3483 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDFIR7: East Boston Memory Test (EBMT) Immediate Recall: On Fire

Is the following idea present: On Fire

Value	Label	Unweighted Frequency	%
0	Absent	100	4.1%
1	Present	1952	80.9%
	Total	2,052	85.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	361	15.0%
	Total	361	15.0%

This variable has 2,052 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3484-3485 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDFMN7: East Boston Memory Test (EBMT) Immediate Recall: Fireman

Is the following idea present: Fireman

Value	Label	Unweighted Frequency	%
0	Absent	38	1.6%
1	Present	2014	83.5%
	Total	2,052	85.0%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	361	15.0%
	Total	361	15.0%

This variable has 2,052 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3486-3487 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

IMEDCLM7: East Boston Memory Test (EBMT) Immediate Recall: Climb In

Is the following idea present: Climb In

Value	Label	Unweighted Frequency	%
0	Absent	396	16.4%
1	Present	1656	68.6%
	Total	2,052	85.0%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	361	15.0%
	Total	361	15.0%

This variable has 2,052 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3488-3489 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDCH27: East Boston Memory Test (EBMT) Immediate Recall: Children (2)

Is the following idea present: Children

Value	Label	Unweighted Frequency	%
0	Absent	199	8.2%
1	Present	1853	76.8%
	Total	2,052	85.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	361	15.0%
	Total	361	15.0%

This variable has 2,052 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3490-3491 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDRES7: East Boston Memory Test (EBMT) Immediate Recall: Rescued

Is the following idea present: Rescued

Value	Label	Unweighted Frequency	%
0	Absent	176	7.3%
1	Present	1876	77.7%
	Total	2,052	85.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	361	15.0%
Total		361	15.0%

This variable has 2,052 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3492-3493 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -9, -8, -7, -1, .)

IMEDMIN7: East Boston Memory Test (EBMT) Immediate Recall: Minor

Is the following idea present: Minor

Value	Label	Unweighted Frequency	%
0	Absent	436	18.1%
1	Present	1616	67.0%
Total		2,052	85.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	361	15.0%
Total		361	15.0%

This variable has 2,052 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3494-3495 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -9, -8, -7, -1, .)

IMEDINJ7: East Boston Memory Test (EBMT) Immediate Recall: Injuries

Is the following idea present: Injuries

Value	Label	Unweighted Frequency	%
0	Absent	406	16.8%
1	Present	1646	68.2%
	Total	2,052	85.0%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	361	15.0%
	Total	361	15.0%

This variable has 2,052 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3496-3497 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

IMEDEVR7: East Boston Memory Test (EBMT) Immediate Recall: Everyone

Is the following idea present: Everyone

Value	Label	Unweighted Frequency	%
0	Absent	741	30.7%
1	Present	1311	54.3%
	Total	2,052	85.0%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	361	15.0%
	Total	361	15.0%

This variable has 2,052 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3498-3499 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDWEL7: East Boston Memory Test (EBMT) Immediate Recall: Well

Is the following idea present: Well

Value	Label	Unweighted Frequency	%
0	Absent	632	26.2%
1	Present	1420	58.8%
	Total	2,052	85.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	361	15.0%
	Total	361	15.0%

This variable has 2,052 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3500-3501 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TOTIDE17: East Boston Memory Test (EBMT) Immediate Recall: Total Ideas

Total ideas present

Value	Label	Unweighted Frequency	%
3	-	3	0.1%
4	-	8	0.3%
5	-	11	0.5%

Value	Label	Unweighted Frequency	%
6	-	31	1.3%
7	-	91	3.8%
8	-	177	7.3%
9	-	235	9.7%
10	-	457	18.9%
11	-	303	12.6%
12	-	736	30.5%
Total		2,052	85.0%

Value	Missing Data	Unweighted Frequency	%
.	-	361	15.0%
Total		361	15.0%

This variable has 2,052 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 10.32
- Median: 11.00
- Mode: 12.00
- Minimum: 3.00
- Maximum: 12.00
- Standard Deviation: 1.71

Location: 3502-3503 (*width:* 2; *decimal:* 0)

Variable Type: numeric

FACEI17: Faces Immediate Item 1

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	737	30.5%
1	Correct	1297	53.8%
Total		2,034	84.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%
-8	Do not know	0	0.0%
-7	Refused	14	0.6%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	379	15.7%

This variable has 2,034 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3504-3505 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI27: Faces Immediate Item 2

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like.

Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	361	15.0%
1	Correct	1673	69.3%
	Total	2,034	84.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%
-8	Do not know	0	0.0%
-7	Refused	14	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	379	15.7%

This variable has 2,034 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3506-3507 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI37: Faces Immediate Item 3

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	436	18.1%
1	Correct	1598	66.2%
	Total	2,034	84.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%
-8	Do not know	0	0.0%
-7	Refused	14	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	379	15.7%

This variable has 2,034 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3508-3509 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

FACEI47: Faces Immediate Item 4

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	546	22.6%
1	Correct	1488	61.7%
	Total	2,034	84.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%
-8	Do not know	0	0.0%
-7	Refused	14	0.6%
-1	N/A	4	0.2%

Value	Missing Data	Unweighted Frequency	%
.	-	360	14.9%
	Total	379	15.7%

This variable has 2,034 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3510-3511 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI57: Faces Immediate Item 5

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like.

Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	128	5.3%
1	Correct	1906	79.0%
	Total	2,034	84.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%
-8	Do not know	0	0.0%
-7	Refused	14	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	379	15.7%

This variable has 2,034 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3512-3513 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI67: Faces Immediate Item 6

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like.

Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	1165	48.3%
1	Correct	869	36.0%
	Total	2,034	84.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%
-8	Do not know	0	0.0%
-7	Refused	14	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	379	15.7%

This variable has 2,034 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3514-3515 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI77: Faces Immediate Item 7

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	401	16.6%
1	Correct	1633	67.7%
	Total	2,034	84.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%
-8	Do not know	0	0.0%
-7	Refused	14	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	379	15.7%

This variable has 2,034 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3516-3517 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI87: Faces Immediate Item 8

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	499	20.7%
1	Correct	1535	63.6%
	Total	2,034	84.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%
-8	Do not know	0	0.0%
-7	Refused	14	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	379	15.7%

This variable has 2,034 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3518-3519 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI97: Faces Immediate Item 9

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	703	29.1%

Value	Label	Unweighted Frequency	%
1	Correct	1331	55.2%
	Total	2,034	84.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%
-8	Do not know	0	0.0%
-7	Refused	14	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	379	15.7%

This variable has 2,034 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3520-3521 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

FACEI107: Faces Immediate Item 10

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	59	2.4%
1	Correct	1975	81.8%
	Total	2,034	84.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%
-8	Do not know	0	0.0%
-7	Refused	14	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	379	15.7%

This variable has 2,034 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3522-3523 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI117: Faces Immediate Item 11

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	367	15.2%
1	Correct	1667	69.1%
	Total	2,034	84.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%
-8	Do not know	0	0.0%
-7	Refused	14	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	379	15.7%

This variable has 2,034 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3524-3525 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI127: Faces Immediate Item 12

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	517	21.4%
1	Correct	1517	62.9%

Value	Label	Unweighted Frequency	%
Total		2,034	84.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%
-8	Do not know	0	0.0%
-7	Refused	14	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
Total		379	15.7%

This variable has 2,034 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3526-3527 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI137: Faces Immediate Item 13

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
Total		2,034	84.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%
-8	Do not know	0	0.0%
-7	Refused	14	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
Total		379	15.7%

This variable has 2,034 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3528-3529 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI147: Faces Immediate Item 14

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	843	34.9%
1	Correct	1191	49.4%
	Total	2,034	84.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%
-8	Do not know	0	0.0%
-7	Refused	14	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	379	15.7%

This variable has 2,034 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3530-3531 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI157: Faces Immediate Item 15

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	586	24.3%
1	Correct	1447	60.0%
	Total	2,033	84.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	14	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	380	15.7%

This variable has 2,033 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3532-3533 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI167: Faces Immediate Item 16

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like.

Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	334	13.8%
1	Correct	1699	70.4%
	Total	2,033	84.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	14	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	380	15.7%

This variable has 2,033 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3534-3535 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI177: Faces Immediate Item 17

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	96	4.0%
1	Correct	1937	80.3%
	Total	2,033	84.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	14	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	380	15.7%

This variable has 2,033 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3536-3537 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

FACEI187: Faces Immediate Item 18

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	376	15.6%
1	Correct	1657	68.7%
	Total	2,033	84.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	Refused	14	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	380	15.7%

This variable has 2,033 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3538-3539 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI197: Faces Immediate Item 19

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like.

Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	244	10.1%
1	Correct	1789	74.1%
	Total	2,033	84.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	14	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	380	15.7%

This variable has 2,033 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3540-3541 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI207: Faces Immediate Item 20

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	572	23.7%
1	Correct	1461	60.5%
	Total	2,033	84.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	14	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	380	15.7%

This variable has 2,033 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3542-3543 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

FACEI217: Faces Immediate Item 21

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	330	13.7%
1	Correct	1703	70.6%
	Total	2,033	84.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	14	0.6%
-1	N/A	4	0.2%

Value	Missing Data	Unweighted Frequency	%
.	-	360	14.9%
	Total	380	15.7%

This variable has 2,033 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3544-3545 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI227: Faces Immediate Item 22

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like.

Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	260	10.8%
1	Correct	1773	73.5%
	Total	2,033	84.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	14	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	380	15.7%

This variable has 2,033 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3546-3547 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI237: Faces Immediate Item 23

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like.

Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	455	18.9%
1	Correct	1578	65.4%
	Total	2,033	84.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	14	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	380	15.7%

This variable has 2,033 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3548-3549 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

FACEI247: Faces Immediate Item 24

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	526	21.8%
1	Correct	1507	62.5%
	Total	2,033	84.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	14	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	380	15.7%

This variable has 2,033 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3550-3551 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI257: Faces Immediate Item 25

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	569	23.6%
1	Correct	1464	60.7%
	Total	2,033	84.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	14	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	380	15.7%

This variable has 2,033 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3552-3553 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI267: Faces Immediate Item 26

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	86	3.6%

Value	Label	Unweighted Frequency	%
1	Correct	1947	80.7%
	Total	2,033	84.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	14	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	380	15.7%

This variable has 2,033 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3554-3555 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

FACEI277: Faces Immediate Item 27

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	140	5.8%
1	Correct	1893	78.5%
	Total	2,033	84.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	14	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	380	15.7%

This variable has 2,033 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3556-3557 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI287: Faces Immediate Item 28

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	746	30.9%
1	Correct	1287	53.3%
	Total	2,033	84.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	14	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	380	15.7%

This variable has 2,033 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3558-3559 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI297: Faces Immediate Item 29

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	500	20.7%
1	Correct	1533	63.5%

Value	Label	Unweighted Frequency	%
Total		2,033	84.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	14	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
Total		380	15.7%

This variable has 2,033 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3560-3561 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI307: Faces Immediate Item 30

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
Total		2,033	84.3%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	14	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
Total		380	15.7%

This variable has 2,033 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3562-3563 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI317: Faces Immediate Item 31

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	311	12.9%
1	Correct	1722	71.4%
	Total	2,033	84.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	14	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	380	15.7%

This variable has 2,033 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3564-3565 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI327: Faces Immediate Item 32

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	558	23.1%
1	Correct	1475	61.1%
	Total	2,033	84.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	14	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	380	15.7%

This variable has 2,033 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3566-3567 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI337: Faces Immediate Item 33

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like.

Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	708	29.3%
1	Correct	1325	54.9%
	Total	2,033	84.3%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	14	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	380	15.7%

This variable has 2,033 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3568-3569 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI347: Faces Immediate Item 34

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	333	13.8%
1	Correct	1699	70.4%
	Total	2,032	84.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	15	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	381	15.8%

This variable has 2,032 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3570-3571 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

FACEI357: Faces Immediate Item 35

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	405	16.8%
1	Correct	1627	67.4%
	Total	2,032	84.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	Refused	15	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	381	15.8%

This variable has 2,032 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3572-3573 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI367: Faces Immediate Item 36

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like.

Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	423	17.5%
1	Correct	1609	66.7%
	Total	2,032	84.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	15	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	381	15.8%

This variable has 2,032 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3574-3575 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI377: Faces Immediate Item 37

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	626	25.9%
1	Correct	1406	58.3%
	Total	2,032	84.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	15	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	381	15.8%

This variable has 2,032 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3576-3577 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

FACEI387: Faces Immediate Item 38

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	263	10.9%
1	Correct	1769	73.3%
	Total	2,032	84.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	15	0.6%
-1	N/A	4	0.2%

Value	Missing Data	Unweighted Frequency	%
.	-	360	14.9%
	Total	381	15.8%

This variable has 2,032 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3578-3579 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI397: Faces Immediate Item 39

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like.

Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	149	6.2%
1	Correct	1883	78.0%
	Total	2,032	84.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	15	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	381	15.8%

This variable has 2,032 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3580-3581 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI407: Faces Immediate Item 40

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like.

Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	742	30.8%
1	Correct	1290	53.5%
	Total	2,032	84.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	15	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	381	15.8%

This variable has 2,032 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3582-3583 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

FACEI417: Faces Immediate Item 41

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like.

Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	239	9.9%
1	Correct	1793	74.3%
	Total	2,032	84.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	15	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	381	15.8%

This variable has 2,032 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3584-3585 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI427: Faces Immediate Item 42

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	332	13.8%
1	Correct	1700	70.5%
	Total	2,032	84.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	15	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	381	15.8%

This variable has 2,032 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3586-3587 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI437: Faces Immediate Item 43

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	80	3.3%
1	Correct	1952	80.9%

Value	Label	Unweighted Frequency	%
	Total	2,032	84.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	15	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	381	15.8%

This variable has 2,032 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3588-3589 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI447: Faces Immediate Item 44

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	309	12.8%
1	Correct	1723	71.4%
	Total	2,032	84.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	15	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	381	15.8%

This variable has 2,032 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3590-3591 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI457: Faces Immediate Item 45

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	305	12.6%
1	Correct	1727	71.6%
	Total	2,032	84.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	15	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	381	15.8%

This variable has 2,032 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3592-3593 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI467: Faces Immediate Item 46

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	307	12.7%
1	Correct	1725	71.5%
	Total	2,032	84.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	15	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
Total		381	15.8%

This variable has 2,032 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3594-3595 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI477: Faces Immediate Item 47

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	626	25.9%
1	Correct	1406	58.3%
Total		2,032	84.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	15	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
Total		381	15.8%

This variable has 2,032 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3596-3597 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI487: Faces Immediate Item 48

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not. I want you to remember the first group of faces I asked you to remember because later on I am going to ask you to pick them out of another group of faces.

Value	Label	Unweighted Frequency	%
0	Not correct	594	24.6%
1	Correct	1438	59.6%
	Total	2,032	84.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	15	0.6%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	381	15.8%

This variable has 2,032 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3598-3599 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEIMD7: Faces Total Score: Immediate

Faces Total Score: Immediate

Value	Label	Unweighted Frequency	%
16	-	1	0.0%
17	-	1	0.0%
18	-	1	0.0%
20	-	1	0.0%
21	-	1	0.0%
22	-	6	0.2%

Value	Label	Unweighted Frequency	%
23	-	4	0.2%
24	-	4	0.2%
25	-	12	0.5%
26	-	8	0.3%
27	-	18	0.7%
28	-	25	1.0%
29	-	22	0.9%
30	-	51	2.1%
31	-	53	2.2%
32	-	71	2.9%
33	-	101	4.2%
34	-	90	3.7%
35	-	126	5.2%
36	-	144	6.0%
37	-	175	7.3%
38	-	163	6.8%
39	-	153	6.3%
40	-	165	6.8%
41	-	171	7.1%
42	-	143	5.9%
43	-	109	4.5%
44	-	97	4.0%
45	-	58	2.4%
46	-	37	1.5%
47	-	17	0.7%
48	-	4	0.2%
Total		2,032	84.2%

Value	Missing Data	Unweighted Frequency	%
.	-	381	15.8%
Total		381	15.8%

This variable has 2,032 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 37.74
- Median: 38.00
- Mode: 37.00

- Minimum: 16.00
- Maximum: 48.00
- Standard Deviation: 4.80

Location: 3600-3601 (width: 2; decimal: 0)

Variable Type: numeric

SDMTSTA7: Symbol Digit Modalities Test (SDMT): Administration Status

SDMT: Administration Status

Value	Label	Unweighted Frequency	%
1	Test administered	2039	84.5%
6	Not admin bec of physical impairment	3	0.1%
7	Not admin bec of verbal refusal	5	0.2%
8	Not admin bec of behavioral reason	0	0.0%
9	Not admin bec of other reason	2	0.1%
10	Administered but not according to protocol	4	0.2%
Total		2,053	85.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	360	14.9%
Total		360	14.9%

This variable has 2,053 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 10.00

Location: 3602-3603 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SDMTADM7: Symbol Digit Modalities Test (SDMT): Number of Test Administrations

SDMT: # of Test Administrations

Value	Label	Unweighted Frequency	%
1	-	2037	84.4%

Value	Label	Unweighted Frequency	%
2	-	5	0.2%
3	-	1	0.0%
	Total	2,043	84.7%
Value	Missing Data	Unweighted Frequency	%
-1	N/A	1	0.0%
.	-	369	15.3%
	Total	370	15.3%

This variable has 2,043 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.07

Location: 3604-3605 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1, .

SDMTPRA7: Symbol Digit Modalities Test (SDMT): Number of Practice Items Correct

SDMT: # of Practice Items Correct

Value	Label	Unweighted Frequency	%
0	-	3	0.1%
1	-	3	0.1%
2	-	2	0.1%
3	-	2	0.1%
4	-	1	0.0%
5	-	8	0.3%
6	-	75	3.1%
7	-	1948	80.7%
	Total	2,042	84.6%
Value	Missing Data	Unweighted Frequency	%
-1	N/A	1	0.0%
.	-	370	15.3%

Value	Missing Data	Unweighted Frequency	%
	Total	371	15.4%

This variable has 2,042 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 6.93
- Median: 7.00
- Mode: 7.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.47

Location: 3606-3607 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1, .

SDMTATM7: Symbol Digit Modalities Test (SDMT): Number of Test Items Attempted

SDMT: # of Test Items Attempted

Value	Label	Unweighted Frequency	%
8	-	1	0.0%
17	-	1	0.0%
19	-	1	0.0%
20	-	3	0.1%
21	-	1	0.0%
23	-	2	0.1%
24	-	3	0.1%
25	-	6	0.2%
26	-	3	0.1%
28	-	2	0.1%
29	-	5	0.2%
30	-	4	0.2%
31	-	2	0.1%
32	-	5	0.2%
33	-	6	0.2%
34	-	3	0.1%
35	-	8	0.3%
36	-	9	0.4%
37	-	8	0.3%
38	-	13	0.5%

Value	Label	Unweighted Frequency	%
39	-	9	0.4%
40	-	5	0.2%
41	-	12	0.5%
42	-	10	0.4%
43	-	22	0.9%
44	-	12	0.5%
45	-	15	0.6%
46	-	31	1.3%
47	-	38	1.6%
48	-	29	1.2%
49	-	37	1.5%
50	-	97	4.0%
51	-	81	3.4%
52	-	59	2.4%
53	-	77	3.2%
54	-	51	2.1%
55	-	76	3.1%
56	-	75	3.1%
57	-	103	4.3%
58	-	89	3.7%
59	-	86	3.6%
60	-	77	3.2%
61	-	84	3.5%
62	-	61	2.5%
63	-	89	3.7%
64	-	39	1.6%
65	-	121	5.0%
66	-	70	2.9%
67	-	56	2.3%
68	-	52	2.2%
Total		2,043	84.7%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-1	N/A	1	0.0%

Value	Missing Data	Unweighted Frequency	%
.	-	369	15.3%
	Total	370	15.3%

This variable has 2,043 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 58.37
- Median: 59.00
- Mode: 65.00
- Minimum: 8.00
- Maximum: 96.00
- Standard Deviation: 10.47

Location: 3608-3609 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1, .

SDMTCOR7: Symbol Digit Modalities Test (SDMT): Number of Test Items Correct

SDMT: # of Test Items Correct

Value	Label	Unweighted Frequency	%
1	-	1	0.0%
6	-	1	0.0%
7	-	1	0.0%
13	-	1	0.0%
15	-	1	0.0%
17	-	1	0.0%
19	-	2	0.1%
20	-	5	0.2%
21	-	2	0.1%
22	-	2	0.1%
23	-	7	0.3%
24	-	5	0.2%
25	-	5	0.2%
26	-	1	0.0%
27	-	2	0.1%
28	-	4	0.2%
29	-	6	0.2%
30	-	3	0.1%
31	-	4	0.2%

Value	Label	Unweighted Frequency	%
32	-	6	0.2%
33	-	10	0.4%
34	-	7	0.3%
35	-	10	0.4%
36	-	18	0.7%
37	-	4	0.2%
38	-	11	0.5%
39	-	10	0.4%
40	-	10	0.4%
41	-	19	0.8%
42	-	15	0.6%
43	-	17	0.7%
44	-	20	0.8%
45	-	26	1.1%
46	-	29	1.2%
47	-	49	2.0%
48	-	35	1.5%
49	-	57	2.4%
50	-	87	3.6%
51	-	70	2.9%
52	-	58	2.4%
53	-	70	2.9%
54	-	56	2.3%
55	-	73	3.0%
56	-	67	2.8%
57	-	105	4.4%
58	-	87	3.6%
59	-	79	3.3%
60	-	77	3.2%
61	-	76	3.1%
62	-	54	2.2%
Total		2,043	84.7%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-1	N/A	1	0.0%
.	-	369	15.3%
	Total	370	15.3%

This variable has 2,043 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 57.23
- Median: 58.00
- Mode: 57.00
- Minimum: 1.00
- Maximum: 96.00
- Standard Deviation: 11.29

Location: 3610-3611 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1, .

DIGIT1A7: Digits Backward: Item 1A

I am going to say some numbers. When I stop, I want you to say them backwards. Ready? 5 - 1

Value	Label	Unweighted Frequency	%
0	Error	2	0.1%
1	Correct	2035	84.3%
6	Not admin bec of physical impairment	0	0.0%
7	Not admin bec of verbal refusal	14	0.6%
8	Not admin bec of behavioral reason	0	0.0%
9	Not admin bec of other reason	1	0.0%
10	Administered but not according to protocol	1	0.0%
	Total	2,053	85.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	360	14.9%
	Total	360	14.9%

This variable has 2,053 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00

- Maximum: 10.00

Location: 3612-3613 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

DIGIT1B7: Digits Backward: Item 1B

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 3 - 8

Value	Label	Unweighted Frequency	%
0	Error	3	0.1%
1	Correct	2035	84.3%
6	Not admin bec of physical impairment	0	0.0%
7	Not admin bec of verbal refusal	14	0.6%
8	Not admin bec of behavioral reason	0	0.0%
9	Not admin bec of other reason	1	0.0%
10	Administered but not according to protocol	0	0.0%
Total		2,053	85.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	360	14.9%
Total		360	14.9%

This variable has 2,053 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3614-3615 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

DIGIT2A7: Digits Backward: Item 2A

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 4 - 9 - 3

Value	Label	Unweighted Frequency	%
0	Error	111	4.6%

Value	Label	Unweighted Frequency	%
1	Correct	1923	79.7%
6	Not admin bec of physical impairment	0	0.0%
7	Not admin bec of verbal refusal	15	0.6%
8	Not admin bec of behavioral reason	0	0.0%
9	Not admin bec of other reason	1	0.0%
10	Administered but not according to protocol	3	0.1%
	Total	2,053	85.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	360	14.9%
	Total	360	14.9%

This variable has 2,053 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 3616-3617 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT2B7: Digits Backward: Item 2B

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 5 - 2 - 6

Value	Label	Unweighted Frequency	%
0	Error	258	10.7%
1	Correct	1778	73.7%
6	Not admin bec of physical impairment	0	0.0%
7	Not admin bec of verbal refusal	15	0.6%
8	Not admin bec of behavioral reason	0	0.0%
9	Not admin bec of other reason	1	0.0%
10	Administered but not according to protocol	1	0.0%
	Total	2,053	85.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	360	14.9%
	Total	360	14.9%

This variable has 2,053 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 3618-3619 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT3A7: Digits Backward: Item 3A

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 3 - 8 - 1 - 4

Value	Label	Unweighted Frequency	%
0	Error	389	16.1%
1	Correct	1612	66.8%
6	Not admin bec of physical impairment	0	0.0%
7	Not admin bec of verbal refusal	16	0.7%
8	Not admin bec of behavioral reason	0	0.0%
9	Not admin bec of other reason	1	0.0%
10	Administered but not according to protocol	0	0.0%
	Total	2,018	83.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	5	0.2%
.	-	390	16.2%
	Total	395	16.4%

This variable has 2,018 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3620-3621 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT3B7: Digits Backward: Item 3B

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 1 - 7 - 9 - 5

Value	Label	Unweighted Frequency	%
0	Error	464	19.2%
1	Correct	1531	63.4%
6	Not admin bec of physical impairment	0	0.0%
7	Not admin bec of verbal refusal	18	0.7%
8	Not admin bec of behavioral reason	1	0.0%
9	Not admin bec of other reason	2	0.1%
10	Administered but not according to protocol	2	0.1%
Total		2,018	83.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	5	0.2%
.	-	390	16.2%
Total		395	16.4%

This variable has 2,018 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 3622-3623 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT4A7: Digits Backward: Item 4A

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 6 - 2 - 9 - 7 - 2

Value	Label	Unweighted Frequency	%
0	Error	1128	46.7%
1	Correct	703	29.1%
6	Not admin bec of physical impairment	0	0.0%
7	Not admin bec of verbal refusal	25	1.0%
8	Not admin bec of behavioral reason	0	0.0%
9	Not admin bec of other reason	2	0.1%
10	Administered but not according to protocol	0	0.0%
	Total	1,858	77.0%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	11	0.5%
.	-	544	22.5%
	Total	555	23.0%

This variable has 1,858 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3624-3625 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9, -8, -7, -1, .)

DIGIT4B7: Digits Backward: Item 4B

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 4 - 8 - 5 - 2 - 7

Value	Label	Unweighted Frequency	%
0	Error	878	36.4%
1	Correct	945	39.2%
6	Not admin bec of physical impairment	0	0.0%
7	Not admin bec of verbal refusal	30	1.2%
8	Not admin bec of behavioral reason	0	0.0%
9	Not admin bec of other reason	3	0.1%
10	Administered but not according to protocol	1	0.0%
	Total	1,857	77.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	11	0.5%
.	-	545	22.6%
	Total	556	23.0%

This variable has 1,857 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 3626-3627 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT5A7: Digits Backward: Item 5A

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 7 - 1 - 5 - 2 - 8 - 6

Value	Label	Unweighted Frequency	%
0	Error	667	27.6%
1	Correct	459	19.0%
6	Not admin bec of physical impairment	0	0.0%
7	Not admin bec of verbal refusal	34	1.4%
8	Not admin bec of behavioral reason	0	0.0%
9	Not admin bec of other reason	3	0.1%
10	Administered but not according to protocol	0	0.0%
	Total	1,163	48.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	24	1.0%
.	-	1226	50.8%
	Total	1,250	51.8%

This variable has 1,163 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3628-3629 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT5B7: Digits Backward: Item 5B

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 8 - 3 - 1 - 9 - 6 - 4

Value	Label	Unweighted Frequency	%
0	Error	673	27.9%
1	Correct	446	18.5%
6	Not admin bec of physical impairment	0	0.0%
7	Not admin bec of verbal refusal	39	1.6%
8	Not admin bec of behavioral reason	0	0.0%
9	Not admin bec of other reason	5	0.2%
10	Administered but not according to protocol	0	0.0%
Total		1,163	48.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	24	1.0%
.	-	1226	50.8%
Total		1,250	51.8%

This variable has 1,163 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3630-3631 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT6A7: Digits Backward: Item 6A

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 4 - 7 - 3 - 9 - 1 - 2 - 8

Value	Label	Unweighted Frequency	%
0	Error	377	15.6%
1	Correct	256	10.6%
6	Not admin bec of physical impairment	0	0.0%
7	Not admin bec of verbal refusal	40	1.7%
8	Not admin bec of behavioral reason	0	0.0%
9	Not admin bec of other reason	5	0.2%
10	Administered but not according to protocol	0	0.0%
	Total	678	28.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	34	1.4%
.	-	1701	70.5%
	Total	1,735	71.9%

This variable has 678 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3632-3633 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -9, -8, -7, -1, .)

DIGIT6B7: Digits Backward: Item 6B

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 8 - 1 - 2 - 9 - 3 - 6 - 3

Value	Label	Unweighted Frequency	%
0	Error	411	17.0%
1	Correct	217	9.0%
6	Not admin bec of physical impairment	0	0.0%
7	Not admin bec of verbal refusal	43	1.8%
8	Not admin bec of behavioral reason	0	0.0%
9	Not admin bec of other reason	5	0.2%
10	Administered but not according to protocol	1	0.0%
	Total	677	28.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	34	1.4%
.	-	1702	70.5%
	Total	1,736	71.9%

This variable has 677 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 3634-3635 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGTOT7: Digits backward total score

DIGITS BACKWARD TOTAL SCORE

Value	Label	Unweighted Frequency	%
2	-	36	1.5%
3	-	61	2.5%
4	-	176	7.3%
5	-	314	13.0%
6	-	431	17.9%
7	-	281	11.6%
8	-	220	9.1%
9	-	155	6.4%
10	-	139	5.8%
11	-	128	5.3%
12	-	57	2.4%
	Total	1,998	82.8%

Value	Missing Data	Unweighted Frequency	%
.	-	415	17.2%
	Total	415	17.2%

This variable has 1,998 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 6.87
- Median: 6.00
- Mode: 6.00
- Minimum: 2.00
- Maximum: 12.00
- Standard Deviation: 2.31

Location: 3636-3637 (width: 2; decimal: 0)

Variable Type: numeric

DLAYTHR7: East Boston Memory Test (EBMT) Delayed Recall: Three

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Three

Value	Label	Unweighted Frequency	%
0	Absent	86	3.6%
1	Present	1965	81.4%
	Total	2,051	85.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	362	15.0%
	Total	362	15.0%

This variable has 2,051 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3638-3639 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYCH17: East Boston Memory Test (EBMT) Delayed Recall: Children (1)

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Children

Value	Label	Unweighted Frequency	%
0	Absent	34	1.4%
1	Present	2017	83.6%

Value	Label	Unweighted Frequency	%
Total		2,051	85.0%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	362	15.0%
Total		362	15.0%

This variable has 2,051 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3640-3641 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

DLAYHOU7: East Boston Memory Test (EBMT) Delayed Recall: House

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: House

Value	Label	Unweighted Frequency	%
Total		2,051	85.0%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	362	15.0%
Total		362	15.0%

This variable has 2,051 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3642-3643 (*width:* 2; *decimal:* 0)
Variable Type: numeric
(*Range of*) *Missing Values:* -9 , -8 , -7 , -1 , .

DLAYFIR7: East Boston Memory Test (EBMT) Delayed Recall: On Fire

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: On Fire

Value	Label	Unweighted Frequency	%
0	Absent	123	5.1%
1	Present	1928	79.9%
	Total	2,051	85.0%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	362	15.0%
	Total	362	15.0%

This variable has 2,051 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3644-3645 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(*Range of*) *Missing Values:* -9 , -8 , -7 , -1 , .

DLAYFMN7: East Boston Memory Test (EBMT) Delayed Recall: Fireman

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Fireman

Value	Label	Unweighted Frequency	%
0	Absent	51	2.1%
1	Present	2000	82.9%
	Total	2,051	85.0%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	362	15.0%
	Total	362	15.0%

This variable has 2,051 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3646-3647 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9, -8, -7, -1, .)

DLAYCLM7: East Boston Memory Test (EBMT) Delayed Recall: Climb In

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Climb In

Value	Label	Unweighted Frequency	%
0	Absent	419	17.4%
1	Present	1632	67.6%
	Total	2,051	85.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	362	15.0%
	Total	362	15.0%

This variable has 2,051 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3648-3649 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9, -8, -7, -1, .)

DLAYCH27: East Boston Memory Test (EBMT) Delayed Recall: Children (2)

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Children

Value	Label	Unweighted Frequency	%
0	Absent	180	7.5%
1	Present	1871	77.5%
	Total	2,051	85.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	362	15.0%
	Total	362	15.0%

This variable has 2,051 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3650-3651 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYRES7: East Boston Memory Test (EBMT) Delayed Recall: Rescued

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Rescued

Value	Label	Unweighted Frequency	%
0	Absent	150	6.2%
1	Present	1901	78.8%
	Total	2,051	85.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	0	0.0%
.	-	362	15.0%
	Total	362	15.0%

This variable has 2,051 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3652-3653 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYMIN7: East Boston Memory Test (EBMT) Delayed Recall: Minor

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Minor

Value	Label	Unweighted Frequency	%
0	Absent	424	17.6%
1	Present	1627	67.4%
	Total	2,051	85.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	362	15.0%
	Total	362	15.0%

This variable has 2,051 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3654-3655 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYINJ7: East Boston Memory Test (EBMT) Delayed Recall: Injuries

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Injuries

Value	Label	Unweighted Frequency	%
0	Absent	387	16.0%
1	Present	1664	69.0%
	Total	2,051	85.0%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	362	15.0%
	Total	362	15.0%

This variable has 2,051 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3656-3657 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYEVR7: East Boston Memory Test (EBMT) Delayed Recall: Everyone

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Everyone

Value	Label	Unweighted Frequency	%
0	Absent	882	36.6%
1	Present	1169	48.4%
	Total	2,051	85.0%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	362	15.0%
	Total	362	15.0%

This variable has 2,051 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3658-3659 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYWEL7: East Boston Memory Test (EBMT) Delayed Recall: Well

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Well

Value	Label	Unweighted Frequency	%
0	Absent	784	32.5%
1	Present	1267	52.5%
	Total	2,051	85.0%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	362	15.0%
	Total	362	15.0%

This variable has 2,051 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3660-3661 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TOTIDE27: East Boston Memory Test (EBMT) Delayed Recall: Total Ideas

Total ideas present

Value	Label	Unweighted Frequency	%
0	-	1	0.0%
2	-	2	0.1%
3	-	2	0.1%
4	-	11	0.5%

Value	Label	Unweighted Frequency	%
5	-	21	0.9%
6	-	37	1.5%
7	-	92	3.8%
8	-	193	8.0%
9	-	245	10.2%
10	-	510	21.1%
11	-	299	12.4%
12	-	638	26.4%
Total		2,051	85.0%

Value	Missing Data	Unweighted Frequency	%
.	-	362	15.0%
Total		362	15.0%

This variable has 2,051 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 10.15
- Median: 10.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 1.78

Location: 3662-3663 (*width:* 2; *decimal:* 0)

Variable Type: numeric

FACED17: Faces Delayed Item 1

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	895	37.1%
1	Correct	1135	47.0%
Total		2,030	84.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3664-3665 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED27: Faces Delayed Item 2

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	374	15.5%
1	Correct	1657	68.7%
	Total	2,031	84.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	16	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	382	15.8%

This variable has 2,031 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3666-3667 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED37: Faces Delayed Item 3

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	476	19.7%
1	Correct	1554	64.4%
	Total	2,030	84.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3668-3669 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED47: Faces Delayed Item 4

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	904	37.5%
1	Correct	1127	46.7%
	Total	2,031	84.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	16	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	382	15.8%

This variable has 2,031 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3670-3671 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED57: Faces Delayed Item 5

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	182	7.5%
1	Correct	1848	76.6%
	Total	2,030	84.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3672-3673 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED67: Faces Delayed Item 6

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	340	14.1%
1	Correct	1689	70.0%
	Total	2,029	84.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	18	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
Total		384	15.9%

This variable has 2,029 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3674-3675 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED77: Faces Delayed Item 7

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	276	11.4%
1	Correct	1754	72.7%
Total		2,030	84.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
Total		383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3676-3677 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED87: Faces Delayed Item 8

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	367	15.2%
1	Correct	1662	68.9%
	Total	2,029	84.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	18	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	384	15.9%

This variable has 2,029 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3678-3679 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

FACED97: Faces Delayed Item 9

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	108	4.5%
1	Correct	1922	79.7%
	Total	2,030	84.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3680-3681 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED107: Faces Delayed Item 10

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	99	4.1%
1	Correct	1931	80.0%
	Total	2,030	84.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3682-3683 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED117: Faces Delayed Item 11

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	307	12.7%
1	Correct	1723	71.4%
	Total	2,030	84.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3684-3685 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED127: Faces Delayed Item 12

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	224	9.3%
1	Correct	1806	74.8%
	Total	2,030	84.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3686-3687 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED137: Faces Delayed Item 13

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	435	18.0%
1	Correct	1595	66.1%
	Total	2,030	84.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3688-3689 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED147: Faces Delayed Item 14

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	82	3.4%
1	Correct	1947	80.7%
	Total	2,029	84.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	18	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
Total		384	15.9%

This variable has 2,029 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3690-3691 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED157: Faces Delayed Item 15

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	170	7.0%
1	Correct	1860	77.1%
Total		2,030	84.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
Total		383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3692-3693 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED167: Faces Delayed Item 16

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	160	6.6%
1	Correct	1870	77.5%
	Total	2,030	84.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3694-3695 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED177: Faces Delayed Item 17

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	622	25.8%
1	Correct	1408	58.4%
	Total	2,030	84.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3696-3697 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED187: Faces Delayed Item 18

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	262	10.9%
1	Correct	1768	73.3%
	Total	2,030	84.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3698-3699 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED197: Faces Delayed Item 19

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	321	13.3%
1	Correct	1709	70.8%
	Total	2,030	84.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3700-3701 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED207: Faces Delayed Item 20

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	403	16.7%
1	Correct	1627	67.4%
	Total	2,030	84.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3702-3703 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED217: Faces Delayed Item 21

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	308	12.8%
1	Correct	1722	71.4%
	Total	2,030	84.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3704-3705 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED227: Faces Delayed Item 22

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	132	5.5%
1	Correct	1898	78.7%
	Total	2,030	84.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
Total		383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3706-3707 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED237: Faces Delayed Item 23

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	290	12.0%
1	Correct	1740	72.1%
Total		2,030	84.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
Total		383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3708-3709 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED247: Faces Delayed Item 24

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	91	3.8%
1	Correct	1939	80.4%
	Total	2,030	84.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3710-3711 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

FACED257: Faces Delayed Item 25

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	469	19.4%
1	Correct	1561	64.7%
	Total	2,030	84.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3712-3713 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED267: Faces Delayed Item 26

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	63	2.6%
1	Correct	1967	81.5%
	Total	2,030	84.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3714-3715 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED277: Faces Delayed Item 27

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	615	25.5%
1	Correct	1415	58.6%
	Total	2,030	84.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3716-3717 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED287: Faces Delayed Item 28

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	431	17.9%
1	Correct	1599	66.3%
	Total	2,030	84.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3718-3719 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED297: Faces Delayed Item 29

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	457	18.9%
1	Correct	1573	65.2%
	Total	2,030	84.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3720-3721 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED307: Faces Delayed Item 30

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	139	5.8%
1	Correct	1891	78.4%
	Total	2,030	84.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
Total		383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3722-3723 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED317: Faces Delayed Item 31

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	504	20.9%
1	Correct	1526	63.2%
Total		2,030	84.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
Total		383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3724-3725 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED327: Faces Delayed Item 32

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	114	4.7%
1	Correct	1915	79.4%
	Total	2,029	84.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	18	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	384	15.9%

This variable has 2,029 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3726-3727 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

FACED337: Faces Delayed Item 33

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	457	18.9%
1	Correct	1573	65.2%
	Total	2,030	84.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3728-3729 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED347: Faces Delayed Item 34

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	197	8.2%
1	Correct	1833	76.0%
	Total	2,030	84.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3730-3731 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED357: Faces Delayed Item 35

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	251	10.4%
1	Correct	1779	73.7%
	Total	2,030	84.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3732-3733 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED367: Faces Delayed Item 36

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	1006	41.7%
1	Correct	1024	42.4%
	Total	2,030	84.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3734-3735 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED377: Faces Delayed Item 37

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	194	8.0%
1	Correct	1836	76.1%
	Total	2,030	84.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3736-3737 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED387: Faces Delayed Item 38

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	478	19.8%
1	Correct	1551	64.3%
	Total	2,029	84.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	18	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
Total		384	15.9%

This variable has 2,029 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3738-3739 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED397: Faces Delayed Item 39

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	652	27.0%
1	Correct	1378	57.1%
Total		2,030	84.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
Total		383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3740-3741 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED407: Faces Delayed Item 40

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	427	17.7%
1	Correct	1603	66.4%
	Total	2,030	84.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3742-3743 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

FACED417: Faces Delayed Item 41

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	97	4.0%
1	Correct	1933	80.1%
	Total	2,030	84.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%

Value	Missing Data	Unweighted Frequency	%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3744-3745 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED427: Faces Delayed Item 42

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	939	38.9%
1	Correct	1091	45.2%
	Total	2,030	84.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3746-3747 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED437: Faces Delayed Item 43

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	333	13.8%
1	Correct	1697	70.3%
	Total	2,030	84.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3748-3749 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED447: Faces Delayed Item 44

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	167	6.9%
1	Correct	1863	77.2%
	Total	2,030	84.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3750-3751 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED457: Faces Delayed Item 45

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	759	31.5%
1	Correct	1271	52.7%
	Total	2,030	84.1%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3752-3753 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED467: Faces Delayed Item 46

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	259	10.7%
1	Correct	1771	73.4%
	Total	2,030	84.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
Total		383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3754-3755 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED477: Faces Delayed Item 47

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	226	9.4%
1	Correct	1804	74.8%
Total		2,030	84.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
Total		383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3756-3757 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED487: Faces Delayed Item 48

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	Not correct	369	15.3%
1	Correct	1661	68.8%
	Total	2,030	84.1%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	2	0.1%
-8	Do not know	0	0.0%
-7	Refused	17	0.7%
-1	N/A	4	0.2%
.	-	360	14.9%
	Total	383	15.9%

This variable has 2,030 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3758-3759 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEDLY7: Faces Total Score: Delayed

Faces Total Score: Delayed

Value	Label	Unweighted Frequency	%
15	-	2	0.1%
18	-	1	0.0%
19	-	1	0.0%
20	-	1	0.0%
22	-	1	0.0%
23	-	1	0.0%
24	-	4	0.2%
25	-	3	0.1%
26	-	7	0.3%

Value	Label	Unweighted Frequency	%
27	-	8	0.3%
28	-	10	0.4%
29	-	22	0.9%
30	-	13	0.5%
31	-	26	1.1%
32	-	35	1.5%
33	-	61	2.5%
34	-	70	2.9%
35	-	93	3.9%
36	-	87	3.6%
37	-	137	5.7%
38	-	171	7.1%
39	-	168	7.0%
40	-	193	8.0%
41	-	193	8.0%
42	-	194	8.0%
43	-	167	6.9%
44	-	166	6.9%
45	-	101	4.2%
46	-	56	2.3%
47	-	29	1.2%
48	-	8	0.3%
Total		2,029	84.1%

Value	Missing Data	Unweighted Frequency	%
.	-	384	15.9%
Total		384	15.9%

This variable has 2,029 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 39.41
- Median: 40.00
- Mode: 42.00
- Minimum: 15.00
- Maximum: 48.00
- Standard Deviation: 4.42

Location: 3760-3761 (width: 2; decimal: 0)

Variable Type: numeric

FLGCOGV7: Collected before V7 began (5/15/2003)

Collected before V7 began (5/15/2003)

Value	Label	Unweighted Frequency	%
0	No	2005	83.1%
1	Yes	3	0.1%
	Total	2,008	83.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	405	16.8%
	Total	405	16.8%

This variable has 2,008 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3762-3763 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

BIODAY7: Bioimpedance day

Date form completed

Value	Label	Unweighted Frequency	%
2297	-	1	0.0%
2315	-	1	0.0%
2333	-	1	0.0%
2365	-	1	0.0%
2373	-	1	0.0%
2375	-	1	0.0%
2399	-	1	0.0%
2417	-	1	0.0%
2423	-	1	0.0%
2432	-	1	0.0%

Value	Label	Unweighted Frequency	%
2439	-	1	0.0%
2441	-	1	0.0%
2449	-	1	0.0%
2456	-	1	0.0%
2465	-	1	0.0%
2468	-	1	0.0%
2478	-	1	0.0%
2480	-	2	0.1%
2483	-	2	0.1%
2484	-	2	0.1%
2485	-	1	0.0%
2492	-	5	0.2%
2494	-	1	0.0%
2496	-	1	0.0%
2498	-	1	0.0%
2499	-	2	0.1%
2500	-	1	0.0%
2501	-	6	0.2%
2502	-	2	0.1%
2504	-	2	0.1%
2505	-	1	0.0%
2506	-	3	0.1%
2508	-	3	0.1%
2509	-	2	0.1%
2510	-	6	0.2%
2511	-	9	0.4%
2512	-	13	0.5%
2513	-	19	0.8%
2514	-	10	0.4%
2515	-	3	0.1%
2516	-	8	0.3%
2517	-	6	0.2%
2518	-	8	0.3%
2519	-	11	0.5%
2520	-	21	0.9%

Value	Label	Unweighted Frequency	%
2521	-	7	0.3%
2522	-	18	0.7%
2523	-	8	0.3%
2524	-	10	0.4%
2525	-	9	0.4%
	Total	1,993	82.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	420	17.4%
	Total	420	17.4%

This variable has 1,993 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 2607.61
- Minimum: 2297.00
- Maximum: 3086.00
- Standard Deviation: 84.98

Location: 3764-3767 (width: 4; decimal: 0)

Variable Type: numeric

LANGBIO7: Language of bioimpedance

Interview Language

Value	Label	Unweighted Frequency	%
1	English	1894	78.5%
2	Spanish	10	0.4%
3	Cantonese	23	1.0%
4	Japanese	66	2.7%
	Total	1,993	82.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	420	17.4%

Value	Missing Data	Unweighted Frequency	%
	Total	420	17.4%

This variable has 1,993 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3768-3769 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMPBIA7: Was bioimpedance measurement completed

Was bioimpedance measurement completed?

Value	Label	Unweighted Frequency	%
1	No	0	0.0%
2	Yes	1993	82.6%
	Total	1,993	82.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	420	17.4%
	Total	420	17.4%

This variable has 1,993 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 3770-3771 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AICDPUM7: Insulin pump, pacemaker or card defibrillator

Do you have an insulin pump, pacemaker, or automatic implantable cardiac defibrillator (AICD)?

Value	Label	Unweighted Frequency	%
1	No	1993	82.6%

Value	Label	Unweighted Frequency	%
2	Yes	0	0.0%
	Total	1,993	82.6%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	420	17.4%
	Total	420	17.4%

This variable has 1,993 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 3772-3773 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXER12H7: Exercise/sauna within last 12 hours

Have you exercised intensely for at least half an hour or taken a sauna within the last 12 hours? That is, since (time) a.m. / p.m.?

Value	Label	Unweighted Frequency	%
1	No	1871	77.5%
2	Yes	121	5.0%
	Total	1,992	82.6%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	420	17.4%
	Total	421	17.4%

This variable has 1,992 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 3774-3775 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EAT5HR7: Eat/drink in last 5 hours

Have you had anything to eat or drink, apart from water, in the last 5 hours? That is, since (time) a.m. / p.m.?

Value	Label	Unweighted Frequency	%
1	No	384	15.9%
2	Yes	1608	66.6%
	Total	1,992	82.6%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	420	17.4%
	Total	421	17.4%

This variable has 1,992 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3776-3777 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ALCO24H7: More than 2 alcoholic drinks last 24 hours

Have you had more than 2 alcohol drinks in the last 24 hours? That is, since (time) a.m. / p.m.?

Value	Label	Unweighted Frequency	%
1	No	1863	77.2%
2	Yes	129	5.3%
	Total	1,992	82.6%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	420	17.4%
	Total	421	17.4%

This variable has 1,992 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3778-3779 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EMBDDEV7: Embedded metal devices/pins/plates/staples

Do you have any embedded medical devices, metal pins or plates, clips or beads used to treat cancer, braces, staples from surgery or any other type of embedded metal?

Value	Label	Unweighted Frequency	%
1	No	1817	75.3%
2	Yes	172	7.1%
	Total	1,989	82.4%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%
-8	Do not know	3	0.1%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	420	17.4%
	Total	424	17.6%

This variable has 1,989 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3780-3781 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

METJEWL7: Metal jewelry during measurement

Did participant wear any metal jewelry during measurement?

Value	Label	Unweighted Frequency	%
1	No	1732	71.8%
2	Yes	260	10.8%
	Total	1,992	82.6%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	420	17.4%
	Total	421	17.4%

This variable has 1,992 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3782-3783 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ONMEASS7: Metal jewelry on measured side

If yes, were there any rings, bracelets, watches or ankle jewelry on the measured side?

Value	Label	Unweighted Frequency	%
1	No	182	7.5%
2	Yes	78	3.2%
	Total	260	10.8%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	1733	71.8%
.	-	420	17.4%
	Total	2,153	89.2%

This variable has 260 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3784-3785 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SIDE7: Which side of body electrodes placed

On which side of the body were the electrodes placed?

Value	Label	Unweighted Frequency	%
1	Right	919	38.1%
2	Left	1073	44.5%
	Total	1,992	82.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	420	17.4%
	Total	421	17.4%

This variable has 1,992 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3786-3787 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CONDRAW7: Raw conductance/resistance value (ohms)

Record the conductance/resistance value that appears on the impedance meter:

Value	Label	Unweighted Frequency	%
314	-	1	0.0%
331	-	1	0.0%
360	-	1	0.0%
362	-	1	0.0%
363	-	1	0.0%

Value	Label	Unweighted Frequency	%
368	-	2	0.1%
372	-	1	0.0%
374	-	1	0.0%
375	-	1	0.0%
377	-	1	0.0%
381	-	1	0.0%
385	-	1	0.0%
387	-	1	0.0%
389	-	2	0.1%
393	-	1	0.0%
394	-	2	0.1%
395	-	1	0.0%
398	-	2	0.1%
401	-	1	0.0%
402	-	2	0.1%
403	-	2	0.1%
404	-	3	0.1%
406	-	1	0.0%
407	-	1	0.0%
408	-	2	0.1%
410	-	2	0.1%
412	-	2	0.1%
413	-	1	0.0%
415	-	1	0.0%
416	-	1	0.0%
417	-	3	0.1%
418	-	3	0.1%
420	-	1	0.0%
421	-	1	0.0%
422	-	1	0.0%
423	-	2	0.1%
424	-	1	0.0%
425	-	3	0.1%
426	-	3	0.1%
427	-	1	0.0%

Value	Label	Unweighted Frequency	%
428	-	3	0.1%
429	-	3	0.1%
430	-	2	0.1%
431	-	3	0.1%
432	-	2	0.1%
433	-	2	0.1%
434	-	1	0.0%
435	-	4	0.2%
436	-	4	0.2%
437	-	1	0.0%
Total		1,990	82.5%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-9999	Missing conductance/impedance	0	0.0%
-2222	Invalid conductance/impedance	0	0.0%
-1111	Not applicable conductance/impedance	0	0.0%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	423	17.5%
Total		423	17.5%

This variable has 1,990 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 570.67
- Minimum: 314.00
- Maximum: 1452.00
- Standard Deviation: 83.17

Location: 3788-3792 (*width:* 5; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9999, -2222, -1111, -9, -8, -7, -1, .

CONDFRZ7: Frozen conductance/resistance value (ohms)

Record the conductance/resistance value that appears on the impedance meter:

Value	Label	Unweighted Frequency	%
314	-	1	0.0%
331	-	1	0.0%
360	-	1	0.0%
362	-	1	0.0%
363	-	1	0.0%
368	-	2	0.1%
372	-	1	0.0%
374	-	1	0.0%
375	-	1	0.0%
377	-	1	0.0%
381	-	1	0.0%
385	-	1	0.0%
387	-	1	0.0%
389	-	2	0.1%
393	-	1	0.0%
394	-	2	0.1%
395	-	1	0.0%
398	-	2	0.1%
401	-	1	0.0%
402	-	2	0.1%
403	-	2	0.1%
404	-	3	0.1%
406	-	1	0.0%
407	-	1	0.0%
408	-	2	0.1%
410	-	2	0.1%
412	-	2	0.1%
413	-	1	0.0%
415	-	1	0.0%
416	-	1	0.0%
417	-	3	0.1%
418	-	3	0.1%
420	-	1	0.0%
421	-	1	0.0%
422	-	1	0.0%

Value	Label	Unweighted Frequency	%
423	-	2	0.1%
424	-	1	0.0%
425	-	3	0.1%
426	-	3	0.1%
427	-	1	0.0%
428	-	3	0.1%
429	-	3	0.1%
430	-	2	0.1%
431	-	3	0.1%
432	-	2	0.1%
433	-	2	0.1%
434	-	1	0.0%
435	-	4	0.2%
436	-	4	0.2%
437	-	1	0.0%
Total		1,987	82.3%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	426	17.7%
Total		426	17.7%

This variable has 1,987 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 569.91
- Minimum: 314.00
- Maximum: 860.00
- Standard Deviation: 80.24

Location: 3793-3795 (width: 3; decimal: 0)

Variable Type: numeric

IMPERAW7: Raw impedance/reactance value (ohms)

Record the reactance/impedance value that appears on the impedance meter:

Value	Label	Unweighted Frequency	%
1	-	1	0.0%
26	-	1	0.0%

Value	Label	Unweighted Frequency	%
30	-	1	0.0%
31	-	1	0.0%
34	-	3	0.1%
36	-	1	0.0%
37	-	3	0.1%
38	-	2	0.1%
39	-	4	0.2%
40	-	9	0.4%
41	-	11	0.5%
42	-	10	0.4%
43	-	12	0.5%
44	-	17	0.7%
45	-	13	0.5%
46	-	19	0.8%
47	-	30	1.2%
48	-	25	1.0%
49	-	26	1.1%
50	-	38	1.6%
51	-	36	1.5%
52	-	33	1.4%
53	-	47	1.9%
54	-	73	3.0%
55	-	49	2.0%
56	-	49	2.0%
57	-	87	3.6%
58	-	73	3.0%
59	-	90	3.7%
60	-	72	3.0%
61	-	74	3.1%
62	-	80	3.3%
63	-	75	3.1%
64	-	98	4.1%
65	-	74	3.1%
66	-	70	2.9%
67	-	58	2.4%

Value	Label	Unweighted Frequency	%
68	-	75	3.1%
69	-	47	1.9%
70	-	49	2.0%
71	-	62	2.6%
72	-	49	2.0%
73	-	51	2.1%
74	-	45	1.9%
75	-	27	1.1%
76	-	27	1.1%
77	-	24	1.0%
78	-	27	1.1%
79	-	17	0.7%
80	-	17	0.7%
Total		1,990	82.5%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-9999	Missing conductance/impedance	0	0.0%
-2222	Invalid conductance/impedance	0	0.0%
-1111	Not applicable conductance/impedance	0	0.0%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	423	17.5%
Total		423	17.5%

This variable has 1,990 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 63.26
- Median: 63.00
- Mode: 64.00
- Minimum: 1.00
- Maximum: 172.00
- Standard Deviation: 11.98

Location: 3796-3800 (*width:* 5; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -9999, -2222, -1111, -9, -8, -7, -1, .)

IMPEFRZ7: Frozen impedance/reactance value (ohms)

Record the reactance/impedance value that appears on the impedance meter:

Value	Label	Unweighted Frequency	%
26	-	1	0.0%
30	-	1	0.0%
31	-	1	0.0%
34	-	3	0.1%
36	-	1	0.0%
37	-	3	0.1%
38	-	2	0.1%
39	-	4	0.2%
40	-	9	0.4%
41	-	11	0.5%
42	-	10	0.4%
43	-	12	0.5%
44	-	17	0.7%
45	-	13	0.5%
46	-	19	0.8%
47	-	30	1.2%
48	-	25	1.0%
49	-	26	1.1%
50	-	38	1.6%
51	-	36	1.5%
52	-	33	1.4%
53	-	47	1.9%
54	-	73	3.0%
55	-	49	2.0%
56	-	49	2.0%
57	-	87	3.6%
58	-	73	3.0%
59	-	90	3.7%
60	-	72	3.0%
61	-	74	3.1%
62	-	80	3.3%
63	-	75	3.1%

Value	Label	Unweighted Frequency	%
64	-	98	4.1%
65	-	74	3.1%
66	-	70	2.9%
67	-	58	2.4%
68	-	75	3.1%
69	-	47	1.9%
70	-	49	2.0%
71	-	62	2.6%
72	-	49	2.0%
73	-	51	2.1%
74	-	45	1.9%
75	-	27	1.1%
76	-	27	1.1%
77	-	24	1.0%
78	-	27	1.1%
79	-	17	0.7%
80	-	17	0.7%
81	-	7	0.3%
Total		1,988	82.4%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	425	17.6%
Total		425	17.6%

This variable has 1,988 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 63.23
- Median: 63.00
- Mode: 64.00
- Minimum: 26.00
- Maximum: 137.00
- Standard Deviation: 11.65

Location: 3801-3803 (width: 3; decimal: 0)

Variable Type: numeric

BIORUN7: Was measurement re-run

Was the measurement re-run?

Value	Label	Unweighted Frequency	%
1	No	1968	81.6%
2	Yes	25	1.0%
	Total	1,993	82.6%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	420	17.4%
	Total	420	17.4%

This variable has 1,993 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3804-3805 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PBFBIA7: Percent body fat (Sowers Equation)

% Body Fat (Sowers Eq.)

Value	Label	Unweighted Frequency	%
18.437938941939	-	1	0.0%
18.456591428484	-	1	0.0%
18.779024508912	-	1	0.0%
18.901045321699	-	1	0.0%
18.953112352979	-	1	0.0%
19.452248980360	-	1	0.0%
19.520530034277	-	1	0.0%
19.905512254159	-	1	0.0%
20.274169837301	-	1	0.0%
20.372757617334	-	1	0.0%
20.401561884589	-	1	0.0%
20.433827898674	-	1	0.0%
20.437136802773	-	1	0.0%

Value	Label	Unweighted Frequency	%
20.759583029807	-	1	0.0%
20.828716391622	-	1	0.0%
20.834392384266	-	1	0.0%
20.895649966454	-	1	0.0%
21.114538689814	-	1	0.0%
21.119570335239	-	1	0.0%
21.202015816503	-	1	0.0%
21.344836901192	-	1	0.0%
21.387439866033	-	1	0.0%
21.452330444673	-	1	0.0%
21.652125592196	-	1	0.0%
21.831215319460	-	1	0.0%
21.905297164347	-	1	0.0%
21.929912920008	-	1	0.0%
22.011578086150	-	1	0.0%
22.117415391237	-	1	0.0%
22.125718842298	-	1	0.0%
22.129322943630	-	1	0.0%
22.148143396188	-	1	0.0%
22.171449030966	-	1	0.0%
22.221854173016	-	1	0.0%
22.249096231401	-	1	0.0%
22.315558978943	-	1	0.0%
22.324208018817	-	1	0.0%
22.415021672700	-	1	0.0%
22.442711530597	-	1	0.0%
22.549267399792	-	1	0.0%
22.587086660789	-	1	0.0%
22.595021260205	-	1	0.0%
22.654994385514	-	1	0.0%
22.669803776442	-	1	0.0%
22.729194459103	-	1	0.0%
22.771088553937	-	1	0.0%
22.855852823715	-	1	0.0%
22.992932982103	-	1	0.0%

Value	Label	Unweighted Frequency	%
23.009176970025	-	1	0.0%
23.016421444158	-	1	0.0%
	Total	1,972	81.7%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-	-	441	18.3%
	Total	441	18.3%

This variable has 1,972 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 36.626235286182
- Minimum: 18.437938941939
- Maximum: 94.466895925415
- Standard Deviation: 8.802933080307

Location: 3806-3820 (width: 15; decimal: 12)

Variable Type: numeric

SKELMM7: Skeletal muscle mass (Janssen Equation)

Skeletal Muscle Mass (Janssen Eq.)

Value	Label	Unweighted Frequency	%
12.824484754098	-	1	0.0%
12.845796200257	-	1	0.0%
12.909110068587	-	1	0.0%
12.986405448370	-	1	0.0%
13.196616135770	-	1	0.0%
13.351350878981	-	1	0.0%
13.454227814208	-	1	0.0%
13.568367801325	-	1	0.0%
13.577279672831	-	1	0.0%
13.744971506106	-	1	0.0%
13.788225270440	-	1	0.0%
13.828557626866	-	1	0.0%
13.864905522175	-	1	0.0%
13.868910324324	-	1	0.0%
13.891447674419	-	1	0.0%

Value	Label	Unweighted Frequency	%
13.957059316354	-	1	0.0%
13.962169366197	-	1	0.0%
13.999589208731	-	1	0.0%
14.020985276316	-	1	0.0%
14.032722548780	-	1	0.0%
14.094915893939	-	1	0.0%
14.097702433628	-	1	0.0%
14.142019078752	-	1	0.0%
14.148274041451	-	1	0.0%
14.151333687943	-	1	0.0%
14.175996087516	-	1	0.0%
14.177306884354	-	1	0.0%
14.180574438202	-	1	0.0%
14.187902365591	-	1	0.0%
14.257192069393	-	1	0.0%
14.257585043988	-	1	0.0%
14.268553062678	-	1	0.0%
14.384000000000	-	1	0.0%
14.423409326425	-	1	0.0%
14.431824874816	-	1	0.0%
14.452822790698	-	1	0.0%
14.614893491124	-	1	0.0%
14.621786760962	-	1	0.0%
14.633644761396	-	1	0.0%
14.665691584699	-	1	0.0%
14.668695384615	-	1	0.0%
14.692840411840	-	1	0.0%
14.754779469154	-	1	0.0%
14.779851666667	-	1	0.0%
14.790672450832	-	1	0.0%
14.804048010540	-	1	0.0%
14.820632368046	-	1	0.0%
14.820859901130	-	1	0.0%
14.844656751773	-	1	0.0%
14.844993291779	-	1	0.0%

Value	Label	Unweighted Frequency	%
	Total	1,972	81.7%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
	-	441	18.3%
	Total	441	18.3%

This variable has 1,972 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 20.234441781246
- Minimum: 12.824484754098
- Maximum: 36.460268312102
- Standard Deviation: 3.207322960267

Location: 3821-3835 (width: 15; decimal: 12)

Variable Type: numeric

TBWNHAN7: Total body water 1 (NHANES/RJL Equation)

Total Body Water 1 (NHANES/RJL Eq.)

Value	Label	Unweighted Frequency	%
21.666506114130	-	1	0.0%
21.668814754098	-	1	0.0%
21.784317283951	-	1	0.0%
22.039075409836	-	1	0.0%
22.166313161465	-	1	0.0%
22.234254077253	-	1	0.0%
22.456103394256	-	1	0.0%
22.501379150579	-	1	0.0%
22.527442618742	-	1	0.0%
22.570337829912	-	1	0.0%
22.719570063694	-	1	0.0%
22.839451408451	-	1	0.0%
23.007106382979	-	1	0.0%
23.115367741935	-	1	0.0%
23.168039534884	-	1	0.0%
23.208549115044	-	1	0.0%
23.263449056604	-	1	0.0%

Value	Label	Unweighted Frequency	%
23.334706116643	-	1	0.0%
23.402653642384	-	1	0.0%
23.461105200594	-	1	0.0%
23.477121243523	-	1	0.0%
23.501332558140	-	1	0.0%
23.627500000000	-	1	0.0%
23.724842998586	-	1	0.0%
23.826268835098	-	1	0.0%
23.833205921053	-	1	0.0%
23.950390322581	-	1	0.0%
24.052677551020	-	1	0.0%
24.068247864507	-	1	0.0%
24.083586447932	-	1	0.0%
24.104975675676	-	1	0.0%
24.135167939973	-	1	0.0%
24.139367910448	-	1	0.0%
24.146744382022	-	1	0.0%
24.148810650888	-	1	0.0%
24.276850000000	-	1	0.0%
24.325172457627	-	1	0.0%
24.387903125000	-	1	0.0%
24.403397058824	-	1	0.0%
24.411018328446	-	1	0.0%
24.444250681199	-	1	0.0%
24.485438307030	-	1	0.0%
24.513700710227	-	1	0.0%
24.561600773994	-	1	0.0%
24.639869924812	-	1	0.0%
24.652654826255	-	1	0.0%
24.657808661417	-	1	0.0%
24.709924528302	-	1	0.0%
24.727466938920	-	1	0.0%
24.732227509294	-	1	0.0%
	Total	1,972	81.7%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	441	18.3%
	Total	441	18.3%

This variable has 1,972 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 33.513367824578
- Minimum: 21.666506114130
- Maximum: 59.862730211480
- Standard Deviation: 5.511359378096

Location: 3836-3850 (width: 15; decimal: 12)

Variable Type: numeric

FFMNHAN7: Fat free mass (NHANES/RJL Equation)

Fat Free Mass (NHANES/RJL Eq.)

Value	Label	Unweighted Frequency	%
29.628430819672	-	1	0.0%
29.681409456522	-	1	0.0%
29.748914732510	-	1	0.0%
29.992587639485	-	1	0.0%
30.222786510264	-	1	0.0%
30.481959023066	-	1	0.0%
31.065340845070	-	1	0.0%
31.130307964602	-	1	0.0%
31.141201967213	-	1	0.0%
31.252097872340	-	1	0.0%
31.347657032258	-	1	0.0%
31.349463916449	-	1	0.0%
31.423994710253	-	1	0.0%
31.634775752896	-	1	0.0%
31.654255250321	-	1	0.0%
31.668534793741	-	1	0.0%
31.808973131619	-	1	0.0%
32.034736774194	-	1	0.0%
32.050799031847	-	1	0.0%
32.324023500000	-	1	0.0%
32.363717171146	-	1	0.0%

Value	Label	Unweighted Frequency	%
32.377627701493	-	1	0.0%
32.437367363770	-	1	0.0%
32.516680473373	-	1	0.0%
32.591402966887	-	1	0.0%
32.693312062992	-	1	0.0%
32.700867863777	-	1	0.0%
32.775016603774	-	1	0.0%
32.814445706134	-	1	0.0%
33.013123523316	-	1	0.0%
33.024905207547	-	1	0.0%
33.025762214984	-	1	0.0%
33.031775014663	-	1	0.0%
33.055617977528	-	1	0.0%
33.092053023256	-	1	0.0%
33.107636150376	-	1	0.0%
33.163279313573	-	1	0.0%
33.279929726444	-	1	0.0%
33.283546612245	-	1	0.0%
33.319064067797	-	1	0.0%
33.321360000000	-	1	0.0%
33.343718130841	-	1	0.0%
33.353011248207	-	1	0.0%
33.356289157895	-	1	0.0%
33.357457080491	-	1	0.0%
33.386720816327	-	1	0.0%
33.411992662722	-	1	0.0%
33.433330538922	-	1	0.0%
33.444434378378	-	1	0.0%
33.453793290323	-	1	0.0%
	Total	1,972	81.7%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	441	18.3%
	Total	441	18.3%

This variable has 1,972 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 45.115451868884
- Minimum: 29.628430819672
- Maximum: 81.550780060423
- Standard Deviation: 7.358241794138

Location: 3851-3865 (width: 15; decimal: 12)

Variable Type: numeric

TBFNHAN7: Total body fat (NHANES/RJL Equation)

Total Body Fat (NHANES/RJL Eq.)

Value	Label	Unweighted Frequency	%
6.788017142857	-	1	0.0%
7.113279183673	-	1	0.0%
7.807412360515	-	1	0.0%
7.976855643225	-	1	0.0%
8.606687937008	-	1	0.0%
8.952908417910	-	1	0.0%
8.965224247104	-	1	0.0%
9.312600000000	-	1	0.0%
9.318040976934	-	1	0.0%
9.679193954198	-	1	0.0%
9.729984081633	-	1	0.0%
9.814059530516	-	1	0.0%
9.884023368741	-	1	0.0%
9.965325266904	-	1	0.0%
10.018424299065	-	1	0.0%
10.125952585366	-	1	0.0%
10.177213489736	-	1	0.0%
10.202099711816	-	1	0.0%
10.287679221239	-	1	0.0%
10.399428444444	-	1	0.0%
10.538915507020	-	1	0.0%
10.724983396226	-	1	0.0%
10.764446153846	-	1	0.0%
10.771569180328	-	1	0.0%
10.875107539118	-	1	0.0%

Value	Label	Unweighted Frequency	%
10.883889252669	-	1	0.0%
10.888061295972	-	1	0.0%
10.922473435449	-	1	0.0%
10.947295251799	-	1	0.0%
11.034106069652	-	1	0.0%
11.181603272727	-	1	0.0%
11.212434373928	-	1	0.0%
11.247902127660	-	1	0.0%
11.270016806084	-	1	0.0%
11.292704626335	-	1	0.0%
11.431561843318	-	1	0.0%
11.470691330472	-	1	0.0%
11.499132136223	-	1	0.0%
11.530471180654	-	1	0.0%
11.569692035398	-	1	0.0%
11.591026868381	-	1	0.0%
11.593076883117	-	1	0.0%
11.618761907790	-	1	0.0%
11.621126079027	-	1	0.0%
11.652342967742	-	1	0.0%
11.765263225806	-	1	0.0%
11.767612158055	-	1	0.0%
11.818590543478	-	1	0.0%
11.841344186047	-	1	0.0%
11.975400000000	-	1	0.0%
	Total	1,972	81.7%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	441	18.3%
	Total	441	18.3%

This variable has 1,972 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 30.606606954645
- Minimum: 6.788017142857
- Maximum: 97.487573055028

- Standard Deviation: 13.576897497774

Location: 3866-3880 (width: 15; decimal: 12)

Variable Type: numeric

PBFNHAN7: Percent body fat (NHANES/RJL Equation)

% Body Fat (NHANES/RJL Eq.)

Value	Label	Unweighted Frequency	%
15.357504848093	-	1	0.0%
15.489040083931	-	1	0.0%
17.563652305367	-	1	0.0%
17.806118546845	-	1	0.0%
17.843744600939	-	1	0.0%
17.954165410512	-	1	0.0%
18.995605974693	-	1	0.0%
19.153511971718	-	1	0.0%
19.895352039801	-	1	0.0%
20.230277421318	-	1	0.0%
20.254726152244	-	1	0.0%
20.654530054273	-	1	0.0%
20.739164373280	-	1	0.0%
20.839438104135	-	1	0.0%
21.145535179898	-	1	0.0%
21.189854633555	-	1	0.0%
21.212165105690	-	1	0.0%
21.339756826118	-	1	0.0%
21.580837049652	-	1	0.0%
21.847538748833	-	1	0.0%
21.893067598515	-	1	0.0%
21.982220558203	-	1	0.0%
22.081833120946	-	1	0.0%
22.179319901025	-	1	0.0%
22.251020584364	-	1	0.0%
22.471585268316	-	1	0.0%
22.567270892977	-	1	0.0%
22.599637763132	-	1	0.0%
22.638229091230	-	1	0.0%

Value	Label	Unweighted Frequency	%
22.846050376622	-	1	0.0%
22.849982730024	-	1	0.0%
22.854539610953	-	1	0.0%
22.906538223747	-	1	0.0%
23.093758130755	-	1	0.0%
23.216734368882	-	1	0.0%
23.224661893041	-	1	0.0%
23.341894815076	-	1	0.0%
23.412163258627	-	1	0.0%
23.465993003599	-	1	0.0%
23.476756380978	-	1	0.0%
23.526467971530	-	1	0.0%
23.570411328776	-	1	0.0%
23.666271685761	-	1	0.0%
23.728066112222	-	1	0.0%
23.733888390842	-	1	0.0%
23.848920041926	-	1	0.0%
23.856243348783	-	1	0.0%
23.875289650037	-	1	0.0%
23.970657672850	-	1	0.0%
24.000048938873	-	1	0.0%
	Total	1,972	81.7%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	441	18.3%
	Total	441	18.3%

This variable has 1,972 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 38.750710140583
- Minimum: 15.357504848093
- Maximum: 62.093995576451
- Standard Deviation: 7.542865176273

Location: 3881-3895 (*width:* 15; *decimal:* 12)

Variable Type: numeric

MISSCON7: Invalid conductance value causes missing bio

Invalid conductance value causes missing bio

Value	Label	Unweighted Frequency	%
0	No	1987	82.3%
1	Yes	6	0.2%
	Total	1,993	82.6%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	420	17.4%
	Total	420	17.4%

This variable has 1,993 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3896-3897 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

MISSPHY7: Missing physical measures causes missing bio

Missing physical measures causes missing bio

Value	Label	Unweighted Frequency	%
0	No	1979	82.0%
1	Yes	14	0.6%
	Total	1,993	82.6%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	420	17.4%
	Total	420	17.4%

This variable has 1,993 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3898-3899 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAGSRP7: Used self-reported physical measures

Used self-reported physical measures

Value	Label	Unweighted Frequency	%
0	No	1986	82.3%
1	Yes	7	0.3%
	Total	1,993	82.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	420	17.4%
	Total	420	17.4%

This variable has 1,993 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3900-3901 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CAMDAY7: Complimentary and alternative medicines day

Complimentary and Alternative Medicines Day

Value	Label	Unweighted Frequency	%
2286	-	1	0.0%
2297	-	1	0.0%
2315	-	1	0.0%
2332	-	1	0.0%

Value	Label	Unweighted Frequency	%
2333	-	1	0.0%
2355	-	1	0.0%
2365	-	1	0.0%
2373	-	1	0.0%
2375	-	1	0.0%
2399	-	1	0.0%
2401	-	1	0.0%
2417	-	1	0.0%
2418	-	1	0.0%
2423	-	1	0.0%
2425	-	1	0.0%
2432	-	1	0.0%
2439	-	1	0.0%
2441	-	1	0.0%
2447	-	1	0.0%
2449	-	1	0.0%
2456	-	1	0.0%
2462	-	1	0.0%
2465	-	1	0.0%
2466	-	1	0.0%
2468	-	1	0.0%
2478	-	1	0.0%
2480	-	2	0.1%
2481	-	1	0.0%
2483	-	3	0.1%
2484	-	2	0.1%
2485	-	3	0.1%
2490	-	1	0.0%
2492	-	6	0.2%
2493	-	1	0.0%
2494	-	1	0.0%
2496	-	1	0.0%
2498	-	2	0.1%
2499	-	3	0.1%
2501	-	5	0.2%

Value	Label	Unweighted Frequency	%
2502	-	3	0.1%
2503	-	1	0.0%
2504	-	2	0.1%
2505	-	2	0.1%
2506	-	5	0.2%
2507	-	2	0.1%
2508	-	4	0.2%
2509	-	4	0.2%
2510	-	7	0.3%
2511	-	12	0.5%
2512	-	20	0.8%
Total		2,288	94.8%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	125	5.2%
Total		125	5.2%

This variable has 2,288 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 2601.50
- Minimum: 2286.00
- Maximum: 3086.00
- Standard Deviation: 84.41

Location: 3902-3905 (width: 4; decimal: 0)

Variable Type: numeric

BLDDRAW7: Blood drawn

Was blood drawn?

Value	Label	Unweighted Frequency	%
1	No	0	0.0%
2	Yes	2057	85.2%
Total		2,057	85.2%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	356	14.8%
	Total	356	14.8%

This variable has 2,057 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 3906-3907 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPEDAY7: Blood specimen day

Blood Specimen Day

Value	Label	Unweighted Frequency	%
2332	-	1	0.0%
2338	-	1	0.0%
2345	-	1	0.0%
2379	-	1	0.0%
2394	-	1	0.0%
2439	-	1	0.0%
2441	-	1	0.0%
2447	-	1	0.0%
2449	-	1	0.0%
2456	-	1	0.0%
2468	-	1	0.0%
2475	-	1	0.0%
2480	-	2	0.1%
2483	-	1	0.0%
2484	-	1	0.0%
2485	-	3	0.1%
2488	-	1	0.0%
2492	-	5	0.2%
2493	-	1	0.0%

Value	Label	Unweighted Frequency	%
2494	-	1	0.0%
2496	-	1	0.0%
2497	-	3	0.1%
2498	-	2	0.1%
2499	-	3	0.1%
2501	-	5	0.2%
2504	-	2	0.1%
2505	-	2	0.1%
2506	-	5	0.2%
2507	-	2	0.1%
2508	-	3	0.1%
2509	-	3	0.1%
2510	-	7	0.3%
2511	-	10	0.4%
2512	-	18	0.7%
2513	-	13	0.5%
2514	-	9	0.4%
2515	-	4	0.2%
2516	-	4	0.2%
2517	-	7	0.3%
2518	-	10	0.4%
2519	-	10	0.4%
2520	-	11	0.5%
2521	-	6	0.2%
2522	-	17	0.7%
2523	-	9	0.4%
2524	-	5	0.2%
2525	-	11	0.5%
2526	-	8	0.3%
2527	-	11	0.5%
2528	-	10	0.4%
	Total	2,059	85.3%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	354	14.7%
	Total	354	14.7%

This variable has 2,059 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 2613.54
- Minimum: 2332.00
- Maximum: 3086.00
- Standard Deviation: 88.15

Location: 3908-3911 (width: 4; decimal: 0)

Variable Type: numeric

PREGNAN7: PREGNAN7: Currently pregnant

If YES to BLDDRAW7: Are you currently pregnant?

Value	Label	Unweighted Frequency	%
1	No	2056	85.2%
2	Yes	0	0.0%
	Total	2,056	85.2%
Value	Missing Data	Unweighted Frequency	%
-8	Don't know	1	0.0%
.	-	356	14.8%
	Total	357	14.8%

This variable has 2,056 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 3912-3913 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8, .

EATDRIN7: Eat/drink in last 12 hours

If YES to BLDDRAW7: Have you had anything to eat or drink, other than water, in the last 12 hours? That is since (time) last night?

Value	Label	Unweighted Frequency	%
1	No	1997	82.8%
2	Yes	60	2.5%

Value	Label	Unweighted Frequency	%
Total		2,057	85.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	356	14.8%
Total		356	14.8%

This variable has 2,057 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3914-3915 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTPER7: Start period in last week

If YES to BLDDRAW7: Did you start a menstrual period in the last five days?

Value	Label	Unweighted Frequency	%
Total		2,057	85.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	356	14.8%
Total		356	14.8%

This variable has 2,057 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3916-3917 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLEDAY7: Day that you started to bleed

If YES to BLDDRAW7: What is the date that you started to bleed?

Value	Label	Unweighted Frequency	%
2342	-	1	0.0%
2395	-	1	0.0%
2436	-	1	0.0%
2476	-	1	0.0%
2481	-	1	0.0%
2488	-	2	0.1%
2489	-	3	0.1%
2493	-	1	0.0%
2494	-	1	0.0%
2498	-	1	0.0%
2500	-	1	0.0%
2501	-	1	0.0%
2503	-	1	0.0%
2504	-	1	0.0%
2507	-	1	0.0%
2508	-	1	0.0%
2509	-	2	0.1%
2510	-	1	0.0%
2511	-	1	0.0%
2514	-	2	0.1%
2515	-	2	0.1%
2517	-	2	0.1%
2520	-	3	0.1%
2521	-	1	0.0%
2522	-	2	0.1%
2523	-	1	0.0%
2524	-	1	0.0%
2525	-	1	0.0%
2526	-	2	0.1%
2527	-	1	0.0%

Value	Label	Unweighted Frequency	%
2528	-	2	0.1%
2529	-	6	0.2%
2530	-	2	0.1%
2531	-	2	0.1%
2532	-	1	0.0%
2533	-	1	0.0%
2534	-	1	0.0%
2535	-	1	0.0%
2536	-	1	0.0%
2537	-	2	0.1%
2538	-	1	0.0%
2539	-	2	0.1%
2541	-	4	0.2%
2542	-	2	0.1%
2544	-	2	0.1%
2545	-	1	0.0%
2546	-	2	0.1%
2547	-	1	0.0%
2550	-	4	0.2%
2551	-	1	0.0%
Total		327	13.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	2086	86.4%
Total		2,086	86.4%

This variable has 327 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 2600.72
- Median: 2586.00
- Mode: 2572.00
- Minimum: 2342.00
- Maximum: 2981.00
- Standard Deviation: 75.41

Location: 3918-3921 (*width:* 4; *decimal:* 0)

Variable Type: numeric

BLDRWAT7: Blood draw attempted

If YES to BLDDRAW7: Blood draw category:

Value	Label	Unweighted Frequency	%
1	Yes, as per protocol	1598	66.2%
2	Yes, menses too variable	354	14.7%
3	Yes, last attempt	105	4.4%
4	Yes, respondent pregnant	0	0.0%
5	No, Not fasting and/or not in window	0	0.0%
Total		2,057	85.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	356	14.8%
Total		356	14.8%

This variable has 2,057 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 3922-3923 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ALCHL247: Alcohol in last 24 hours

If YES to BLDDRAW7: Have you had any alcohol in the last 24 hours?

Value	Label	Unweighted Frequency	%
1	No	1714	71.0%
2	Yes	342	14.2%
Total		2,056	85.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	1	0.0%
-8	Do not know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	356	14.8%
	Total	357	14.8%

This variable has 2,056 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3924-3925 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HRMDAY7: Hormone measures day

Hormone measures Day

Value	Label	Unweighted Frequency	%
2332	-	1	0.0%
2338	-	1	0.0%
2345	-	1	0.0%
2379	-	1	0.0%
2394	-	1	0.0%
2439	-	1	0.0%
2447	-	1	0.0%
2449	-	1	0.0%
2456	-	1	0.0%
2468	-	1	0.0%
2475	-	1	0.0%
2480	-	2	0.1%
2483	-	1	0.0%
2484	-	1	0.0%
2485	-	3	0.1%
2488	-	1	0.0%
2492	-	5	0.2%
2493	-	1	0.0%
2494	-	1	0.0%
2496	-	1	0.0%

Value	Label	Unweighted Frequency	%
2497	-	3	0.1%
2498	-	2	0.1%
2499	-	3	0.1%
2501	-	5	0.2%
2504	-	2	0.1%
2505	-	2	0.1%
2506	-	5	0.2%
2507	-	2	0.1%
2508	-	3	0.1%
2509	-	3	0.1%
2510	-	7	0.3%
2511	-	10	0.4%
2512	-	18	0.7%
2513	-	13	0.5%
2514	-	9	0.4%
2515	-	4	0.2%
2516	-	4	0.2%
2517	-	7	0.3%
2518	-	10	0.4%
2519	-	10	0.4%
2520	-	11	0.5%
2521	-	6	0.2%
2522	-	17	0.7%
2523	-	9	0.4%
2524	-	5	0.2%
2525	-	11	0.5%
2526	-	8	0.3%
2527	-	11	0.5%
2528	-	10	0.4%
2529	-	10	0.4%
Total		2,055	85.2%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	358	14.8%

Value	Missing Data	Unweighted Frequency	%
	Total	358	14.8%

This variable has 2,055 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 2613.20
- Minimum: 2332.00
- Maximum: 3086.00
- Standard Deviation: 87.37

Location: 3926-3929 (width: 4; decimal: 0)

Variable Type: numeric

DHAS7: Dehydroepiandrosterone sulfate (ug/dL)

Dehydroepiandrosterone sulfate (ug/dL)

Value	Label	Unweighted Frequency	%
1.8	-	1	0.0%
5.6	-	1	0.0%
6.9	-	1	0.0%
7.8	-	1	0.0%
8.0	-	1	0.0%
8.7	-	1	0.0%
9.0	-	1	0.0%
11.2	-	1	0.0%
11.4	-	1	0.0%
11.6	-	1	0.0%
12.2	-	2	0.1%
12.5	-	1	0.0%
13.2	-	1	0.0%
13.4	-	1	0.0%
13.5	-	1	0.0%
13.9	-	1	0.0%
15.2	-	2	0.1%
15.8	-	1	0.0%
16.1	-	1	0.0%
16.6	-	1	0.0%
17.7	-	1	0.0%
18.1	-	1	0.0%

Value	Label	Unweighted Frequency	%
18.3	-	1	0.0%
18.5	-	1	0.0%
18.8	-	1	0.0%
18.9	-	1	0.0%
19.6	-	1	0.0%
19.8	-	1	0.0%
20.0	-	1	0.0%
20.1	-	1	0.0%
20.7	-	1	0.0%
20.9	-	1	0.0%
21.0	-	1	0.0%
21.1	-	1	0.0%
21.4	-	1	0.0%
21.5	-	1	0.0%
21.7	-	3	0.1%
21.8	-	1	0.0%
21.9	-	1	0.0%
22.1	-	1	0.0%
22.2	-	3	0.1%
22.3	-	1	0.0%
22.6	-	1	0.0%
22.7	-	2	0.1%
22.9	-	1	0.0%
23.0	-	1	0.0%
23.2	-	2	0.1%
23.3	-	1	0.0%
23.5	-	1	0.0%
23.8	-	3	0.1%
	Total	2,054	85.1%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	359	14.9%
	Total	359	14.9%

This variable has 2,054 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 129.34
- Minimum: 1.80
- Maximum: 670.20
- Standard Deviation: 83.98

Location: 3930-3934 (width: 5; decimal: 1)

Variable Type: numeric

E2AVE7: Estradiol (average, pg/mL)

Estradiol (average, pg/mL)

Value	Label	Unweighted Frequency	%
4.2500000000	-	1	0.0%
4.5000000000	-	1	0.0%
4.6000000000	-	1	0.0%
4.6500000000	-	1	0.0%
4.7500000000	-	1	0.0%
4.8000000000	-	3	0.1%
4.8500000000	-	3	0.1%
4.9500000000	-	1	0.0%
5.0000000000	-	1	0.0%
5.0500000000	-	1	0.0%
5.3000000000	-	1	0.0%
5.5000000000	-	3	0.1%
5.5500000000	-	1	0.0%
5.6000000000	-	1	0.0%
5.7000000000	-	2	0.1%
5.8000000000	-	1	0.0%
5.9000000000	-	1	0.0%
5.9500000000	-	2	0.1%
6.0000000000	-	1	0.0%
6.0500000000	-	3	0.1%
6.1000000000	-	1	0.0%
6.1500000000	-	2	0.1%
6.2000000000	-	1	0.0%
6.2500000000	-	1	0.0%
6.3500000000	-	1	0.0%
6.4500000000	-	1	0.0%

Value	Label	Unweighted Frequency	%
6.5000000000	-	1	0.0%
6.5500000000	-	1	0.0%
6.6000000000	-	1	0.0%
6.6500000000	-	4	0.2%
6.7000000000	-	3	0.1%
6.7500000000	-	2	0.1%
6.8000000000	-	2	0.1%
6.8500000000	-	1	0.0%
6.9500000000	-	2	0.1%
7.0000000000	-	3	0.1%
7.0500000000	-	1	0.0%
7.1000000000	-	1	0.0%
7.2500000000	-	1	0.0%
7.3500000000	-	1	0.0%
7.4000000000	-	1	0.0%
7.4500000000	-	3	0.1%
7.5000000000	-	1	0.0%
7.5500000000	-	2	0.1%
7.6000000000	-	1	0.0%
7.6500000000	-	2	0.1%
7.7000000000	-	1	0.0%
7.7500000000	-	3	0.1%
7.8000000000	-	2	0.1%
7.8500000000	-	1	0.0%
	Total	2,047	84.8%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	366	15.2%
	Total	366	15.2%

This variable has 2,047 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 46.1280166097
- Minimum: 4.2500000000
- Maximum: 1321.8500000000
- Standard Deviation: 79.7515686260

Location: 3935-3949 (width: 15; decimal: 10)

Variable Type: numeric

FSH7: Follicle-stimulating hormone (mIU/mL)

Follicle-stimulating hormone (mIU/mL)

Value	Label	Unweighted Frequency	%
2.0	-	1	0.0%
3.0	-	1	0.0%
3.1	-	1	0.0%
3.4	-	1	0.0%
3.5	-	1	0.0%
3.6	-	1	0.0%
3.7	-	1	0.0%
3.9	-	4	0.2%
4.1	-	2	0.1%
4.2	-	2	0.1%
4.3	-	2	0.1%
4.5	-	1	0.0%
4.8	-	1	0.0%
4.9	-	3	0.1%
5.0	-	2	0.1%
5.1	-	2	0.1%
5.2	-	3	0.1%
5.4	-	1	0.0%
5.5	-	1	0.0%
5.6	-	1	0.0%
5.8	-	1	0.0%
5.9	-	1	0.0%
6.0	-	2	0.1%
6.1	-	2	0.1%
6.4	-	1	0.0%
6.5	-	2	0.1%
6.6	-	3	0.1%
6.7	-	2	0.1%
6.8	-	3	0.1%
7.0	-	3	0.1%

Value	Label	Unweighted Frequency	%
7.1	-	2	0.1%
7.2	-	6	0.2%
7.3	-	4	0.2%
7.4	-	1	0.0%
7.5	-	3	0.1%
7.6	-	2	0.1%
7.7	-	1	0.0%
7.8	-	2	0.1%
7.9	-	2	0.1%
8.0	-	2	0.1%
8.1	-	2	0.1%
8.2	-	4	0.2%
8.3	-	1	0.0%
8.4	-	1	0.0%
8.6	-	1	0.0%
8.7	-	3	0.1%
8.8	-	3	0.1%
8.9	-	3	0.1%
9.1	-	2	0.1%
9.2	-	1	0.0%
Total		2,054	85.1%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	359	14.9%
Total		359	14.9%

This variable has 2,054 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 75.98
- Minimum: 2.00
- Maximum: 423.20
- Standard Deviation: 48.61

Location: 3950-3954 (width: 5; decimal: 1)

Variable Type: numeric

SHBG7: Sex hormone-binding globulin (nM)

Sex hormone-binding globulin (nM)

Value	Label	Unweighted Frequency	%
2.6	-	1	0.0%
3.6	-	1	0.0%
4.8	-	1	0.0%
5.6	-	1	0.0%
5.8	-	1	0.0%
9.5	-	1	0.0%
10.0	-	1	0.0%
10.5	-	1	0.0%
10.6	-	1	0.0%
10.7	-	1	0.0%
10.8	-	2	0.1%
10.9	-	1	0.0%
11.0	-	3	0.1%
11.2	-	2	0.1%
11.4	-	1	0.0%
11.8	-	3	0.1%
11.9	-	1	0.0%
12.0	-	2	0.1%
12.1	-	1	0.0%
12.4	-	1	0.0%
12.5	-	1	0.0%
12.8	-	1	0.0%
12.9	-	3	0.1%
13.1	-	2	0.1%
13.4	-	1	0.0%
13.5	-	1	0.0%
13.8	-	2	0.1%
13.9	-	2	0.1%
14.0	-	1	0.0%
14.2	-	1	0.0%
14.3	-	1	0.0%
14.4	-	1	0.0%
14.6	-	2	0.1%
14.7	-	1	0.0%

Value	Label	Unweighted Frequency	%
14.8	-	1	0.0%
14.9	-	3	0.1%
15.0	-	2	0.1%
15.3	-	2	0.1%
15.5	-	1	0.0%
15.7	-	2	0.1%
15.8	-	1	0.0%
15.9	-	3	0.1%
16.0	-	1	0.0%
16.1	-	1	0.0%
16.3	-	4	0.2%
16.4	-	1	0.0%
16.5	-	1	0.0%
16.7	-	1	0.0%
16.8	-	2	0.1%
16.9	-	2	0.1%
Total		2,047	84.8%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	366	15.2%
Total		366	15.2%

This variable has 2,047 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 55.71
- Minimum: 2.60
- Maximum: 463.50
- Standard Deviation: 34.45

Location: 3955-3959 (*width:* 5; *decimal:* 1)

Variable Type: numeric

T7: Testosterone (ng/dL)

Testosterone (ng/dL)

Value	Label	Unweighted Frequency	%
2.7	-	1	0.0%

Value	Label	Unweighted Frequency	%
3.3	-	1	0.0%
4.2	-	1	0.0%
4.9	-	1	0.0%
5.3	-	1	0.0%
5.8	-	1	0.0%
6.4	-	1	0.0%
7.3	-	2	0.1%
7.5	-	1	0.0%
7.8	-	1	0.0%
7.9	-	1	0.0%
8.1	-	3	0.1%
8.2	-	1	0.0%
8.3	-	1	0.0%
8.7	-	1	0.0%
9.0	-	1	0.0%
9.1	-	1	0.0%
9.4	-	1	0.0%
9.5	-	1	0.0%
9.6	-	2	0.1%
9.8	-	1	0.0%
9.9	-	1	0.0%
10.0	-	1	0.0%
10.1	-	1	0.0%
10.2	-	4	0.2%
10.3	-	2	0.1%
10.4	-	1	0.0%
10.5	-	1	0.0%
10.6	-	1	0.0%
10.9	-	3	0.1%
11.0	-	2	0.1%
11.1	-	2	0.1%
11.2	-	1	0.0%
11.3	-	1	0.0%
11.4	-	2	0.1%
11.5	-	1	0.0%

Value	Label	Unweighted Frequency	%
11.6	-	4	0.2%
11.9	-	2	0.1%
12.0	-	2	0.1%
12.1	-	3	0.1%
12.3	-	1	0.0%
12.4	-	2	0.1%
12.5	-	2	0.1%
12.6	-	1	0.0%
12.7	-	3	0.1%
12.8	-	2	0.1%
13.0	-	1	0.0%
13.1	-	3	0.1%
13.2	-	4	0.2%
13.3	-	1	0.0%
Total		2,049	84.9%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	364	15.1%
Total		364	15.1%

This variable has 2,049 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 39.84
- Minimum: 2.70
- Maximum: 980.60
- Standard Deviation: 28.62

Location: 3960-3964 (width: 5; decimal: 1)

Variable Type: numeric

CYCDAY7: Day of cycle

Day of cycle

Value	Label	Unweighted Frequency	%
2	-	50	2.1%
3	-	83	3.4%
4	-	93	3.9%

Value	Label	Unweighted Frequency	%
5	-	90	3.7%
	Total	316	13.1%
Value	Missing Data	Unweighted Frequency	%
.	-	2097	86.9%
	Total	2,097	86.9%

This variable has 316 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 3.71
- Median: 4.00
- Mode: 4.00
- Minimum: 2.00
- Maximum: 5.00
- Standard Deviation: 1.05

Location: 3965-3965 (width: 1; decimal: 0)

Variable Type: numeric

FLGCV7: Both Estradiol (E2) results >20 pg/mL & coefficient of variation(CV) >15 percent

Both E2>20 pg/mL & CV>15%

Value	Label	Unweighted Frequency	%
0	No	2053	85.1%
1	Yes	2	0.1%
	Total	2,055	85.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	358	14.8%
	Total	358	14.8%

This variable has 2,055 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3966-3967 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLGdif7: 1 or both Estradiol (E2) results <=20 pg/mL & difference between them is >10 pg/mL

1 or both E2<=20 pg/mL & dif>10

Value	Label	Unweighted Frequency	%
0	No	2055	85.2%
1	Yes	0	0.0%
	Total	2,055	85.2%
Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	358	14.8%
	Total	358	14.8%

This variable has 2,055 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 3968-3969 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CVRday7: Cardiovascular measures day

Cardiovascular measures Day

Value	Label	Unweighted Frequency	%
2439	-	1	0.0%
2447	-	1	0.0%
2456	-	1	0.0%
2468	-	1	0.0%
2480	-	2	0.1%
2483	-	1	0.0%
2485	-	3	0.1%
2488	-	1	0.0%

Value	Label	Unweighted Frequency	%
2492	-	5	0.2%
2493	-	1	0.0%
2494	-	1	0.0%
2496	-	1	0.0%
2497	-	1	0.0%
2498	-	2	0.1%
2499	-	2	0.1%
2501	-	5	0.2%
2504	-	2	0.1%
2505	-	2	0.1%
2506	-	5	0.2%
2508	-	3	0.1%
2509	-	3	0.1%
2510	-	7	0.3%
2511	-	10	0.4%
2512	-	17	0.7%
2513	-	13	0.5%
2514	-	9	0.4%
2515	-	4	0.2%
2516	-	4	0.2%
2517	-	7	0.3%
2518	-	9	0.4%
2519	-	10	0.4%
2520	-	11	0.5%
2521	-	6	0.2%
2522	-	17	0.7%
2523	-	9	0.4%
2524	-	5	0.2%
2525	-	11	0.5%
2526	-	8	0.3%
2527	-	11	0.5%
2528	-	10	0.4%
2529	-	10	0.4%
2530	-	10	0.4%
2531	-	9	0.4%

Value	Label	Unweighted Frequency	%
2532	-	15	0.6%
2533	-	17	0.7%
2534	-	21	0.9%
2535	-	13	0.5%
2536	-	7	0.3%
2537	-	6	0.2%
2538	-	10	0.4%
Total		2,001	82.9%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	412	17.1%
Total		412	17.1%

This variable has 2,001 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 2613.44
- Minimum: 2439.00
- Maximum: 3086.00
- Standard Deviation: 86.04

Location: 3970-3973 (width: 4; decimal: 0)

Variable Type: numeric

CHOLRES7: Total cholesterol (mg/dl)

Total cholesterol (mg/dl)

Value	Label	Unweighted Frequency	%
69	-	1	0.0%
96	-	1	0.0%
104	-	1	0.0%
110	-	1	0.0%
111	-	1	0.0%
112	-	1	0.0%
113	-	1	0.0%
117	-	1	0.0%
121	-	3	0.1%
125	-	4	0.2%

Value	Label	Unweighted Frequency	%
127	-	1	0.0%
128	-	1	0.0%
130	-	1	0.0%
132	-	3	0.1%
133	-	2	0.1%
134	-	3	0.1%
135	-	3	0.1%
136	-	3	0.1%
137	-	4	0.2%
138	-	2	0.1%
139	-	5	0.2%
140	-	5	0.2%
141	-	3	0.1%
142	-	6	0.2%
143	-	6	0.2%
144	-	4	0.2%
145	-	4	0.2%
146	-	1	0.0%
147	-	3	0.1%
148	-	3	0.1%
149	-	4	0.2%
150	-	8	0.3%
151	-	8	0.3%
152	-	5	0.2%
153	-	7	0.3%
154	-	8	0.3%
155	-	6	0.2%
156	-	2	0.1%
157	-	8	0.3%
158	-	12	0.5%
159	-	15	0.6%
160	-	12	0.5%
161	-	4	0.2%
162	-	12	0.5%
163	-	14	0.6%

Value	Label	Unweighted Frequency	%
164	-	17	0.7%
165	-	13	0.5%
166	-	11	0.5%
167	-	10	0.4%
168	-	22	0.9%
	Total	2,000	82.9%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	413	17.1%
	Total	413	17.1%

This variable has 2,000 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 206.32
- Median: 203.00
- Mode: 209.00
- Minimum: 69.00
- Maximum: 365.00
- Standard Deviation: 37.12

Location: 3974-3976 (width: 3; decimal: 0)

Variable Type: numeric

TRIGRES7: Triglycerides (mg/dl)

Triglycerides (mg/dl)

Value	Label	Unweighted Frequency	%
12	-	1	0.0%
33	-	1	0.0%
37	-	1	0.0%
38	-	2	0.1%
39	-	1	0.0%
40	-	3	0.1%
41	-	7	0.3%
42	-	1	0.0%
43	-	4	0.2%
44	-	3	0.1%
45	-	4	0.2%

Value	Label	Unweighted Frequency	%
46	-	5	0.2%
47	-	9	0.4%
48	-	8	0.3%
49	-	10	0.4%
50	-	7	0.3%
51	-	8	0.3%
52	-	10	0.4%
53	-	16	0.7%
54	-	12	0.5%
55	-	8	0.3%
56	-	9	0.4%
57	-	16	0.7%
58	-	14	0.6%
59	-	9	0.4%
60	-	16	0.7%
61	-	12	0.5%
62	-	19	0.8%
63	-	19	0.8%
64	-	18	0.7%
65	-	21	0.9%
66	-	21	0.9%
67	-	13	0.5%
68	-	23	1.0%
69	-	15	0.6%
70	-	19	0.8%
71	-	15	0.6%
72	-	27	1.1%
73	-	17	0.7%
74	-	18	0.7%
75	-	22	0.9%
76	-	21	0.9%
77	-	24	1.0%
78	-	28	1.2%
79	-	23	1.0%
80	-	19	0.8%

Value	Label	Unweighted Frequency	%
81	-	25	1.0%
82	-	21	0.9%
83	-	19	0.8%
84	-	17	0.7%
	Total	1,947	80.7%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	466	19.3%
	Total	466	19.3%

This variable has 1,947 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 123.65
- Minimum: 12.00
- Maximum: 1415.00
- Standard Deviation: 78.30

Location: 3977-3980 (width: 4; decimal: 0)

Variable Type: numeric

LDLRESU7: Estimated low-density lipoprotein cholesterol (LDL) (mg/dl)

Estimated LDL (mg/dl)

Value	Label	Unweighted Frequency	%
30	-	1	0.0%
34	-	1	0.0%
37	-	1	0.0%
38	-	1	0.0%
41	-	1	0.0%
42	-	1	0.0%
44	-	1	0.0%
45	-	1	0.0%
46	-	2	0.1%
47	-	2	0.1%
48	-	1	0.0%
49	-	1	0.0%
50	-	2	0.1%

Value	Label	Unweighted Frequency	%
54	-	2	0.1%
55	-	3	0.1%
56	-	4	0.2%
58	-	2	0.1%
60	-	6	0.2%
61	-	3	0.1%
62	-	4	0.2%
63	-	1	0.0%
64	-	3	0.1%
65	-	5	0.2%
66	-	1	0.0%
67	-	4	0.2%
68	-	7	0.3%
69	-	4	0.2%
70	-	7	0.3%
71	-	7	0.3%
72	-	9	0.4%
73	-	9	0.4%
74	-	6	0.2%
75	-	11	0.5%
76	-	7	0.3%
77	-	9	0.4%
78	-	11	0.5%
79	-	8	0.3%
80	-	16	0.7%
81	-	16	0.7%
82	-	10	0.4%
83	-	6	0.2%
84	-	10	0.4%
85	-	15	0.6%
86	-	14	0.6%
87	-	17	0.7%
88	-	15	0.6%
89	-	22	0.9%
90	-	19	0.8%

Value	Label	Unweighted Frequency	%
91	-	18	0.7%
92	-	22	0.9%
	Total	1,926	79.8%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	487	20.2%
	Total	487	20.2%

This variable has 1,926 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 122.02
- Median: 119.00
- Mode: 111.00
- Minimum: 30.00
- Maximum: 241.00
- Standard Deviation: 32.84

Location: 3981-3983 (width: 3; decimal: 0)

Variable Type: numeric

HDLRESU7: High density lipoprotein cholesterol (HDL) (mg/dl)

HDL (mg/dl)

Value	Label	Unweighted Frequency	%
26	-	1	0.0%
27	-	1	0.0%
28	-	4	0.2%
29	-	2	0.1%
30	-	9	0.4%
31	-	4	0.2%
32	-	15	0.6%
33	-	5	0.2%
34	-	12	0.5%
35	-	10	0.4%
36	-	18	0.7%
37	-	11	0.5%
38	-	27	1.1%
39	-	9	0.4%

Value	Label	Unweighted Frequency	%
40	-	33	1.4%
41	-	24	1.0%
42	-	38	1.6%
43	-	33	1.4%
44	-	44	1.8%
45	-	37	1.5%
46	-	59	2.4%
47	-	55	2.3%
48	-	52	2.2%
49	-	48	2.0%
50	-	53	2.2%
51	-	39	1.6%
52	-	51	2.1%
53	-	57	2.4%
54	-	58	2.4%
55	-	45	1.9%
56	-	55	2.3%
57	-	53	2.2%
58	-	47	1.9%
59	-	57	2.4%
60	-	44	1.8%
61	-	62	2.6%
62	-	46	1.9%
63	-	45	1.9%
64	-	48	2.0%
65	-	37	1.5%
66	-	44	1.8%
67	-	30	1.2%
68	-	33	1.4%
69	-	37	1.5%
70	-	30	1.2%
71	-	36	1.5%
72	-	43	1.8%
73	-	31	1.3%
74	-	26	1.1%

Value	Label	Unweighted Frequency	%
75	-	26	1.1%
	Total	1,999	82.8%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	414	17.2%
	Total	414	17.2%

This variable has 1,999 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 60.00
- Median: 58.00
- Mode: 61.00
- Minimum: 26.00
- Maximum: 143.00
- Standard Deviation: 15.56

Location: 3984-3986 (width: 3; decimal: 0)

Variable Type: numeric

GLUCRES7: Glucose (mg/dl)

Glucose (mg/dl)

Value	Label	Unweighted Frequency	%
51	-	1	0.0%
52	-	1	0.0%
53	-	1	0.0%
59	-	1	0.0%
63	-	1	0.0%
64	-	3	0.1%
65	-	1	0.0%
66	-	3	0.1%
67	-	1	0.0%
68	-	6	0.2%
69	-	8	0.3%
70	-	5	0.2%
71	-	15	0.6%
72	-	15	0.6%
73	-	13	0.5%

Value	Label	Unweighted Frequency	%
74	-	24	1.0%
75	-	23	1.0%
76	-	32	1.3%
77	-	44	1.8%
78	-	59	2.4%
79	-	65	2.7%
80	-	50	2.1%
81	-	78	3.2%
82	-	76	3.1%
83	-	83	3.4%
84	-	98	4.1%
85	-	71	2.9%
86	-	95	3.9%
87	-	85	3.5%
88	-	70	2.9%
89	-	87	3.6%
90	-	79	3.3%
91	-	56	2.3%
92	-	63	2.6%
93	-	42	1.7%
94	-	56	2.3%
95	-	47	1.9%
96	-	36	1.5%
97	-	36	1.5%
98	-	32	1.3%
99	-	25	1.0%
100	-	20	0.8%
101	-	17	0.7%
102	-	32	1.3%
103	-	19	0.8%
104	-	17	0.7%
105	-	21	0.9%
106	-	14	0.6%
107	-	22	0.9%
108	-	12	0.5%

Value	Label	Unweighted Frequency	%
	Total	1,969	81.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	444	18.4%
	Total	444	18.4%

This variable has 1,969 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 93.68
- Median: 88.00
- Mode: 84.00
- Minimum: 51.00
- Maximum: 486.00
- Standard Deviation: 28.18

Location: 3987-3989 (width: 3; decimal: 0)

Variable Type: numeric

INSURES7: Insulin (uIU/ml)

Insulin (uIU/ml)

Value	Label	Unweighted Frequency	%
4.0	-	2	0.1%
4.1	-	1	0.0%
4.2	-	3	0.1%
4.3	-	1	0.0%
4.4	-	3	0.1%
4.5	-	7	0.3%
4.6	-	10	0.4%
4.7	-	8	0.3%
4.9	-	15	0.6%
5.0	-	15	0.6%
5.1	-	14	0.6%
5.2	-	11	0.5%
5.3	-	17	0.7%
5.4	-	17	0.7%
5.5	-	14	0.6%
5.6	-	11	0.5%

Value	Label	Unweighted Frequency	%
5.7	-	16	0.7%
5.8	-	20	0.8%
5.9	-	18	0.7%
6.0	-	20	0.8%
6.1	-	21	0.9%
6.2	-	18	0.7%
6.4	-	9	0.4%
6.5	-	22	0.9%
6.6	-	21	0.9%
6.7	-	10	0.4%
6.8	-	23	1.0%
6.9	-	15	0.6%
7.0	-	18	0.7%
7.1	-	17	0.7%
7.2	-	17	0.7%
7.3	-	19	0.8%
7.4	-	20	0.8%
7.5	-	18	0.7%
7.6	-	21	0.9%
7.7	-	17	0.7%
7.9	-	16	0.7%
8.0	-	12	0.5%
8.1	-	16	0.7%
8.2	-	23	1.0%
8.3	-	22	0.9%
8.4	-	14	0.6%
8.5	-	24	1.0%
8.6	-	13	0.5%
8.7	-	18	0.7%
8.8	-	14	0.6%
8.9	-	17	0.7%
9.0	-	21	0.9%
9.1	-	22	0.9%
9.2	-	15	0.6%
	Total	1,868	77.4%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-		545	22.6%
Total		545	22.6%

This variable has 1,868 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 13.52
- Minimum: 4.00
- Maximum: 313.80
- Standard Deviation: 14.05

Location: 3990-3994 (width: 5; decimal: 1)

Variable Type: numeric

FACRESU7: Factor VII (%)

Factor VII (%)

Value	Label	Unweighted Frequency	%
23	-	1	0.0%
25	-	1	0.0%
32	-	1	0.0%
35	-	1	0.0%
49	-	1	0.0%
57	-	2	0.1%
59	-	1	0.0%
61	-	1	0.0%
62	-	1	0.0%
66	-	2	0.1%
67	-	2	0.1%
68	-	2	0.1%
70	-	1	0.0%
71	-	2	0.1%
72	-	3	0.1%
75	-	5	0.2%
76	-	2	0.1%
77	-	1	0.0%
78	-	2	0.1%
79	-	3	0.1%

Value	Label	Unweighted Frequency	%
80	-	4	0.2%
81	-	2	0.1%
82	-	1	0.0%
83	-	5	0.2%
84	-	1	0.0%
85	-	3	0.1%
86	-	5	0.2%
87	-	10	0.4%
88	-	8	0.3%
89	-	8	0.3%
90	-	4	0.2%
91	-	8	0.3%
92	-	8	0.3%
93	-	3	0.1%
94	-	14	0.6%
95	-	7	0.3%
97	-	4	0.2%
98	-	17	0.7%
99	-	6	0.2%
100	-	6	0.2%
101	-	10	0.4%
102	-	1	0.0%
103	-	13	0.5%
104	-	13	0.5%
105	-	8	0.3%
107	-	11	0.5%
108	-	19	0.8%
109	-	20	0.8%
111	-	16	0.7%
112	-	16	0.7%
Total		908	37.6%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	1505	62.4%

Value	Missing Data	Unweighted Frequency	%
	Total	1,505	62.4%

This variable has 908 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 131.92
- Median: 129.00
- Mode: 141.00
- Minimum: 23.00
- Maximum: 772.00
- Standard Deviation: 42.10

Location: 3995-3997 (width: 3; decimal: 0)

Variable Type: numeric

FIBRESU7: Fibrinogen (mg/dl)

Fibrinogen (mg/dl)

Value	Label	Unweighted Frequency	%
128	-	1	0.0%
148	-	1	0.0%
151	-	1	0.0%
152	-	1	0.0%
159	-	2	0.1%
163	-	1	0.0%
168	-	4	0.2%
171	-	1	0.0%
173	-	3	0.1%
175	-	2	0.1%
177	-	1	0.0%
181	-	1	0.0%
183	-	4	0.2%
185	-	1	0.0%
188	-	5	0.2%
190	-	4	0.2%
193	-	5	0.2%
195	-	4	0.2%
198	-	7	0.3%
200	-	4	0.2%
203	-	10	0.4%

Value	Label	Unweighted Frequency	%
206	-	8	0.3%
209	-	16	0.7%
212	-	17	0.7%
215	-	16	0.7%
219	-	24	1.0%
222	-	24	1.0%
226	-	18	0.7%
230	-	25	1.0%
234	-	24	1.0%
238	-	28	1.2%
242	-	30	1.2%
247	-	33	1.4%
251	-	39	1.6%
256	-	34	1.4%
262	-	43	1.8%
266	-	1	0.0%
267	-	38	1.6%
273	-	29	1.2%
279	-	43	1.8%
286	-	39	1.6%
292	-	48	2.0%
294	-	1	0.0%
300	-	33	1.4%
308	-	30	1.2%
316	-	28	1.2%
325	-	43	1.8%
334	-	29	1.2%
345	-	24	1.0%
356	-	26	1.1%
Total		909	37.7%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	1504	62.3%
Total		1,504	62.3%

This variable has 909 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 274.31
- Median: 267.00
- Mode: 292.00
- Minimum: 128.00
- Maximum: 569.00
- Standard Deviation: 57.32

Location: 3998-4000 (width: 3; decimal: 0)

Variable Type: numeric

PAIRESU7: PAI-1 (ng/ml)

PAI-1 (ng/ml)

Value	Label	Unweighted Frequency	%
0.1	-	1	0.0%
0.3	-	1	0.0%
0.4	-	1	0.0%
0.6	-	2	0.1%
0.8	-	7	0.3%
1.0	-	1	0.0%
1.1	-	2	0.1%
1.2	-	9	0.4%
1.3	-	7	0.3%
1.4	-	8	0.3%
1.5	-	5	0.2%
1.6	-	15	0.6%
1.7	-	5	0.2%
1.8	-	11	0.5%
2.0	-	12	0.5%
2.1	-	1	0.0%
2.2	-	10	0.4%
2.3	-	6	0.2%
2.4	-	12	0.5%
2.5	-	3	0.1%
2.6	-	14	0.6%
2.7	-	3	0.1%
2.8	-	9	0.4%
2.9	-	2	0.1%

Value	Label	Unweighted Frequency	%
3.0	-	9	0.4%
3.1	-	4	0.2%
3.2	-	13	0.5%
3.3	-	6	0.2%
3.4	-	15	0.6%
3.5	-	5	0.2%
3.6	-	23	1.0%
3.7	-	1	0.0%
3.8	-	10	0.4%
3.9	-	1	0.0%
4.0	-	25	1.0%
4.1	-	4	0.2%
4.2	-	13	0.5%
4.3	-	6	0.2%
4.4	-	25	1.0%
4.5	-	2	0.1%
4.6	-	9	0.4%
4.8	-	23	1.0%
4.9	-	3	0.1%
5.0	-	8	0.3%
5.1	-	2	0.1%
5.2	-	24	1.0%
5.3	-	2	0.1%
5.4	-	14	0.6%
5.5	-	3	0.1%
5.6	-	15	0.6%
Total		1,884	78.1%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	529	21.9%
Total		529	21.9%

This variable has 1,884 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 21.44

- Minimum: 0.10
- Maximum: 590.00
- Standard Deviation: 33.43

Location: 4001-4005 (*width:* 5; *decimal:* 1)

Variable Type: numeric

TPARESU7: Tissue plasminogen activator (tPA) (ng/ml)

tPA (ng/ml)

Value	Label	Unweighted Frequency	%
0.5	-	1	0.0%
0.7	-	1	0.0%
0.8	-	2	0.1%
1.0	-	1	0.0%
1.1	-	2	0.1%
1.2	-	4	0.2%
1.3	-	3	0.1%
1.4	-	4	0.2%
1.5	-	5	0.2%
1.6	-	9	0.4%
1.7	-	1	0.0%
1.8	-	4	0.2%
1.9	-	7	0.3%
2.0	-	9	0.4%
2.1	-	13	0.5%
2.2	-	15	0.6%
2.3	-	11	0.5%
2.4	-	14	0.6%
2.5	-	18	0.7%
2.6	-	13	0.5%
2.7	-	14	0.6%
2.8	-	16	0.7%
2.9	-	23	1.0%
3.0	-	16	0.7%
3.1	-	19	0.8%
3.2	-	22	0.9%
3.3	-	15	0.6%
3.4	-	25	1.0%

Value	Label	Unweighted Frequency	%
3.5	-	25	1.0%
3.6	-	19	0.8%
3.7	-	18	0.7%
3.8	-	24	1.0%
3.9	-	27	1.1%
4.0	-	29	1.2%
4.1	-	24	1.0%
4.2	-	32	1.3%
4.3	-	22	0.9%
4.4	-	18	0.7%
4.5	-	25	1.0%
4.6	-	22	0.9%
4.7	-	31	1.3%
4.8	-	16	0.7%
4.9	-	28	1.2%
5.0	-	21	0.9%
5.1	-	24	1.0%
5.2	-	25	1.0%
5.3	-	22	0.9%
5.4	-	31	1.3%
5.5	-	13	0.5%
5.6	-	19	0.8%
Total		1,902	78.8%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	511	21.2%
Total		511	21.2%

This variable has 1,902 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 8.65
- Median: 6.20
- Mode: 4.20
- Minimum: 0.50
- Maximum: 528.00
- Standard Deviation: 18.11

Location: 4006-4010 (width: 5; decimal: 1)

Variable Type: numeric

LPARESU7: Lipoprotein Lp(a) (mg/dl)

Lipoprotein Lp(a) (mg/dl)

Value	Label	Unweighted Frequency	%
1	-	35	1.5%
2	-	65	2.7%
3	-	85	3.5%
4	-	77	3.2%
5	-	63	2.6%
6	-	85	3.5%
7	-	86	3.6%
8	-	66	2.7%
9	-	61	2.5%
10	-	58	2.4%
11	-	31	1.3%
12	-	39	1.6%
13	-	39	1.6%
14	-	32	1.3%
15	-	38	1.6%
16	-	27	1.1%
17	-	32	1.3%
18	-	34	1.4%
19	-	23	1.0%
20	-	17	0.7%
21	-	25	1.0%
22	-	11	0.5%
23	-	29	1.2%
24	-	11	0.5%
25	-	17	0.7%
26	-	14	0.6%
27	-	21	0.9%
28	-	16	0.7%
29	-	14	0.6%
30	-	21	0.9%

Value	Label	Unweighted Frequency	%
31	-	18	0.7%
32	-	13	0.5%
33	-	19	0.8%
34	-	12	0.5%
35	-	19	0.8%
36	-	16	0.7%
37	-	16	0.7%
38	-	18	0.7%
39	-	15	0.6%
40	-	7	0.3%
41	-	13	0.5%
42	-	12	0.5%
43	-	16	0.7%
44	-	5	0.2%
45	-	11	0.5%
46	-	11	0.5%
47	-	10	0.4%
48	-	12	0.5%
49	-	7	0.3%
50	-	4	0.2%
Total		1,880	77.9%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	533	22.1%
Total		533	22.1%

This variable has 1,880 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 35.13
- Median: 18.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 272.00
- Standard Deviation: 40.09

Location: 4011-4013 (width: 3; decimal: 0)

Variable Type: numeric

LPA1RES7: Lipoprotein A-1 (mg/dl)

Lipoprotein A-1 (mg/dl)

Value	Label	Unweighted Frequency	%
19	-	1	0.0%
21	-	1	0.0%
22	-	1	0.0%
23	-	2	0.1%
25	-	1	0.0%
26	-	2	0.1%
27	-	2	0.1%
28	-	1	0.0%
29	-	3	0.1%
30	-	6	0.2%
31	-	6	0.2%
32	-	12	0.5%
33	-	17	0.7%
34	-	13	0.5%
35	-	18	0.7%
36	-	20	0.8%
37	-	16	0.7%
38	-	17	0.7%
39	-	34	1.4%
40	-	37	1.5%
41	-	41	1.7%
42	-	32	1.3%
43	-	23	1.0%
44	-	30	1.2%
45	-	30	1.2%
46	-	34	1.4%
47	-	35	1.5%
48	-	37	1.5%
49	-	46	1.9%
50	-	38	1.6%
51	-	36	1.5%
52	-	33	1.4%

Value	Label	Unweighted Frequency	%
53	-	43	1.8%
54	-	43	1.8%
55	-	40	1.7%
56	-	42	1.7%
57	-	39	1.6%
58	-	33	1.4%
59	-	30	1.2%
60	-	37	1.5%
61	-	32	1.3%
62	-	49	2.0%
63	-	34	1.4%
64	-	22	0.9%
65	-	11	0.5%
66	-	19	0.8%
67	-	9	0.4%
68	-	22	0.9%
69	-	9	0.4%
70	-	23	1.0%
Total		1,419	58.8%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	994	41.2%
Total		994	41.2%

This variable has 1,419 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 56.51
- Median: 54.00
- Mode: 62.00
- Minimum: 19.00
- Maximum: 167.00
- Standard Deviation: 16.20

Location: 4014-4016 (*width:* 3; *decimal:* 0)

Variable Type: numeric

APOARES7: Apolipoprotein A-1 (mg/dl)

Apolipoprotein A-1 (mg/dl)

Value	Label	Unweighted Frequency	%
68	-	1	0.0%
92	-	1	0.0%
94	-	1	0.0%
105	-	2	0.1%
106	-	2	0.1%
107	-	2	0.1%
108	-	2	0.1%
110	-	4	0.2%
111	-	4	0.2%
112	-	2	0.1%
113	-	1	0.0%
114	-	3	0.1%
115	-	3	0.1%
116	-	2	0.1%
117	-	2	0.1%
118	-	8	0.3%
119	-	6	0.2%
120	-	6	0.2%
121	-	5	0.2%
122	-	1	0.0%
123	-	4	0.2%
124	-	6	0.2%
125	-	8	0.3%
126	-	10	0.4%
127	-	7	0.3%
128	-	7	0.3%
129	-	8	0.3%
130	-	6	0.2%
131	-	11	0.5%
132	-	11	0.5%
133	-	12	0.5%
134	-	13	0.5%
135	-	7	0.3%
136	-	16	0.7%
137	-	11	0.5%

Value	Label	Unweighted Frequency	%
138	-	15	0.6%
139	-	27	1.1%
140	-	19	0.8%
141	-	24	1.0%
142	-	26	1.1%
143	-	25	1.0%
144	-	21	0.9%
145	-	25	1.0%
146	-	14	0.6%
147	-	23	1.0%
148	-	22	0.9%
149	-	15	0.6%
150	-	29	1.2%
151	-	22	0.9%
152	-	18	0.7%
Total		1,998	82.8%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	415	17.2%
Total		415	17.2%

This variable has 1,998 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 171.59
- Median: 170.00
- Mode: 172.00
- Minimum: 68.00
- Maximum: 336.00
- Standard Deviation: 28.48

Location: 4017-4019 (width: 3; decimal: 0)

Variable Type: numeric

APOBRES7: Apolipoprotein B (mg/dl)

Apolipoprotein B (mg/dl)

Value	Label	Unweighted Frequency	%
31	-	1	0.0%

Value	Label	Unweighted Frequency	%
39	-	2	0.1%
40	-	2	0.1%
43	-	1	0.0%
44	-	1	0.0%
45	-	1	0.0%
46	-	1	0.0%
48	-	1	0.0%
50	-	2	0.1%
51	-	1	0.0%
52	-	1	0.0%
54	-	3	0.1%
55	-	3	0.1%
56	-	1	0.0%
57	-	2	0.1%
58	-	3	0.1%
59	-	4	0.2%
60	-	5	0.2%
61	-	7	0.3%
62	-	4	0.2%
63	-	3	0.1%
64	-	6	0.2%
65	-	14	0.6%
66	-	3	0.1%
67	-	5	0.2%
68	-	5	0.2%
69	-	17	0.7%
70	-	14	0.6%
71	-	8	0.3%
72	-	9	0.4%
73	-	18	0.7%
74	-	13	0.5%
75	-	12	0.5%
76	-	15	0.6%
77	-	16	0.7%
78	-	22	0.9%

Value	Label	Unweighted Frequency	%
79	-	18	0.7%
80	-	21	0.9%
81	-	22	0.9%
82	-	22	0.9%
83	-	18	0.7%
84	-	29	1.2%
85	-	19	0.8%
86	-	22	0.9%
87	-	14	0.6%
88	-	27	1.1%
89	-	30	1.2%
90	-	19	0.8%
91	-	26	1.1%
92	-	24	1.0%
Total		1,997	82.8%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	416	17.2%
Total		416	17.2%

This variable has 1,997 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 109.98
- Median: 108.00
- Mode: 108.00
- Minimum: 31.00
- Maximum: 229.00
- Standard Deviation: 27.71

Location: 4020-4022 (width: 3; decimal: 0)

Variable Type: numeric

CRPRESU7: C-reactive protein (mg/l)

C-reactive protein (mg/l)

Value	Label	Unweighted Frequency	%
0.042	-	1	0.0%
0.048	-	1	0.0%

Value	Label	Unweighted Frequency	%
0.049	-	1	0.0%
0.052	-	1	0.0%
0.053	-	1	0.0%
0.062	-	1	0.0%
0.067	-	1	0.0%
0.074	-	1	0.0%
0.077	-	1	0.0%
0.079	-	1	0.0%
0.080	-	1	0.0%
0.081	-	1	0.0%
0.083	-	1	0.0%
0.088	-	2	0.1%
0.091	-	2	0.1%
0.093	-	1	0.0%
0.095	-	2	0.1%
0.096	-	2	0.1%
0.097	-	2	0.1%
0.103	-	2	0.1%
0.104	-	1	0.0%
0.106	-	2	0.1%
0.109	-	2	0.1%
0.112	-	3	0.1%
0.114	-	1	0.0%
0.119	-	2	0.1%
0.123	-	1	0.0%
0.125	-	2	0.1%
0.129	-	2	0.1%
0.135	-	1	0.0%
0.136	-	1	0.0%
0.137	-	2	0.1%
0.139	-	1	0.0%
0.140	-	1	0.0%
0.141	-	1	0.0%
0.142	-	1	0.0%
0.145	-	1	0.0%

Value	Label	Unweighted Frequency	%
0.146	-	1	0.0%
0.148	-	2	0.1%
0.152	-	2	0.1%
0.155	-	1	0.0%
0.159	-	1	0.0%
0.161	-	1	0.0%
0.162	-	1	0.0%
0.164	-	1	0.0%
0.165	-	2	0.1%
0.166	-	2	0.1%
0.167	-	2	0.1%
0.168	-	6	0.2%
0.169	-	1	0.0%
Total		1,997	82.8%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	416	17.2%
Total		416	17.2%

This variable has 1,997 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 3.820
- Minimum: 0.042
- Maximum: 58.700
- Standard Deviation: 6.113

Location: 4023-4028 (*width:* 6; *decimal:* 3)

Variable Type: numeric

FLAGSER7: Lipids measured on serum not plasma

Lipids measured on serum not plasma

Value	Label	Unweighted Frequency	%
0	No	1982	82.1%
1	Yes	41	1.7%
Total		2,023	83.8%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	390	16.2%
Total		390	16.2%

This variable has 2,023 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4029-4030 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPSCDAY7: Spine scan day

Spine Scan Day

Value	Label	Unweighted Frequency	%
2439	-	1	0.0%
2456	-	1	0.0%
2468	-	1	0.0%
2480	-	1	0.0%
2483	-	1	0.0%
2485	-	1	0.0%
2492	-	5	0.2%
2494	-	1	0.0%
2496	-	1	0.0%
2498	-	1	0.0%
2499	-	2	0.1%
2500	-	1	0.0%
2501	-	6	0.2%
2502	-	2	0.1%
2504	-	2	0.1%
2505	-	1	0.0%
2506	-	3	0.1%
2507	-	1	0.0%

Value	Label	Unweighted Frequency	%
2508	-	3	0.1%
2509	-	1	0.0%
2510	-	6	0.2%
2511	-	9	0.4%
2512	-	12	0.5%
2513	-	17	0.7%
2514	-	7	0.3%
2515	-	3	0.1%
2516	-	6	0.2%
2517	-	5	0.2%
2518	-	6	0.2%
2519	-	11	0.5%
2520	-	19	0.8%
2521	-	7	0.3%
2522	-	18	0.7%
2523	-	6	0.2%
2524	-	9	0.4%
2525	-	8	0.3%
2526	-	10	0.4%
2527	-	14	0.6%
2528	-	9	0.4%
2529	-	9	0.4%
2530	-	6	0.2%
2531	-	9	0.4%
2532	-	11	0.5%
2533	-	11	0.5%
2534	-	21	0.9%
2535	-	10	0.4%
2536	-	8	0.3%
2537	-	5	0.2%
2538	-	8	0.3%
2539	-	12	0.5%
	Total	1,695	70.2%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-		718	29.8%
Total		718	29.8%

This variable has 1,695 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 2605.45
- Minimum: 2439.00
- Maximum: 3086.00
- Standard Deviation: 81.79

Location: 4031-4034 (width: 4; decimal: 0)

Variable Type: numeric

SPSCTIM7: Spine scan time

Spine Scan Time

Value	Label	Unweighted Frequency	%
10:00:00	-	5	0.2%
10:00:06	-	1	0.0%
10:00:20	-	1	0.0%
10:00:42	-	1	0.0%
10:00:51	-	1	0.0%
10:01:00	-	6	0.2%
10:01:17	-	1	0.0%
10:01:38	-	1	0.0%
10:01:45	-	1	0.0%
10:01:56	-	1	0.0%
10:02:00	-	3	0.1%
10:02:04	-	1	0.0%
10:02:35	-	2	0.1%
10:03:05	-	1	0.0%
10:03:47	-	1	0.0%
10:03:50	-	1	0.0%
10:04:00	-	5	0.2%
10:04:20	-	1	0.0%
10:04:41	-	1	0.0%
10:05:00	-	6	0.2%
10:05:40	-	1	0.0%

Value	Label	Unweighted Frequency	%
10:05:49	-	1	0.0%
10:06:00	-	3	0.1%
10:06:13	-	1	0.0%
10:06:28	-	1	0.0%
10:06:39	-	1	0.0%
10:07:00	-	4	0.2%
10:07:07	-	1	0.0%
10:07:47	-	1	0.0%
10:07:53	-	1	0.0%
10:08:00	-	2	0.1%
10:08:15	-	1	0.0%
10:08:22	-	1	0.0%
10:09:00	-	6	0.2%
10:09:03	-	1	0.0%
10:09:13	-	1	0.0%
10:09:28	-	1	0.0%
10:09:32	-	1	0.0%
10:09:36	-	1	0.0%
10:09:42	-	1	0.0%
10:10:00	-	5	0.2%
10:10:10	-	1	0.0%
10:10:28	-	1	0.0%
10:10:48	-	1	0.0%
10:11:00	-	5	0.2%
10:11:13	-	1	0.0%
10:11:57	-	1	0.0%
10:12:00	-	2	0.1%
10:12:22	-	1	0.0%
10:12:36	-	1	0.0%
	Total	1,695	70.2%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	718	29.8%
	Total	718	29.8%

This variable has 1,695 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 4035-4046 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

SPSCMOD7: Spine scan mode

Spine Scan Mode

Value	Label	Unweighted Frequency	%
5	2000 machine	613	25.4%
11	4500 machine	1082	44.8%
	Total	1,695	70.2%
Value	Missing Data	Unweighted Frequency	%
.	-	718	29.8%
	Total	718	29.8%

This variable has 1,695 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 5.00
- Maximum: 11.00

Location: 4047-4048 (width: 2; decimal: 0)

Variable Type: numeric

HPSCDAY7: Hip scan day

Hip Scan Day

Value	Label	Unweighted Frequency	%
2439	-	1	0.0%
2456	-	1	0.0%
2468	-	1	0.0%
2480	-	1	0.0%
2483	-	1	0.0%
2485	-	1	0.0%
2492	-	5	0.2%
2494	-	1	0.0%
2496	-	1	0.0%
2498	-	1	0.0%

Value	Label	Unweighted Frequency	%
2499	-	2	0.1%
2500	-	1	0.0%
2501	-	6	0.2%
2502	-	2	0.1%
2504	-	2	0.1%
2505	-	1	0.0%
2506	-	3	0.1%
2507	-	1	0.0%
2508	-	3	0.1%
2509	-	1	0.0%
2510	-	5	0.2%
2511	-	9	0.4%
2512	-	11	0.5%
2513	-	17	0.7%
2514	-	7	0.3%
2515	-	3	0.1%
2516	-	7	0.3%
2517	-	5	0.2%
2518	-	6	0.2%
2519	-	11	0.5%
2520	-	19	0.8%
2521	-	7	0.3%
2522	-	18	0.7%
2523	-	6	0.2%
2524	-	9	0.4%
2525	-	9	0.4%
2526	-	10	0.4%
2527	-	14	0.6%
2528	-	9	0.4%
2529	-	9	0.4%
2530	-	6	0.2%
2531	-	9	0.4%
2532	-	11	0.5%
2533	-	10	0.4%
2534	-	21	0.9%

Value	Label	Unweighted Frequency	%
2535	-	10	0.4%
2536	-	8	0.3%
2537	-	5	0.2%
2538	-	8	0.3%
2539	-	12	0.5%
	Total	1,695	70.2%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	718	29.8%
	Total	718	29.8%

This variable has 1,695 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 2605.58
- Minimum: 2439.00
- Maximum: 3086.00
- Standard Deviation: 81.83

Location: 4049-4052 (*width:* 4; *decimal:* 0)

Variable Type: numeric

HPSCTIM7: Hip scan time

Hip Scan Time

Value	Label	Unweighted Frequency	%
10:00:00	-	7	0.3%
10:00:13	-	1	0.0%
10:00:43	-	1	0.0%
10:00:58	-	1	0.0%
10:01:00	-	3	0.1%
10:02:00	-	3	0.1%
10:02:29	-	1	0.0%
10:03:00	-	4	0.2%
10:03:53	-	1	0.0%
10:03:59	-	1	0.0%
10:04:00	-	5	0.2%
10:04:12	-	1	0.0%

Value	Label	Unweighted Frequency	%
10:04:34	-	1	0.0%
10:05:00	-	7	0.3%
10:05:05	-	1	0.0%
10:05:20	-	1	0.0%
10:05:40	-	1	0.0%
10:05:58	-	2	0.1%
10:06:00	-	3	0.1%
10:06:02	-	1	0.0%
10:06:06	-	2	0.1%
10:06:07	-	1	0.0%
10:06:09	-	1	0.0%
10:06:13	-	1	0.0%
10:06:48	-	1	0.0%
10:07:00	-	1	0.0%
10:07:09	-	1	0.0%
10:07:15	-	1	0.0%
10:07:26	-	1	0.0%
10:07:43	-	1	0.0%
10:07:58	-	1	0.0%
10:08:15	-	1	0.0%
10:08:33	-	1	0.0%
10:08:50	-	2	0.1%
10:09:00	-	3	0.1%
10:09:13	-	1	0.0%
10:09:15	-	1	0.0%
10:09:32	-	1	0.0%
10:09:46	-	1	0.0%
10:10:00	-	7	0.3%
10:10:12	-	1	0.0%
10:10:35	-	1	0.0%
10:10:50	-	1	0.0%
10:11:00	-	5	0.2%
10:11:21	-	1	0.0%
10:11:26	-	1	0.0%
10:11:35	-	1	0.0%

Value	Label	Unweighted Frequency	%
10:11:48	-	1	0.0%
10:11:49	-	1	0.0%
10:11:57	-	1	0.0%
	Total	1,693	70.2%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	720	29.8%
	Total	720	29.8%

This variable has 1,693 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

Location: 4053-4064 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

HPSCMOD7: Hip scan mode

Hip Scan Mode

Value	Label	Unweighted Frequency	%
5	5: 2000 machine	615	25.5%
11	11: 4500 machine	1077	44.6%
17	Undocumented code	1	0.0%
	Total	1,693	70.2%

Value	Missing Data	Unweighted Frequency	%
.	-	720	29.8%
	Total	720	29.8%

This variable has 1,693 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 5.00

- Maximum: 17.00

Location: 4065-4066 (width: 2; decimal: 0)

Variable Type: numeric

SPBMDT7: Total spine bone mineral density (BMD) with cross-calibration applied

Total Spine BMD w/cross-calibration applied

Value	Label	Unweighted Frequency	%
0.583300	-	1	0.0%
0.594535	-	1	0.0%
0.645000	-	1	0.0%
0.649930	-	1	0.0%
0.656100	-	1	0.0%
0.660200	-	1	0.0%
0.673160	-	1	0.0%
0.685100	-	1	0.0%
0.688200	-	1	0.0%
0.688400	-	1	0.0%
0.691470	-	1	0.0%
0.693300	-	1	0.0%
0.695800	-	1	0.0%
0.701310	-	1	0.0%
0.705847	-	1	0.0%
0.708600	-	1	0.0%
0.712200	-	1	0.0%
0.715800	-	1	0.0%
0.717400	-	1	0.0%
0.723800	-	1	0.0%
0.724800	-	1	0.0%
0.725700	-	1	0.0%
0.726900	-	1	0.0%
0.728100	-	1	0.0%
0.733010	-	1	0.0%
0.733503	-	1	0.0%
0.733970	-	1	0.0%
0.734300	-	1	0.0%
0.734400	-	1	0.0%
0.735577	-	1	0.0%
0.736300	-	1	0.0%
0.736460	-	1	0.0%
0.736981	-	1	0.0%
0.738260	-	1	0.0%
0.738422	-	1	0.0%

Value	Label	Unweighted Frequency	%
0.744660	-	1	0.0%
0.752254	-	1	0.0%
0.752368	-	1	0.0%
0.753036	-	1	0.0%
0.756110	-	1	0.0%
0.759677	-	1	0.0%
0.762810	-	1	0.0%
0.763490	-	1	0.0%
0.763960	-	1	0.0%
0.766100	-	2	0.1%
0.767200	-	1	0.0%
0.767300	-	1	0.0%
0.767600	-	1	0.0%
0.768200	-	1	0.0%
0.769800	-	1	0.0%
	Total	1,692	70.1%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	721	29.9%
	Total	721	29.9%

This variable has 1,692 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 1.031277
- Minimum: 0.583300
- Maximum: 1.659479
- Standard Deviation: 0.158835

Location: 4067-4074 (width: 8; decimal: 6)

Variable Type: numeric

HPBMDT7: Total hip bone mineral density (BMD) with cross-calibration applied

Total Hip BMD w/cross-calibration applied

Value	Label	Unweighted Frequency	%
0.553820	-	1	0.0%
0.569270	-	1	0.0%

Value	Label	Unweighted Frequency	%
0.571600	-	1	0.0%
0.606200	-	1	0.0%
0.621500	-	1	0.0%
0.622100	-	1	0.0%
0.622460	-	1	0.0%
0.627200	-	1	0.0%
0.629780	-	1	0.0%
0.638050	-	1	0.0%
0.645500	-	1	0.0%
0.656990	-	1	0.0%
0.658000	-	1	0.0%
0.660100	-	1	0.0%
0.660144	-	1	0.0%
0.660600	-	1	0.0%
0.662315	-	1	0.0%
0.663100	-	1	0.0%
0.664200	-	1	0.0%
0.664800	-	1	0.0%
0.665300	-	1	0.0%
0.667900	-	1	0.0%
0.670400	-	1	0.0%
0.670600	-	1	0.0%
0.672250	-	1	0.0%
0.673300	-	1	0.0%
0.674600	-	1	0.0%
0.676200	-	1	0.0%
0.676550	-	1	0.0%
0.680330	-	1	0.0%
0.681010	-	1	0.0%
0.681400	-	1	0.0%
0.684900	-	1	0.0%
0.685800	-	1	0.0%
0.686030	-	1	0.0%
0.686100	-	1	0.0%
0.687598	-	1	0.0%

Value	Label	Unweighted Frequency	%
0.688041	-	1	0.0%
0.690620	-	1	0.0%
0.691420	-	1	0.0%
0.692200	-	1	0.0%
0.692380	-	1	0.0%
0.694830	-	1	0.0%
0.694950	-	1	0.0%
0.695100	-	1	0.0%
0.696450	-	1	0.0%
0.696720	-	1	0.0%
0.697720	-	1	0.0%
0.697800	-	1	0.0%
0.698163	-	1	0.0%
	Total	1,695	70.2%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	718	29.8%
	Total	718	29.8%

This variable has 1,695 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Mean: 0.937149
- Minimum: 0.553820
- Maximum: 1.554110
- Standard Deviation: 0.144933

Location: 4075-4082 (*width:* 8; *decimal:* 6)

Variable Type: numeric

BMDFLG7: PI recommended for spine exclusion

PI recommended for spine exclusion

Value	Label	Unweighted Frequency	%
0	No	1701	70.5%
1	Yes	2	0.1%
	Total	1,703	70.6%

Value	Missing Data	Unweighted Frequency	%
-9	Missing	0	0.0%
-8	Do not know	0	0.0%
-7	Refused	0	0.0%
-1	N/A	0	0.0%
.	-	710	29.4%
Total		710	29.4%

This variable has 1,703 valid cases out of 2,413 total cases.

Percentages for valid and missing data are based on 2,413 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4083-4084 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .