

Untitled1.cpp

```
1  #include<stdio.h>
2  int main()
3  {
4
5  float temp;
6  printf("enter temp in celsius");
7  scanf("%f",&temp);
8
9  if (temp<15)
10 printf("cold",&temp);
11 else if (temp>15 && temp<30)
12 printf("Normal",&temp);
13 else
14 printf("Hot",&temp);
15 }
```

Untitled1.cpp

C:\Users\HP\Documents\Unti

```
1  
2  
3  
4 enter temp in celsius45  
5  
6
```

```
7 Hot  
8  
9
```

```
10 -----  
11 Process exited after 4.747 seconds with return value 0  
12  
13
```

```
14 Press any key to continue . . . |  
15
```

```
1  #include<stdio.h>
2  int main()
3  {
4      int balance;
5      printf("enter balance");
6      scanf("%d",&balance);
7
8      if (balance<500)
9          printf("Low blance");
10     else if (balance>500 && balance<2000)
11         printf("Sufficient balance");
12     else
13         printf("premium balance");
14
15     return 0;
16 }
```

```
1  #include<stdio.h>
2  int main()
3  {
4
5
6
7
8
9
10
11
12
13
14
15
16 }
```



C:\Users\HP\Documents\Unti



```
enter balance2100
premium balance
```

```
-----
```

```
Process exited after 4.538 seconds with return value 0
Press any key to continue . . .
```

```
1  #include<stdio.h>
2  int main()
3  {
4      int appointment,doctorAvailable,registrationCompleted;
5      printf("enter 1 if patient has appointment,0 if not");
6      scanf("%d",&appointment);
7      printf("enter 1 if doctor is available,0 if not");
8      scanf("%d",&doctorAvailable);
9      printf("enter 1 if registration is completed,0 if not");
10     scanf("%d",&registrationCompleted);
11
12     if(appointment)
13     if(doctorAvailable)
14     if(registrationCompleted)
15     printf("patient can meet doctor");
16     else
17     printf("registration is incomplete");
18     else
19     printf("doctoris not available");
20     else
21     printf("patient has not any appointment");
22
23     return 0;
24 }
```

```
C:\Users\mr\Documents\onl...  
enter 1 if patient has appointment,0 if not1  
enter 1 if doctor is available,0 if not1  
enter 1 if registration is completed,0 if not1  
patient can meet doctor  
-----
```

```
Process exited after 5.234 seconds with return value 0  
Press any key to continue . . . |
```


Untitled1.cpp

```
1  #include<stdio.h>
2  int main()
3  {
4      int restaurantOpen,itemAvailable,balanceSufficient;
5      printf("enter 1 for restaurant open,0 for not open");
6      scanf("%d",&restaurantOpen);
7      printf("enter 1 if item is available,0 if not");
8      scanf("%d",&itemAvailable);
9      printf("enter 1 if balance is suffcient,o if not");
10     scanf("%d",&balanceSufficient);
11
12     if (restaurantOpen)
13     if (itemAvailable)
14     if (balanceSufficient)
15     printf("order placed successfully");
16     else
17     printf("insufficient balance");
18     else
19     ("item not available");
20     else
21     printf("restaurant is closed");
22
23 }
```

```
enter 1 for restaurant open,0 for not open1
enter 1 if item is available,0 if not1
enter 1 if balance is suffcient,o if not1
order placed successfully
```

```
Process exited after 4.918 seconds with return value 0
Press any key to continue . . . |
```



```
1  #include<stdio.h>
2  int main()
3  {
4      int operation,account;
5      printf("ATM Menu\n");
6      printf("1. Balance inquiry\n");
7      printf("2. cash withdraw\n");
8      printf("3. cash deposit\n");
9      printf("4. pin change\n");
10
11     printf("enter your choice");
12     scanf("%d",&operation);
13
14     switch(operation)
15     {
16         case 1:
17             printf("balance inquiry selected\n");
18             break;
19
20         case 2:
21             printf("cash withdraw selected\n");
22
23             printf("select account type\n");
24             printf("1. saving account\n");
25             printf("2. current account\n");
26             printf("enter account type\n");
```

```
23 printf("select account type\n");
24 printf("1. saving account\n");
25 printf("2. current account\n");
26 printf("enter account type\n");
27 scanf("%d",&account);
28
29 switch(account)
30 {
31     case 1:
32         printf("saving account selected\n");
33         break;
34     case 2:
35         printf("current account selected\n");
36         break;
37     default:
38         printf("invalid account type\n");
39 }
40 break;
41 case 3:
42     printf("cash deposit selected");
43     break;
44
45 case 4:
46     printf("pin change selected");
47     break;
```

```
32         printf("saving account selected\n");
33         break;
34     case 2:
35         printf("current account selected\n");
36         break;
37     default:
38         printf("invalid account type\n");
39     }
40     break;
41     case 3:
42         printf("cash deposit selected");
43         break;
44
45     case 4:
46         printf("pin change selected");
47         break;
48     default:
49         printf("invalid operation.\n");
50
51
52 }
53 return 0;
54 }
```



C:\Users\HP\Documents\swit



ATM Menu

1. Balance inquiry

2. cash withdraw

3. cash deposit

4. pin change

enter your choice2

cash withdraw selected

select account type

1. saving account

2. current account

enter account type

2

current account selected