

Air Pollution and Public Health:

An Empirical Study of the Savar City Vicinity

Submitted By:

Waliul Islam Nabil

B.Sc. in Information and Communication Engineering (ICE)
Daffodil International University

Tanzim Ahamed

B.Sc. in Information and Communication Engineering (ICE)
Daffodil International University

Umme Kulsum

B.Sc. in Information and Communication Engineering (ICE)
Daffodil International University

Md. Nayeem Sarker

B.Sc. in Information and Communication Engineering (ICE)
Daffodil International University

Submitted To:

Md. Istakiak Adnan Palash

Lecturer, Department of Information and Communication Engineering
Daffodil International University

Date of Submission: 07 December 2025

Abstract

Air pollution has emerged as one of the most pressing environmental challenges in Bangladesh, especially in industrial zones such as Savar. This empirical study assesses public awareness, identifies major sources of air pollution, measures exposure levels, and examines resulting health impacts among 62 residents of the Savar city vicinity using a structured questionnaire survey. Data were analyzed using descriptive statistics and SPSS tools, revealing that the majority of respondents are exposed to moderate to high levels of pollution primarily from **vehicles and traffic, industrial activity, and construction dust**. A strong association was observed between exposure and health outcomes, with **79% of respondents reporting symptoms such as eye irritation, allergies, or headaches**. Moreover, **51.6% of respondents spend more than six hours outdoors daily**, and **48.4% report daily exposure to outdoor pollution**. The study concludes that increased public awareness, stricter environmental regulations, and preventive measures are essential to mitigate air pollution and protect public health in Savar.

Keywords: Air Pollution, Public Health, Savar, Exposure, Survey

Table of Contents

1. Introduction

2. Objectives of the Study

3. Literature Review

4. Methodology

- 4.1 Research Design
- 4.2 Study Area
- 4.3 Sampling and Data Collection
- 4.4 Data Analysis

5. Findings & Analysis

- 5.1 Demographic Profile
- 5.2 Awareness and Perception of Air Quality
- 5.3 Exposure Levels and Sources
- 5.4 Health Impacts
- 5.5 Responsibility and Preventive Measure

6. Discussion

7. Conclusion

8. Recommendations

- 8.1 For Government
- 8.2 For Public
- 8.3 For Industry

9. References

10. Appendix

- 10.1 Google Form questionnaire
- 10.2 SPSS frequency tables
 - 10.2.1: Frequency of Respondents by Gender
 - 10.2.2: Frequency Distribution of Respondents by Age Group
 - 10.2.3: Frequency of Respondents by Place of Residence
 - 10.2.4: Awareness of Air Pollution Among Respondents
 - 10.2.5: Respondents' Perception of Local Air Quality
 - 10.2.6: Frequency of Health Symptoms Reported Due to Air Pollution
 - 10.2.7: Frequency of Exposure to Outdoor Air Pollution
 - 10.2.8: Respondents' Views on Responsibility for Reducing Air Pollution
 - 10.2.9: Frequency of Preventive Measures Taken by Respondents
- 10.3 SPSS charts (Gender, Age, Exposure, Symptoms, Sources)
 - 10.3.1: Gender Distribution of Respondents
 - 10.3.2: Age Distribution of Respondents
 - 10.3.3: Respondents' Place of Residence
 - 10.3.4: Hours Spent Outdoors Daily
 - 10.3.5: Reported Major Sources of Air Pollution
 - 10.3.6: Compared Air pollution past five years
- 10.4 SPSS Syntax

1. Introduction

Air pollution is a critical environmental and public health concern worldwide. In Bangladesh, rapid industrialization, unplanned urban growth, traffic congestion, and extensive brick kiln operations have significantly deteriorated air quality. Savar, located near Dhaka, is a highly industrialized region facing severe air pollution due to the concentration of factories, chemical plants, garment industries, and high traffic activity.

This study investigates how air pollution affects the health of residents in Savar and explores public awareness and perception of pollution and its consequences.

2. Objectives of the Study

Main Objective

To assess the impact of air pollution on public health in the Savar city vicinity.

Specific Objectives

1. Identify major sources of air pollution in Savar.
2. Measure public awareness regarding air pollution.
3. Examine the association between pollution exposure and health symptoms.
4. Understand public perception toward environmental and health risks.
5. Recommend strategies to reduce pollution and associated health hazards.

3. Literature Review

Air pollution consists of harmful particulates and gases, including PM2.5, PM10, CO, SO₂, NO_x, and volatile organic compounds. According to the World Health Organization (WHO), long-term exposure significantly contributes to respiratory and cardiovascular diseases.

Studies indicate that Dhaka and its surrounding areas, including Savar, often exceed safe air quality limits due to industrial emissions and vehicular traffic. Chronic exposure to pollutants is associated with asthma, reduced lung function, chronic bronchitis, fatigue, eye irritation, and headaches.

This study builds upon existing research by investigating these health impacts within the Savar context, a highly industrialized and urbanized area in Bangladesh.

4. Methodology

4.1 Research Design

A quantitative, descriptive survey method was applied.

4.2 Study Area

The research was conducted in the Savar city vicinity, including industrial areas such as Ashulia and Hemayetpur.

4.3 Sampling and Data Collection

- **Population:** Residents aged 15 years and above
- **Sample Size:** 62 respondents
- **Instrument:** Structured questionnaire covering demographics, awareness, exposure, health symptoms, and preventive behaviors

4.4 Data Analysis

Data were analyzed using **SPSS**, including:

- Frequency and percentage tables
- Bar and pie charts (graph placeholders)
- Crosstab and Chi-square tests to determine associations


5. Findings & Analysis

5.1 Demographic Profile

- **Gender:** 59.7% Male, 38.7% Female
- **Age:** 18–25 years (88.7%)
- **Residence:** 48.4% Urban, 37.1% Semi-urban


Gender Distribution (Bar Chart)

2. Gender:				
	Frequency	Percent	Valid Percent	Cumulative Percent
	1	1.6	1.6	1.6
Female	24	38.7	38.7	40.3
Male	37	59.7	59.7	100.0
Total	62	100.0	100.0	



Age Distribution (Pie Chart)

3. Age Group:					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid		1	1.6	1.6	1.6
	18–25	55	88.7	88.7	90.3
	36-70	3	4.8	4.8	95.2
	Under 18	3	4.8	4.8	100.0
	Total	62	100.0	100.0	




5.2 Awareness and Perception of Air Quality

- 41.9% described local air quality as *Fair*, 27.4% as *Poor*
- 93.5% aware that air pollution can cause long-term health problems
- 67.7% believed air pollution has increased over the past five years


Awareness and Perception (Pie Chart)

5. How would you describe the air quality in your area?					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Excellent	5	8.1	8.1	8.1
	Fair	26	41.9	41.9	50.0
	Good	14	22.6	22.6	72.6
	Poor	17	27.4	27.4	100.0
	Total	62	100.0	100.0	



Are you aware that air pollution can cause long-term health problems (e.g., respiratory or cardiovascular diseases)?					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1	1.6	1.6	1.6
	No	3	4.8	4.8	6.5
	Yes	58	93.5	93.5	100.0
	Total	62	100.0	100.0	

8.Are you aware that air pollution can cause long-term health problems (e.g., respiratory or cardiovascular diseases)?




5.3 Exposure Levels and Sources

- 48.4% exposed to outdoor pollution daily, 21% frequently
- 51.6% spend more than six hours outdoors daily
- Major sources identified:
 - Vehicles & traffic + Industry + Construction dust: 27.4%
 - Vehicles only: 21%
 - Industry only: 14.5%

Pollution Sources (Bar Chart)

Main sources of air pollution in your locality: (Select all that apply)					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Construction dust	2	3.2	3.2	3.2
	Dust	1	1.6	1.6	4.8
	Factories/industrial activity	9	14.5	14.5	19.4
	Factories/industrial activity, Construction dust	5	8.1	8.1	27.4
	Insecticides	1	1.6	1.6	29.0
	No Ai pollution	1	1.6	1.6	30.6
	Somking,some analogue wooden stove, dust	1	1.6	1.6	32.3
	Vehicles and traffic	13	21.0	21.0	53.2
	Vehicles and traffic, Construction dust	5	8.1	8.1	61.3
	Vehicles and traffic, Construction dust, Truck	1	1.6	1.6	62.9
	Vehicles and traffic, Factories/industrial activity	6	9.7	9.7	72.6

	Vehicles and traffic, Factories/industrial activity, Construction dust	17	27.4	27.4	100.0
	Total	62	100.0	100.0	




5.4 Health Impacts

- 79% experienced eye irritation, allergies, or headaches
- 66.1% did not consult a doctor despite health symptoms
- 83.9% reported that pollution affects their quality of life

Health Impacts (Bar Chart)

Have you experienced eye irritation, allergies, or headaches due to air pollution?					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	13	21.0	21.0	21.0
	Yes	49	79.0	79.0	100.0
	Total	62	100.0	100.0	




Preventive Measures

5.5 Responsibility and

- **Responsibility for Pollution Reduction:**
 - Shared: 35.5%
 - Government: 27.4%
 - Industries: 19.4%
- 71% willing to participate in community pollution reduction programs
- 88.7% concerned about future health risks

Responsibility & Preventive Measures (Bar Chart)

14. Who should take the main responsibility for reducing air pollution?					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1	1.6	1.6	1.6
	Citizens/households	10	16.1	16.1	17.7
	Government	17	27.4	27.4	45.2
	Industries	12	19.4	19.4	64.5
	Shared responsibility	22	35.5	35.5	100.0
	Total	62	100.0	100.0	



6. Discussion

The study confirms that Savar’s industrial and urban activities significantly contribute to air pollution. The majority of residents experience regular exposure, with high prevalence of symptoms. Awareness is high, but many do not seek medical advice. Public perception indicates a willingness for community action, highlighting both the need and potential for effective pollution mitigation.

7. Conclusion

Air pollution in Savar poses serious public health risks. Most residents are exposed daily and experience associated health problems. Despite high awareness, preventive measures remain inadequate. Strengthened policies, public engagement, and regulatory enforcement are critical for mitigating risks.

8. Recommendations

8.1 For Government

- Strengthen industrial emission regulations
- Improve traffic management
- Install air quality monitoring stations
- Promote tree plantation and green zones

8.2 For Public

- Use protective masks during peak pollution
- Minimize outdoor exposure
- Increase community awareness and reporting

8.3 For Industry

- Install air filtration systems
- Follow environmental regulations
- Adopt eco-friendly technologies

9. References (APA 7th Edition)

- Department of Environment. (2022). *Air Quality Monitoring Report*
- Rahman, A., & Islam, M. (2022). Air quality in Bangladesh. *Environmental Studies Journal*
- World Health Organization. (2023). *Air Pollution and Health*

10. Appendix

10.1 Google Form questionnaire

Title: Air Pollution and Public Health: An Empirical Study of the Savar City Vicinity

Purpose: To collect data on people’s awareness, experiences, and perceptions regarding air pollution and its effects on public health in the Savar city vicinity.

1. Name: _____

2. Gender:

- 1. Male
- 2. Female

3. Age Group:

- 1. Under 18
- 2. 18–25
- 3. 26–35
- 4. 36–70

4. Place of Residence:

- 1. Urban
- 2. Semi-urban
- 3. Rural

5. How would you describe the air quality in your area?

- 1. Excellent
- 2. Good
- 3. Fair
- 4. Poor

6. Main sources of air pollution in your locality: (Select all that apply)

- Vehicles and traffic
- Factories/industrial activity
- Construction dust
- Other: _____

7. Compared to five years ago, has air pollution in your area

1. Increased
2. Decreased
3. Remained the same
4. Unsure

8. Are you aware that air pollution can cause long-term health problems (e.g., respiratory or cardiovascular diseases)?

1. Yes
2. No

9. How often are you exposed to outdoor air pollution (traffic, smoke, dust)?

1. Rarely
2. Occasionally
3. Frequently
4. Daily

10. Average hours spent outdoors per day:

1. Less than 2 hours
2. 2–4 hours
3. 4–6 hours
4. More than 6 hours

11. Does your household use solid fuels (wood, coal, kerosene) for cooking or heating?

1. Yes
2. No

12. Have you consulted a doctor due to air pollution-related health problems?

1. Yes
2. No

13. Do you feel air pollution has affected your quality of life?

1. Strongly agree
2. Agree
3. Neutral
4. Strongly disagree

14. Who should take the main responsibility for reducing air pollution?

1. Government
2. Industries
3. Citizens/households
4. Shared responsibility

15. Which measures do you think are most effective in reducing air pollution? (Select up to 3)

- ☐ Waste management improvement
- ☐ Public awareness campaigns
- ☐ Tree planting/green initiatives
- ☐ Industrial emission control
- ☐ Stricter traffic regulations
- ☐ Clean or renewable energy
- ☐ Other: _____

16. Would you participate in community programs aimed at reducing air pollution?

1. Yes
2. No

17. Have you experienced eye irritation, allergies, or headaches due to air pollution?

1. Yes
2. No

18. Are you aware of government policies or programs addressing air pollution?

1. Yes
2. No

19. How concerned are you about air pollution affecting your health in the next 5 years?

- 1. Very concerned
- 2. Concerned
- 3. Neutral
- 4. Not concerned

10.2 SPSS frequency tables

Table 10.2.1: Frequency of Respondents by Gender

Gender:					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid		1	1.6	1.6	1.6
	Female	24	38.7	38.7	40.3
	Male	37	59.7	59.7	100.0
	Total	62	100.0	100.0	

Table 10.2.2: Frequency Distribution of Respondents by Age Group

Age Group:					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid		1	1.6	1.6	1.6
	18–25	55	88.7	88.7	90.3
	36-70	3	4.8	4.8	95.2
	Under 18	3	4.8	4.8	100.0
	Total	62	100.0	100.0	

Table 10.2.3: Frequency of Respondents by Place of Residence

Place of Residence:					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Rural	9	14.5	14.5	14.5
	Semi-urban	23	37.1	37.1	51.6
	Urban	30	48.4	48.4	100.0
	Total	62	100.0	100.0	

Table 10.2.4: Awareness of Air Pollution Among Respondents

Awareness of Air Pollution Among Respondents					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid		1	1.6	1.6	1.6
	No	3	4.8	4.8	6.5
	Yes	58	93.5	93.5	100.0
	Total	62	100.0	100.0	

Table 10.2.5: Respondents’ Perception of Local Air Quality

Respondents’ Perception of Local Air Quality					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Excellent	5	8.1	8.1	8.1
	Fair	26	41.9	41.9	50.0
	Good	14	22.6	22.6	72.6
	Poor	17	27.4	27.4	100.0
	Total	62	100.0	100.0	

Table 10.2.6: Frequency of Health Symptoms Reported Due to Air Pollution

Frequency of Health Symptoms Reported Due to Air Pollution (e.g., respiratory or cardiovascular diseases)?					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid		1	1.6	1.6	1.6
	No	3	4.8	4.8	6.5
	Yes	58	93.5	93.5	100.0
	Total	62	100.0	100.0	

Table 10.2.7: Frequency of Exposure to Outdoor Air Pollution

Frequency of Exposure to Outdoor Air Pollution (traffic, smoke, dust)					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid		1	1.6	1.6	1.6
	Daily	30	48.4	48.4	50.0
	Frequently	13	21.0	21.0	71.0
	Occasionally	9	14.5	14.5	85.5
	Rarely	9	14.5	14.5	100.0
	Total	62	100.0	100.0	

10.3 SPSS Charts

Figure 10.3.1: Gender Distribution of Respondents

Bar Chart




Figure 10.3.2: Age Distribution of Respondents

Pie Chart




Figure 10.3.3: Respondents' Place of Residence

Bar Chart




Figure 10.3.4: Hours Spent Outdoors Daily

Bar Chart




Figure 10.3.5: Reported Major Sources of Air Pollution

Pie Chart





Figure 10.3.6: Compared Air pollution past five years



10.4 SPSS Syntax

Output

Log

Frequencies

Log

Frequencies

Log

Frequencies

Log

Descriptives

Log

```
GET DATA
  /TYPE=XLSX
  /FILE='C:\Users\waluu\OneDrive\Pictures\Untitled form (Responses).xlsx'
  /SHEET=name 'Form Responses 1'
  /CELLRANGE=FULL
  /READNAMES=ON
  /DATATYPEMIN PERCENTAGE=95.0
  /HIDDEN IGNORE=YES.
EXECUTE.
DATASET NAME DataSet1 WINDOW=FRONT.
AUTORECODE VARIABLES=@2.Gender @3.AgeGroup @4.PlaceofResidence
  @6.MainsourcesofairpollutioninyourlocalitySelectallthatapply
  @7.Comparedtofiveyearsagohasairpollutioninyourarea
  @8.Areyouawarethatairpollutioncancauselongtermhealthproblemse.g
  @9.Howoftenareyouexposedtooutdoorairpollutiontrafficsmokedust @10.Averagehoursspentoutdoorsperday
  @11.Doesyourhouseholdusesolidfuelswoodcoalkeroseneforcookingorhe
  @12.Haveyouconsultedadactorduetoaairpollutionrelatedhealthproblem
  @14.Whoshouldtakethemainresponsibilityforreducingairpollution
  @17.Haveyouexperiencedeyeirritationallergiesorheadachesduetoairp
  @5.Howwouldyoudescribethairqualityinyourarea @13.Doyoufeelairpollutionhasaffectedyourqualityoflife
  @19.Howconcernedareyouaboutairpollutionaffectingyourhealthinthen
  /INTO gender_num Age_group_num Residenci_num Pollution_sources Air_Pollution_area Health_problem
  Air_pollution_outdoors Avarge_hour Solids_fules Consulted_doctor Reducing_Pollution
  Diases_by_pollution Air_quality Pollution_Affected Concerned_About_pollution
  /PRINT.
@2.Gender into gender_num (2. Gender:)
Old Value  New Value  Value Label

          1
Female      2  Female
Male        3  Male

@3.AgeGroup into Age_group_num (3. Age Group:
)
Old Value  New Value  Value Label

          1
18-25      2  18-25
36-70      3  36-70
Under 18    4  Under 18
```

IBM SPSS Statistics Processor is ready | Unicode:ON

Output

Log

Frequencies

Log

Frequencies

Log

Frequencies

Log

Descriptives

Log

```
18-25      2  18-25
36-70      3  36-70
Under 18    4  Under 18

@4.PlaceofResidence into Residenci_num (4. Place of Residence: )
Old Value  New Value  Value Label

Rural      1  Rural
Semi-urban 2  Semi-urban
Urban      3  Urban

@6.MainsourcesofairpollutioninyourlocalitySelectallthatapply into
  Pollution_sources (6. Main sources of air pollution in your locality:
  (Select all that apply) )
Old Value  New Value  Value Label

Construction dust      1  Construction dust
Dust                    2  Dust
Factories/industrial activity      3  Factories/industrial activity
Factories/industrial activity,      4  Factories/industrial activity,
Construction dust      4  Construction dust
Insecticides            5  Insecticides
No Ai pollution         6  No Ai pollution
Somking,some analogue wooden      7  Somking,some analogue wooden
stove, dust             7  stove, dust
Vehicles and traffic    8  Vehicles and traffic
Vehicles and traffic,   9  Vehicles and traffic,
Construction dust      9  Construction dust
Vehicles and traffic,  10  Vehicles and traffic,
Construction dust, Truck      10  Construction dust, Truck
Vehicles and traffic,  11  Vehicles and traffic,
Factories/industrial activity      11  Factories/industrial activity
Vehicles and traffic,  12  Vehicles and traffic,
Factories/industrial activity,      12  Factories/industrial activity,
Construction dust      12  Construction dust

@7.Comparedtofiveyearsagohasairpollutioninyourarea into Air_Pollution_area
(7. Compared to five years ago, has air pollution in your area...)
```

IBM SPSS Statistics Processor is ready | Unicode:ON

IBM SPSS Statistics Processor is ready

Unicode:ON

FileEditViewDataTransformInsertFormatAnalyzeGraphsUtilitiesExtensionsWindowHelp

Output

Log

Frequencies

Log

Frequencies

Log

Frequencies

Log

Descriptives

Log

@7.Comparedtofive

Double-click to activate

Airpollutioninyourarea into Air_Pollution_area

(7. Comparedars ago, has air pollution in your area:)

Old ValueNew ValueValue Label

Decreased1

2 Decreased

Increased3 Increased

Remained the same4 Remained the same

Unsure5 Unsure

@8.Areyouawarethatairpollutioncancauselongtermhealthproblemse.g into

Health_problem (8.Are you aware that air pollution can cause long-term

health problems (e.g., respiratory or cardiovascular diseases)?)

Old ValueNew ValueValue Label

1

No2 No

Yes3 Yes

@9.Howoftenareyouexposedtooutdoorairpollutiontrafficsmokedust into

Air_pollution_outdoors (9. How often are you exposed to outdoor air

pollution (traffic, smoke, dust))

Old ValueNew ValueValue Label

1

Daily2 Daily

Frequently3 Frequently

Occasionally4 Occasionally

Rarely5 Rarely

@10.Averagehoursspentoutdoorsperday into Avarge_hour (10. Average hours

spent outdoors per day:)

Old ValueNew ValueValue Label

1

2-4 hours2 2-4 hours

4-6 hours3 4-6 hours

IBM SPSS Statistics Processor is ready

Unicode:ON

FileEditViewDataTransformInsertFormatAnalyzeGraphsUtilitiesExtensionsWindowHelp

Output

Log

Frequencies

Log

Frequencies

Log

Frequencies

Log

Descriptives

Log

@10.Averagehoursspentoutdoorsperday into Avarge_hour (10. Average hours

spent outdoors per day:)

Old ValueNew ValueValue Label

1

2-4 hours2 2-4 hours

4-6 hours3 4-6 hours

Less than 2 hours4 Less than 2 hours

More than 6 hours5 More than 6 hours

@11.Doesyourhouseholdusesolidfuelswoodcoalkeroseneforcookingorhe into

Solids_fules (11. Does your household use solid fuels (wood, coal, kerosene)

for cooking or heating?)

Old ValueNew ValueValue Label

1

No2 No

Yes3 Yes

@12.Haveyouconsultedadactorduetoaairpollutionrelatedhealthproblem into

Consulted_doctor (12. Have you consulted a doctor due to air

pollution-related health problems?)

Old ValueNew ValueValue Label

1

No2 No

Yes3 Yes

@14.Whoshouldtakethemainresponsibilityforreducingairpollution into

Reducing_Pollution (14. Who should take the main responsibility for

reducing air pollution?)

Old ValueNew ValueValue Label

1

Citizens/households2 Citizens/households

Government3 Government

IBM SPSS Statistics Processor is ready

Unicode:ON

H: 3840, W: 1267 pt

File

Edit

View

Data

Transform

Insert

Format

Analyze

Graphs

Utilities

Extensions

Window

Help

Output

Log

Frequencies

Log

Frequencies

Log

Frequencies

Log

Descriptives

Log

Old Value

New Value

Value Label

1

Agree

2

Agree

Neutral

3

Neutral

Strongly agree

4

Strongly agree

@19.Howconcernedareyouaboutairpollutionaffectingyourhealthinthen into

Concerned_About_pollution (19. How concerned are you about air pollution

affecting your health in the next 5 years?)

Old Value

New Value

Value Label

1

Concerned

Neutral

2

Neutral

Very concerned

3

Very concerned

Double-click to

activate

FREQUENCIES VARIABLES=@2.Gender @3.AgeGroup @4.PlaceofResidence

@5.Howwouldyoudescribethearqualityinyourarea

@6.MainsourcesofairpollutioninyourlocalitySelectallthatapply

@7.Comparedtofiveyearsagoahasairpollutioninyourarea

@8.Areyouawarethatairpollutioncancauselongtermhealthproblemse.g

@9.Howoftenareyouexposedtooutdoorairpollutiontrafficsmokedust @10.Averagehoursspentoutdoorsperday

@11.Doesyourhouseholdusesolidfuelswoodcoalkeroseneforcookingorhe

@12.Haveyouconsultedadactorduetoairpollutionrelatedhealthproblem

@13.Doyoufeelairpollutionhasaffectedyourqualityoflife

@14.Whoshouldtakethemainresponsibilityforreducingairpollution

@16.Wouldyouparticipateincommunityprogramsaimedatreducingairpoll

@17.Haveyouexperiencedeyirritationallergiesorheadachesduetoairp

@18.Areyouawareofgovernmentpoliciesorprogramsaddressingairpollut

@19.Howconcernedareyouaboutairpollutionaffectingyourhealthinthen gender_num Age_group_num

Residenci_num Pollution_sources Air_Pollution_area Health_problem Air_pollution_outdoors

Avarge_hour Solids_fules Consulted_doctor Reducing_Pollution Diases_by_pollution Air_quality

Pollution_Affected Concerned_About_pollution

/STATISTICS=STDDEV VARIANCE RANGE MINIMUM MAXIMUM SEMEAN MEAN MEDIAN MODE SUM

/ORDER=ANALYSI.

Frequencies