Resource Allocation & Management System

Business & Functional Requirements Document

Version 1.0 | Draft for Review | November 13, 2024

1. Introduction

1.1 Purpose

This document defines the business and functional requirements for a Resource Allocation & Management (RAM) system. The system will serve as the single source of truth for resource data, capacity, availability, and utilization across the organization, replacing fragmented spreadsheets and siloed tools currently used by Talent Acquisition (TA), Human Resources (HR), Delivery (Del), and the Resource Management Group (RMG).

1.2 Background

Today, resource information (skills, certifications, availability, performance history, and cost) is scattered across HR systems, spreadsheets, and informal channels. This creates delays in staffing decisions, poor visibility into bench and utilization, and limited ability to forecast demand or detect over-/under-utilization early. The RAM system aims to centralize this information and provide guided workflows, alerts, and analytics to support faster and better resourcing decisions.

1.3 Objectives

- Provide a single, trusted repository of resource data (skills, experience, certifications, cost, location, availability).
- Enable fast, skill- and cost-based matching of resources to projects and roles.
- Give real-time visibility into capacity, utilization, bench, and forecasted demand.
- Reduce manual effort and cycle time in staffing, onboarding/offboarding from projects, and reporting.
- Provide guardrails and alerts to prevent scheduling conflicts, overloads, and compliance gaps.
- Integrate with HR/Payroll and ERP/Financial systems to keep data current and support cost/profitability analysis.

1.4 Scope

This document assumes resources are already onboarded and present in the system as active employees/contractors (skills, experience, certifications, cost, and demographic data already captured). The RAM system's scope begins at that point and covers the full in-system lifecycle of an active resource: allocate, reallocate, move to bench, and terminate/offboard — along with the visibility, matching, forecasting, and reporting needed to support those actions.

In scope: allocation & scheduling, reallocation, bench management (committed and true bench), termination/offboarding of a resource from the active pool, availability & forecasting, skill matching, time tracking, reporting & analytics, guardrails/alerts, role-based access, and integrations with HR/Payroll and ERP/Financial systems.

Out of scope: resource onboarding and initial data capture (assumed to occur upstream, e.g., via HRIS, and to already exist in RAM), applicant tracking / external recruiting workflow, full payroll processing, and detailed financial general-ledger functionality (handled by ERP).

2. Personas

Four primary persona groups will use the system. Their goals, needs, and pain points shape the functional requirements and workflows in this document.

TA — Talent Acquisition

Consumes resource lifecycle data to decide whether an open need can be filled internally before recruiting externally. (Onboarding and external recruiting workflows are out of scope for RAM — see Section 1.4.)

Goals

- Check internal bench / true-bench talent before opening an external requisition.
- Understand real capability gaps once internal allocation options are exhausted.
- Access accurate skill, certification, and cost data for resources nearing bench, to plan ahead.

Pain Points Today

- No visibility into existing bench or soon-to-be-available (committed bench) resources.
- Duplicate effort recruiting for skills that already exist internally.
- Manual, email-based checks with RMG/Delivery to validate open needs.

HR — Human Resources

Owns employee master data: compensation, leave, performance, compliance, and policy adherence.

Goals

- Ensure resource/availability data reflects accurate leave, LOA, and compensation information.
- Maintain compliance with data protection and labor regulations.
- Support performance management workflows (ratings, PIP status) feeding into staffing decisions.

Pain Points Today

- Manual syncing of leave and compensation data into resourcing spreadsheets.
- Limited audit trail for who accessed sensitive performance/PIP data.
- Inconsistent role-based access to sensitive HR fields.

Del — Delivery (Project / Delivery Managers)

Delivers projects; requests, assigns, and manages resources against project schedules and budgets.

Goals

- Quickly find and request resources with the right skills, availability, and cost profile.
- Track utilization, billable/non-billable mix, and profitability by project.
- Get early warning of scheduling conflicts, overloads, or at-risk allocations.

Pain Points Today

- Slow turnaround on staffing requests due to lack of shared visibility.
- Difficult to track true utilization and cost across multiple concurrent projects.
- No proactive alerts when a resource is over-allocated or a project is under-resourced.

RMG — Resource Management Group

Central team owning end-to-end resource allocation, bench management, forecasting, and reporting across the organization.

Goals

- Maintain an accurate, real-time view of capacity, allocation, and bench (committed vs. true bench).
- Match resources to demand using skills, experience, certifications, cost, and PIP status.
- Forecast demand, detect over-/under-utilization, and rebalance resources proactively.
- Produce utilization, cost, and capacity-planning reports for leadership.

Pain Points Today

- Manual reconciliation of data from HR, Delivery, and ERP/finance spreadsheets.
- No automated bench detection when a resource rolls off a project.
- Reporting is retrospective rather than predictive; conflicts are found too late.

3. Resource Lifecycle (In-System Scope)

RAM manages a resource from the point it is already onboarded and active through to its exit from the active resource pool. The lifecycle below defines the states and transitions that the system must support; all functional requirements, workflows, and reports in this document are organized around it.

State	Definition	Valid Transitions
Available	Active resource with no current project assignment and no scheduled future assignment (equivalent to true bench, or a newly onboarded resource entering the pool).	Allocate
Allocated	Actively assigned to one or more projects/tasks/departments, consuming some or all of the resource's capacity.	Reallocate, Unassign (→ Bench), Terminate
Reallocated	Transitioned from one project/task/department to another, either directly or via a bench interval.	Allocated
Bench — Committed	Unassigned from a project, but a future assignment is already scheduled to begin within a configurable window.	Allocated (on start date), Terminate
Bench — True	Unassigned with no future assignment scheduled; aging on bench past a configurable threshold triggers RMG/TA alerts.	Allocate, Terminate
Terminated / Offboarded	Removed from the active resource pool (exit, end of contract, transfer out of scope). Historical allocation, utilization, and cost data are retained for reporting/audit but the resource no longer appears in active matching.	— (end state)

Note: transitions between Allocated and Bench (both committed and true) are automatic based on assignment start/end dates. Transition to Terminated is a manual, permissioned action (typically RMG or HR) with an audit trail, and must first resolve or reassign any active allocations.

4. Functional Requirements

Requirements are grouped by capability area. Each includes the primary personas involved (P = Primary user, C = Consumes/benefits).

4.1 Resource Repository / Database

ID	Requirement	Personas
FR-1.1	Maintain a master record per active resource including skillset, experience, certifications, and demographics (location, willingness to relocate, cost). Record is created upstream (onboarding) and consumed/updated here.	RMG (P), HR (C), Del (C), TA (C)
FR-1.2	Support search and filtering across all resource attributes.	RMG (P), Del (P), TA (C)
FR-1.3	Version/audit history of changes to resource records, including all lifecycle-state transitions.	HR (P), RMG (C)
FR-1.4	Import new and updated resource records on a daily scheduled basis from the HRMIS (or a manual input sheet where no HRMIS feed exists), creating new resources in the Available state and updating existing records.	RMG (P), HR (P)
FR-1.5	Validate imported records against required fields (skills, cost, location, portfolio/department) and quarantine failed records for review rather than silently activating them.	RMG (P), HR (C)

4.2 Allocation

ID	Requirement	Personas
FR-2.1	Check current capacity and utilization before assigning an Available or Bench resource to a project, task, or department.	RMG (P), Del (P)
FR-2.2	Assign a resource based on availability, skill sets, or cost considerations, moving it to the Allocated state.	RMG (P), Del (P)
FR-2.3	Detect and flag scheduling conflicts (double-booking, over-allocation) at assignment time.	RMG (P), Del (P)
FR-2.4	Support partial allocation (a resource split across multiple concurrent projects/tasks up to full capacity).	RMG (P), Del (P)

4.3 Reallocation

ID	Requirement	Personas
FR-3.1	Move an Allocated resource from one project/task/department to another, directly or via a scheduled future start date.	RMG (P), Del (P)

FR-3.2	Validate the receiving assignment against the resource's remaining capacity, skill fit, and cost before confirming reallocation.	RMG (P), Del (P)
FR-3.3	Notify the losing and receiving project/Delivery owners when a reallocation is initiated, approved, or completed.	Del (P), RMG (P)
FR-3.4	Maintain a full history of past allocations and reallocations per resource for reporting and audit.	RMG (P), HR (C)

4.4 Bench Management

ID	Requirement	Personas
FR-4.1	Automatically move a resource to Bench as soon as it is unassigned from a project (no manual step required).	RMG (P), Del (C)
FR-4.2	Classify bench status as Committed Bench (a future assignment is already scheduled within a configurable window) or True Bench (no assignment scheduled).	RMG (P), Del (C), TA (C)
FR-4.3	Alert RMG (and optionally TA) when a resource ages on True Bench past a configurable threshold.	RMG (P), TA (C)
FR-4.4	Allow RMG to directly allocate or reallocate a bench resource from the bench view.	RMG (P)

4.5 Termination / Offboarding

ID	Requirement	Personas
FR-5.1	Allow an authorized user (RMG or HR) to terminate/offboard a resource, removing it from the active resource pool.	HR (P), RMG (P)
FR-5.2	Block or warn on termination if the resource has active allocations, requiring those allocations to be reassigned or explicitly closed out first.	RMG (P), Del (C)
FR-5.3	Retain the terminated resource's historical allocation, utilization, and cost data for reporting and audit, while excluding it from active search/matching results.	RMG (P), HR (C)
FR-5.4	Log the termination event (who, when, reason code) in the audit trail.	HR (P)

4.6 Resource Availability & Forecasting

ID	Requirement	Personas
FR-6.1	Provide visibility into current and future resource availability across all lifecycle states (Allocated, Committed Bench, True Bench).	RMG (P), Del (P), TA (C)
FR-6.2	Provide demand forecasting based on pipeline / planned projects.	RMG (P), Del (C)
FR-6.3	Detect over- or under-utilization automatically.	RMG (P), Del (C)

4.7 Performance Tracking

ID	Requirement	Personas
FR-7.1	Allow authorized users to look up past performance ratings or Performance Improvement Plan (PIP) status as an input to allocation/reallocation decisions.	RMG (P), HR (P), Del (C)
FR-7.2	Restrict visibility of detailed performance data to authorized roles only.	HR (P)

4.8 Skill Matching

ID	Requirement	Personas
FR-8.1	Provide skill-based resource recommendations for allocation and reallocation.	RMG (P), Del (P), TA (C)
FR-8.2	Filter resources by skillset, experience, certifications, cost, or PIP and other qualifications.	RMG (P), Del (P), TA (P)

4.9 Time Tracking

ID	Requirement	Personas
FR-9.1	Support real-time or periodic logging of time spent on tasks or projects by Allocated resources.	Del (P), RMG (C)
FR-9.2	Integrate logged time with resource schedules and availability calculations.	RMG (P)

4.10 Reporting and Analytics

ID	Requirement	Personas
FR-10.1	Generate utilization reports (by resource, team, project, department), including allocation/reallocation/bench history.	RMG (P), Del (P)
FR-10.2	Generate cost analysis and profitability (cost and revenue) reports by resource and by project.	RMG (P), Del (P)
FR-10.3	Support capacity planning reports and forward-looking forecasts.	RMG (P), TA (C)
FR-10.4	Report on bench aging and termination trends (e.g., attrition, involuntary exits, time-to-reallocate).	RMG (P), HR (C)

4.11 Guardrails and Alerts

ID	Requirement	Personas
FR-11.1	Alert or suggest resolutions for scheduling conflicts during allocation or reallocation.	RMG (P), Del (P)
FR-11.2	Alert on overloads (over-allocation) or performance issues.	RMG (P), Del (P), HR (C)
FR-11.3	Alert on resources aging on true bench, and on incomplete terminations (active allocations still open).	RMG (P)

4.12 Access Control & Portfolio Authorization

ID	Requirement	Personas
FR-12.1	Enforce role-based permissions for every lifecycle action (allocate, reallocate, bench, terminate) and for viewing sensitive fields (cost, performance/PIP).	RMG (P), HR (P)
FR-12.2	Scope every lifecycle action to the portfolio(s)/department(s) a user is explicitly authorized for; a user with no authorization on a portfolio cannot allocate, reallocate, bench, or terminate resources within it.	RMG (P), Del (P)
FR-12.3	Allow an Administrator or RMG lead to grant, modify, or revoke a user's portfolio-level authorizations, with the change recorded in the audit trail.	RMG (P)
FR-12.4	Block and log any attempt to perform an out-of-scope action (wrong portfolio or insufficient role), returning a clear reason to the user.	RMG (P), Del (C)
FR-12.5	Allow RMG (and other explicitly cross-portfolio roles) read visibility across all portfolios for forecasting and capacity planning, independent of action-level authorization.	RMG (P)

5. Role-Based Access & Portfolio Authorization

Access in RAM is controlled on two dimensions: a user's role (what actions they can perform) and their portfolio authorization (which resources/projects they can perform those actions on). Both must be satisfied for an action to be allowed — a Delivery lead with allocation rights can still only allocate, reallocate, bench, or terminate resources within the portfolio(s)/department(s) they are explicitly authorized for. RMG, as the central resourcing function, typically holds cross-portfolio authorization; Delivery leads and other portfolio-level users do not, unless explicitly granted.

5.1 Roles

- Administrator — configures roles, portfolio authorizations, and system settings; full access for support/troubleshooting, subject to audit logging.
- RMG (Resource Management Group) — typically cross-portfolio; owns allocation, reallocation, bench, and termination actions, and configures thresholds/rules.

- Delivery / Portfolio Lead — scoped to one or more specific portfolios/departments; can request, allocate, reallocate, and view utilization/cost within their authorized scope only.
- HR — access to compensation, leave, performance/PIP, and termination approval, generally across all portfolios given HR's org-wide remit; not authorized to allocate/reallocate.
- TA (Talent Acquisition) — read-only access to bench/skill availability to inform external hiring decisions; no allocation/reallocation/termination rights.
- Read-Only Viewer — reporting/dashboard access only, scoped to the portfolios granted, with no ability to take lifecycle actions.

5.2 Portfolio Scoping Rules

- Every resource and every project/task is associated with one or more portfolios/departments.
- Every non-RMG, non-Admin user is granted access to one or more specific portfolios; access to a portfolio must be explicit — there is no default or inherited access.
- An action (allocate, reallocate, bench-related override, terminate) is permitted only if the acting user's role allows that action type AND the user is authorized for every portfolio involved (e.g., both the losing and receiving portfolio in a cross-portfolio reallocation).
- Attempting an action outside a user's authorized portfolio(s) is blocked at the point of action, with a clear message and an entry in the audit trail (see FR-12.4).
- Portfolio authorizations are managed by an Administrator or RMG lead and are themselves subject to audit logging (grant, modify, revoke).

5.3 Role × Action Permissions Matrix

Action	Admin	RMG	HR	Del (Portfolio Lead)	TA / Viewer
View resource profile (non-sensitive)	All	All	All	All	All
View cost / compensation	All portfolios	Authorized portfolios	All portfolios	No	No
View performance / PIP status	All portfolios	Authorized portfolios	All portfolios	No	No
Allocate / Reallocate	All portfolios	Authorized portfolios	No	No	No
Move to Bench (automatic)	System-driven	System-driven	System-driven	No	No
Manually reallocate from Bench	All portfolios	Authorized portfolios	No	No	No
Terminate / Offboard	All portfolios	Authorized portfolios (with HR approval)	All portfolios	No	No
Manage portfolio authorizations	Yes	No	No	No	No

Configure thresholds (bench aging, etc.)	Yes	Yes	No	No	No

Note: "Del (Portfolio Lead)" and "TA / Viewer" columns represent the default template; actual permissions are still gated by each user's specific portfolio authorization per Section 5.2.

6. Additional Requirements

6.1 User Interface & Experience

- Centralized dashboard showing key metrics: resource capacity, utilization, allocation, billable/non-billable ratio, and profitability (cost and revenue) by resource and by project.
- Customizable filters by availability, department, skillset, experience, PIP status, location, and other criteria for efficient allocation.
- Role-based user permissions (e.g., administrator, project manager / Delivery, team member) to ensure data security and integrity.

6.2 Integrations

- HR / Payroll integration — sync availability, leave schedules, and compensation.
- ERP / Financial systems integration — budget tracking, cost allocation, and invoicing.
- RESTful APIs for custom or third-party integrations as needed (e.g., ATS used by TA).

7. Core Workflows

7.1 Resource Import & Sync Workflow (Upfront)

1. On a daily schedule, RAM pulls newly onboarded and updated active-resource records from the HRMIS (or, where no HRMIS feed exists, ingests a manual input sheet uploaded by HR/RMG).
2. System validates each record against required fields (skills, experience, certifications, cost, location, portfolio/department assignment).
3. Valid new records are created in RAM in the Available state, entering the lifecycle described in Section 3; valid updates to existing records (e.g., cost change, portfolio reassignment, certification update) are applied in place.
4. Records that fail validation are quarantined (not activated) and flagged to RMG/HR with the specific error, rather than silently entering the pool.
5. A sync summary (records created, updated, quarantined, and any HRMIS-reported exits) is logged for audit and reviewed by RMG; HRMIS-reported exits are cross-checked against the Termination/Offboarding Workflow (Section 7.5).
6. Once synced, resources are visible to Allocation, Reallocation, Bench, and Reporting per each user's role and portfolio authorization (Section 5).

7.2 Allocation Workflow

1. Del identifies a staffing need (new project, backfill, or role) and searches RAM for candidates using skill, availability, cost, and location filters, scoped to Available and Bench resources within the requester's authorized portfolio(s).

2. RAM surfaces matching resources, prioritizing Committed/True Bench resources and flagging any PIP or performance considerations to authorized viewers.
3. Del or RMG submits an allocation request against a specific resource.
4. System checks capacity/utilization, role/portfolio authorization, and flags any conflicts (e.g., double-booking, over-allocation) before confirming.
5. RMG approves (or auto-approves per rules) and confirms the assignment; the resource moves to Allocated and its schedule/availability update in real time.
6. TA is notified of any unmet demand where no suitable internal (Available or Bench) resource exists.

7.3 Reallocation Workflow

1. Del or RMG identifies that an already-Allocated resource is needed on a different project/task, or that the resource's current assignment is ending and a new one should start immediately or on a future date.
2. RMG/Del selects the target project/task; system checks that the initiating user is authorized for both the losing and receiving portfolio (or that RMG, with cross-portfolio rights, is executing the reallocation).
3. System validates the resource's remaining capacity, skill fit, and cost against the new assignment, and checks for conflicts with the resource's existing (losing) assignment — including required notice period or transition overlap.
4. System notifies the losing and receiving project/Delivery owners of the pending reallocation.
5. Once approved, the resource's allocation record updates: the prior assignment is closed out (or scheduled to close) and the new one begins, with no unnecessary pass through Bench if a direct handoff is intended.
6. If no immediate destination exists, the resource instead follows the Bench Management Workflow (Section 7.4) upon unassignment.

7.4 Bench Management Workflow

1. Resource is unassigned from a project (end of engagement, early roll-off, or reduction in scope) without an immediate reallocation.
2. System automatically moves the resource to Bench status.
3. System classifies the resource as Committed Bench (a future assignment is already scheduled) or True Bench (no assignment scheduled).
4. RMG receives alerts on True Bench resources aging past a configurable threshold, and reviews for reallocation, upskilling, or termination.
5. Bench and utilization dashboards update in real time for RMG and Delivery leadership, respecting each viewer's portfolio authorization.

7.5 Termination / Offboarding Workflow

1. HR or RMG initiates termination/offboarding for a resource (voluntary exit, involuntary exit, end of contract, or transfer out of the organization's scope), or the HRMIS reports an exit during the daily sync (Section 7.1).
2. System checks for any active (Allocated) assignments; if found, the initiator must reassign, reallocate, or explicitly close out each one before termination can complete.
3. System verifies the initiating user is authorized (correct role and portfolio) to terminate the resource; HR approval is required regardless of who initiates.
4. Upon confirmation, the resource's state changes to Terminated/Offboarded and it is removed from active search, matching, and bench views.
5. Historical allocation, utilization, cost, and performance data are retained (read-only) for reporting and audit.
6. The termination event, initiator, timestamp, and reason code are recorded in the audit trail; capacity and bench dashboards recalculate to reflect the resource's exit.

7.6 Forecasting & Capacity Planning Workflow

1. Del/RMG input or import pipeline and planned-project demand into the system.
2. System aggregates demand against current supply (Allocated, Committed Bench, True Bench) by skill, location, and time period, scoped to each viewer's portfolio authorization (RMG sees cross-portfolio).
3. System flags projected over-utilization or under-utilization windows.
4. RMG reviews the forecast, adjusts allocations/reallocations or plans terminations/upskilling, and shares outputs with TA for external-hiring decisions and with leadership for capacity reviews.

7.7 Time Tracking & Utilization Workflow

1. Resource logs time against assigned tasks/projects (real-time or periodic) while in the Allocated state.
2. System reconciles logged time against scheduled allocation to compute actual utilization.
3. Variances (e.g., under-logging, over-logging, unassigned time) are flagged to RMG and Del.
4. Utilization, cost, and profitability reports are refreshed for dashboards and periodic reporting.

8. Non-Functional Requirements

Category	Requirement
Security	Secure authentication (SSO/MFA), role-based authorization, encryption in transit and at rest, and regular security audits to protect sensitive resource information.
Authorization	Enforce least-privilege, portfolio-scoped access for every lifecycle action (allocate, reallocate, bench, terminate) per Section 5; deny-by-default for any portfolio not explicitly granted.
Compliance	Adherence to applicable data protection regulations (e.g., GDPR, and HIPAA where sensitive personal data is handled); data residency and retention policies as required.
Auditability	Logging of all major actions (allocations, changes, approvals, access to sensitive performance/PIP data) for accountability and audit purposes.
Scalability	Ability to handle a growing number of resources, users, and projects without degrading performance; horizontally scalable architecture.
Performance	Efficient page/dashboard load times, fast search/filter response, and rapid updates to allocation and availability data (target: sub-2-second interactive response for common actions).
Availability	High availability for core allocation and reporting functions during business hours across supported regions, with defined RTO/RPO for disaster recovery.
Usability	Intuitive, role-tailored UI requiring minimal training; consistent design patterns across dashboard, search, and reporting modules.
Data Quality	Validation rules and data-stewardship processes to keep resource records accurate and current, especially fields synced from HR/Payroll.
Interoperability	Well-documented REST APIs and standard data formats to support integration with HR/Payroll, ERP/Financial, and third-party tools as needed

9. MVP Definition

The MVP delivers the complete core lifecycle — Allocate → Reallocate → Bench → Terminate/Offboard — for resources already onboarded into the system, so RMG and Delivery can immediately replace spreadsheet-based tracking with a single system of record.

9.1 MVP Scope (In)

- Resource Import & Sync: daily scheduled import of new/updated active resources from HRMIS or a manual input sheet, with validation and quarantine of failed records.
- Resource Repository: core resource profiles (skills, experience, certifications, location, cost), populated and kept current via the daily import.
- Allocation: assign an Available or Bench resource to a project/task/department, with basic conflict detection.
- Reallocation: move an Allocated resource directly to a new project/task, with capacity and conflict checks.
- Bench Management: automatic transition to Bench on unassignment, with Committed vs. True Bench classification.
- Termination/Offboarding: manually terminate a resource, with a block/warning if active allocations exist, and retention of historical data.
- Basic Skill Matching & Filtering: filter by skill, experience, cost, availability, location.
- Role-Based, Portfolio-Scoped Access: administrator, RMG (cross-portfolio), Delivery/Portfolio Lead (scoped), HR, TA, and read-only viewer roles, with portfolio authorization enforced on every allocate/reallocate/bench/terminate action.
- Core Dashboard: capacity, utilization, and allocation state (Allocated/Bench/Terminated) by resource and project, scoped to each viewer's authorization.
- Basic Reporting: utilization, capacity, and bench-aging reports (exportable).
- HR data sync (one-way, e.g., nightly batch): availability/leave feed into RAM to inform allocation decisions, alongside the daily resource import.

9.2 Explicitly Out of MVP (Later Phases)

- Resource onboarding / initial record creation (assumed to exist upstream).
- Real-time bidirectional HR/Payroll and ERP/Financial integrations.
- Demand forecasting and predictive over-/under-utilization detection.
- Automated guardrail alerts and suggested conflict resolutions.
- Time-tracking module and profitability (cost vs. revenue) reporting.
- Performance/PIP visibility surfaced directly in allocation/reallocation matching.
- Public/partner-facing APIs for third-party integrations.

9.3 MVP Success Criteria

- RMG can allocate, reallocate, bench, or terminate a resource entirely within RAM, with no parallel spreadsheet.
- Bench status (committed vs. true) is visible and accurate without manual updates.
- A resource cannot be terminated while it still holds an active allocation, without an explicit override.
- A Delivery/Portfolio Lead cannot allocate, reallocate, or terminate a resource in a portfolio they are not authorized for; the attempt is blocked and logged.

- Newly onboarded resources appear in RAM as Available within one business day of the HRMIS/input-sheet import, with no manual re-entry.
- Delivery and RMG use the same system of record for allocation/reallocation decisions.

10. Roadmap

The roadmap below sequences delivery across four phases, building outward from the core lifecycle. Timelines are indicative and should be refined with engineering estimates.

Phase	Key Deliverables	Primary Personas
Phase 1 — MVP: Core Lifecycle	Daily HRMIS/input-sheet import & validation, allocation, reallocation, bench detection (committed/true), termination/offboarding with active-allocation checks, portfolio-scoped role-based access, basic filters, core dashboard, basic reporting.	RMG, Del
Phase 2 — Visibility & Matching	Advanced skill matching, performance/PIP-aware matching (permissioned), demand forecasting (basic), bench-aging and termination-trend reporting, TA read access to bench data.	RMG, Del, TA, HR
Phase 3 — Integration & Guardrails	Bidirectional HR/Payroll integration (incl. termination sync), ERP/Financial integration (cost, budget, invoicing), guardrail alerts for conflicts/overloads/aging bench, time tracking module.	RMG, HR, Del
Phase 4 — Optimization & Ecosystem	Predictive analytics for utilization/forecasting, profitability reporting (cost vs. revenue), public REST APIs for third-party/ATS integration, self-service reporting for leadership.	RMG, TA, Del, HR

11. Assumptions

11.1 Assumptions

- Resources are already onboarded and their master records already exist in RAM (or an upstream HRMIS feeding it) before this system's workflows begin.
- A daily HRMIS feed (or, as an interim/fallback, a manual input sheet) is available and reliable enough to drive the import in Section 7.1; data quality issues are resolved upstream or via the quarantine/review step.
- Portfolio/department structure exists (or will be defined) as the basis for scoping role-based access; every resource and project can be mapped to at least one portfolio.
- TA continues to own external recruiting/onboarding workflows in a separate ATS/HRIS; RAM provides visibility into internal bench/skills to inform build-vs-buy decisions, but does not create new resource records.
- HR remains the system of record for compensation and leave, and is the authorizing party (with RMG) for terminations; RAM consumes this data rather than duplicating ownership.
- "Committed bench" and "true bench" thresholds are configurable by RMG and may vary by business unit.
- "Terminate/offboard" in RAM means removal from the active resourcing pool; it may or may not coincide with full employment termination in HR systems (e.g., internal transfer out of scope), and the two events should be reconciled via the HR integration.