

Compilers

Ambiguity

Alex Aiken

Ambiguity

- Grammar

$$E \rightarrow E + E \mid E * E \mid (E) \mid id$$

- String

$$\underline{id * id + id}$$

Ambiguity

This string has two parse trees

id * id + id

E →
E + E →
E * E + E →
id * id + id





E →
E * E →
E * E + E
*→
id * id + id

Ambiguity

- A grammar is *ambiguous* if it has more than one parse tree for some string
  - Equivalently, there is more than one right-most or left-most derivation for some string

- Ambiguity is **BAD**
  - Leaves meaning of some programs ill-defined

Ambiguity

Which of the following grammars are ambiguous?

- ☐ $S \rightarrow SS \mid a \mid b$
- ☐ $E \rightarrow E + E \mid id$
- ☐ $S \rightarrow Sa \mid Sb$
- ☐ $E \rightarrow E' \mid E' + E$

  $E' \rightarrow -E' \mid id \mid (E)$

Ambiguity

- There are several ways to handle ambiguity

id * id + id

- Most direct method is to rewrite grammar unambiguously

$E \rightarrow E' + E \mid E'$

$E' \rightarrow id * E' \mid id \mid (E) * E' \mid (E)$



- Enforces precedence of * over +

$E \rightarrow E' + E \rightarrow E' + E' + E \rightarrow E' + E' + E' + E \rightarrow \ldots \rightarrow E' + \cdots + E'$

$E' \rightarrow id * E' \rightarrow id * id * E' \rightarrow id * id * id * E' \rightarrow \ldots \rightarrow id * \cdots * id$

(E) (E) (E) ... (E) (E)

Ambiguity

id * id + id





Ambiguity

- Consider the grammar

$$
\begin{aligned}
E \rightarrow\ & \text{if } E \text{ then } E \\
\mid\ & \text{if } E \text{ then } E \text{ else } E \\
\mid\ & \text{OTHER}
\end{aligned}
$$

Ambiguity

- The expression

  if E_1 then if E_2 then E_3 else E_4

  has two parse trees





Ambiguity

- else matches the closest unmatched then

E → MIF /* all then are matched */

| UIF /* some then is unmatched */

MIF → if E then MIF else MIF

| OTHER

UIF → if E then E

| if E then $\boxed{\text{MIF}}$ else UIF

UIF

then

Ambiguity

- The expression if E_1 then if E_2 then E_3 else E_4





Ambiguity

Choose the unambiguous version of the given ambiguous grammar: $S \rightarrow SS \mid a \mid b$

- $S \rightarrow Sa \mid Sb \mid \varepsilon$
- $S \rightarrow SS'$
  $S' \rightarrow a \mid b$
- $S \rightarrow S \mid S'$
  $S' \rightarrow a \mid b$
- $S \rightarrow Sa \mid Sb$

Ambiguity

- Impossible to convert automatically an ambiguous grammar to an unambiguous one

- Used with care, ambiguity can simplify the grammar
  - Sometimes allows more natural definitions
  - We need disambiguation mechanisms

Ambiguity

- Instead of rewriting the grammar
  - Use the more natural (ambiguous) grammar
  - Along with disambiguating declarations

- Most tools allow precedence and associativity declarations to disambiguate grammars

Ambiguity

- Consider the grammar $E \rightarrow E + E \mid int$
- Ambiguous: two parse trees of int + int + int





- Left associativity declaration: %left +

bison

Ambiguity

- Consider the grammar $E \rightarrow E + E \mid E * E \mid int$
  - And the string int + int * int





- Precedence declarations: %left +
  %left *