


Let's create a virtual environment




The screenshot shows the Antigravity IDE with a project named 'Langchain-Agentic-AI'. The Explorer panel on the left shows the project structure with files like .gitignore, python-version, pyproject.toml, and README.md. The main editor displays the pyproject.toml file with the following content:

```
1 [project]
2 name = "langchain-agentic-ai"
3 version = "0.1.0"
4 description = "Add your description here"
5 readme = "README.md"
6 authors = [
7     { name = "Tapan Chauhan", email = "tapanschauhan130@gmail.com" }
8 ]
9 requires-python = ">=3.13"
10 dependencies = []
11
12 [project.scripts]
13 langchain-agentic-ai = "langchain_agentic_ai:main"
14
15 [build-system]
16 requires = ["uv_build>=0.12.5,<0.13.0"]
17 build-backend = "uv_build"
18
```

The Terminal panel at the bottom shows the execution of the following commands in a PowerShell prompt:

```
PS C:\Users\aryaa\OneDrive\Desktop\Langchain-Agentic-AI> pip install uv
Collecting uv
  Downloading uv-0.12.5-py3-none-win_umd64.whl.metadata (11 kB)
  Downloading uv-0.12.5-py3-none-win_umd64.whl (21.6 MB)
    21.6/21.6 MB 4.0 MB/s eta 0:00:00
Installing collected packages: uv
Successfully installed uv-0.12.5

[notice] A new release of pip is available: 25.1.1 -> 26.2.1
[notice] To update, run: python.exe -m pip install --upgrade pip
PS C:\Users\aryaa\OneDrive\Desktop\Langchain-Agentic-AI> uv init
Initialized project `langchain-agentic-ai`
PS C:\Users\aryaa\OneDrive\Desktop\Langchain-Agentic-AI> uv sync[]
```





The screenshot shows the same Antigravity IDE, but now the Explorer panel includes a new file, uv.lock. The Terminal panel shows the execution of the following commands:



```
PS C:\Users\aryaa\OneDrive\Desktop\Langchain-Agentic-AI> uv add langchain
Resolved 37 packages in 1.34s
Built langchain-agentic-ai @ file:///C:/Users/aryaa/OneDrive/Desktop/Langchain-Agentic-AI
Prepared 37 packages in 3.50s
Uninstalled 1 package in 4ms
Installed 37 packages in 1.02s
+ annotated-types==0.8.0
+ anyio==4.14.2
+ certifi==2026.7.22
+ charset-normalizer==3.5.1
+ distro==1.9.0
+ h11==0.16.0
+ httpcore==1.0.9
+ httpx==0.28.1
+ idna==3.10
+ jsonpatch==1.33
+ jsonpointer==3.1.1
+ langchain==1.3.16
- langchain-agentic-ai==0.1.0 (from file:///C:/Users/aryaa/OneDrive/Desktop/Langchain-Agentic-AI)
+ langchain-core==1.6.0
+ langchain-protocol==0.0.18
+ langgraph==1.2.13
+ langgraph-checkpoint==4.2.0
+ langgraph-prebuilt==1.1.0
+ langgraph-sdk==0.4.3
+ langsmith==0.11.1
+ orjson==3.12.0
+ ormpack==1.12.2
+ packaging==26.3
+ pydantic==2.13.4
+ pydantic-core==2.46.4
+ pyyaml==6.0.3
+ requests==2.34.2
+ requests-toolbelt==1.0.0
+ sniffio==1.3.1
+ tenacity==9.1.4
+ typing-extensions==4.16.0
+ typing-inspection==0.4.4
+ urllib3==2.7.0
+ uuid-utils==0.17.0
```

1. Getting Started with LLMs

Create folder basics.ipynb



select this in kernel



```
1_Basics.ipynb U
CH-1 > 1_Basics.ipynb > M LLM CALL > import os
+ Code + Markdown | Run All Restart Clear All Outputs ... .venv (Python 3.12.0)

import os
from openai import OpenAI

client = OpenAI(api_key=os.environ.get("OPENAI_API_KEY"))
chat_completion = client.chat.completions.create(
    messages=[
        {"role": "user", "content": "Bro, tell me a fun fact"}
    ],
    model="gpt-5-mini",
)
print(chat_completion.choices[0].message.content)

[1] ✓ 11.1s Python
... Bro, fun fact: wombats poop in cube-shaped piles. They use the stackable cubes to mark ter
```

Now i am using langchain

```
1_Basics.ipynb U
CH-1 > 1_Basics.ipynb > M LLM CALL > from langchain_openai import ChatOpenAI
+ Code + Markdown | Run All Restart Clear All Outputs | Jupyter Variables ... .venv (Python 3.12.0)

from langchain_openai import ChatOpenAI

llm_openai = ChatOpenAI(model="gpt-5-mini",temperature=0)

llm_openai.invoke("Bro, tell me a fun fact")

[2] ✓ 6.8s Python
... AIMessage(content='Bro – fun fact: bananas are technically berries, but strawberries aren't. Bot
```

```
1_Basics.ipynb U
CH-1 > 1_Basics.ipynb > M LLM CALL > empty cell
+ Code + Markdown | Run All Restart Clear All Outputs | Jupyter Variables ... .venv (Python 3.12.0)

from langchain.chat_models import init_chat_model

llm_openai = init_chat_model(model = "gpt-5-mini")

llm_openai.invoke("Hello, how are you?")

[6] ✓ 2.5s Python
... AIMessage(content="I'm doing well, thanks – how are you? How can I help you today?", additional
```