



Envoy

User Guide

A private, local AI workspace for Model UN delegates

- **War Room** Kanban board, procedure timers, speakers list
- **Research Hub** Private document vault with cited answers
- **Drafting Studio** Split-screen editor with diplomatic AI tools
- **Opponent Simulator** Counter-arguments and evidence-based rebuttals
- **Procedural Prep** Clause bank and Rules of Procedure flashcards
- **Logistics** Paced teleprompter and offline binder
- **Workspaces** One per conference, shareable with a code

Contents

Getting Started	4
Workspaces	5
Sharing a workspace with teammates	5
War Room Dashboard	7
Task board (Kanban)	7
Procedure timers	7
Speakers list	8
Research Hub	9
Adding documents	9
Chatting with your documents	10
Drafting Studio	11
AI tools	11
The paper preview	12
Exporting to Word	12
Opponent Simulator & Rebuttal Engine	13
Simulate an opponent	13
Rebut with evidence	13
Procedural Prep	14
Clause Bank	14
Rules of Procedure flashcards	14
Logistics	15
Paced Teleprompter	15
Offline Binder	15
Settings	16
Choosing RAG parameters	17
Local vs. cloud	17


Keyboard Shortcuts	18
Troubleshooting	19

Envoy is a free web app for Model UN delegates and debaters. This guide walks through every feature in the order you'd typically use them while preparing for, and competing at, a conference.

Getting Started

- 1 Open your Envoy site and click **Continue with Google**. Your first workspace is created for you, and your data syncs to every device you sign in on.
- 2 Open **Settings** → **AI Engine**, choose a provider and paste your API key. **Google Gemini** and **Groq** have free keys, and the hint under the field links to where you get one. To use a model on your own computer instead, see Local vs. cloud.
- 3 Still in **Settings** (bottom of the sidebar) and fill in **Delegation**: your country, committee and topic. Every AI tool uses these, so its answers are written from your delegation's point of view.
- 4 Check the status light at the bottom of the sidebar. **Green** means the AI engine is ready. The label shows the active model and whether it's **Local** or **Cloud**.

Tip: Every change in Settings saves automatically. Look for "All changes saved" at the top of the page.




Envoy in dark mode

Light, Dark or System? Use the switcher at the bottom of the sidebar (on a phone, it's the sun/moon button in the top bar). **System** follows your device's appearance automatically. Settings → Appearance offers two more themes, Midnight and Sepia, plus seven accent colours.

Workspaces

Create a workspace for each conference you attend, like *HMUN 2027* or *NHSMUN 2026*. Each one has its own tasks, research documents, drafts and delegation (country, committee, topic). Switching workspaces changes all of these at once.



Workspaces page with sharing turned on for HMUN 2027

- **Switch:** click the workspace name at the top of the sidebar and pick another.
- **Create:** choose **New workspace** in that menu, then fill in the name, conference, dates, country, committee and topic.
- **Manage: Manage, share & join** shows every workspace you own or have joined, with its counts. From there you can open, edit or delete one.
- **Sign out:** the same menu has **Sign out** at the bottom.

App settings (theme, AI engine, timers), the clause bank, the flashcards and the motion bank belong to your account and are the same in every workspace.

Sharing a workspace with teammates

- 1 On the **Workspaces** page, turn on **Teammate access** for a workspace. You'll get a code such as `DHKT4-BD3VW`.
- 2 Invite teammates in any of these ways: - **Copy the invite link** (). - Type their address and choose **Email invite**. - Share the code, which they enter under **Have an access code?** on their own Workspaces page.

- 3 Teammates sign in with Google, and the workspace appears in their switcher, marked "Shared with you". It works from anywhere, not just your Wi-Fi.

Members can use everything inside that workspace and edit its content and delegation profile. They can't see your other workspaces, your settings or your API keys, and AI tools run on **their own** key. Only you, the owner, can rename, share or delete the workspace. Press for a new code to stop new people joining with the old one. A member can leave from the workspace menu.

War Room Dashboard

The War Room is your home base during committee sessions.

War Room: task board, timers and speakers list

Task board (Kanban)

- **Add a task:** type in the "Add task" row at the bottom of any column and press Enter.
- **Move a task:** drag it to another column, or drop it on top of another card to put it right before that card.
- **Rename:** click the text of a task, edit it, and press Enter.
- **Priority:** click the coloured dot to cycle through low (grey), medium (amber) and high (red).
- **Delete:** hover over a task and click the trash icon.

Suggested columns for a conference: research to-dos in **To do**, the resolution you're co-writing in **In progress**, and finished speeches in **Done**.

Procedure timers

The tabs switch between **Speaker**, **Moderated caucus** (total time plus per-speaker time), and **Unmoderated caucus**. A **Stopwatch** is always visible. The default durations come from Settings → Timers.

- **Start / Pause:** the main button, or focus the timer and press **Space**. Press **R** to reset.
- **Adjust on the fly:** use **-15 / +15** while a timer is running.


- **Set a custom duration:** when a timer is paused, click the large time, type `m:ss` (for example `1:30`), and press Enter.
- **Warnings:** the timer turns amber when it gets close to zero and red when time is up. It then keeps counting overtime (shown as `+0:07`) so you can see how far a speaker ran over. A chime plays at zero if sound is on.
- Timers keep running when you switch tabs.

Speakers list

Type a delegation's name and press Enter to add it to the queue. The highlighted row is the current speaker. **Next speaker** moves the queue along and counts how many have spoken. The list is saved in your browser.

Research Hub

A private document vault you can chat with. Answers come with citations.



Research Hub with five documents in the vault

Adding documents

Drag files onto the drop zone, or click it to browse. Supported formats: **PDF, DOCX, HTML, TXT, Markdown, CSV and JSON**, up to 50 MB each. Everyone in the workspace sees the vault.

Each file is:

- 1 read **in your browser** (the file itself is never uploaded),
- 2 saved as text to the workspace (very long files are split into parts),
- 3 split into overlapping chunks when you ask a question, then ranked by keyword relevance (BM25). The chunk size is in Settings.

Scanned PDFs contain images instead of text, so Envoy will report "No extractable text". Run OCR on them first.

Good documents to add: your committee's background guide, your country's UN statements and voting record, past resolutions, NGO or think-tank reports, and recent news.

Chatting with your documents


Type a question and press Enter (Shift+Enter adds a new line). By default Envoy searches the whole vault. To limit a question to certain documents, **tick the checkboxes** next to them.

- Each answer cites its sources inline, like **[1]** or **[2]**. **Click a citation** to open the exact passage it came from.
- The source chips under an answer list every passage used. Hover over one to see its relevance score.
- Click a document's name in the vault to read its full parsed text.
- Follow-up questions keep the recent conversation as context. **New conversation** starts fresh.

If the documents don't contain the answer, Envoy says so rather than making something up.

Drafting Studio

A split-screen Markdown editor with AI tools built in.



Drafting Studio: editor on the left, paper preview on the right

- **Left:** the editor. The title at the top and the content both **autosave**; press **CmdS** to save immediately. The footer shows the word count and how long the text takes to read aloud at your teleprompter pace.
- **Right:** a **Preview** tab showing the formatted document, and an **AI suggestion** tab.
- Use the menu at the top to switch drafts. Use **New** to start one and the trash icon to delete one.

AI tools

Every tool works on your **selected text**. If nothing is selected, it works on the **whole draft**.

Tool	What it does
Diplomatic tone	Rewrites blunt or casual language into a formal, measured committee register while keeping every point.
Auto-format	The AI reorganises your draft into the standard position-paper layout <i>without rewriting it</i> : a header block, Background, a highlighted key-message quote, Past International Action, National Policy, numbered Proposed Solutions, and a Conclusion.
Write paper from notes	Turns rough bullet points into a complete, persuasive position paper in the same layout. Unsupported statistics are marked <i>citation needed</i> .

Tool	What it does
Ask AI	Any instruction, for example "make this more persuasive", "cut to 60 seconds", "add a call to action", or "turn into three operative clauses".

The suggestion streams into the AI tab. When it's done you can choose:

- **Replace selection / Replace draft**, which swaps it in,
- **Insert below**, which adds it after your selection (or at the end),
- **Copy**, or **Discard (x)**.

The paper preview

The **Preview** tab typesets your draft like a printed brief:

- a **letterhead** with your country, and chips for committee, topic and delegate,
- **numbered sections**,
- the key message as a large **pull-quote**,
- each proposed solution as a **numbered card**,
- key terms highlighted, `[n]` citations as superscripts, and *citation needed* flags in amber so you can see what still needs a source,
- the reading time and speaking time.

The letterhead comes from lines at the top of the draft such as `**Committee:** UNEP` , `**Topic:** ...` , `**Country:** ...` and `**Delegate:** ...` . Missing fields are filled in from your Settings profile. Auto-format adds these lines for you.

Exporting to Word

Click **Export** (top right) and choose a format:

Format	Result
PDF	Identical to the preview. Your browser's print dialog opens with the paper; choose Save as PDF .
Word document	An editable <code>.docx</code> styled like the preview: the letterhead, numbered section badges, shaded key-message quote, numbered proposal cards and highlighted key terms.
Word · conference format	Times New Roman 12, justified and plain, for conferences that require it.

AI-polish layout first is on by default. The AI tidies the structure before exporting (if no AI engine is set up, the draft is exported as written), and the polished version also appears in the AI tab so you can keep it in your draft. Turn it off to export the draft exactly as written.

The `.docx` is fully editable. It uses real Word styles (Title, Heading 1, Quote, numbered lists), so the navigation pane, restyling and track changes all work. It also has a running header with your country and committee, and live page numbers.

Opponent Simulator & Rebuttal Engine

Simulate an opponent

- 1 Enter the **Target delegation** (for example "People's Republic of China") and the **Topic** (filled in from Settings).
- 2 Write **Your position**, or use **Load from draft...** to pull in a position paper.
- 3 Click **Generate counter-arguments**.

You get the five strongest arguments that delegation would raise. For each one Envoy shows the argument as they'd say it on the floor, the **underlying national interest** behind it, the **pressure point** where your position is weakest, and a **suggested response**.

Rebut with evidence

Paste a claim you heard in committee into **Opponent's argument**, or click **Rebut these** → to send the simulated arguments over. **Scan vault for rebuttals** then searches your Research Hub documents and writes a factual rebuttal for each claim, with clickable citations. If your vault has nothing relevant for a claim, it tells you to research further.

The rebuttal engine only uses your own documents, so the more you upload, the stronger it gets.

Procedural Prep

Clause Bank

The screenshot shows the 'Procedural Prep' interface within the 'Envoy' application. On the left is a sidebar with navigation links: War Room, Research Hub, Drafting Studio, Opponent Sim, and Procedural Prep (selected). Below these are system settings like 'System', 'Light' theme, and 'Dark' theme. The main content area is titled 'Procedural Prep' and features a search bar and filter chips for 'All', 'Preambulatory', 'Operative', and 'Custom'. A grid of clause cards is displayed, each with a title and a type (PREAMBULATORY or OPERATIVE). On the right, a 'Save your own clause' panel allows users to add custom clauses with an opening phrase and full text.

Clause Bank

The bank comes with the standard **preambulatory** (shown in italics) and **operative** (underlined) phrases used in UN resolutions.

- **Search** instantly, and filter with the chips.
- **Click any clause to copy it** so you can paste it into a working paper.
- **Save your own** in the side panel: a phrase plus the full clause or an example. Custom clauses can be deleted. The built-in ones can't.

Rules of Procedure flashcards

The deck covers points, motions, yields, amendments, voting and majorities.

- **Click the card or press Space** to flip it. Use ← / → to move between cards.
- **Got it** marks a card as mastered. **Review again** un-marks it. The progress bar tracks how many you've mastered.
- **Unmastered only** drills just the cards you haven't mastered yet. **Shuffle** randomises the order.
- Add your own cards for conference-specific rules in the side panel.

Logistics

Paced Teleprompter

Rehearse at real conference pace. The default is **150 words per minute**, a clear and confident speaking rate.

- 1 **Load a draft**, or click **Edit text** and paste a speech. Click **Done** when you're finished.
- 2 Press **Start** (or Space). The current word is highlighted and scrolls into the reading band, words you've already said fade, and the bar at the bottom shows your progress and the time left.
- 3 Adjust the pace with the slider or ↑ / ↓ (5 wpm per press). The change takes effect straight away. The label tells you whether you're at a *Measured*, *Conversational* or *Brisk* pace.
- 4 **Click any word** to jump there. Press **R** to reset.
- 5 Use **Aa** to change the text size, **Mirror** to flip the text for beam-splitter teleprompter glass, and the **fullscreen** button to present.

Markdown symbols and citation markers are removed automatically, so you only see the words you'll speak.

Offline Binder

Export binder downloads a single `.html` file containing all of your tasks, drafts, every research document, the clause bank, and the procedure cards. It:

- works with **no internet and without Envoy**, so you can open it on any laptop, tablet or phone,
- has a **search box** that filters the whole binder as you type,
- follows your device's light or dark mode, and prints cleanly.

Export a fresh binder the night before the conference.

Settings

Everything saves automatically to your account. Delegation fields belong to the current workspace.

Settings: delegation profile, themes and accent colours

Section	Options
Delegation	Country, committee, topic. These give every AI tool context.
Appearance	Theme (System, Light, Dark, Midnight, Sepia), accent colour (7 options), text size. The sidebar switcher changes System/Light/Dark from any page.
Timers	Default speaking time, moderated caucus total and per-speaker time, unmoderated caucus, warning threshold, chime on/off.
Teleprompter	Default words per minute, font size, mirror by default.
AI Engine	Provider (Gemini, Groq, OpenRouter, OpenAI, Anthropic, Ollama on this computer, OpenAI-compatible), model, API key, API base URL (local engines), creativity (temperature), max response length, and Test connection . Your installed Ollama models appear as one-click chips.
Research & RAG	Chunk size, chunk overlap, passages per answer.
Web Research	Search engine (DuckDuckGo, Brave or Google via Serper), keys, and your trusted-source list.
Data	Export the binder, or reset settings to their defaults (your content is kept).

Choosing RAG parameters

- **Chunk size:** smaller chunks (600–900 characters) give more precise citations. Larger chunks (1500–2500) give each passage more context. The default of 1200 works well for UN documents.
- **Overlap:** keeps sentences that fall on a chunk boundary from being lost. About 15% of the chunk size is a good rule of thumb.
- **Passages per answer:** more passages give broader answers but make them slower on small local models. Use 4–8.
- Changes apply to your next question. There's nothing to re-index.

Local vs. cloud

With a **cloud provider**, the text of each request (including the document passages it retrieves) is sent to that provider through Envoy's relay. Your key is stored privately in your account; only you can read it.

With **Ollama on this computer**, your browser talks to the model directly and nothing leaves your machine, even on the hosted site. One-time setup:

- 1 Install [Ollama](#) and run `ollama pull llama3.2` .
- 2 Allow your Envoy site to call Ollama. On a Mac, run this in Terminal, then quit Ollama (menu bar icon → Quit) and reopen it:

```
launchctl setenv OLLAMA_ORIGINS "https://envoy-cyan.vercel.app"
```

 This is cleared when the Mac restarts, so run it again after a reboot. On Windows or Linux, set `OLLAMA_ORIGINS` as an environment variable and restart Ollama, or run `OLLAMA_ORIGINS="https://envoy-cyan.vercel.app" ollama serve` .
- 3 In Settings → AI Engine, choose **Ollama (on this computer)**, click **Refresh**, and pick a model chip. If Chrome asks to allow access to devices on your local network, click **Allow**.

Keyboard Shortcuts

Where	Keys	Action
Timers	Space / R	Start or pause / reset the focused timer
Research chat	Enter / Shift+Enter	Send / new line
Drafting	CmdS / Esc	Save now / close the Export menu
Flashcards	Space, ← / →	Flip, previous / next
Teleprompter	Space, ↑ / ↓, R	Start or pause, speed ±5 wpm, reset

Troubleshooting

- **Red status light, "Add an API key"**: paste a key in Settings → AI Engine.
- **"Local model not reachable"**: start Ollama with `OLLAMA_ORIGINS` set to your site (see Local vs. cloud), and check `ollama pull llama3.2` finished.
- **"The cloud provider rejected the API key"**: re-copy the key, and check that the model name matches the provider.
- **Web research says DuckDuckGo is rate limited**: wait a minute, or add a free Brave or Serper key in Settings → Web Research.
- **"You don't have access to this workspace any more"**: the owner made a new code or removed you. Ask them for a fresh invite.
- **Slow answers**: use a faster model (Groq is very fast), lower "Passages per answer", or lower "Max response length".