

TAPAS KUMAR BEHERA

PIZZA HUT SALES ANALYSIS USING SQL





TAPAS KUMAR BEHERA

ABOUT MY PROJECT

About Us

Analyzed pizza sales data using SQL across 4 tables (orders, order_details, pizzas, pizza_types) to generate insights on revenue, orders, and customer behavior.

Used joins, aggregations, and window functions to identify top-selling pizzas, peak order times, and sales trends.



RETRIEVE THE TOTAL NUMBER OF ORDERS PLACED




```
SELECT
    COUNT(order_id) AS total_orders
FROM
    orders;
```

Result Grid		
	total_orders	
▶	21350	

CALCULATE THE TOTAL REVENUE GENERATED FROM PIZZA SALES

```
SELECT
    ROUND(SUM(orders_details.quantity * pizzas.price),
          2) AS total_sales
FROM
    orders_details
    JOIN
    pizzas ON pizzas.pizza_id = orders_details.pizza_id;
```

Result Grid	
	total_sales
▶	817860.05



IDENTIFY THE HIGHEST-PRICED PIZZA

```
SELECT
    pizza_types.name, pizzas.price
FROM
    pizza_types
    JOIN
        pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
ORDER BY pizzas.price DESC
LIMIT 1;
```

Result Grid			Filter Rows:	
	name	price		
▶	The Greek Pizza	35.95		

IDENTIFY THE MOST COMMON PIZZA SIZE ORDERED



```
SELECT
  pizzas.size,
  COUNT(orders_details.order_details_id) AS order_count
FROM
  pizzas
  JOIN
    orders_details ON pizzas.pizza_id = orders_details.pizza_id
GROUP BY pizzas.size
ORDER BY order_count DESC;
```

Result Grid			Filter Rows:
	size	order_count	
▶	L	18526	
	M	15385	
	S	14137	
	XL	544	
	XXL	28	



TAPAS KUMAR BEHERA



LIST THE TOP 5 MOST ORDERED PIZZA TYPES ALONG WITH THEIR QUANTITIES

```
SELECT
    pizza_types.name, SUM(orders_details.quantity) AS quantity
FROM
    pizza_types
    JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
    JOIN
    orders_details ON orders_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
ORDER BY quantity DESC
LIMIT 5;
```

Result Grid			Filter Rows:
	name	quantity	
▶	The Classic Deluxe Pizza	2453	
	The Barbecue Chicken Pizza	2432	
	The Hawaiian Pizza	2422	
	The Pepperoni Pizza	2418	
	The Thai Chicken Pizza	2371	

TAPAS KUMAR BEHERA

JOIN THE NECESSARY TABLES TO FIND THE TOTAL QUANTITY OF EACH PIZZA CATEGORY ORDERED

```
SELECT
  pizza_types.category,
  SUM(orders_details.quantity) AS quantity
FROM
  pizza_types
  JOIN
  pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
  JOIN
  orders_details ON orders_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY quantity DESC;
```


Result Grid				File
	category	quantity		
▶	Classic	14888		
	Supreme	11987		
	Veggie	11649		
	Chicken	11050		



DETERMINE THE DISTRIBUTION OF ORDERS BY HOUR OF THE DAY

```
SELECT
    HOUR(order_time) AS hour, COUNT(order_id) AS order_count
FROM
    orders
GROUP BY HOUR(order_time)
LIMIT 5;
```

Result Grid		
	hour	order_count
▶	11	1231
	12	2520
	13	2455
	14	1472
	15	1468



JOIN RELEVANT TABLES TO FIND THE CATEGORY-WISE DISTRIBUTION OF PIZZAS

```
SELECT  
    category, COUNT(name)  
FROM  
    pizza_types  
GROUP BY category;
```

Result Grid			Filter Rows
	category	COUNT(name)	
▶	Chicken	6	
	Classic	8	
	Supreme	9	
	Veggie	9	



GROUP THE ORDERS BY DATE AND CALCULATE THE AVERAGE NUMBER OF PIZZAS ORDERED PER DAY

SELECT

ROUND(AVG(quantity), 0) as avg_pizzas_ordered_per_day

FROM

(SELECT

orders.order_date, SUM(orders_details.quantity) AS quantity

FROM

orders

JOIN orders_details ON orders.order_id = orders_details.order_id

GROUP BY orders.order_date) AS order_quantity;

Result Grid



Filter Rows:

avg_pizzas_ordered_per_day



138



DETERMINE THE TOP 3 MOST ORDERED PIZZA TYPES BASED ON REVENUE

```
SELECT
    pizza_types.name as pizza_name,
    SUM(orders_details.quantity * pizzas.price) AS revenue
FROM
    pizza_types
    JOIN
    pizzas ON pizzas.pizza_type_id = pizza_types.pizza_type_id
    JOIN
    orders_details ON orders_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
ORDER BY revenue DESC
LIMIT 3;
```

Result Grid			Filter Rows:
	pizza_name	revenue	
▶	The Thai Chicken Pizza	43434.25	
	The Barbecue Chicken Pizza	42768	
	The California Chicken Pizza	41409.5	

TAPAS KUMAR BEHERA

CALCULATE THE PERCENTAGE CONTRIBUTION OF EACH PIZZA TYPE TO TOTAL REVENUE

```
SELECT
    pizza_types.category,
    ROUND((SUM(orders_details.quantity * pizzas.price) / (SELECT
        ROUND(SUM(orders_details.quantity * pizzas.price),
            2) AS total_sales
    FROM
        orders_details
        JOIN
        pizzas ON pizzas.pizza_id = orders_details.pizza_id)) * 100,
    2) AS revenue
FROM
    pizza_types
    JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
    JOIN
    orders_details ON orders_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY revenue DESC;
```




	category	revenue
▶	Classic	26.91
	Supreme	25.46
	Chicken	23.96
	Veggie	23.68

TAPAS KUMAR BEHERA

CONTACT US

Phone no :
8860051039

Email :
tapas29122003@gmail.com



***THANK
YOU***

