DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE ASKED TO DO SO

T. B. C. : GPGM – 3/20

Test Booklet Series

A

TEST BOOKLET

(PETROLOGIST)

PAPER – II

30013

Sl. No.

Time Allowed : 3 Hours

Maximum Marks : 300

: INSTRUCTIONS TO CANDIDATES :

1. IMMEDIATELY AFTER THE COMMENCEMENT OF THE EXAMINATION, YOU SHOULD CHECK THAT THIS TEST BOOKLET **DOES NOT** HAVE ANY UNPRINTED OR TORN OR MISSING PAGES OR ITEMS ETC. IF SO, GET IT REPLACED BY A COMPLETE TEST BOOKLET OF THE SAME SERIES ISSUED TO YOU.
2. ENCODE CLEARLY THE TEST BOOKLET SERIES **A, B, C** OR **D**, AS THE CASE MAY BE, IN THE APPROPRIATE PLACE IN THE ANSWER SHEET USING BALL POINT PEN (BLUE OR BLACK).
3. You have to enter your **Roll No.** on the Test Booklet in the Box provided alongside. **DO NOT** write *anything else* on the Test Booklet.
4. **YOU ARE REQUIRED TO FILL UP & DARKEN ROLL NO., TEST BOOKLET / QUESTION BOOKLET SERIES IN THE ANSWER SHEET AS WELL AS FILL UP TEST BOOKLET / QUESTION BOOKLET SERIES AND SERIAL NO. AND ANSWER SHEET SERIAL NO. IN THE ATTENDANCE SHEET CAREFULLY. WRONGLY FILLED UP ANSWER SHEETS ARE LIABLE FOR REJECTION AT THE RISK OF THE CANDIDATE.**
5. This Test Booklet contains **150** items (questions). Each item (question) comprises four responses (answers). You have to select the correct response (answer) which you want to mark (darken) on the Answer Sheet. In case, you feel that there is more than one correct response (answer), you should mark (darken) the response (answer) which you consider the best. In any case, choose **ONLY ONE** response (answer) for each item (question).
6. You have to mark (darken) all your responses (answers) **ONLY** on the **separate Answer Sheet** provided by **using BALL POINT PEN (BLUE OR BLACK)**. See instructions in the Answer Sheet.
7. All items (questions) carry equal marks. All items (questions) are compulsory. Your total marks will depend only on the number of correct responses (answers) marked by you in the Answer Sheet. **There will be no negative marking for wrong response (answer).**
8. Before you proceed to mark (darken) in the Answer Sheet the responses (answers) to various items (questions) in the Test Booklet, you have to fill in some particulars in the Answer Sheet as per the instructions sent to you with your **Admission Certificate**.
9. After you have completed filling in all your responses (answers) on the Answer Sheet and after conclusion of the examination, you should hand over to the Invigilator the *Answer Sheet* issued to you. You are allowed to take with you the candidate's copy / second page of the Answer Sheet along with the **Test Booklet**, after completion of the examination, for your reference.
10. Sheets for rough work are appended in the Test Booklet at the end.

DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE ASKED TO DO SO

SEAL

1. An undeformed sedimentary layer is _____ than the layer above and _____ than the layer below.

   (A) Younger – Younger

   (B) Younger – Older

   (C) Older – Younger

   (D) Older – Older

2. Radiometric age is often referred to as _____ age.

   (A) Total

   (B) Absolute

   (C) Historic

   (D) Geologic

3. Uranium-238 decays to which of the following daughter isotopes ?

   (A) Rubidium – 87

   (B) Uranium – 235

   (C) Lead – 206

   (D) Nitrogen – 14

4. Which of the following is used by geologists to determine the relative age in a rock sequence ?

   (A) Stratigraphy

   (B) Fossils

   (C) Cross cutting relationship

   (D) All of these

5. Paleozoic does not include :

   (A) Ordovician

   (B) Jurassic

   (C) Mississipian

   (D) Permian

6. _____ pushed gas and dust particles out of the solar nebula by the light from the sun.

   (A) Radiation pressure

   (B) Outgassing

   (C) Condensation

   (D) Accretion

7. The youngest part of the earth crust are :

   (A) Continental Margins

   (B) Sea mounts

   (C) Abyssal plains

   (D) Mid-oceanic rifts

8. The flow patterns found on the surface of Mars suggest that :

   (A) Mars is a water rich planet

   (B) Climate on Mars was different in the past

   (C) Volcanism is occurring on Mars

   (D) All of these

9. The crust of Mars is believed to _____ than earths.

(A) be much thinner

(B) be younger

(C) be much stronger

(D) be more geologically active

10. Graded bedding is developed due to :

(A) Turbidity currents

(B) Action of waves along the coasts

(C) Geological action of wind in deserts

(D) Dumping of debris carried by glaciers

11. Foliation in a rock facilitates breaking :

(A) Along the planes of foliation

(B) At right angles to foliation

(C) At right angles to the plane of foliation

(D) None of these

12. Half life of U^{238} is :

(A) 3.92×10^3 my

(B) 0.71×10^3 my

(C) 4.51×10^3 my

(D) 1.26×10^3 my

13. The process involved in the formation of unconformity are :

(A) Deposition, erosion and compaction

(B) Deposition, upheaval and erosion

(C) Weathering, erosion and transportation

(D) Deposition, transportation and deformation

14. Advantage of Remote Sensing data is :

(A) Partial view

(B) Synoptic view

(C) Long range view

(D) Close view

15. Magnetic field strength in MKS units is :

(A) Tesla

(B) Oersted

(C) Ohm – meters

(D) Seimens

16. Match the List – I with List – II and select the correct answer in the codes given below :

	List – I		List – II
(a)	Zaphrentis	(i)	Brachiopoda
(b)	Cidaris	(ii)	Anthozoa
(c)	Terebratula	(iii)	Trilobita
(d)	Olenellus	(iv)	Echinoidea
		(v)	Gastropoda

Codes :

	(a)	(b)	(c)	(d)
(A)	(v)	(i)	(iv)	(ii)
(B)	(ii)	(iv)	(i)	(iii)
(C)	(v)	(iv)	(i)	(ii)
(D)	(ii)	(i)	(iv)	(iii)

17. Which of the following came first in the stratigraphic record ?

(A) Birds

(B) Flowering plants

(C) Dinosaurs

(D) Conifers

18. Folding occurs when rocks behave as _____.

(A) Frozen solids

(B) Ductile solids

(C) Fluids

(D) Brittle solids

19. The combined effect of water, boron and fluorine is called :

(A) Kaolinization

(B) Sericitization

(C) Tourmalinization

(D) Feldspathization

20. Crevasse splays are associated with :

(A) Water falls

(B) Glaciers

(C) Moraines

(D) Natural levees

21. Remnants of oceanic crust is represented by :

(A) Taktite

(B) Tholeiite

(C) Quartz – Tholeiite

(D) Ophiolite

22. Which of the following reflects the maximum amount of incoming solar radiations ?

(A) Bare soil

(B) Trees

(C) Fresh snow

(D) Sand

23. The greatest expanses of geologic time are referred to as _____.

(A) Epochs

(B) Eons

(C) Eras

(D) Systems

24. A combination of shallow earthquake, volcanism and contact metamorphism characterizes a :

(A) Transform fault boundary

(B) Spreading center

(C) Subduction zone

(D) Continent / Continent margin

25. Corals belongs to _____ class.

(A) Scyphozoa

(B) Hydrozoa

(C) Anthozoa

(D) Bryozoa

26. What is Paleoichnology ?

(A) Study of fish

(B) Study of trace fossils

(C) Study of ferns

(D) Study of tree rings

27. If an earthquake occurs at a depth of 118 kms. from a recording station which wave will be recorded first ?

(A) Raleigh wave

(B) Tertiary wave

(C) Primary wave

(D) Secondary wave

28. In our solar system, which planet has a moon with a mass closest to its own ?

(A) Mars

(B) Earth

(C) Jupiter

(D) Saturn

29. Lysimeter is used to measure :

(A) Evaporation

(B) Evapotranspiration

(C) Transpiration

(D) Humidity

30. Meteorites containing 50% of silicates are :

(A) Tektites

(B) Pallasites

(C) Achondrites

(D) Chondrites

31. The dominance of prismatic minerals in a foliated structure is called :

(A) Lepidoblastic

(B) Xenoblastic

(C) Idioblastic

(D) Nematoblastic

32. Zoning in metamorphism was proposed by :

(A) Niggli

(B) Grubemann and Becke

(C) Ramsay and Kamineni

(D) Goldschmidt

33. In remote sensing to differentiate snow from clouds _____ band region is used.

(A) Visible

(B) Near infrared

(C) Thermal

(D) Middle infrared

34. Gneisses are characterized by :

(A) Banded structure

(B) Schistose structure

(C) Granulose structure

(D) Maculose structure

35. Fossil content of alimentary canal of animals are known as _____.

(A) Casts

(B) Coprolites

(C) Oolites

(D) Moulds

36. Ancestors of horse made their first appearance in :

(A) Miocene

(B) Eocene

(C) Oligocene

(D) Pleistocene

37. Gneiss formed from sedimentary rock is called :

(A) Ortho gneiss

(B) Para gneiss

(C) Banded gneiss

(D) Augen gneiss

38. Severe degree of metamorphism in rock is in those :

(A) Situated near plate boundaries

(B) Situated inside plate boundaries

(C) Situated at center of the plates

(D) Irrespective of the place, the degree is same everywhere

39. In which metamorphism there is almost no or little new mineral is formed ?

(A) Dynamic metamorphism

(B) Thermal metamorphism

(C) Thermodynamic metamorphism

(D) Barometric metamorphism

40. The term including both cleavage and schistosity :

(A) Foliation

(B) Fracture

(C) Parting

(D) Reverbrance

41. Grain size of 5 mm to 1 mm is termed as :

(A) Coarse grained

(B) Intermediate grained

(C) Fine grained

(D) Medium grained

42. Porphyritic texture is not influenced by :

(A) Difference in molecular construction

(B) Change in physio – chemical condition

(C) Relative insolubility

(D) Change in temperature

43. The upper and lower margins of sills are relatively :

(A) In coarse grain size

(B) In medium grain size

(C) In fine grain size

(D) Can be of any size

44. What type of lava leads to the formation of laccoliths ?

(A) Viscous lava

(B) Non-viscous lava

(C) Partially crystallized lava

(D) Gaseous lava

45. The geology of Venus appears to be dominated by :

(A) Volcanisms

(B) Plate tectonics

(C) Erosion by flowing water

(D) Impact cratering

46. The rock which is well polished by wind abrasion is called :

(A) Yardangs

(B) Pedestal rock

(C) Ventifacts

(D) Desert pavement

47. The plunge of a fold is measured by :

(A) Direction

(B) Degree

(C) Depth

(D) Both direction and degree

48. The universal gravitational constant (G) in CGS units is :

(A) 6.67×10^{-7}

(B) 6.67×10^{-8}

(C) 6.67×10^{-9}

(D) 6.67×10^{-10}

49. Bearing of a line of intersection of the fault plane and horizontal is called :

(A) Strike

(B) Hade

(C) Dip

(D) Intersection line

50. The nature of placement in the shear zone is :

(A) Ductile

(B) Brittle

(C) Malleable

(D) Sonorous

51. Finely pulverized, clay like powdered rock material is :

(A) Breccia

(B) Gouge

(C) Mylonite

(D) Illite

52. Horst and graben are physiographic features of _____ faults.

(A) Normal

(B) Reverse

(C) Thrust

(D) Strike – slip

53. Open joints are gradually enlarged due to :

(A) Rains

(B) Winds

(C) Weathering

(D) Sunlight

54. Gutenberg discontinuity exists at a depth of :

(A) 35 kms

(B) 1800 kms

(C) 1000 kms

(D) 2900 kms

55. Joints traversing linear structures at right angles are :

(A) Q joints

(B) S joints

(C) B Joints

(D) T Joints

56. How and what are the polygonal cracks related to ?

(A) Directly related to compressive forces

(B) Directly related to tensile forces

(C) Inversely related to tensile forces

(D) Directly related to shearing forces

57. Rhyolitic magma rich in K, Al, Na and SiO_2 typically are produced by the melting of _____ and are associated with _____ eruptions.

(A) Continental crust, highly explosive

(B) Continental crust, highly peaceful

(C) Mantle crust, highly explosive

(D) Oceanic crust, highly explosive

58. Magma viscosity, volatiles and volume are all very high, a common landform that results is _____.

(A) A scoria cone

(B) A caldera

(C) A strato volcano

(D) A lava dome

59. A sedimentary that indicates a warm climate is _____.

(A) Till

(B) Limestone

(C) Sand stone

(D) Shale

60. The late Cenozoic ice age began about _____.

(A) 3 thousand years ago

(B) 3 million years ago

(C) 60 million years ago

(D) 300 million years ago

61. The earth structure 'Mantle' constitutes :

(A) 1% by volume and 0.4% by mars

(B) 83% by volume and 68.6% by mars

(C) 50% by volume and 40% by mars

(D) 16% by volume and 31% by mars

62. The initiation of metamorphism is indicated by :

(A) Sphene

(B) Chlorite

(C) Andesite

(D) Cordierite

63. Geometric center of an aerial photograph is called :

(A) Photo scale

(B) Overlap

(C) Principle point

(D) Mosaic

64. Line joining places having equal degree of cloudiness is known as _____.

(A) Isotherms

(B) Isohyetal

(C) Isonephs

(D) Isobars

65. Which of the following is true about the inner core ?

(A) It is believed to be semi solid body

(B) It is believed to be solid body

(C) It is believed to be liquid body

(D) It is believed to be gaseous body

66. Identify the pair mismatched :

(A) Cold and humid – both mechanical and chemical weathering

(B) Dry and cold – Neither of them

(C) Hot and humid – Mechanical weathering is pre-dominant

(D) Hot and dry – Mechanical weathering is pre – dominant

67. Which of the following is not true in case of drag fold ?

(A) The axes of the drag folds are parallel to those of major folds

(B) The drag folds plunge in the same manner as the major folds

(C) The layers on the upper side of the drag fold slides away from synclincal axis

(D) The axes of the drag folds are not parallel to those of the major folds

68. A sand ridge connecting an island to the mainland or to another island is a :

(A) Jetty

(B) Tombolo

(C) Sea stack

(D) Break water

69. Equatorial radius of planet earth is :

(A) 3395 Kms

(B) 2420 Kms

(C) 6378 Kms

(D) 6150 Kms

70. Three sets of Joints are more or less equally spaced results in :

(A) Uneven block

(B) Cuboidal block

(C) Sheet like structure

(D) None of these

71. Karst topography is developed due to :

(A) Subsidence

(B) Surface water

(C) Ground water

(D) Volcanic activity

72. Block diagram gives :

(A) Flat view

(B) Three dimensional view

(C) Two dimensional view

(D) Multidimensional view

73. Residual masses of weak rock capped by harder rock is a :

(A) Unconformity

(B) Batholithic

(C) Pedestal rock

(D) Terrarossa

74. Aerial photographs are taken from :

(A) Satellite

(B) Aircraft

(C) Rocket

(D) Helicopter

75. Within the continental margin, deep, steep sided valleys known as _____ are seen

(A) Continental shelves

(B) Continental slopes

(C) Continental rises

(D) Submarine canyons

76. Which of the following is not true of deep ocean trenches ?

(A) They are long and narrow depressions

(B) They are sites where plates plunge back into the mantle

(C) They are geologically very stable

(D) They may act as sediment traps

77. An isolated rock left behind as an island as a coast erodes :

(A) Stack

(B) Dyke

(C) Sill

(D) Atoll

78. Deltas where deposition and wave action are roughly equal :

(A) Build long peninsulas into the sea

(B) Have smoothly curving fronts

(C) Consists of long parallel islands

(D) Are smears out along coast

79. Roll, pitch and yaw are _____ errors.

(A) Classification

(B) Geometric

(C) Radiomeric

(D) Data collection

80. Albite developing in a rock at the cost of a pre existing mineral is :

(A) Diagenesis

(B) Assimilation

(C) Cataclasis

(D) Metasomatism

81. Migmatites commonly show :

(A) Recumbent fold

(B) Box fold

(C) Isoclinal fold

(D) Ptygmatic fold

82. Which of the following can form in a shortest interval of time ?

(A) Soil profile

(B) Coral reef

(C) Volcanic core

(D) River valley

83. Attribute data is also known as :

(A) Data

(B) Information

(C) Time variant data

(D) Spatial data

84. In a FCC data, the urban area can be identified by _____ colour.

(A) Cyan

(B) Red

(C) Blue

(D) Grey

85. Scintillation counter is used for :

(A) Seismic survey

(B) Electrical survey

(C) Magnetic survey

(D) Redioactive survey

86. Palenology mainly deals with :

(A) Foraminifera

(B) Diatoms

(C) Invertebrates

(D) Spores and pollens

87. Glassopteris occurs during :

(A) Permian – Triassic period

(B) Ordovician – Devonian period

(C) Triassic – Cretaceous period

(D) Throughout Paleozoic – Mesozoic era

88. Planktons are those forms which are :

(A) Bottom dwellers

(B) In deep sea origin

(C) Floating near surface

(D) All of these

89. Chronostratigraphic unit ranking above stage and below system is :

(A) Sub stage

(B) Series

(C) Super stage

(D) Period

90. Consider the following and give correct chronological sequence :

(I) Lepidodendron

(II) Ptilophyllum

(III) Palmoxylon

(IV) Glossopteris

(A) (I), (II), (III), (IV)

(B) (I), (IV), (II), (III)

(C) (II), (IV), (I), (III)

(D) (III), (IV), (I), (II)

91. Earth magnetic field has reversed itself _____ times.

(A) 3-6 times

(B) 5-6 times

(C) 2 times

(D) 9 times

92. Ejecta from a volcano are collectively known as _____.

(A) Till

(B) Loess

(C) Lahar

(D) Tephra

93. The total volume of the rock is changed after metasomatism :

(A) Yes

(B) No

(C) Remains same

(D) It doubles

94. The particle size of a gravel is :

(A) 0 – 1.5 mm

(B) 6 – 8 mm

(C) 3 – 4.5 mm

(D) 2 – 4 mm

95. High temperature metamorphic mineral assemblage is converted into an assemblage stable at low temperature is :

(A) Contact Metamorphism

(B) Retrogressive Metamorphism

(C) Metasomatic Metamorphism

(D) Pyro Metamorphism

96. Buchites occurring as xenoliths in basalts or diabase are the product of :

(A) Contact Metamorphism

(B) Metasomatic Metamorphism

(C) Cataclastic Metamorphism

(D) Pyro Metamorphism

97. The path followed by a satellite is referred to as its :

(A) Sensor

(B) Platform

(C) Nadir

(D) Orbit

98. LANDSAT has a swath width of _____ Kms.

(A) 65

(B) 185

(C) 705

(D) 23.5

99. All matters at temperature above _____ °C continuously emits electromagnetic rediation.

(A) – 20° C

(B) – 182° C

(C) – 273° C

(D) – 212° C

100. The first aerial photograph taken from an aircraft was in :

(A) 1890

(B) 1903

(C) 1909

(D) 1900

101. Intertrappean beds are of _____ origin.

(A) Volcanic

(B) Marine

(C) Fluvial

(D) Continental

102. Which typical mineral marks the Deccan Volcanism ?

(A) Mica

(B) Quartz

(C) Plagioclase

(D) Pyroxene

103. The characteristic regional strike direction of Dharwars is :

(A) NNW – SSW

(B) NNW – SSE

(C) ENE – WSE

(D) WNW – ESE

104. _____ forms have smaller Proloculus.

(A) Megalospheric

(B) Microspheric

(C) Benthic

(D) Planktic

105. The age of Rana of Kutch sediments is :

(A) Jurassic

(B) Eocene

(C) Cretaceous

(D) Triassic

106. How many Proterozoic basins are located in India ?

(A) 14

(B) 12

(C) 10

(D) 16

107. Which is the type area of cyclic transgression and regression in India ?

(A) Jurassic of Kutch

(B) Triassic of Spiti

(C) Cretaceous of Trichy

(D) Karewa Series

108. How many sets of thrusts are found in Himalayas ?

(A) 4

(B) 5

(C) 3

(D) 6

109. Deccan Volcanism has _____ cycles of emissions.

(A) 15

(B) 13

(C) 17

(D) 16

110. The supercontinent that fragmented during 2.2 Ga is _____.

(A) Pangea

(B) Gondwana

(C) Laurasia

(D) Columbia

111. Which of the following Stratigraphic boundaries is not defined as paleontological criterion ?

(A) Permian – Triassic boundary

(B) Miocene – Pliocene boundary

(C) Pleistocene – Holocene boundary

(D) Cretaceous – Tertiary boundary

112. Which of the following represents the longest time period ?

(A) Precambrian

(B) Paleozoic

(C) Mesozoic

(D) Cenozoic

113. Which of the following fossil groups form the basis for sub-division of Mesozoic ?

(A) Graptolites

(B) Gastropods

(C) Ammonites

(D) Trilobites

114. Which one of the following stratigraphic unit is marine in origin ?

(A) Pali beds

(B) Umaria beds

(C) Siwaliks

(D) Barren measures

115. What is the most commonly agreed age of the Archean – Proterozoic boundary ?

(A) 1500 ma

(B) 3000 ma

(C) 2500 ma

(D) 560 ma

116. The algal structure which is repported from the Vindhyan rocks are :

(A) Stylolite

(B) Stalactites

(C) Stromatolites

(D) Flos Ferri

117. Foraminifera are good index fossils for _____.

(A) Archean

(B) Proterozoic

(C) Phanerozoic

(D) Cenozoic

118. Which are the microfossils that are prominently found in Red sand-stones ?

(A) Conodonts

(B) Radiolaria

(C) Ostracods

(D) Diatoms

119. In the following formations Conodonts can be traced only from _____ environment.

(A) Carboniferous lacustrine

(B) Cenozoic marine

(C) Mesozoic marine

(D) Phanerozoic lacustrine

120. Uranium mineralisation is mainly associated with :

(A) Basic igneous rocks

(B) Acid igneous rocks

(C) Sdimentary rocks

(D) Metamorphic rocks

121. Precambrian terrains have a geothermal gradient of :

(A) 8° C / Kms

(B) 10° C / Kms

(C) 11° C / Kms

(D) 15° C / Kms

122. Coral reef thrive at a temperature of :

(A) 27 to 29° C

(B) 22 to 27° C

(C) 29 to 33° C

(D) 14 to 22° C

123. Residual masses of weak rock capped by harder rock is a :

(A) Unconformity

(B) Batholith

(C) Pedestal rock

(D) Terra rossa

124. The stream which has lost parts of its drainage is called :

(A) Wind gap

(B) Beheaded

(C) Cyclic terrace

(D) Meander

125. Terra rossa is a characteristic feature of :

(A) Arid region

(B) Karst region

(C) Humid region

(D) Glacier region

126. The removal of bedrock particles at the tooling action of transported material is known as :

(A) Attrition

(B) Abrasion

(C) Plucking

(D) Scouring

127. On a eroded sedimentary dome, the drainage pattern is usually :

(A) Dendritic

(B) Trellis

(C) Annular

(D) Parallel

128. Lahar is a type of _____.

(A) Sea wave

(B) Wind

(C) Debris flow

(D) Lava flow

129. Greenschist facies rocks mainly contain :

(A) Chlorite

(B) Garnet

(C) Pyroxene

(D) Biotite

130. Wind borne sediment is called _____.

(A) Autoclasts

(B) Pyroclasts

(C) Anemoclasts

(D) Hydroclasts

131. Q system of rock classification was developed by :

(A) Barton

(B) Bieniawski

(C) Hoek and Brown

(D) Ramsay

132. Fractures on which identifiable shear displacements are seen are called as :

(A) Bedding plane

(B) Folds

(C) Faults

(D) Shear zones

133. The sequence of rock blasting are :

(A) Boring, charging, tamping and firing

(B) Boring, tamping, charging and firing

(C) Tamping boring, charging and firing

(D) None of these

134. Rock failure is general of :

(A) Brittle type

(B) Ductile type

(C) Both (A) and (B)

(D) Elastic type

135. Deformation of excavated rock over a long period is called as :

(A) Plastic behaviour

(B) Creep behaviour

(C) Ductile behaviour

(D) Viscous behaviour

136. The angle between the observer's meridian and declination circle of the heavenly body is referred to as :

(A) Declination

(B) Hour angle

(C) Sidereal angle

(D) Azimuth

137. GIS represents Z-co-co-ordinates in _____ direction.

(A) Vertical

(B) Tangential

(C) Horizontal

(D) Inclined

138. Overlay analysis is based on :

(A) Principal component analysis

(B) Graph theory

(C) Boolean logic

(D) Spatial diffusion

139. Which of the following is used to build new features by splitting overlapping features and combining attributes where the features overlap ?

(A) Union

(B) Join

(C) Merge

(D) Clip

140. Which of the following doesn't indicate a topology error ?

(A) Polygonal features

(B) Gaps between polygons

(C) Silver polygons

(D) Unclosed polygons

141. A vector data model uses which of the following co-ordinate pair types to build curvature within a line ?

(A) Points

(B) Nodes

(C) Floating points

(D) Vertices

142. Detrital rock containing fragments of only one type of material is :

(A) Polymictic

(B) Oligomictic

(C) Petromictic

(D) Breccia

143. A rock fragment with a diameter between 64 mm to 256 mm, is :

(A) A pebble

(B) A Cobble

(C) A Boulder

(D) A Granule

144. The complex process of converting newly deposited sediments into an indurated rock is :

(A) Diagenesis

(B) Lithification

(C) Paragenesis

(D) Stratification

145. Dolerite is a _____ rock.

(A) Volcanic basic

(B) Plutonic basic

(C) Plutonic acidic

(D) Hypabyssal basic

146. Kaolinisation is chiefly due to superheated steam, aided little by :

(A) Chlorine and Boron

(B) Boron and Lithium

(C) Chlorine and Fluorine

(D) Fluorine and Boron

147. Myrmekitic texture is an inter growth between :

(A) Orthoclase and plagioclase

(B) Orthoclase and quartz

(C) Oligoclase and quartz

(D) Plagioclase and quartz

148. Gas cavities in lava which are irregular in shape and numerous is called as :

(A) Scoria

(B) Pumice

(C) Amygdales

(D) Veins

149. Which one is a non plastic clay ?

(A) China clay

(B) Ball clay

(C) Fire clay

(D) Pottery clay

150. Garnet variety commonly found in gneisses and schists is :

(A) Almandine

(B) Pyrope

(C) Grossularite

(D) Andradite

SPACE FOR ROUGH WORK

SEAL