
FIND YOURSELF / B WING 1F | DETAILED ARCHITECTURAL PLAN

GAME DESIGN • LOCAL COORDINATES • NOT A SURVEY / BUILDING PERMIT PLAN



GRAPHIC LEGEND

- Public concourse
- Individual tenant
- Stockroom / service
- 1F atrium plaza
- Stairs / EV / toilet
- Escalator & landing

100 m (provisional game dimension)

Plan scope: B wing 1F – 3F only ¦ local X/Z m ¦ NOT live world coordinates

Each red dot = 2.4 m shop entrance. Green line = planned internal route.


Dashed atrium perimeter on 2F/3F = guard line; escalator footprints are indicative.

See ledger, coordinate migration, and geometry test manifest for exact data.

Overall envelope (game): 585.0 m (X) x 190.7 m (Z)

FIND YOURSELF / B WING 2F | DETAILED ARCHITECTURAL PLAN

GAME DESIGN • LOCAL COORDINATES • NOT A SURVEY / BUILDING PERMIT PLAN



GRAPHIC LEGEND

- Public concourse
- Individual tenant
- Stockroom / service
- 1F atrium plaza
- Stairs / EV / toilet
- Escalator & landing

100 m (provisional game dimension)

Plan scope: B wing 1F – 3F only ¦ local X/Z m ¦ NOT live world coordinates

Each red dot = 2.4 m shop entrance. Green line = planned internal route.


Dashed atrium perimeter on 2F/3F = guard line; escalator footprints are indicative.

See ledger, coordinate migration, and geometry test manifest for exact data.

Overall envelope (game): 585.0 m (X) x 183.9 m (Z)

FIND YOURSELF / B WING 3F | DETAILED ARCHITECTURAL PLAN

GAME DESIGN • LOCAL COORDINATES • NOT A SURVEY / BUILDING PERMIT PLAN



GRAPHIC LEGEND

- Public concourse
- Individual tenant
- Stockroom / service
- 1F atrium plaza
- Stairs / EV / toilet
- Escalator & landing

100 m (provisional game dimension)

Plan scope: B wing 1F – 3F only ¦ local X/Z m ¦ NOT live world coordinates

Each red dot = 2.4 m shop entrance. Green line = planned internal route.


Dashed atrium perimeter on 2F/3F = guard line; escalator footprints are indicative.

See ledger, coordinate migration, and geometry test manifest for exact data.

Overall envelope (game): 570.0 m (X) x 162.5 m (Z)

1F / CORE K1 | RESTROOM, LIFT, EXIT STAIR DETAIL

Detailed room partitions within the common 26 x 20 m vertical core; game-design dimensions.



Vertical alignment: K1 / K2 / K3 use identical X,Z positions on all floors.

Core shell: 26.0 x 20.0 m; three public-facing entrances (stair, lift, WC).

Stair room: 7.0 x 14.0 m; twin flights + intermediate landing (diagrammatic).

Lift room: 5.0 x 5.0 m, with 6.0 x 9.0 m waiting lobby (area overlaps circulation).

Restroom: 7.0 x 14.0 m. Front vestibule 7 x 2 m, wash zone 7 x 4 m.

Rear WC zone: four nominal 1.65 x 2.20 m cubicles plus a circulation aisle.

Drawing depicts game traversal, not building-code-approved plumbing/accessibility.

Separate accessible WC: not yet allocated. Must be reviewed before game approval.


Door-arc side and service fixtures: verify at full design scale.

Stairs, toilets and elevators are DRAWN; their playable collision is NOT tested.

Clear widths, washbasin reach and accessibility remain design review checks.

1F / CORE K2 | RESTROOM, LIFT, EXIT STAIR DETAIL

Detailed room partitions within the common 26 x 20 m vertical core; game-design dimensions.



Vertical alignment: K1 / K2 / K3 use identical X,Z positions on all floors.

Core shell: 26.0 x 20.0 m; three public-facing entrances (stair, lift, WC).

Stair room: 7.0 x 14.0 m; twin flights + intermediate landing (diagrammatic).

Lift room: 5.0 x 5.0 m, with 6.0 x 9.0 m waiting lobby (area overlaps circulation).

Restroom: 7.0 x 14.0 m. Front vestibule 7 x 2 m, wash zone 7 x 4 m.

Rear WC zone: four nominal 1.65 x 2.20 m cubicles plus a circulation aisle.

Drawing depicts game traversal, not building-code-approved plumbing/accessibility.

Separate accessible WC: not yet allocated. Must be reviewed before game approval.


Door-arc side and service fixtures: verify at full design scale.

Stairs, toilets and elevators are DRAWN; their playable collision is NOT tested.

Clear widths, washbasin reach and accessibility remain design review checks.

1F / CORE K3 | RESTROOM, LIFT, EXIT STAIR DETAIL

Detailed room partitions within the common 26 x 20 m vertical core; game-design dimensions.



Vertical alignment: K1 / K2 / K3 use identical X,Z positions on all floors.

Core shell: 26.0 x 20.0 m; three public-facing entrances (stair, lift, WC).

Stair room: 7.0 x 14.0 m; twin flights + intermediate landing (diagrammatic).

Lift room: 5.0 x 5.0 m, with 6.0 x 9.0 m waiting lobby (area overlaps circulation).

Restroom: 7.0 x 14.0 m. Front vestibule 7 x 2 m, wash zone 7 x 4 m.

Rear WC zone: four nominal 1.65 x 2.20 m cubicles plus a circulation aisle.

Drawing depicts game traversal, not building-code-approved plumbing/accessibility.

Separate accessible WC: not yet allocated. Must be reviewed before game approval.


Door-arc side and service fixtures: verify at full design scale.

Stairs, toilets and elevators are DRAWN; their playable collision is NOT tested.

Clear widths, washbasin reach and accessibility remain design review checks.

2F / CORE K1 | RESTROOM, LIFT, EXIT STAIR DETAIL

Detailed room partitions within the common 26 x 20 m vertical core; game-design dimensions.



Vertical alignment: K1 / K2 / K3 use identical X,Z positions on all floors.

Core shell: 26.0 x 20.0 m; three public-facing entrances (stair, lift, WC).

Stair room: 7.0 x 14.0 m; twin flights + intermediate landing (diagrammatic).

Lift room: 5.0 x 5.0 m, with 6.0 x 9.0 m waiting lobby (area overlaps circulation).

Restroom: 7.0 x 14.0 m. Front vestibule 7 x 2 m, wash zone 7 x 4 m.

Rear WC zone: four nominal 1.65 x 2.20 m cubicles plus a circulation aisle.

Drawing depicts game traversal, not building-code-approved plumbing/accessibility.

Separate accessible WC: not yet allocated. Must be reviewed before game approval.


Door-arc side and service fixtures: verify at full design scale.

Stairs, toilets and elevators are DRAWN; their playable collision is NOT tested.

Clear widths, washbasin reach and accessibility remain design review checks.

2F / CORE K2 | RESTROOM, LIFT, EXIT STAIR DETAIL

Detailed room partitions within the common 26 x 20 m vertical core; game-design dimensions.



Vertical alignment: K1 / K2 / K3 use identical X,Z positions on all floors.

Core shell: 26.0 x 20.0 m; three public-facing entrances (stair, lift, WC).

Stair room: 7.0 x 14.0 m; twin flights + intermediate landing (diagrammatic).

Lift room: 5.0 x 5.0 m, with 6.0 x 9.0 m waiting lobby (area overlaps circulation).

Restroom: 7.0 x 14.0 m. Front vestibule 7 x 2 m, wash zone 7 x 4 m.

Rear WC zone: four nominal 1.65 x 2.20 m cubicles plus a circulation aisle.

Drawing depicts game traversal, not building-code-approved plumbing/accessibility.

Separate accessible WC: not yet allocated. Must be reviewed before game approval.


Door-arc side and service fixtures: verify at full design scale.

Stairs, toilets and elevators are DRAWN; their playable collision is NOT tested.

Clear widths, washbasin reach and accessibility remain design review checks.

2F / CORE K3 | RESTROOM, LIFT, EXIT STAIR DETAIL

Detailed room partitions within the common 26 x 20 m vertical core; game-design dimensions.



Vertical alignment: K1 / K2 / K3 use identical X,Z positions on all floors.

Core shell: 26.0 x 20.0 m; three public-facing entrances (stair, lift, WC).

Stair room: 7.0 x 14.0 m; twin flights + intermediate landing (diagrammatic).

Lift room: 5.0 x 5.0 m, with 6.0 x 9.0 m waiting lobby (area overlaps circulation).

Restroom: 7.0 x 14.0 m. Front vestibule 7 x 2 m, wash zone 7 x 4 m.

Rear WC zone: four nominal 1.65 x 2.20 m cubicles plus a circulation aisle.

Drawing depicts game traversal, not building-code-approved plumbing/accessibility.

Separate accessible WC: not yet allocated. Must be reviewed before game approval.


Door-arc side and service fixtures: verify at full design scale.

Stairs, toilets and elevators are DRAWN; their playable collision is NOT tested.

Clear widths, washbasin reach and accessibility remain design review checks.

3F / CORE K1 | RESTROOM, LIFT, EXIT STAIR DETAIL

Detailed room partitions within the common 26 x 20 m vertical core; game-design dimensions.



Vertical alignment: K1 / K2 / K3 use identical X,Z positions on all floors.

Core shell: 26.0 x 20.0 m; three public-facing entrances (stair, lift, WC).

Stair room: 7.0 x 14.0 m; twin flights + intermediate landing (diagrammatic).

Lift room: 5.0 x 5.0 m, with 6.0 x 9.0 m waiting lobby (area overlaps circulation).

Restroom: 7.0 x 14.0 m. Front vestibule 7 x 2 m, wash zone 7 x 4 m.

Rear WC zone: four nominal 1.65 x 2.20 m cubicles plus a circulation aisle.

Drawing depicts game traversal, not building-code-approved plumbing/accessibility.

Separate accessible WC: not yet allocated. Must be reviewed before game approval.


Door-arc side and service fixtures: verify at full design scale.

Stairs, toilets and elevators are DRAWN; their playable collision is NOT tested.

Clear widths, washbasin reach and accessibility remain design review checks.

3F / CORE K2 | RESTROOM, LIFT, EXIT STAIR DETAIL

Detailed room partitions within the common 26 x 20 m vertical core; game-design dimensions.



Vertical alignment: K1 / K2 / K3 use identical X,Z positions on all floors.

Core shell: 26.0 x 20.0 m; three public-facing entrances (stair, lift, WC).

Stair room: 7.0 x 14.0 m; twin flights + intermediate landing (diagrammatic).

Lift room: 5.0 x 5.0 m, with 6.0 x 9.0 m waiting lobby (area overlaps circulation).

Restroom: 7.0 x 14.0 m. Front vestibule 7 x 2 m, wash zone 7 x 4 m.

Rear WC zone: four nominal 1.65 x 2.20 m cubicles plus a circulation aisle.

Drawing depicts game traversal, not building-code-approved plumbing/accessibility.

Separate accessible WC: not yet allocated. Must be reviewed before game approval.


Door-arc side and service fixtures: verify at full design scale.

Stairs, toilets and elevators are DRAWN; their playable collision is NOT tested.

Clear widths, washbasin reach and accessibility remain design review checks.

3F / CORE K3 | RESTROOM, LIFT, EXIT STAIR DETAIL

Detailed room partitions within the common 26 x 20 m vertical core; game-design dimensions.



Vertical alignment: K1 / K2 / K3 use identical X,Z positions on all floors.

Core shell: 26.0 x 20.0 m; three public-facing entrances (stair, lift, WC).

Stair room: 7.0 x 14.0 m; twin flights + intermediate landing (diagrammatic).

Lift room: 5.0 x 5.0 m, with 6.0 x 9.0 m waiting lobby (area overlaps circulation).

Restroom: 7.0 x 14.0 m. Front vestibule 7 x 2 m, wash zone 7 x 4 m.

Rear WC zone: four nominal 1.65 x 2.20 m cubicles plus a circulation aisle.

Drawing depicts game traversal, not building-code-approved plumbing/accessibility.

Separate accessible WC: not yet allocated. Must be reviewed before game approval.

Door-arc side and service fixtures: verify at full design scale.

Stairs, toilets and elevators are DRAWN; their playable collision is NOT tested.

Clear widths, washbasin reach and accessibility remain design review checks.

DESIGN GEOMETRY CHECK | SCOPE & LIMITATIONS

1144 of 1144 current geometric assertions pass; 0 require work.

- common_walk_single_component: 3 / 3 pass
- bridge_local_public_access: 4 / 4 pass
- door_to_public: 198 / 198 pass
- door_to_own_store: 198 / 198 pass
- valid_shop_polygon: 198 / 198 pass
- interior_aisle_inside_shop: 198 / 198 pass
- shop_anchor_conflict: 198 / 198 pass
- core_public_connection: 9 / 9 pass
- room_inside_core: 54 / 54 pass
- escalator_shop_clearance: 36 / 36 pass
- escalator_landing_walkable: 48 / 48 pass

PLAN-ONLY: store doors approach common/public space in polygonal XY geometry.

PLAN-ONLY: store-store and core overlaps are evaluated in 2D; failed checks are retained.

NOT TESTED: Godot navigation, collision capsules, stairs/escalator actual 3D motion.

NOT TESTED: connecting A/B and B/C original world endpoints; local plan transform TBD.

NOT TESTED: back-of-house staff access / continuous fire egress.

NOT TESTED: final clear walkway widths after handrails and NPC crowding.

DO NOT MODIFY GAME before the user approves final revised drawings and IDs.