

THINK10

Admin Dashboard

Executive information, operations, finance, quality, AI, CRM and system-control requirements

Prepared for	Think10 Founding and Development Team
Primary audience	Founders, executives, product managers, operations, quality, finance, customer support, marketing, compliance, data and engineering teams
Version	1.1 - Developer-ready functional specification with visual workflows
Date	15 July 2026

Purpose: define what must be built, how users navigate it, what the system does in the background, how every lifecycle flows from one screen to the next, and how success will be measured.

Decision taken for Version 1.1

The Admin Dashboard will provide maximum decision-making information through role-specific home views and drill-down reporting. It will not place every metric on one screen. Each admin sees the same data platform through a view designed for that role.

1. Dashboard purpose

The Admin Dashboard is Think10's operational control centre. It manages customers, consultants, bookings, AI usage, quality, revenue, payouts, support, enterprise opportunities, content, risk, settings and reporting while protecting sensitive data through strict permissions.

- Provide founders with reliable commercial and operating information.
- Allow teams to complete daily work through queues, tasks and approvals.
- Detect service, quality, payment, AI and security risks early.
- Maintain a complete audit trail for decisions and changes.
- Support AI-assisted reporting without allowing AI to make uncontrolled high-impact decisions.

2. Admin roles and default home views

Admin role	Primary focus	Default home view
Super Admin	Platform-wide control, permissions and emergency actions.	System health, critical alerts and cross-functional KPIs.
Founder / Executive	Growth, revenue, retention, quality and strategic demand.	Executive cockpit.
Operations Manager	Bookings, consultant supply, delivery and SLAs.	Operations queue and daily service health.
Consultant Verification	Applications, credentials and profile approvals.	Verification queue.
Quality & Compliance	Calls, reports, complaints, AI flags and enforcement.	Risk and QC queue.
Finance	Collections, invoices, refunds, consultant payouts and reconciliation.	Finance cockpit.
Customer Support	Tickets, booking issues and service recovery.	Support queue.
Enterprise Sales / CRM	Leads, discovery, proposals and pipeline.	Enterprise pipeline.
Marketing / Content	Acquisition, campaigns, content and promotions.	Marketing performance.
AI Operations	Zyne quality, cost, models, tools, evaluation and incidents.	AI operations cockpit.
Data / Analyst	Read-only analytics and governed exports.	Report catalogue.

3. Recommended navigation

Order	Top-level menu	Main pages inside	Result / next impact
1	Command Centre	Role home, alerts, tasks, approvals, platform health	Admin sees urgent decisions and workload.

Order	Top-level menu	Main pages inside	Result / next impact
2	Customers	Accounts, businesses, plans, usage, health, complaints, retention	Manage customer lifecycle.
3	Consultants	Applications, verification, profiles, capacity, quality, payouts	Manage advisor supply and standards.
4	Bookings & Delivery	Bookings, calls, reports, attendance, incidents, service recovery	Ensure services are delivered.
5	Zyne & AI	Usage, resolution, models, costs, prompts, evaluations, safety	Control AI quality and economics.
6	Revenue & Finance	Subscriptions, payments, credits, refunds, payouts, reconciliation	Control money and margins.
7	Quality, Risk & Support	Flags, complaints, tickets, disputes, privacy and security cases	Protect users and brand.
8	Enterprise CRM	Leads, discovery, proposals, projects and accounts	Manage custom-service pipeline.
9	Growth & Content	Acquisition, campaigns, consultant promotion, website/CMS, community	Manage growth and communication.
10	Reports & Settings	Report builder, exports, rules, plans, roles, integrations, audit logs	Govern and configure platform.

3A. Visual flowcharts and developer navigation framework

This section is the visual build map. Developers should implement the screens, records, status changes and permissions in the order shown. Each diagram is followed by a workflow matrix that can be converted directly into user stories, APIs, database states and QA test cases.

How to read the diagrams: teal = stakeholder action or main screen; navy/light blue = Think10 system process; amber = review or decision; red = exception, restriction or risk; green = successful result. Diamonds are decision points and arrows show the next system state.


Flow index

Flow	What the development team should understand
3A.1 Role-based admin navigation	Prevents a complicated one-size-fits-all admin area by giving every role a focused command centre and controlled access.
3A.2 Consultant lifecycle management	Covers verification, publication, monitoring and escalation throughout the consultant relationship.
3A.3 Booking and delivery operations	Shows how admins ensure every paid service is valid, delivered, documented and closed correctly.
3A.4 Quality, complaint and incident flow	Provides one auditable case-management route for AI flags, complaints, privacy concerns and misconduct.
3A.5 Revenue, refund and payout flow	Connects customer collections to the ledger, service completion, consultant earnings, payout reconciliation and refunds.
3A.6 Enterprise lead-to-project flow	Gives developers the complete CRM path from website enquiry to an active custom project.
3A.7 Decision-intelligence cycle	Explains how the admin dashboard converts operational data into governed decisions instead of only displaying charts.

Development rule: every arrow must correspond to a valid status transition, permission check, backend event and testable next screen.

3A.1 Role-based admin navigation

Prevents a complicated one-size-fits-all admin area by giving every role a focused command centre and controlled access.



3A.1 Role-based admin navigation - developer workflow matrix

Use this matrix to build user stories, API events, database states, notifications and QA test cases for the flow shown on the previous page.


Step	Actor	Screen / trigger	User or admin action	Backend / status impact	Next destination
1	Admin user	Sign in + MFA	Authenticate.	Load role, permissions, department and data scope.	Role command centre
2	System	Command centre	Show authorised KPIs, queues, approvals and alerts.	Aggregate governed metrics and task counts.	Priority decision
3	Admin user	Module navigation	Open Customers, Consultants, Delivery, AI, Finance, Risk, Enterprise, Growth or Reports.	Apply page, record, field and export permissions.	Module page
4	Admin user	High-impact action	Approve, refund, suspend, publish or change configuration.	Require reason/dual approval where configured; write audit log.	Confirmed or pending approval

QA requirement: test the normal path, every decision branch, permission denial, notification, audit event and retry/error path shown in the diagram.

3A.2 Consultant lifecycle management

Covers verification, publication, monitoring and escalation throughout the consultant relationship.

Admin Consultant Lifecycle Management Flow



3A.2 Consultant lifecycle management - developer workflow matrix

Use this matrix to build user stories, API events, database states, notifications and QA test cases for the flow shown on the previous page.


Step	Actor	Screen / trigger	User or admin action	Backend / status impact	Next destination
1	Verification	Queue	Open new, resubmitted or expiring applications.	Prioritise by risk/SLA.	Review screen
2	Reviewer	Evidence review	Check identity, credentials, experience and portfolio.	Record evidence results and missing items.	Decision
3	Reviewer	Decision	Request changes, reject or approve.	Version status and notification.	Applicant task or profile setup
4	Operations	Publication	Confirm categories, profile claims, capacity and quality baseline.	Set ACTIVE eligibility.	Public profile
5	System/QC	Monitoring	Track documents, ratings, attendance and complaints.	Open compliance/QC case when thresholds are breached.	Active or restricted

QA requirement: test the normal path, every decision branch, permission denial, notification, audit event and retry/error path shown in the diagram.

3A.3 Booking and delivery operations

Shows how admins ensure every paid service is valid, delivered, documented and closed correctly.

Admin Booking and Service-Delivery Operations Flow



3A.3 Booking and delivery operations - developer workflow matrix

Use this matrix to build user stories, API events, database states, notifications and QA test cases for the flow shown on the previous page.


Step	Actor	Screen / trigger	User or admin action	Backend / status impact	Next destination
1	System	New booking	Validate plan, payment, availability and conflicts.	Create booking or exception.	Confirmed / exception queue
2	Operations	Pre-call monitor	Check consent, brief, reminders and technical readiness.	Create readiness warnings.	Call room
3	System	Session outcome	Capture completed, no-show, cancelled or failed status.	Create outcome and service-recovery record.	Post-call or case
4	AI/Consultant	Report lifecycle	Generate, review and approve report.	Track versions and SLA.	Released or overdue
5	Operations/QC/Finance	Closure	Confirm survey, QC and financial eligibility.	Mark service complete and reconcile.	Closed booking

QA requirement: test the normal path, every decision branch, permission denial, notification, audit event and retry/error path shown in the diagram.

3A.4 Quality, complaint and incident flow

Provides one auditable case-management route for AI flags, complaints, privacy concerns and misconduct.

Admin Quality, Complaint and Incident Management Flow



3A.4 Quality, complaint and incident flow - developer workflow matrix


Use this matrix to build user stories, API events, database states, notifications and QA test cases for the flow shown on the previous page.

Step	Actor	Screen / trigger	User or admin action	Backend / status impact	Next destination
1	System/Staff /User	Trigger	Submit or detect issue.	Create case with type, severity, owner and SLA.	Triage
2	QC/Compliance	Triage	Assess immediate safety or privacy risk.	Apply time-limited protective action if authorised.	Evidence collection
3	Case owner	Investigation	Collect call, transcript, logs and statements.	Secure evidence and record access.	Decision panel
4	Authorised decision-maker	Outcome	Dismiss, remedy customer impact or enforce policy.	Update linked accounts/booking/payment and audit trail.	Notifications
5	Appeal owner	Appeal / closure	Review appeal or close and monitor recurrence.	Store final outcome and trend category.	Closed case

QA requirement: test the normal path, every decision branch, permission denial, notification, audit event and retry/error path shown in the diagram.

3A.5 Revenue, refund and payout flow

Connects customer collections to the ledger, service completion, consultant earnings, payout reconciliation and refunds.



3A.5 Revenue, refund and payout flow - developer workflow matrix


Use this matrix to build user stories, API events, database states, notifications and QA test cases for the flow shown on the previous page.

Step	Actor	Screen / trigger	User or admin action	Backend / status impact	Next destination
1	Gateway/System	Customer charge	Process subscription or booking payment.	Store gateway response and transaction.	Paid or dunning
2	Finance engine	Ledger posting	Post payment, tax, fee, credit and liability entries.	Create immutable linked ledger records.	Reconciliation state
3	Operations/QC	Service clearance	Confirm successful service and absence of unresolved hold.	Mark payout eligibility.	Earnings calculation
4	Finance	Payout calculation	Apply commission and adjustments.	Create consultant payable and statement.	Payout batch
5	Finance approver	Reconciliation/approval	Match booking, payment, ledger and payout.	Approve transfer or create exception.	Paid/failed/held
6	Support/Finance	Refund/credit	Validate policy and approval threshold.	Post reversal/credit and update entitlement.	Customer notified

QA requirement: test the normal path, every decision branch, permission denial, notification, audit event and retry/error path shown in the diagram.

3A.6 Enterprise lead-to-project flow

Gives developers the complete CRM path from website enquiry to an active custom project.



3A.6 Enterprise lead-to-project flow - developer workflow matrix

Use this matrix to build user stories, API events, database states, notifications and QA test cases for the flow shown on the previous page.


Step	Actor	Screen / trigger	User or admin action	Backend / status impact	Next destination
1	Customer/System	Enterprise enquiry	Submit needs and contact details.	Create lead, source and qualification task.	CRM lead
2	Sales	Qualification	Assess fit, budget, authority, need and timeline.	Set qualified, nurture or closed reason.	Opportunity/discovery
3	Sales/Delivery	Discovery and scope	Capture requirements, deliverables, assumptions and timeline.	Create scope version and internal tasks.	Approval workflow
4	Finance/Delivery/Leadership	Internal approval	Approve capacity, commercial terms and thresholds.	Record approval chain.	Proposal
5	Sales	Proposal	Generate, send, revise and track proposal.	Version proposal and customer activity.	Accepted/rejected/expired
6	System/Project team	Contract to delivery	E-sign, invoice and create workspace/milestones.	Create enterprise account/project records.	Active project

QA requirement: test the normal path, every decision branch, permission denial, notification, audit event and retry/error path shown in the diagram.

3A.7 Decision-intelligence cycle

Explains how the admin dashboard converts operational data into governed decisions instead of only displaying charts.

Admin Decision-Intelligence and Reporting Cycle



3A.7 Decision-intelligence cycle - developer workflow matrix

Use this matrix to build user stories, API events, database states, notifications and QA test cases for the flow shown on the previous page.

Step	Actor	Screen / trigger	User or admin action	Backend / status impact	Next destination
1	Platform	Operational events	Capture usage, bookings, calls, AI, payments and cases.	Write linked source records.	Data layer
2	Data platform	Validation	Clean, reconcile and calculate approved metrics.	Apply metric definitions, owner and freshness.	Report layer
3	Admin/AI assistant	Analysis	View dashboards, drill down and ask governed questions.	Return source metrics, filters and freshness.	Finding/alert
4	Decision owner	Decision	Approve an intervention or configuration change.	Create action, owner, due date and audit event.	Workflow execution
5	System/Analyst	Outcome measurement	Measure result against baseline.	Update KPI and learning record.	Next management cycle

QA requirement: test the normal path, every decision branch, permission denial, notification, audit event and retry/error path shown in the diagram.

4. Executive cockpit - default information architecture

Layer	Information shown	How it supports decisions
Top status bar	Platform availability, payment status, call provider status, AI status, critical incidents.	Shows whether the business can operate now.
Commercial scorecards	MRR/ARR, gross bookings, net revenue, refunds, active paid users, conversion and churn.	Tracks growth and revenue quality.
Service scorecards	Bookings, completion, no-shows, report SLA, customer satisfaction and open complaints.	Tracks delivery quality.
Supply scorecards	Approved consultants, active capacity, utilisation, category gaps and quality distribution.	Shows whether supply can meet demand.
AI scorecards	Zyne users, paid conversion, resolution, escalation, helpfulness, cost and latency.	Shows AI value and economics.
Funnel	Visitor -> Zyne VA -> registered -> paid -> first consultation -> repeat customer.	Locates conversion loss.
Cohorts	Retention and contribution margin by signup month, plan and acquisition source.	Separates sustainable growth from vanity metrics.
Demand map	Most requested topics, unanswered searches and enterprise requests.	Guides recruitment, content and product investment.
Alerts and decisions	High-value churn risk, payout mismatch, safety incidents, model failure and capacity shortage.	Directs leadership attention.

5. Core admin workflows

Workflow A - Consultant verification

Step	User action	System response	Next screen / impact
1	Open verification queue.	Prioritises new, expiring and resubmitted applications.	Application review.
2	Review identity, expertise, portfolio and declarations.	Shows validation results and missing evidence.	Decision panel.
3	Approve, request changes or reject with reason.	Creates versioned decision and notification.	Profile eligibility / applicant task.
4	Run final profile and category check.	Confirms claims, permissions and quality baseline.	Publish profile.
5	Monitor documents after approval.	Creates expiry alerts and potential booking restrictions.	Compliance queue.

Workflow B - Customer complaint and quality case

Step	User action	System response	Next screen / impact
1	Complaint or AI flag enters triage queue.	Assigns severity and protects evidence.	Case detail.
2	Reviewer checks booking, consent, transcript, report and history.	Logs every protected-data access.	Investigation.
3	Request responses or additional evidence.	Creates controlled communication tasks.	Pending response.
4	Decide corrective action or close case.	Requires authorised approval for high-impact action.	Outcome and notification.
5	Apply service recovery and monitor repeat risk.	Restores credit/refund where approved and updates metrics.	Follow-up.

Workflow C - Enterprise lead to proposal

Step	User action	System response	Next screen / impact
1	Lead submits form or is created by staff.	Creates CRM account, contact, need and source.	Qualification queue.
2	Schedule and complete discovery call.	Stores notes, recording consent and opportunity fields.	Opportunity.
3	Create scope and internal cost estimate.	Uses templates and approval thresholds.	Proposal draft.
4	Approve and send proposal.	Version-controls proposal and tracks view/acceptance.	Negotiation.
5	Accept, sign and create project/workspace.	Creates contract, invoice/milestones and delivery ownership.	Enterprise delivery.

6. Functional modules

6.1. Command Centre and role-based work queues

Objective | MVP

Show each administrator the metrics, alerts, approvals and tasks relevant to their role while giving executives cross-functional visibility.

User-facing screens and controls

- Role-specific KPI cards.
- My Tasks and team queue.
- Critical alerts with owner and age.
- Approval inbox.
- Platform/integration health strip.
- Saved filters and recently viewed records.
- Drill-down from every metric to supporting records.

Backend data and processing

- Materialised KPI summaries with refresh timestamp.
- Task, alert, approval and escalation records.
- Role/view configuration.
- Event stream from platform services and integrations.

Business rules and validations

- No KPI appears without definition, period and data freshness.
- Critical alerts require owner and status.
- Metrics are read-only; corrections occur in source workflows.
- Users see only queues allowed by role.

Notifications and system actions

- Critical incident.
- SLA breach.
- Approval assigned.
- Daily/weekly digest based on role.

Permissions

- Executives view cross-functional aggregates.
- Operational teams view assigned records.
- Sensitive content remains restricted even when an aggregate is visible.

Minimum acceptance criteria

- Every scorecard drills to reconciled detail.
- Stale data is visibly labelled.
- Queue counts update when cases change status.

6.2. Customer and business 360-degree view

Objective | MVP

Give authorised teams a complete but permission-controlled view of the customer lifecycle, value, usage, service history and risk.

User-facing screens and controls

- Customer search and segmentation.
- Account summary, businesses, plan, credits, payments, Zyne usage, bookings, reports, tickets, complaints and consent.
- Timeline of major events.
- Retention/churn risk indicators.
- Support actions such as resend notification, initiate service-recovery case or assist with plan.
- Impersonation-style view only through audited support mode.

Backend data and processing

- Customer, business, subscription, entitlement, ledger, conversation, booking, report, ticket and consent links.
- Customer lifetime value, acquisition source and contribution margin aggregates.
- Risk and churn features stored with explanation.

Business rules and validations

- Staff cannot edit financial totals from customer profile.
- Protected business documents and conversations require purpose-based access.
- Account merge/delete/closure requires controlled workflow.
- AI risk scores cannot trigger adverse action without review.

Notifications and system actions

- High-value churn risk.
- Repeated unresolved issue.
- Payment failure.
- Privacy request.

Permissions

- Support sees service data.
- Finance sees payment data.
- QC sees case-based consultation data.
- Marketing uses consented segmentation, not private consultation content.

Minimum acceptance criteria

- Timeline is complete and ordered.
- All administrative actions are audited.
- Search is protected against broad unauthorised export.

6.3. Consultant lifecycle, capacity and verification

Objective | MVP

Manage consultant supply from application to approval, quality monitoring, capacity planning, suspension and exit.

User-facing screens and controls

- Application queue and reviewer assignment.
- Document/evidence viewer.
- Approval checklist and decision.
- Public profile preview.
- Capacity calendar by category/language.
- Performance and quality summary.
- Warnings, improvement plans, suspension and appeal workflows.
- Offboarding and final payout status.

Backend data and processing

- Versioned applications and documents.
- Reviewer decisions and conflict checks.
- Availability/capacity, utilisation and demand-gap metrics.
- Quality cases, enforcement and appeal records.
- Status effective dates.

Business rules and validations

- Four-eyes approval may be required for selected categories or high-impact enforcement.
- Permanent removal and payout withholding require authorised, reasoned decisions.
- Expired credentials follow configurable restrictions.
- Sponsored promotion never overrides verification or quality eligibility.

Notifications and system actions

- New application.
- Review SLA breach.
- Credential expiry.
- Capacity shortage.
- Quality threshold event.

Permissions

- Verification sees identity documents.
- Operations sees capacity/profile.
- QC sees quality evidence.
- Marketing sees approved public fields only.
- Finance sees payout identity status.

Minimum acceptance criteria

- No consultant becomes bookable before all launch conditions pass.
- Status changes propagate to search and booking immediately.
- Appeal history remains intact.

6.4. Bookings, calls, reports and service delivery

Objective | MVP

Monitor every consultation from reservation through call completion, report delivery, customer rating and payout eligibility.

User-facing screens and controls

- Booking table with date, customer, consultant, topic, plan, payment/credit, status and risk flags.
- Calendar and capacity view.
- Live/starting-soon monitor.
- Call technical status.
- Report SLA queue.
- No-show, cancellation and reschedule workflow.
- Service-recovery actions.
- Booking timeline.

Backend data and processing

- Booking lifecycle events, credit/payment link, call session, consent, recording/transcript, report, rating and payout eligibility.
- Provider health and technical metrics.
- SLA timestamps.

Business rules and validations

- Original history cannot be overwritten when rescheduling or correcting status.
- Manual completion requires evidence and permission.
- Call content access is restricted; operational status is broadly visible.
- Refund/credit actions create ledger transactions.
- Consultant payout eligibility follows completed-service rules.

Notifications and system actions

- Starting-soon issue.
- No-show.
- Call failure.
- Report overdue.
- Low rating or complaint.

Permissions

- Operations manages schedule and service recovery.
- QC accesses content by case.
- Finance sees financial status.
- Support sees customer-facing status.

Minimum acceptance criteria

- Booking counts reconcile by status.
- Every service recovery has reason and cost.
- Provider outages can identify affected bookings quickly.

6.5. Zyne AI operations and governance

Objective | MVP

Control Zyne's usefulness, safety, cost and reliability through a vendor-independent model-routing and evaluation layer.

User-facing screens and controls

- Usage dashboard by VA/VC, plan, intent and channel.
- Conversion funnel from VA to registration/payment.
- Resolution, helpfulness, escalation and abandonment metrics.
- Model/tool routing view.
- Prompt/workflow version management.
- Evaluation test sets and scorecards.
- Safety and hallucination incident queue.
- Cost, token/usage, latency and provider health.
- Knowledge-base content and freshness.

Backend data and processing

- Conversation metadata, messages, tools, sources, model versions, costs, latency and feedback.
- Prompt/workflow versions and release history.
- Evaluation datasets, expected answers, scores and reviewers.
- Knowledge documents, permissions, effective dates and citations.
- Incident records and rollback target.

Business rules and validations

- Production changes require testing, approval and rollback plan.
- Sensitive customer data is not used for training without approved policy/consent.
- High-risk advice categories have stricter routing and escalation.
- AI may generate reports but cannot change financial ledgers or suspend users directly.
- Source and date requirements apply to time-sensitive answers.

Notifications and system actions

- Provider outage.
- Cost spike.
- Evaluation regression.
- Safety incident.
- Knowledge content expiry.

Permissions

- AI Operations manages prompts/models.
- Domain reviewers approve knowledge and high-risk workflows.
- Developers manage infrastructure.
- Support sees conversation status, not unrestricted content.

Minimum acceptance criteria

- Every production answer is traceable to model/workflow version.
- A bad release can be rolled back.
- Cost and quality are measurable by use case.

6.6. Subscriptions, credits, revenue and unit economics

Objective | MVP

Provide accurate commercial reporting and operational controls for plans, entitlements, credits, invoices, payments, refunds and profitability.

User-facing screens and controls

- Plan catalogue and versions.
- Subscriptions by status.
- Credit ledger and adjustments.
- Payments, invoices, refunds, chargebacks and failed renewals.
- Revenue dashboard: MRR, ARR, gross bookings, net revenue and churn.
- Unit economics by plan, cohort and service type.
- Pricing simulation and entitlement usage.
- Exception queue for mismatches.

Backend data and processing

- Immutable financial ledger and payment-provider references.
- Plan/price version effective dates.
- Revenue recognition fields where required by finance policy.
- Direct service costs: consultant payout, AI, call, transcription, payment fees and support allocation.
- Cohort and margin aggregates.

Business rules and validations

- Manual credit changes require reason and permission.
- Displayed balances derive from ledger.
- Plan changes preserve historical terms.
- Refund and chargeback states reconcile with provider.
- Pricing simulations never alter production plans until approved and published.

Notifications and system actions

- Payment failure spike.
- Ledger/provider mismatch.
- Negative margin plan/cohort.
- Refund threshold event.

Permissions

- Finance controls transactions and reconciliation.
- Product manages plan design through approval.
- Support requests adjustments but cannot post unrestricted entries.
- Executives view aggregates.

Minimum acceptance criteria

- Daily reconciliation identifies mismatches.
- Every revenue metric has a definition.
- Contribution margin can be calculated per module.

6.7. Consultant earnings and payout operations

Objective | MVP

Calculate, approve, pay and reconcile consultant earnings transparently and on schedule.

User-facing screens and controls

- Eligible earnings queue.
- Payout batches by cycle.
- Per-consultation ledger.
- Holds, disputes and release workflow.
- Bank verification status.
- Payment file/provider submission.
- Failure/retry and reconciliation.
- Consultant statement preview.

Backend data and processing

- Consultant earning ledger, commission, tax/fee, payout batch and provider reference.
- Hold reason, evidence, approver and release date.
- Bank token/reference and verification state.

Business rules and validations

- Proposed payout cycle is every 15 days but must be configurable.
- Payout only for eligible completed consultations.
- No duplicate payment on retry.
- High-value or changed-bank payouts may require dual approval.
- Quality holds apply to affected items with reason.

Notifications and system actions

- Batch ready.
- Approval required.
- Provider failure.
- Unreconciled payout.
- Bank detail changed.

Permissions

- Finance prepares and reconciles.
- Authorised approver releases.
- QC may request a hold through a case but cannot pay.
- Consultant sees own statement only.

Minimum acceptance criteria

- Batch total equals included ledger entries.
- Provider result updates each item.
- All failures are actionable and retry-safe.

6.8. Quality, safety, complaints and enforcement

Objective | MVP

Protect customers, consultants and Think10 through consistent investigation, service recovery and human-reviewed enforcement.

User-facing screens and controls

- Unified case queue from complaints, low ratings, AI flags, no-shows and report reviews.
- Severity, category, owner, SLA and evidence.
- Restricted transcript/recording viewer.
- Investigation notes and participant responses.
- Outcome options: no issue, coaching, warning, improvement plan, temporary restriction, suspension, removal.
- Appeal and second review.
- Trend dashboard by consultant, category and root cause.

Backend data and processing

- Case, evidence, access log, policy version, decision, approvers and appeal records.
- AI confidence stored separately from verified finding.
- Customer service-recovery cost and outcome.
- Repeat-pattern links.

Business rules and validations

- AI flags are allegations/signals, not final findings.
- Serious safety action may temporarily restrict access while reviewed.
- Permanent suspension/removal requires human authorisation and documented policy basis.
- Rating thresholds consider sample size.
- Customer and consultant both have controlled response channels.

Notifications and system actions

- Critical safety case.
- SLA breach.
- Repeat offender pattern.
- Appeal submitted.
- Policy threshold reached.

Permissions

- QC accesses content case-by-case.
- Support sees customer outcome, not confidential investigator notes.
- Executives see aggregate trends.
- Legal/compliance role sees designated high-risk cases.

Minimum acceptance criteria

- Every enforcement decision shows evidence, policy and approver.
- Appeal cannot be decided solely by original reviewer for serious cases.
- Service recovery is linked and measurable.

6.9. Support desk, SLAs and service recovery

Objective | MVP

Resolve customer and consultant issues efficiently while linking every ticket to the underlying platform record.

User-facing screens and controls

- Omnichannel ticket queue.

- Categories: account, booking, call, Zyne, report, payment, payout, profile, community, privacy and security.
- Priority and SLA.
- Customer/consultant 360 sidebar.
- Macros and approved templates.
- Escalation to operations, finance, QC or engineering.
- Refund/credit/reschedule request actions.
- Knowledge base management.

Backend data and processing

- Ticket conversation, channel, owner, status, SLA, sentiment/risk indicator and linked entities.
- Service-recovery cost and outcome.
- Template version and communication delivery logs.

Business rules and validations

- Support cannot directly alter immutable financial or quality records.
- Sensitive categories route to restricted teams.
- Automated replies are labelled and reviewed for critical cases.
- Tickets cannot be closed without outcome and resolution code.

Notifications and system actions

- New urgent ticket.
- SLA at risk/breached.
- Customer reply.
- Escalation returned.

Permissions

- Support works assigned queues.
- Finance/QC/Engineering access escalated items.
- Managers reassign and monitor.
- Analysts see de-identified trends where possible.

Minimum acceptance criteria

- Every ticket has owner, next action and due time.
- Related records open without repeated searching.
- Resolution codes support root-cause reporting.

6.10. Enterprise CRM, proposal and project handoff

Objective | MVP

Manage corporate and custom-service opportunities from enquiry through discovery, proposal, acceptance and delivery handoff.

User-facing screens and controls

- Lead and account records.
- Contact and consent.
- Opportunity stage, value, probability, owner and next action.
- Discovery call scheduling and notes.
- Requirements and document collection.

- Scope, cost estimate and proposal builder.
- Internal approval workflow.
- Send/view/accept/e-sign status.
- Won/lost reason and project handoff.

Backend data and processing

- CRM activity timeline.
- Opportunity products/services and custom scope.
- Proposal versions, pricing, margin estimate, approvals and signatures.
- Project/workspace reference after win.

Business rules and validations

- High-discount or low-margin proposals require approval.
- Customer-facing proposal cannot be edited after sending without new version.
- All communications stored in CRM or linked email integration.
- Won opportunity creates agreed downstream records, not manual re-entry.

Notifications and system actions

- New lead.
- Follow-up overdue.
- Proposal viewed.
- Approval required.
- Proposal accepted/expired.

Permissions

- Sales manages pipeline.
- Finance approves commercial terms.
- Delivery approves scope/capacity.
- Executives approve thresholds.
- Customer sees only sent proposals.

Minimum acceptance criteria

- Pipeline totals reconcile to opportunities.
- Every opportunity has next action.
- Accepted proposal preserves final signed version.

6.11. Growth, acquisition, consultant promotion and referral analytics

Objective | MVP analytics; promotions in Phase 2

Measure which channels, campaigns and offers create qualified customers, bookings and profitable retention.

User-facing screens and controls

- Acquisition funnel by source/campaign.
- Zyne VA conversion.
- Plan and booking conversion.
- CAC, payback, LTV and cohort retention.
- Campaign/landing-page management links.
- Consultant referral and profile promotion performance.

- Attribution exceptions and data quality.
- Customer segment builder using consented fields.

Backend data and processing

- UTM/source, referral identifiers, campaign cost, conversion events and revenue linkage.
- Attribution model/version.
- Consultant promotion spend/rebate records.
- Consent and suppression lists.

Business rules and validations

- Marketing cannot use private consultation content for targeting without explicit policy/consent.
- Sponsored consultant placement is labelled.
- Attribution is reported with model and uncertainty.
- Rebates require validated external acquisition and anti-fraud checks.

Notifications and system actions

- Campaign overspend.
- Conversion drop.
- Referral fraud pattern.
- High-performing content/segment.

Permissions

- Marketing sees consented data and aggregates.
- Finance sees spend/rebate.
- Consultants see own promotion results only.
- AI/content teams see anonymised demand topics.

Minimum acceptance criteria

- Campaign spend and conversions reconcile where integration supports it.
- Opt-outs apply across channels.
- Referral rewards cannot be self-generated fraudulently.

6.12. Content, website and community administration

Objective | MVP

Allow authorised non-technical staff to update approved website content, help articles, policies, Zyne knowledge and community spaces safely.

User-facing screens and controls

- Page/content list with draft, review, scheduled and published states.
- Reusable content blocks.
- SEO fields and preview.
- Policy/help-centre articles with effective dates.
- Community spaces, events and moderation.
- Translation status.
- Publish approval and rollback.

Backend data and processing

- Versioned content, author, reviewer, publish time and rollback copy.
- Knowledge-base eligibility and AI indexing status.
- Community moderation records.
- Translation versions.

Business rules and validations

- Critical policy and pricing pages require approval.
- Publishing to Zyne knowledge is separate from website publishing.
- Expired or superseded content is removed from AI retrieval.
- Community moderators cannot alter financial or customer account data.

Notifications and system actions

- Content approval.
- Scheduled publish result.
- Broken link/indexing error.
- Reported community content.

Permissions

- Content editors draft.
- Approvers publish.
- AI knowledge managers approve retrieval use.
- Moderators handle community content.

Minimum acceptance criteria

- Rollback restores prior version.
- Every page shows current effective version internally.
- AI indexing status is visible.

6.13. Reporting, analytics and AI-assisted decision support**Objective | MVP**

Enable trusted self-service reporting, scheduled management packs and natural-language analysis without losing metric governance.

User-facing screens and controls

- Report catalogue by department.
- Filters, saved views and drill-down.
- Dashboard builder using approved metrics.
- Scheduled email/export.
- CSV/XLSX/PDF export based on permission.
- Natural-language Ask Think10 Data assistant.
- Definitions and data freshness panel.
- Anomaly and trend explanations.

Backend data and processing

- Semantic metric layer with names, formulas, owners and versions.

- Query logs, export logs and row-level security.
- Scheduled-report jobs.
- AI-generated analysis with cited underlying metrics and query.

Business rules and validations

- AI cannot invent or silently redefine metrics.
- Every answer shows period, filters and data freshness.
- Exports respect row/field permissions and volume controls.
- Sensitive reports may disable export.
- Finance metrics require reconciliation status.

Notifications and system actions

- Scheduled report ready/failed.
- Anomaly detected.
- Data pipeline stale.
- Metric definition changed.

Permissions

- Executives view broad aggregates.
- Department users see authorised domains.
- Analysts build governed reports.
- Super Admin controls permissions, not metric definitions alone.

Minimum acceptance criteria

- Same filters produce consistent results.
- Every KPI has owner and definition.
- AI answer can open the underlying table.

6.14. System configuration, roles, integrations and audit

Objective | MVP

Control platform behaviour safely through configuration instead of code changes wherever appropriate.

User-facing screens and controls

- Role and permission management.
- Plan/credit/session configuration.
- Booking, cancellation, reminder and SLA rules.
- Quality thresholds and policy versions.
- Notification templates.
- Integration credentials/status.
- Feature flags and environment controls.
- Audit-log search.
- Data retention and privacy configuration.
- Emergency access and incident mode.

Backend data and processing

- Configuration versions, effective dates, approvers and rollback.
- Role-permission assignments.

- Integration secret references and health logs.
- Audit events with actor, object, old/new values and reason.
- Feature-flag targeting.

Business rules and validations

- No shared admin accounts.
- High-risk configuration requires dual approval.
- Secrets are never displayed after entry.
- Production changes are versioned and reversible.
- Emergency access is time-limited and reviewed.

Notifications and system actions

- Permission changed.
- Integration failure.
- High-risk configuration approval.
- Emergency access used.

Permissions

- Super Admin manages platform-level settings.
- Domain owners manage approved configurations.
- Developers manage technical integrations.
- Auditors have read-only access.

Minimum acceptance criteria

- Permission changes take effect predictably.
- Every high-impact action appears in audit log.
- Rollback restores prior configuration without deleting history.

7. Executive KPI catalogue

Domain	KPI	Definition / decision use
Growth	Visitor-to-registered conversion	Registered users / qualified unique visitors.
Growth	Zyne VA-to-paid conversion	Paid customers attributed to Zyne VA / engaged VA users.
Revenue	MRR	Normalised recurring subscription revenue for active paid plans.
Revenue	Net revenue	Collected revenue less refunds, chargebacks and applicable deductions.
Unit economics	Contribution margin	Revenue minus consultant payouts, AI, call/transcription, payment and variable support costs.
Retention	Logo/customer churn	Paid customers lost / paid customers at period start.
Engagement	Time to first value	Time from registration to first useful Zyne result, action plan or completed consultation.
Service	Booking completion rate	Successfully completed consultations / eligible confirmed bookings.
Service	Report SLA	Reports delivered within target / completed consultations.
Quality	Customer satisfaction	Post-session or support satisfaction using defined sample.
Quality	Validated complaint rate	Validated complaints / completed consultations.

Domain	KPI	Definition / decision use
Supply	Consultant utilisation	Booked deliverable time / available bookable time.
Supply	Demand coverage	Customer demand with at least one eligible advisor within target availability.
AI	Zyne resolution rate	Customer-confirmed resolved eligible questions / eligible questions.
AI	AI cost per resolved case	Variable AI/tool cost / resolved eligible cases.
Enterprise	Weighted pipeline	Opportunity value multiplied by approved stage probability.

8. Role-based permission principles

Data / action	Executive	Support	QC	Finance	AI Ops	Super Admin
Customer contact/profile	Aggregate/authorised	Required fields	Case-based	Billing fields	Redacted/case-based	Permission-based
Consultation recording/transcript	Aggregate only	No by default	Case-based	No	Redacted evaluation	Emergency governed
Identity documents	No by default	No	Verification/QC need	Payout verification need	No	Governed
Financial ledger	Read aggregate/detail as approved	View status	View hold status	Create/reconcile	No	Governed
Quality decision	View/approve high impact	No	Create/decide within authority	No	Flag only	Governed
AI prompt/model release	View	No	Domain approval	Cost view	Create/release within approval	Governed
User impersonation/support view	No by default	Audited limited	Case-based	No	No	Emergency governed

9. Admin data model - core records

Record	Key relationships	Why it exists
User Account	Customer/consultant/admin role, authentication and preferences.	Identity and access.
Customer	Businesses, subscriptions, bookings, Zyne conversations and tickets.	Customer lifecycle.
Business Profile	Assessment, goals, documents, reports and actions.	Persistent business context.
Consultant	Application, credentials, profile, availability, bookings and payouts.	Advisor lifecycle.
Booking	Customer, consultant, plan/credit/payment, session and report.	Service delivery unit.
Session	Consent, call provider, recording, transcript and quality events.	Consultation evidence and technology.
Report / Action Plan	Booking or Zyne conversation, versions and tasks.	Customer outcome.
Subscription / Entitlement	Plan version, dates and included benefits.	Access control.

Record	Key relationships	Why it exists
Ledger Entry	Customer credit/payment or consultant earning/payout.	Financial truth.
Quality Case	Flag/complaint, evidence, decision and appeal.	Risk governance.
Support Ticket	User, linked record, SLA and resolution.	Service operations.
Enterprise Opportunity	Account, discovery, proposal and project.	Custom-service sales.
Audit Event	Actor, action, object, before/after and reason.	Traceability.

10. Report catalogue for decision making

Report	Frequency	Main users	Key contents
Daily operations brief	Daily	Operations, support, QC	Today bookings, risks, no-shows, report backlog, tickets and incidents.
Weekly executive scorecard	Weekly	Founder/executive	Growth, revenue, retention, service quality, AI, supply and decisions required.
Monthly management accounts support	Monthly	Finance/executive	Revenue, refunds, variable costs, consultant payouts, contribution margin and reconciliation.
Consultant supply and quality	Weekly/monthly	Operations/QC	Capacity, utilisation, rating distribution, warnings, complaints and category gaps.
Zyne performance	Daily/weekly/monthly	AI Ops/product/executive	Usage, conversion, resolution, feedback, escalation, cost, latency and incidents.
Customer retention cohort	Monthly	Product/growth/executive	Retention, usage, margin and churn reasons by cohort and plan.
Enterprise pipeline	Weekly	Sales/executive	Stage, weighted value, next actions, proposal ageing and win/loss.
Risk and privacy report	Monthly/incident	Compliance/executive	Complaints, safety cases, data requests, access exceptions and incidents.

11. MVP build priority

Priority	Build now	Build later
P0 - Required to launch	RBAC, command centre, customers, consultants, verification, bookings, Zyne ops basics, payments/credits, payouts basics, support, QC cases, audit.	Enterprise project management, community and advanced marketing.
P1 - Stabilise	Reconciliation, full report catalogue, prompt/evaluation governance, privacy workflows, data quality, incident tooling.	Advanced self-service report builder.
P2 - Growth	Enterprise CRM/proposals, community moderation, campaign/referral analytics, AI data assistant, forecasting.	Sophisticated optimisation and predictive models.

Shared platform assumptions

- **Responsive design:** All dashboards must work on desktop, tablet and mobile. High-complexity admin tables may use horizontal scrolling on smaller screens.
- **Role-based access:** Every page, button, record and export is controlled by user role and permission.
- **Single sign-on and security:** Email/phone verification, strong passwords, optional multi-factor authentication, session timeout and suspicious-login alerts.
- **Consent first:** Recording, transcription, AI analysis and document processing require visible consent and audit records.
- **One source of truth:** Customer, consultant, booking, payment, report and quality data must be stored as linked records rather than copied into disconnected tools.
- **Human review:** AI can flag and recommend, but high-impact decisions such as permanent suspension, payment withholding and dispute outcomes require authorised human approval.
- **Auditability:** Every important change records who changed it, what changed, when it changed and the previous value.
- **Simple experience:** Each dashboard should show only the actions relevant to that stakeholder. Advanced controls are hidden under More, Filters or Settings.

Non-functional requirements

Area	Requirement
Performance	Home page loads within 3 seconds under normal operating conditions; common actions provide visible feedback within 1 second.
Availability	Target 99.5% platform availability at launch, excluding planned maintenance.
Security	Encryption in transit and at rest; least-privilege access; secrets stored outside application code; periodic penetration testing.
Privacy	Configurable data-retention rules; controlled access to identity documents, bank details, recordings and transcripts.
Accessibility	Keyboard navigation, readable contrast, labelled form fields, screen-reader-friendly structure and captions/transcripts for recorded content.
Scalability	Services should support growth in users, calls, AI conversations and documents without redesigning the core data model.
Observability	Application logs, error logs, integration status, job queues, AI latency/cost, payment failures and call failures are monitored.
Backup and recovery	Automated backups, tested recovery procedures and defined recovery objectives.
Localization	Architecture should support English first and later Arabic and other languages, including right-to-left layout.
Admin data freshness	Operational status should be near real time; financial and analytical metrics must display last refresh and reconciliation state.
Segregation of duties	No single role should be able to create, approve and pay a high-risk financial transaction or create and finally approve a severe enforcement action.
Bulk actions	Bulk updates require preview, permission, reason, impact count and rollback or correction path.

Glossary for developers

Term	Meaning
Zyne VA	Free Virtual Assistant used for platform guidance, lead qualification and plan conversion.
Zyne VC	Paid Virtual Consultant used for business diagnosis, recommendations, reports and action plans.
Credit	A unit used to book a defined duration or type of human consultation.
Booking	A scheduled consultation between one customer and one consultant.
Consultation workspace	The secure screen containing the customer brief, call controls, notes, AI support and report tools.
Action Plan	A structured post-consultation record containing decisions, tasks, owners, deadlines and follow-up.
Quality flag	An AI or human-created alert for attendance, conduct, policy, advice quality or confidentiality concerns.
Advisor Quality Score	Combined score using ratings, attendance, complaints, repeat bookings, AI review and human QC.
Business Profile	The customer's structured business information, goals, stage, markets, channels and history.
Business Health Score	A diagnostic score across Think10 business dimensions.
RBAC	Role-based access control: permissions based on a person's assigned role.
Audit log	A permanent history of significant system actions and data changes.