

Kheloge Database Schema

Multi-tenant Sports Management Platform

Generated: 2026-05-06 | PostgreSQL + Prisma

Enumerations

Enum Name	Values
UserRole	SUPER_ADMIN, CITY_MANAGER, VENUE_MANAGER, COACH, ACCOUNTANT, STUDENT, PARENT
StudentStatus	ENQUIRY, TRIAL, ACTIVE, INACTIVE, GRADUATED, ON_HOLD
AttendanceStatus	PRESENT, ABSENT, LATE, EXCUSED
CoachAttendanceStatus	PRESENT, ABSENT, LATE
PaymentMode	UPI, CASH, ONLINE, CHEQUE, BANK_TRANSFER
PaymentStatus	PENDING, PAID, OVERDUE, CANCELLED, REFUNDED
FeeFrequency	MONTHLY, QUARTERLY, HALF_YEARLY, ANNUAL, ONE_TIME
EnquiryStage	NEW, CONTACTED, TRIAL_SCHEDULED, TRIAL_DONE, CONVERTED, LOST
LeadSource	WHATSAPP, INSTAGRAM, FACEBOOK, WALK_IN, REFERRAL, WEBSITE, OTHER
BatchDay	MONDAY, TUESDAY, WEDNESDAY, THURSDAY, FRIDAY, SATURDAY, SUNDAY

organizations

Root tenant entity for multi-tenant architecture

Column	Type	Constraints	Default	Description
id	String (cuid)	PK		Unique org identifier
name	String	NOT NULL		Organization name
slug	String	UNIQUE NOT NULL		URL-safe identifier
logoUrl	String	nullable		Logo image URL
website	String	nullable		Website URL
phone	String	nullable		Contact phone
email	String	nullable		Contact email
address	String	nullable		Physical address
city	String	nullable		City name
state	String	nullable		State name
country	String	NOT NULL	IN	ISO country code
timezone	String	NOT NULL	Asia/Kolkata	Timezone string
isActive	Boolean	NOT NULL	true	Soft delete flag
createdAt	DateTime	NOT NULL	now()	Record creation time

updatedAt	DateTime	NOT NULL		Auto-updated timestamp
-----------	----------	----------	--	------------------------

cities

Geographic city within an organization

Column	Type	Constraints	Default	Description
Ÿ id	String (cuid)	PK		Unique city identifier
Ÿ organizationId	String	FK ! organizations.id		Parent organization
name	String	NOT NULL		City name
state	String	nullable		State/Province
isActive	Boolean	NOT NULL	true	Soft delete flag
createdAt	DateTime	NOT NULL	now()	Record creation time
updatedAt	DateTime	NOT NULL		Auto-updated timestamp

venues

Physical sports venue/facility

Column	Type	Constraints	Default	Description
Ÿ id	String (cuid)	PK		Unique venue identifier
Ÿ organizationId	String	FK ! organizations.id		Parent organization
Ÿ cityId	String	FK ! cities.id, nullable		City reference
name	String	NOT NULL		Venue display name
slug	String	NOT NULL		URL-safe identifier
address	String	nullable		Street address
phone	String	nullable		Venue phone
email	String	nullable		Venue email
latitude	Float	nullable		GPS latitude
longitude	Float	nullable		GPS longitude
logoUrl	String	nullable		Venue logo URL
primaryColor	String	nullable		Brand color hex
isActive	Boolean	NOT NULL	true	Soft delete flag
openTime	String	nullable		Opening time HH:MM
closeTime	String	nullable		Closing time HH:MM
createdAt	DateTime	NOT NULL	now()	Record creation time
updatedAt	DateTime	NOT NULL		Auto-updated timestamp

Indexes: UNIQUE(organizationId, slug)

sports

Sport type offered by an organization

Column	Type	Constraints	Default	Description
Ÿ id	String (cuid)	PK		Unique sport identifier
Ÿ organizationId	String	FK ! organizations.id		Parent organization
name	String	NOT NULL		Sport name
icon	String	nullable		Icon identifier
isActive	Boolean	NOT NULL	true	Soft delete flag

createdAt	DateTime	NOT NULL	now()	Record creation time
updatedAt	DateTime	NOT NULL		Auto-updated timestamp

Indexes: UNIQUE(organizationId, name)

venue_sports

Junction: sports available at a venue

Column	Type	Constraints	Default	Description
Ÿ id	String (cuid)	PK		Unique record identifier
Ÿ venueId	String	FK !' venues.id		Venue reference
Ÿ sportId	String	FK !' sports.id		Sport reference
isActive	Boolean	NOT NULL	true	Enabled flag
createdAt	DateTime	NOT NULL	now()	Record creation time

Indexes: UNIQUE(venueId, sportId)

coach_sports

Junction: sports a coach is qualified for

Column	Type	Constraints	Default	Description
Ÿ id	String (cuid)	PK		Unique record identifier
Ÿ coachId	String	FK !' users.id		Coach user reference
Ÿ sportId	String	FK !' sports.id		Sport reference
createdAt	DateTime	NOT NULL	now()	Record creation time

Indexes: UNIQUE(coachId, sportId)

users

Platform users (coaches, managers, staff)

Column	Type	Constraints	Default	Description
Ÿ id	String (cuid)	PK		Unique user identifier
phone	String	UNIQUE NOT NULL		Primary login credential
email	String	UNIQUE, nullable		Email address
name	String	NOT NULL		Display name
photoUrl	String	nullable		Profile photo URL
isActive	Boolean	NOT NULL	true	Soft delete flag
lastLoginAt	DateTime	nullable		Last login timestamp
createdAt	DateTime	NOT NULL	now()	Record creation time
updatedAt	DateTime	NOT NULL		Auto-updated timestamp

organization_users

User role assignment within an organization/venue

Column	Type	Constraints	Default	Description
Ÿ id	String (cuid)	PK		Unique record identifier
Ÿ userId	String	FK !' users.id		User reference
Ÿ organizationId	String	FK !' organizations.id		Organization reference
Ÿ cityId	String	FK !' cities.id, nullable		City scope

✓ venueId	String	FK !' venues.id, nullable		Venue scope
role	UserRole (enum)	NOT NULL		User role in org
isActive	Boolean	NOT NULL	true	Active flag
state	String	nullable		Geographic state
district	String	nullable		Geographic district
locationCity	String	nullable		Geographic city
region	String	nullable		Geographic region
createdAt	DateTime	NOT NULL	now()	Record creation time
updatedAt	DateTime	NOT NULL		Auto-updated timestamp

Indexes: UNIQUE(userId, organizationId, venueId, role)

coach_profiles

Extended profile data for coach users

Column	Type	Constraints	Default	Description
✓ id	String (cuid)	PK		Unique profile identifier
✓ orgUserId	String	UNIQUE FK !' organization_users.id		One-to-one with org user
educationDetails	Json	nullable		Education records JSON
sportSpecialization	String	nullable		Primary sport specialty
playingLevels	String[]			Playing level tags
achievements	String	nullable		Achievement text
coachingExperience	Json	nullable		Experience records JSON
keySkills	String[]			Skill tags
responsibilities	String[]			Responsibility tags
expectedSalary	String	nullable		Expected compensation
joiningAvailability	String	nullable		Availability note
paymentType	String	nullable		Payment type (fixed/per-session)
paymentValue	Float	nullable		Payment amount
createdAt	DateTime	NOT NULL	now()	Record creation time
updatedAt	DateTime	NOT NULL		Auto-updated timestamp

batches

Scheduled training session group

Column	Type	Constraints	Default	Description
✓ id	String (cuid)	PK		Unique batch identifier
✓ venueId	String	FK !' venues.id		Venue reference
✓ sportId	String	FK !' sports.id		Sport reference
name	String	NOT NULL		Batch display name
description	String	nullable		Description text
capacity	Int	NOT NULL	20	Max students
ageMin	Int	nullable		Minimum age
ageMax	Int	nullable		Maximum age
startTime	String	NOT NULL		Start time HH:MM
endTime	String	NOT NULL		End time HH:MM

days	BatchDay[]			Days of week
isActive	Boolean	NOT NULL	true	Active flag
startDate	DateTime	nullable		Batch start date
endDate	DateTime	nullable		Batch end date
createdAt	DateTime	NOT NULL	now()	Record creation time
updatedAt	DateTime	NOT NULL		Auto-updated timestamp

batch_coaches

Junction: coaches assigned to a batch

Column	Type	Constraints	Default	Description
id	String (cuid)	PK		Unique record identifier
batchId	String	FK ! batches.id		Batch reference
coachId	String	FK ! users.id		Coach reference
isPrimary	Boolean	NOT NULL	false	Primary coach flag
createdAt	DateTime	NOT NULL	now()	Record creation time

Indexes: UNIQUE(batchId, coachId)

students

Student/athlete enrolled in the platform

Column	Type	Constraints	Default	Description
id	String (cuid)	PK		Unique student identifier
organizationId	String	FK ! organizations.id, nullable		Parent organization
name	String	NOT NULL		Student full name
phone	String	nullable		Contact phone
email	String	nullable		Email address
dob	DateTime	nullable		Date of birth
photoUrl	String	nullable		Profile photo URL
idCardUrl	String	nullable		ID card document URL
address	String	nullable		Home address
medicalNotes	String	nullable		Medical information
state	String	nullable		Geographic state
district	String	nullable		Geographic district
city	String	nullable		Geographic city
region	String	nullable		Geographic region
sportInterest	String	nullable		Preferred sport
trainingLevel	String	nullable		Skill level
status	StudentStatus (enum)	NOT NULL	ACTIVE	Student lifecycle status
enrolledAt	DateTime	NOT NULL	now()	Enrollment date
createdAt	DateTime	NOT NULL	now()	Record creation time
updatedAt	DateTime	NOT NULL		Auto-updated timestamp

guardians

Parent or guardian linked to a student

Column	Type	Constraints	Default	Description
--------	------	-------------	---------	-------------

Ÿ id	String (cuid)	PK		Unique guardian identifier
Ÿ studentId	String	FK ! students.id		Student reference
name	String	NOT NULL		Guardian name
phone	String	NOT NULL		Contact phone
email	String	nullable		Contact email
relation	String	NOT NULL		Relationship (Father/Mother/etc)
isPrimary	Boolean	NOT NULL	false	Primary guardian flag
createdAt	DateTime	NOT NULL	now()	Record creation time
updatedAt	DateTime	NOT NULL		Auto-updated timestamp

enrollments

Student enrollment in a batch

Column	Type	Constraints	Default	Description
Ÿ id	String (cuid)	PK		Unique enrollment identifier
Ÿ studentId	String	FK ! students.id		Student reference
Ÿ batchId	String	FK ! batches.id		Batch reference
enrolledAt	DateTime	NOT NULL	now()	Enrollment date
leftAt	DateTime	nullable		Unenrollment date
isActive	Boolean	NOT NULL	true	Active flag
createdAt	DateTime	NOT NULL	now()	Record creation time
updatedAt	DateTime	NOT NULL		Auto-updated timestamp

Indexes: UNIQUE(studentId, batchId)

attendances

Daily student attendance record

Column	Type	Constraints	Default	Description
Ÿ id	String (cuid)	PK		Unique attendance identifier
Ÿ batchId	String	FK ! batches.id		Batch reference
Ÿ studentId	String	FK ! students.id		Student reference
Ÿ sessionId	String	FK ! attendance_sessions.id, nullable		Session reference
date	Date	NOT NULL		Attendance date
status	AttendanceStatus (enum)	NOT NULL	ABSENT	Attendance status
checkInAt	DateTime	nullable		Check-in timestamp
checkOutAt	DateTime	nullable		Check-out timestamp
Ÿ markedById	String	FK ! users.id, nullable		Who marked attendance
notes	String	nullable		Additional notes
isAutoMarked	Boolean	NOT NULL	false	System auto-mark flag
createdAt	DateTime	NOT NULL	now()	Record creation time
updatedAt	DateTime	NOT NULL		Auto-updated timestamp

Indexes: UNIQUE(batchId, studentId, date)

attendance_sessions

A coach-initiated training session

Column	Type	Constraints	Default	Description
--------	------	-------------	---------	-------------

Ÿ id	String (cuid)	PK		Unique session identifier
Ÿ batchId	String	FK ! batches.id		Batch reference
Ÿ coachId	String	FK ! users.id		Coach reference
date	Date	NOT NULL		Session date
startedAt	DateTime	NOT NULL	now()	Session start time
endedAt	DateTime	nullable		Session end time
createdAt	DateTime	NOT NULL	now()	Record creation time
updatedAt	DateTime	NOT NULL		Auto-updated timestamp

coach_attendances

Coach presence record for a session

Column	Type	Constraints	Default	Description
Ÿ id	String (cuid)	PK		Unique record identifier
Ÿ sessionId	String	UNIQUE FK ! attendance_sessions.id		One-to-one with session
Ÿ coachId	String	FK ! users.id		Coach reference
Ÿ batchId	String	FK ! batches.id		Batch reference
date	Date	NOT NULL		Attendance date
status	CoachAttendanceStatus (enum)	NOT NULL	PRESENT	Attendance status
markedAt	DateTime	NOT NULL	now()	Mark timestamp
notes	String	nullable		Additional notes
createdAt	DateTime	NOT NULL	now()	Record creation time
updatedAt	DateTime	NOT NULL		Auto-updated timestamp

fee_plans

Fee structure for a batch

Column	Type	Constraints	Default	Description
Ÿ id	String (cuid)	PK		Unique fee plan identifier
Ÿ batchId	String	FK ! batches.id, nullable		Batch reference
name	String	NOT NULL		Plan name
amount	Decimal(10,2)	NOT NULL		Fee amount
frequency	FeeFrequency (enum)	NOT NULL		Billing frequency
dueDay	Int	NOT NULL	1	Day of month due
lateFeeAmount	Decimal(10,2)	nullable		Late fee amount
discountAmount	Decimal(10,2)	nullable		Discount amount
isActive	Boolean	NOT NULL	true	Active flag
createdAt	DateTime	NOT NULL	now()	Record creation time
updatedAt	DateTime	NOT NULL		Auto-updated timestamp

invoices

Student fee invoice

Column	Type	Constraints	Default	Description
Ÿ id	String (cuid)	PK		Unique invoice identifier
Ÿ studentId	String	FK ! students.id		Student reference

¥ feePlanId	String	FK ! fee_plans.id		Fee plan reference
amount	Decimal(10,2)	NOT NULL		Invoice amount
dueDate	DateTime	NOT NULL		Payment due date
status	PaymentStatus (enum)	NOT NULL	PENDING	Invoice status
invoiceNumber	String	UNIQUE NOT NULL		Human-readable invoice number
pdfUrl	String	nullable		PDF document URL
notes	String	nullable		Additional notes
createdAt	DateTime	NOT NULL	now()	Record creation time
updatedAt	DateTime	NOT NULL		Auto-updated timestamp

payments

Payment transaction record

Column	Type	Constraints	Default	Description
¥ id	String (cuid)	PK		Unique payment identifier
¥ studentId	String	FK ! students.id		Student reference
¥ invoiceId	String	FK ! invoices.id, nullable		Invoice reference
amount	Decimal(10,2)	NOT NULL		Payment amount
mode	PaymentMode (enum)	NOT NULL		Payment method
status	PaymentStatus (enum)	NOT NULL	PAID	Payment status
referenceNumber	String	nullable		Bank/UPI reference
gatewayOrderId	String	nullable		Payment gateway order ID
gatewayPaymentId	String	nullable		Payment gateway payment ID
receiptNumber	String	UNIQUE NOT NULL		Human-readable receipt number
receiptUrl	String	nullable		Receipt PDF URL
notes	String	nullable		Additional notes
paidAt	DateTime	nullable		Payment timestamp
createdAt	DateTime	NOT NULL	now()	Record creation time
updatedAt	DateTime	NOT NULL		Auto-updated timestamp

enquiries

Prospect/lead from CRM

Column	Type	Constraints	Default	Description
¥ id	String (cuid)	PK		Unique enquiry identifier
¥ venueId	String	FK ! venues.id		Venue reference
name	String	NOT NULL		Prospect name
phone	String	NOT NULL		Contact phone
email	String	nullable		Contact email
sportInterest	String	nullable		Sport of interest
ageGroup	String	nullable		Age group
stage	EnquiryStage (enum)	NOT NULL	NEW	CRM pipeline stage
source	LeadSource (enum)	nullable		Lead source channel
notes	String	nullable		Notes
followUpAt	DateTime	nullable		Next follow-up time

trialDate	DateTime	nullable		Scheduled trial date
convertedAt	DateTime	nullable		Conversion timestamp
convertedToStudentId	String	nullable		Linked student after conversion
createdAt	DateTime	NOT NULL	now()	Record creation time
updatedAt	DateTime	NOT NULL		Auto-updated timestamp

enquiry_comments

Staff comments on an enquiry

Column	Type	Constraints	Default	Description
Ý id	String (cuid)	PK		Unique comment identifier
Ý enquiryId	String	FK !' enquiries.id		Enquiry reference
Ý authorId	String	FK !' users.id		Author reference
body	String	NOT NULL		Comment text
createdAt	DateTime	NOT NULL	now()	Record creation time

venue_holidays

Venue-specific holidays (no sessions)

Column	Type	Constraints	Default	Description
Ý id	String (cuid)	PK		Unique holiday identifier
Ý venueId	String	FK !' venues.id		Venue reference
date	Date	NOT NULL		Holiday date
name	String	NOT NULL		Holiday name
createdAt	DateTime	NOT NULL	now()	Record creation time

Indexes: UNIQUE(venueId, date)

otp_requests

Phone-based OTP authentication tokens

Column	Type	Constraints	Default	Description
Ý id	String (cuid)	PK		Unique OTP identifier
phone	String	NOT NULL		Target phone number
otp	String	NOT NULL		OTP code (hashed/plain)
expiresAt	DateTime	NOT NULL		Expiry timestamp
usedAt	DateTime	nullable		When OTP was consumed
createdAt	DateTime	NOT NULL	now()	Record creation time

