



P.O. BOX 837
259 Murdock Rd
Troutman, NC 28166
P 800.334.6057
F 704.528.5478
www.sportsedge.com

Q U O T E

Number ASEQ11151-01
Date May 20, 2026
Quote by: jlineberger
Expires Jun 4, 2026
Project ID 9901

Sold To
All Bidders

Reg	Project Name	Location
107	Tonopah H.S. Field Replacement	Tonopah, NV 89049

Code	Ship Via	F.O.B.	Terms
ST	FOB	-	NET 30

Qty	Item #	Description	Unit Price	Ext. Price
SOCCER EQUIPMENT				
1	SE48713	UPPER90 Championship Soccer Goals with Nets & Transport Kit (Pair)	\$6,876.00	\$6,876.00
1	SEF155	Soccer Anchor Clamp (Pair)	\$261.00	\$261.00
FOOTBALL EQUIPMENT				
1	SEFB28120CXX	GILL Aluminum H.S. Goal Post, 8' Offset / 20' Uprights, Plate Mount (Pair)	\$15,082.00	\$15,082.00
2	SEF35550	GILL Steel Surface Mount Football Goal Post Mounting Plate (Each)	\$869.00	\$1,738.00
1	SEF302	6 Ft. Goal Post Pads, 18" Diameter, Fully Encased with Vinyl (Pair)	\$1,000.00	\$1,000.00
1	SEF302L	Custom Lettering for Post Pads, Cut & Sew, 1-Color (Pair)	\$228.00	\$228.00
SubTotal				\$25,185.00
TRACK & FIELD EQUIPMENT				
1	SEVP66217	GILL G1 Pole Vault Value Pack - Includes: 66217 Pit, 6621702 Pit Cover, 61617 Base Pads, 77200 Black Standards & 526 Crossbar	\$36,828.00	\$36,828.00
1	SE734662	GILL Polymer Platform for 66217 Pole Vault System	\$6,700.00	\$6,700.00
1	SE719	GILL SafetyMax Vault Box Collar	\$861.00	\$861.00
1	SE502G	GILL Pole Vault Box, Aluminum	\$702.00	\$702.00
1	SE50201G	GILL Pole Vault Box Cover, Aluminum - Recessed	\$619.00	\$619.00
1	SEVP64617	GILL G1 high Jump Value Pack - Includes: 64617 Pit, 6461702 Pit Cover, 78200 Black Standards & 525 Crossbar	\$13,686.00	\$13,686.00
1	SE734646	GILL Polymer Platform for 646 High Jump System	\$3,100.00	\$3,100.00
1	SE707	GILL HJ Standard Base Pads, Yellow (Pair)	\$317.00	\$317.00
1	SEDCHS-35	Discus Cage, (6) 4.0" Aluminum Poles, Sleeves, Hardware & Main Net - Each	\$6,885.00	\$6,885.00
1	SEDCHS-35NET	Replacement Main Net, Discus Cage - Each	\$886.00	\$886.00
1	SEDCHS-6S	Discus Cage Ground Sleeves - Set of 6	\$1,135.00	\$1,135.00
1	SETFDR	Discus Circle - Aluminum - Official (8 ft. 2 1/2 in. Diameter)	\$350.00	\$350.00
1	SETFTB-ALP	Toe Board Pad (Level) - Cast Aluminum	\$850.00	\$850.00
1	SETFSR	Shot Circle - Aluminum - Official (7 ft. Diameter)	\$340.00	\$340.00
SubTotal				\$73,259.00
FLEXEDGE L CURB AT DISCUS & SHOT PUT RUNWAYS (Based on 704' Linear Feet of L Curb & Ancillary Materials, with 675' LF of Staking Materials)				

Continued on next page....

Qty	Item #	Description	Unit Price	Ext. Price
88	SEFLEX04	SportsEdge FlexEdge Rubber "L" Curb, 4" High x 96" Long	\$135.00	\$11,880.00
425	SEFLEXA18	SportsEdge FlexEdge Anchor, 18" - Each	\$5.60	\$2,380.00
18	SEFLEXBST	SportsEdge FlexEdge Bata Seal Tubes - Each	\$14.75	\$265.50
3	SEFLEXTC	SportsEdge FlexEdge UV Top Coat - 1 Gal.	\$100.00	\$300.00
1	DISCOUNT	30% FlexEdge Discount	-\$4,447.65	-\$4,447.65
SubTotal				\$10,377.85
XT SLOT DRAIN AT BOTH D ZONES (Based on 553 Total Combined LF)				
171	XT-4R	SportsEdge XT-4 Radius Slot Drain Non-Sloping System, 4.0" - 1M	\$61.35	\$10,490.85
171	XT-4C	XT-4 Slot Drain Channel PVC Joint Coupler, 4.0" - Each	\$4.29	\$733.59
6	2900XT-4	SportsEdge XT-4 Catch Basin, 4.0" - 1/2M Each	\$129.15	\$774.90
4	2313XT.1	SportsEdge XT Catch Basin Cover - 1 Side Entrance (XT-4) - Each	\$39.49	\$157.96
2	2313XT.2	SportsEdge XT Catch Basin Cover - 2 Side Entrance (XT-4) - Each	\$39.56	\$79.12
6	2811BSE	Locking Device Assembly (Includes: 2811SE, 28010 & 2809) - Each	\$5.00	\$30.00
342	XT-KIT	XT Installation Kit (3/8" Eyebolt, Nut & Washer)	\$3.25	\$1,111.50
SubTotal				\$13,377.92

RSM Elijah Harris can be reached at 912-650-9890 or elijah.harris@sportsedge.com with any questions regarding this proposal. Thank you!

The freight amount provided is an estimation made in good faith on the date of the quote. The actual freight amount can be significantly impacted by market conditions. The invoiced freight amount will be based on the actual amount on the day of shipping.

SubTotal	\$122,199.77
Tax	\$0.00
Est. Freight	\$17,000.00
Misc./Handling	0.00

We do not sell discus/shot put runway mix or long jump pit sand.

Est. Weight (lbs)
16,057

Total \$ (USD)	\$139,199.77
-----------------------	---------------------

- Jason Lineberger, 05/21/26

Terms and Conditions of Sale:

Terms are Net 30 from the date of invoice, upon credit approval; finance charges will be applied to any unpaid balances after 60 days at a rate of 1.5%. Credit card purchases are subject to a 3% processing fee. Optional / As Needed / As required are not included in total price or shipping/handling cost and will not be shipped without written notification from customer accepting the additional charges. Pricing does not include unloading, assembly or installation.

If a freight estimate is provided, it is based on one shipment with standard delivery and is subject to change; construction site, special delivery requirements, partial and rush shipments will be subject to additional freight charges.

- Quotes will be open for two (2) weeks from the date of issuance and, thereafter, will automatically expire.
- Product (subject to availability) that is the subject of an accepted quote must be released for shipment within thirty (30) days from the date of issuance of the applicable quote.
- Orders that fall outside of the above parameters are subject to an additional surcharge, which surcharge will be based on changes in the scrap market indexed as published by the American Metals Market <https://www.amm.com>.

Sportsedge does not assume responsibility for material take-off; it is the sole responsibility of the customer to verify correct quantities and specification suitability of the items pertaining on this quote. Product drawings and specifications are available upon request.

Missing Material must be reported to Sportsedge customer service within 48hrs of receipt of shipment. Damaged Material must be noted on bill of lading at final destination point. Receiver must file a freight claim with the carrier.

If no sales tax exemption form is supplied with purchase order; Local/State Sales Tax may be billed in addition to the above pricing.*



Unless specifically itemized or noted as included in material description, Stamped Engineering Drawings and associated calculations are not included in material pricing above. Please reach out to SportsEdge for pricing, if required.

California Prop 65 Warning


 Some products sold by Sportsedge contain chemicals known to the State of California to cause cancer, birth defects or other reproductive harm. Products sold by Sportsedge may contain these chemicals in a smaller amount than Proposition 65's concern, or not at all, however, we have chosen to issue this warning on all of our products as an act of caution and because our customers have the right to know.

WARNING: These products can expose you to chemicals such as nickel, lead, chromium, cobalt, styrene, methylene chloride, or silica, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

PARTS LIST	
No.	DESCRIPTION
1	FRME48720C CROSSBAR
2	FRME48720UR SIDEFRAME - Left-Hand
3	FRME48720UR SIDEFRAME - Right-Hand
4	FRME 00427 0G0 FORMED BACKSTAY
5	FLAT 4872 1E0 CROSSBAR TAPPED FLAT
6	BRKT 00041 003 BACKSTAY BRACKET
7	HDWE 00051 0E0 3/8" x 1/2" LG. SET SCREW
8	HDWE 01124 0E0 3/8" x 1" LG. HEX HEAD CAP SCREW (G.-5)
9	HDWE 04002 0E0 3/8" LOCK WASHER
10	HDWE 03002 0E0 3/8" HEX NUT
11	HDWE 01208 0E0 3/8" x 2 1/2" LG. HEX HEAD CAP SCREW (G.-9)
12	HDWE 03072 0E0 3/8" CONNEX LOCK NUT
13	HDWE 06156 0E0 3/8" x 4 1/2" LG. BUTTON HEAD CAP SCREW
14	TUBR 00842 0G0 SPREADER TUBE 1/8" DIA. x 24'-2" LG.
15	TEES 00016 0G0 TEE FITTING 1/8" TO 1/8"
16	ROPE 00082 000 NET HOOK
17	ELEC 00218 002 CABLE TIE (NOT SHOWN)
18	00298-170 ANCHOR SYSTEM (SEE INSET)
19	00491824 SOCCER NETS, 8' X 24' X 8' X 3" SQUARE BRAIDED WHITE




CORNERS REINFORCED WITH BUILT IN
WELDED 1/8" WALL TUBULAR STEEL



WARNING

ALL PORTABLE SOCCER GOALS MUST BE ANCHORED, TO COMPLY WITH THE "GUIDELINES FOR MOVABLE SOCCER GOAL SAFETY" AS PUBLISHED BY THE U.S. CONSUMER PRODUCT SAFETY COMMISSION, TO OBTAIN COPIES OF THIS DOCUMENT, CONTACT PORTER, OR WRITE TO THE U.S. CONSUMER PRODUCT SAFETY COMMISSION AT THIS ADDRESS:
U.S. CONSUMER PRODUCT SAFETY COMMISSION
WASHINGTON, D.C. 20207



- OPTIONAL ACCESSORIES**
- No. 00069-204 UPRIGHT PADDING
 - No. 00417-080 SEASONAL ANCHOR SYSTEM
 - No. 00413-040 INTERNAL WEIGHT BAR KIT
 - No. 00293-000 TRANSPORT KIT
 - No. 00407-020 GOAL LOCKS

PAGE No.


R-69-2

R-417

R-413

R-293

R-407



— **487200** ALUMINUM SOCCER GOAL (PAIR)

PORTABLE

SPECIFICATIONS

PORTER No. 487200 CHAMPIONSHIP STYLE SOCCER GOALS LESS NET PORTABLE (ONE PAIR)

Soccer goals shall meet all NFHS, NCAA and FIFA requirements for championship soccer tournaments. The bottom edge of the horizontal crossbar shall be located 8'-0" above the playing field, with the uprights positioned with a 24'-0" inside dimension. Goals shall be furnished in six sections (crossbar, two uprights, two backstays, and rear spreader tube) for ease of assembly or dismantling for seasonal use.

Crossbar and uprights are constructed of a 4" diameter lightweight high-tensile (6063-T6) aluminum extrusion finished in a durable white powder-coated finish. Backstays shall be fabricated from 1-7/8" O.D. galvanized steel tubing, and shall be secured to the uprights with steel brackets. All aluminum extrusion sections (crossbar and uprights) shall be designed with an internal continuous channel configuration, and furnished with special molded, high-tensile nylon no-tie net attachment clips for ease of installing or removing the nets. Upright corners shall be reinforced with built in welded 11 gauge tubular steel corner brackets. Uprights shall be secured to the crossbar with these welded steel corner brackets. Backstays shall be of a unitized design, one piece. Backstays shall extend 8'-0" behind the face of the goal. Backstay brackets shall be finished in a durable white powder-coated finish. Spreaders shall be 1-7/8" in diameter and shall be secured to soccer goal backstays with special tee fittings for maximum strength and stability. Spreader tubes and tee fittings shall be finished in a durable galvanized finish.

Goals are furnished complete with an auger-type anchor system (set of four), to attach to the backstays and secure the soccer goals in position. Each anchor shall consist of an auger-type ground anchor, backstay clamp fitting, 12" long chain, and padlock. Auger ground anchor shall screw into grass-type playing fields to a 14" depth to provide excellent grip capabilities.

OPTIONAL ITEMS TO SPECIFY

- See Page No. R-69-2 for specifications on Porter No. 00069-204 Upright Padding (Set of Two, for one goal).
- See Page No. R-417 for specifications on Porter No. 00417-080 Seasonal Anchor System (Set of Eight).
- See Page No. R-413 for specifications on Porter No. 00413-040 Internal Weight Bar Kit (Set of Four).
- See Page No. R-293 for specifications on Porter No. 00293-000 Transport Kit (Set of Two).
- See Page No. R-407 for specifications on Porter No. 00407-020 Soccer Goal Locks (Set of Two).
- See Page No. R-490 for specifications on Porter No. 00491-824 Soccer Goal Net (Pair).





www.gillathletics.com
800-637-3090

F155 - SOCCER GOAL ANCHORING SYSTEM INSTRUCTIONS

NOTE: This product is only compatible with 6 $\frac{5}{8}$ " diameter goosenecks.

Center the soccer goal's back stay bar against the football goal's gooseneck. Then place the u-bolt around the gooseneck and fit the goal trap bracket as shown. Make sure that the bracket and u-bolt assembly are closest to the ground as possible. Then tighten the bracket so the backstay is securely snug between the football goal's gooseneck and the ground.



NOTE: If back stay bar is wider than 2" the spacer nut may need to be used to tighten the clamp bar and the other hex nut used to tighten the goal trap bracket.

WARNING: Cancer and Reproductive Harm –
For more information go to www.p65warnings.ca.gov





www.gillathletics.com
800-637-3090



00293000

TRANSPORT SYSTEM SPEC



	PART #	DESCRIPTION	QTY
1	FRME00113101	TRANSPORTER ASSEMBLY	2
2	HDWE011810E0	1/2"-13 X 5-1/2" HEX BOLT	2
3	HDWE030290E0	1/2"-13 WING NUT	2



TRANSPORTER SHOWN INSTALLED ON A
SOCCER GOAL WITH 4" ROUND UPRIGHTS
(No. 487200 GOAL SHOWN)



TRANSPORTER SHOWN INSTALLED ON A
SOCCER GOAL WITH 3" ROUND UPRIGHTS
(No. 287200 GOAL SHOWN)



TRANSPORTER SHOWN INSTALLED ON A
SOCCER GOAL WITH 4" x 2" UPRIGHTS
(No. 467100 GOAL SHOWN)