



SUBCONTRACTOR PROPOSAL ("BID") FORM
SCOPE OF WORK: #040 Moisture Protection & Sealants

SUBCONTRACTOR

Subcontractor's Firm Name: SI Legacy Floor Finishing Inc.

Address: 1315 Financial Blvd Reno, NV 89502
Mailing Address City State Zip

Physical Address (If Different) City State Zip

Telephone: 775-203-0371 Fax: _____

Contact Name: Luis Hernandez Email: luish@silegacy.com

State Contractor's Board No. 0082518, 0075964 Class Type: C5, C16

PROPOSAL CONDITIONS

Proposers shall include in their proposals the cost of providing all labor, material, equipment, supervision, services, taxes, insurances, license, fees, overhead, and profit, etc. necessary or incidentally required to complete the subcontractor trade scope of work including, but not limited to, the attached scope of work and clarifications in accordance with the contract documents, specifications and industry best practice.

Proposing Subcontractor confirms that it has visited the site (if necessary), read, understands, and agrees that its proposal is in compliance with all conditions defined in the Notice of Request for Proposals, attached sample Subcontractor Agreement, all insurance requirements, CORE Construction operational and safety requirements, and related Contract Documents.

Any requested changes to CORE's Subcontractor Agreement must be made in writing prior to, or at the time of submission of final pricing proposals. If no change requests are submitted, Subcontractor proposer represents that by submitting its proposal that the sample Subcontractor Agreement will be executed by Subcontractor without change or alteration.

Subcontractor proposer recognizes that time is of the essence in this proposed subcontract. Subcontractor agrees, that if awarded the subcontract hereunder, it will commence the work to be performed under the contract on the date set by the Contractor in its written Notice to Proceed, continuing the work with diligence and will complete all the work per the scheduled Contract Completion date and milestone date(s) as defined by the schedule.

It is understood that this proposal shall remain in effect, and may not be withdrawn, for a period of sixty (60) days from the date that bids are due to be received.

PROPOSAL ("BID") VALUE

Base ("Bid") Proposal: \$65,330.00

Base ("Bid") Proposal Shall Not Include Cost for Bid Bond, Payment & Performance Bonds

Words: Sixty Five Thousand Three Hundred Thirty Dollars



BONDING RATES & VALUE

Bid Bond Rate: 2% Project Bid Bond Value: \$1,306.60

Words: One Thousand Three Hundred Six Dollars Sixty Cents

Performance & Payment (P&P) Bond Rate: 5% P&P Bond Value: \$3,266.50

Words: Three Thousand Two Hundred Sixty Six Dollars Fifty Cents

ACKNOWLEDGEMENTS

Subcontractor proposers shall acknowledge, by marking through the box of each applicable item, that the Base ("Bid") Proposal value includes receipt, review, and acceptance/inclusion of each of the following:

- | | |
|---|---|
| ☒ Notice of Request for Proposals | ☒ Contract Documents - Plans |
| ☒ Sample Subcontractor Agreement | ☒ Contract Documents - Specifications |
| ☒ Insurance Requirements | ☒ Contract Documents – Supplemental (If Applicable) |
| ☒ Textura Fee Included | ☒ Geotechnical Report (If Applicable) |
| ☒ Preliminary Construction Schedule | ☒ Hazardous Material Report (if Applicable) |
| ☒ Logistics Plan | |

Additionally, Subcontractor proposers hereby acknowledge receipt of the following addenda and/or clarifications:

ADDENDA

No. 1 Date: 05/06/2026
No. _____ Date: _____
No. _____ Date: _____
No. _____ Date: _____
No. _____ Date: _____

CLARIFICATIONS

No. 1 Date: 05/06/2026
No. 2 Date: 05/07/2026
No. _____ Date: _____
No. _____ Date: _____
No. _____ Date: _____

NAMING OF LOWER TIER SUBCONTRACTORS

Subcontractor shall provide the following list of lower tier subcontractor(s) to be utilized in the performance of its scope of work. If no lower tier subcontractors are identified, subcontractor represents that by submitting its proposal that it is self-performing all aspects of the associated scope of work.

Name: N/A Scope of Work: _____ NSCB No.: _____
Name: _____ Scope of Work: _____ NSCB No.: _____
Name: _____ Scope of Work: _____ NSCB No.: _____
Name: _____ Scope of Work: _____ NSCB No.: _____

DVBE PARTICIPATION

CORE Construction strongly encourages DVBE participation in this project. The minimum established goal for this scope of work package is 0%.

Percentage of Total Base ("Bid") Proposal that the Subcontractor will contractually commit to utilizing certified DVBE business in the performance of the work. 0 %

Good Faith Documentation is not required if the percentage of DVBE commitment is equal to or greater than the minimum goal. If the percentage is less than the minimum goal, proposer must submit Good Faith Effort Worksheet.

SCHEDULE COMMITMENT

Subcontractor proposers are to plan and price its base ("bid") proposal to meet the schedule provided. All necessary crews, manpower, shifts, acceleration time, premiums required to meet the schedule durations, if applicable, are to be included. CORE Construction encourages that the Subcontractor proposer includes a Voluntary Alternate to provide a more "optimal" schedule duration with a reflective price if applicable.

PROPOSAL ("BID") VALUE BREAKDOWN

Subcontractor proposers should be prepared to provide a preliminary schedule of values (SOV) within 24 hours of submission. SOV should be detailed in accordance with the scope of work, contract documents, schedule, and industry best practices. Breakout labor, material, and all major equipment costs.

ALTERNATES TO BASE ("BID") PROPOSAL

If either the contract documents, or CORE Construction (will be indicated in trade specific Scope of Work) identify Alternates to be priced, Subcontractor proposer shall identify all labor, material, equipment, supervision, services, taxes, insurances, license, fees, overhead, and profit, etc. necessary or incidentally required to complete the work. Alternates identified by the contract documents or the scope of work documents may or may not be selected and should be priced accordingly.

If the Subcontractor proposer chooses to identify any voluntary alternates, either as value engineering, product substitution, and/or scope of work clarification/deviation, etc. the following lines may be used for this purpose. All required / applicable supporting documentation to support the Voluntary Alternate should be included, or noted as to follow within 24 hours, with the submission of this proposal.

ALTERNATE LISTING

ALTERNATE #01 -

Description: N/A

Add / Deduct (Circle One) (\$ _____)

Words: _____



ALTERNATE #02 –

Description: _____

Add / Deduct (Circle One) (\$ _____)

Words: _____

ALTERNATE #03 –

Description: _____

Add / Deduct (Circle One) (\$ _____)

Words: _____

ALTERNATE #04 –

Description: _____

Add / Deduct (Circle One) (\$ _____)

Words: _____


CERTIFICATION

By submitting this proposal, the Subcontractor is certifying the following:

- Subcontractor, at the time of submitting its proposal, is in possession of the necessary Nevada State License Board License with the appropriate classification. Subcontractor without a current NSLB license with the appropriate classification at the time of submission of this proposal will be disqualified immediately.
- Subcontractor's failure to follow the complete requirements of this Bid Package may result in disqualification.
- By qualifying any terms of the sample subcontractor agreement, the Subcontractor understands that if CORE and the Subcontractor are unable to reach mutual agreeable terms through a good faith effort than its proposal may result in disqualification.
- By signing this Proposal Form, the Subcontractor is legally authorized to commit all resources of the company and is committing to the terms and conditions stated herein. Your signature commits acceptance and compliance with all Sections, Exhibits, Addenda, Clarifications, Etc. to this Proposal Package.

On 05/12/2026, 2026, Proposer's duly authorized officer approved and submitted this proposal.

Name of Subcontractor's Firm: SI Legacy Floor Finishing Inc.

By: (Signature): 

(Typed Name): Luis Hernandez

As Its: (Position/Title): Project Manager / Estimator

*** Provide Letter of Authorization if the person signing is not an officer of the company ***

END OF SUBCONTRACTOR PROPOSAL ("BID") FORM



NVCL#s 75964, 75965, 75966 • CACL# 1015375

1315 Financial Blvd Reno, NV 89502
 775-332-0602 Office 775-562-2693 Fax
 Bid Limit \$4,500,000

To: CORE Construction
 Address: 5330 Reno Corporate Dr
 Attention: Dawn Duranleau
 Phone: (702) 926-1812
 Fax:
 Email: dawnduranleau@coreconstruction.com

Job Name: Tonopah HS Sports Complex
Job Location: 1 Ray Tennant Way
Estimator: Luis Hernandez

Bid # 13390

Base Bid Description: Waterproofing, Caulking, Epoxy Flooring, Sealed Concrete

Scope of Work	Manufacturer	Style	Color
<u>Below-Grade Waterproofing</u>	Grace	Bituthene 3000	Black line
Below-Grade Insulation	Owens Corning	Foamular 250 2"	Pink
<u>Sealed Concrete</u>	Euclid Chemical	Everclear Vox	Clear
Caulking At Saw-Cut Joints	Sika	HY 100	TBD
<u>4" Rubber Base</u>	Roppe	Contours Simplicity	123 Charcoal
<u>Epoxy Flooring</u>	Dur-A-Flex	Dur-A-Chip	Scarlet - Macro Chip
6" Epoxy Cove Base	Dur-A-Flex	Dur-A-Chip	Scarlet - Macro Chip
<u>Site Caulking</u>	Sika	HY 100	TBD
<u>CMU Joint Caulking</u>	Sika	2CNS EZ Mix	TBD
<u>Hollow-Metal Door Caulking</u>	Sika	2CNS EZ Mix	TBD

Below-Grade Waterproofing \$ 33,150.00

Includes 2" Insulation Board

Sealed Concrete \$ 18,035.00

Includes Saw-Cut Joint Caulking

<u>4" Rubber Base</u>	\$	4,860.00
<u>Epoxy Flooring</u>	\$	58,850.00
<i>Includes 6" Epoxy Cove Base</i>		
<u>Site Caulking</u>	\$	20,300.00
<u>CMU Joint Caulking</u>	\$	4,530.00
<u>Hollow-Metal Door Caulking</u>	\$	7,350.00

Proposal Notes (Clarifications & Exclusions):

Below-Grade Waterproofing/Insulation

Clean Foundation Walls & Footings then apply Grace Bituthene 3000 Waterproofing System on Exterior Foundation Wall and Footings *GC To Snap Below-Grade Waterproofing Lines*

Furnish & Install Owens Corning 2" Insulation Board Once Below-Grade Waterproofing Has Been Installed

This System Includes the Following:

Bituthene Primer On Foundation Walls and Footings

Followed Up a Cant Bead of Liquid Membrane on Stem Wall and Footing Joint

Apply Waterproofing Membrane to Exterior Foundation Wall and Footings

After, Apply Insulation Board To Waterproofing Membrane

Once Complete Add Drain Board Over Insulation Board For A Complete Waterproofing System

Excludes Any Metal Flashing, Underslab Vapor Barrier, Concrete Wall Patching, Nail Rermoving

Sealed Concrete

Furnish & Install Water-Based Concrete Sealer At SC-1 Areas

Furnish & Install Caulking At Saw-Cut Joints In Sealed Concrete Areas

Excludes Concrete Grinding, Crack Repair

Rubber Base

Furnish & Install 4" Rubber Wall Base At RB-1 Areas

Epoxy Flooring

Furnish & Install Dur-A-Flex Dur-A-Chip Epoxy Flooring At EP-1 Areas

Furnish & Install 6" Epoxy Cove Base

Excludes Sloping, Major Concrete Prep

Caulking

Furnish & Install Sika HY 100 Caulking At Exterior Site Concrete Expansion Zip-Cap Joints

Furnish & Install Sika 2CNS EZ MIX Caulking At CMU Vertical Interior/Exterior Joints

Furnish & Install Sika 2CNS EZ Mix Caulking At Hollow Metal Doors Inside & Out

Excludes Caulking Storefronts, Any Other Joints Not Called Out Above

Excludes Any Floor Protection After Material Has Been Installed

Prevailing Wage Rates Apply

Bid Assumes Normal Working Hours

Perform Normal Prep

No Prevailing Wage Pricing is included, unless specified, in writing, above

Excludes:

Major floor prep, alkalinity remedation & moisture block

Abatement, demo & disposal done by others (if needed)

Moving furniture, fixtures, plumbing, partitions, equipment, stalls and other objects in area of scope to be done by others

Mortar bed for floor, drywall repairs, paint touch ups, underlayment, and tile backer board (if required)

Wall base/floor finish protection, potable water and electricty provided by others

Floor protection during work in place included BUT excluded after scope completion

Remobilization, restaging fees & final cleaning

Any other scope of work other than listed above

NOTE: All flooring installations performed during cold weather months must be in an enclosed building, with the HVAC system operational, between 65 degrees to 90 degrees Fahrenheit, throughout the day and evening hours, for at least 72 hours before, during & after the installation. Non-compliance may affect the installation warranty.

***Due to Material and Freight Instability, Proposal is Valid for 30 days from Date of Proposal ***

***SILegacy Floor Finishing may extend beyond 30 days at it's own discretion ***

Excludes additional costs related to Owner or Contractor-required software for Billing, pre-approval processes, or safety Software requirements.

Any such costs, will need to be added to the cost of the job.

Signature *Luis Hernandez*
Name Luis Hernandez
Date 5/12/2026

Acceptance Signature _____
Name _____
Date _____

***Due to Material and Freight Instability, Proposal is Valid for 30 days from Date of Proposal ***

***SILegacy Floor Finishing may extend beyond 30 days at it's own discretion ***